



## SLB240 four door Sandwich Bar

### Quick Overview

Four Door  
12 x 1/3 x 150 mm deep GN pans\*  
Stainless Steel interior & exterior\*

- 2 to 5 ° C
- cross-flow pan cooling
- "blown well"
- Fridge has one level of shelving plus floor
- Comes with dividers
- pan lid
- Secop compressors
- German ĘBM-Pabst fans
- digital temp. control & read-out
- Ambient 38°C & 60% RH
- rounded internal corners for hygiene & easy cleaning
- working area 240mm deep
- PE cutting board included
- bench height 880 mm
- fan-forced evaporator cooling
- auto defrost
- self evaporating drainage
- castors

\* gal metal back

\*\* pans not included

\*\*\* pan lid must be used to ensure correct operating temperature

Tops are holding units & product needs to be pre-chilled to less than 5°C before filling

### Description

Four Door  
12 x 1/3 x 150 mm deep GN pans\*  
Stainless Steel interior & exterior\*

- 2 to 5 ° C
- cross-flow pan cooling
- "blown well"
- Fridge has one level of shelving plus floor
- Comes with dividers

- pan lid
- Secop compressors
- German ËBM-Pabst fans
- digital temp. control & read-out
- Ambient 38°C & 60% RH
- rounded internal corners for hygiene & easy cleaning
- working area 240mm deep
- PE cutting board included
- bench height 880 mm
- fan-forced evaporator cooling
- auto defrost
- self evaporating drainage
- castors

\* gal metal back

\*\* pans not included

\*\*\* pan lid must be used to ensure correct operating temperature

Tops are holding units & product needs to be pre-chilled to less than 5°C before filling

2 Years Parts and Labour + 2 Years Parts only Warranty with Product Registration within 14 Days of Invoice

## Your Shipping Specifications

---

Net Weight (Kg)	175
Width (mm)	2400
Depth (mm)	750
Height (mm)	1090
Packing Width (mm)	870
Packing Depth (mm)	2520
Packing Height (mm)	1250
Power	240V; 525W
Warranty	2 Years Parts and Labour + 2 Years Parts Only for Products Registered within 14 Days of Invoice