



FED-X Two Door Salad Prep Fridge with Curve Glass Top - XTHP2100SALGC

Quick Overview

- Stainless steel interior and exterior with rounded corners for easy cleaning
- Open top suitable for multiple pan configurations (Pans and lids are not included)
- Replaceable magnetic door seals
- User friendly Digital controls
- Integrated cutting board made from high-density polyethylene
- Heavy duty castors with front wheel brakes
- Pan and pan cover must be used to ensure correct operating temperature
- Weight loading per shelf: 40kg
- Dimensions (internal): 799mm W x 580mm D x 564mm H

Description

FED-X Two Door Salad Prep Fridge with Curve Glass Top - XTHP2100SALGC

- Net Capacity: 314L
- Cooling System: Fan forced cooling
- Temperature range: +2~+8 ° C
- Compressor: Cubigel
- Controller: Dixell
- Refrigerant: R290
- Ambient Temperature: 32 ° C
- RH: 60%
- Stainless steel interior and exterior with rounded corners for easy cleaning
- Open top suitable for multiple pan configurations (Pans and lids are not included)
- Replaceable magnetic door seals
- User friendly Digital controls
- Integrated cutting board made from high-density polyethylene
- Heavy duty castors with front wheel brakes
- Pan and pan cover must be used to ensure correct operating temperature
- Weight loading per shelf: 40kg
- Dimensions (internal): 799mm W x 580mm D x 564mm H

2 Years Parts and Labour + 2 Years Parts only Warranty with Product Registration within 14 Days of Invoice

Your Shipping Specifications

Net Weight (Kg)	105
Width (mm)	1360
Depth (mm)	700
Height (mm)	1320
Packing Width (mm)	1390
Packing Depth (mm)	730
Packing Height (mm)	910
Power	240V; 50V; 10A; 215W
Warranty	2 Years Parts and Labour + 2 Years Parts Only for Products Registered within 14 Days of Invoice