

Valentine®
+ SWISS MADE

Table-top fryers TF



Table-top fryers

"TF-series"



Quality and sustainability

100% stainless steel construction, robust and easy to clean.

1

Stainless steel pan

Pan pressed from one piece of metal without welding and with rounded corners to allow easy cleaning and guarantee optimum hygiene.



Drain valve

Front drain valve with screw cap for easy oil recovery.

3

Three-part fryer

For greater safety and easy maintenance, the TF series is divided into 3 parts, the control unit, the pan and the chassis. The last two components can be washed in the dishwasher.



Further features:

- Easy to operate; single control dial and LED indicator lights.
- Dialog system: maximum efficiency with clear operational indication.
- Cool zone under the heating element for waste recover and oil saving.
- Security thermostat with reset button.
- Supplied with lid.
- 20 years spare parts availability.



Model TF3

Professional quality in your own home!

General information



Quality and sustainability

Entirely in stainless steel, robust and easy to clean. Components and finish of high quality to meet with the highest expectations.
20 years spare parts availability!



Easy to operate; single control dial and LED indicator lights.



Three-part fryer

For greater safety and easy maintenance, the TF series is divided into 3 parts, the control unit, the pan and the chassis. The last two components can be washed in the dishwasher.



Further features:

- Robust and resilient basket design.
- Security thermostat with reset button.
- Supplied with lid.



Options, to be ordered

Available to order
for all models



Support table adapted
to following models:
TF7, TF55 and TF10.
With G/N containers
storage possibility.

Table-top fryers

The tailor-made solution



	TF 3	TF 5	TF 55	TF 7	TF 7 Turbo
Tank (litres)	2-3	5	2x5	7	7
Dimensions (mm)					
Width	200	210	420	280	280
Depth	390	410/450	410/450	410/450	410/450
Height	180/310	260/420	260/420	260/420	260/420
Basket (mm)					
Width	155	155	2x155	220	220
Depth	235	235	2x235	235	235
Height	105	105	2x105	105	105
Net weight (kg)	6	9	15	10	10
Voltage (V)⁽¹⁾	1N230V	2x400V	3x400V	2x400V	2x400V
Kilowatts (kW)	2,3 (CH) 3,0 (EU)	3,6	7,2	3,6	4,6
Fuses (A)	10 (CH) 13 (EU)	9	16	9	11,5
Plug type	Type 12 (CH) Schuko (EU)	Without plug	Without plug	Without plug	Without plug



	TF 77	TF 77 Turbo	TF 10	TF 13
Tank (litres)	2x7	2x7	10	13
Dimensions (mm)				
Width	560	560	370	550
Depth	410/450	410/450	410/450	410/450
Height	260/420	260/420	260/420	260/420
Basket (mm)				
Width	2x220	2x220	305	480
Depth	2x235	2x235	235	235
Height	2x105	2x105	105	105
Net weight (kg)	17	17	11	16
Voltage (V)⁽¹⁾	2x(2x400V)	2x(2x400V)	3N400V	3N400V
Kilowatts (kW)	2x3,6	2x4,6	6,9	6,9
Fuses (A)	2x9	2x11,5	10	10
Plug type	Without plug	Without plug	Without plug	Without plug

(1) Available as well in 1N230V (except TF10 + TF13).
All changes reserved.