



Economaster 60 B SS 19

Product code: EM12BXXSXAU

Capacity: Commercial

Zip EconoMaster freestanding chilled drinking water appliance with bubbler. In Stainless Steel finish.

Specifications

Product name	Economaster 60 B SS 19
Product code	EM12BXXSXAU
Product approvals	WaterMark, CE, ARC
Warranty	12 months

Capacity, weight & dimensions

Dimensions	H915mm x W354mm x D359mm
------------	--------------------------

Plumbing

Water connection	12.7mm BSP
Water pressure	150kPa- 700kPa

Electrical

Power rating	220-240V 50Hz 220V 60Hz
--------------	-------------------------

Tap design

Tap	Bubbler only
-----	--------------

Installation

Installation requirements

'1. Installation and connection of your Zip upright chiller must be carried out by a qualified person, observing national and local regulations. 2. You will require suitable mains potable water and waste connection and suitable mains electrical connection close to the unit. 3. Your Zip Upright chiller is fan cooled and requires a ventilation gap of 50mm on all sides. 4. To be positioned for easy access and on a level surface. 5. If you live in a hard water area, we recommend installation of a Zip scale filtration kit. 6. Installation by Zip Professional Service can be arranged with a phone call or through www.zipwater.com'

Certifications



Environment
ISO 14001



Health & Safety
AS/NZS 4801



Quality
ISO 9001



WaterMark
WM-022314
WMTS105:2016



↓ ARC (PDF)



↓ Environment ISO (PDF)



↓ Health & Safety (PDF)



↓ Quality ISO (PDF)

Manuals & brochures



↓ Instruction manual (PDF)



↓ User manual (PDF)

↓ Download all