



## HydroTap G5 BHA100 3-in-1 Elite Plus tap with Cube Mixer Chrome

Boiling



**Finish:** Chrome

**Product code:** H5E957Z00AU

**Capacity:** Commercial

Zip HydroTap Design Range 3 in 1 Boiling Filtered water plus Hot and Cold washing up water from two separate taps. This water system features a single under bench command centre including full colour interactive touch screen display with pin code protection and customisable settings including boiling water safety mode, 2 energy saving modes including ON/OFF timers and 2 hour sleep mode, 'Quiet' mode with automated intelligent fan speed adjustment, antimicrobial protection impregnated into key water paths for enhanced hygiene, 100% water efficient air cooled technology, 0.2 micron water filtration, and 2 disposable CO2 cylinders.

# Specifications

|                     |                                                                                |
|---------------------|--------------------------------------------------------------------------------|
| Product name        | HydroTap G5 BHA100 3-in-1 Elite Plus tap with Cube Mixer Chrome                |
| Product code        | H5E957Z00AU                                                                    |
| Filtered water type | BHA                                                                            |
| Product approvals   | WaterMark, RCM, ARC                                                            |
| Wels rating         | 5 Star, 6 litres                                                               |
| Warranty            | 5 years (appliance warranty 36 months plus additional 24 months tank warranty) |

# Capacity, weight & dimensions

|                       |        |
|-----------------------|--------|
| Number of people      | 61-100 |
| Boiling cups per hour | 240    |

# Plumbing

|                           |                                                                |
|---------------------------|----------------------------------------------------------------|
| Water supply requirements | Cold                                                           |
| Water connection          | 1/2" BSP (G1/2)                                                |
| Water valves              | Integrated 500kPa Pressure limiting valve and Dual Check Valve |
| Water pressure            | Min 250kPa - Max 700kPa                                        |

# Electrical

|                      |                                             |
|----------------------|---------------------------------------------|
| Power rating         | 1.8kW 220-240V 50Hz                         |
| Power supply         | 2 × 10 Amp socket outlets                   |
| Booster power rating | Zip HydroTap Booster 2.2kW 220-240V 50/60Hz |

# Tap design

|                 |                                                   |
|-----------------|---------------------------------------------------|
| Tap             | Zip HydroTap Design Range ELITE PLUS Tap (Chrome) |
| HydroTap style  | Elite Plus                                        |
| Mixer tap style | Cube                                              |
| Finish          | Chrome                                            |

# Command centre

Dimensions W280mm x D313mm x H333mm


## Installation

### Installation requirements

- 1. Installation and connection of your Zip HydroTap must be carried out by a Zip Certified service technician, observing national and local regulations.
- 2. You will require suitable mains electrical and drinking water connections, plus waste water drainage all within 1 metre of the product.
- 3. Zip HydroTap is air-cooled so discrete cabinetry cut-outs are required for ventilation.
- 4. Installation on most bench tops is straightforward however some stone bench tops may require a specialised cutting service.
- 5. If you live in a hard water area, we recommend installation of a scale filtration kit.
- 6. Installation by Zip Professional Service can be arranged with a phone call or through [www.zipwater.com/book-service-visit](http://www.zipwater.com/book-service-visit)

### Files

Installation Layout 3D (DWG)



Installation Layout (PDF)

# BIM files

LCF

↓ ArchiCAD Swift  
Globals Library  
(LCF)

LCF

↓ ArchiCAD Zip Water  
Library (LCF)

ZIP

↓ Revit Project File  
(RFA)

RVT

↓ Revit Virtual  
Showroom (RVT)

↓ Download all

# Certifications







Environment  
ISO 14001



WATER RATING  
www.waterrating.gov.au  
6.0 litres per  
minute  
In accordance with AS/NZS 6400  
Licence No. 0086  
Zip Housers (Aust) Pty Ltd



INTERNATIONAL EPD SYSTEM





Health & Safety  
AS/NZS 4801



Quality  
ISO 9001





↓ Environment ISO  
(PDF)



↓ Environmental  
Product Declaration  
Brochure (PDF)



↓ Filter performance  
(PDF)



↓ Health & Safety  
(PDF)



↓ Quality ISO (PDF)

# Manuals & brochures



 Brochure (PDF)



 Instruction manual (PDF)



 Quick guide (PDF)



 Tap operation label (PDF)



 User manual (PDF)

 Download all