



## HydroTap G5 BCHA40 4-in-1 Touch-Free Wave tap with Arc Mixer Chrome

Boiling Chilled



**Finish:** Chrome

**Product code:** H5W822Z00AU

**Capacity:** Commercial

Zip HydroTap Touch-Free Wave 4 in 1 Boiling, Chilled, Filtered water plus Hot and Cold washing up water from two separate taps. The system uses smart infrared 100% touch-free operation that is activated with the Wave of a hand. The water system features a single under bench command centre including full colour interactive touch screen display with pin code protection and customisable settings including boiling water safety mode, 2 energy saving modes including ON/OFF timers and 2 hour sleep mode, 'Quiet' mode with automated intelligent fan speed adjustment, antimicrobial protection impregnated into key water paths for enhanced hygiene, 100% water efficient air cooled technology and 0.2 micron water filtration. Easy to install integrated ventilation tray included.

# Specifications

|                     |  |
|---------------------|--|
| Product name        | HydroTap G5 BCHA40 4-in-1 Touch-Free Wave tap with Arc Mixer Chrome            |
| Product code        | H5W822Z00AU  |
| Filtered water type | BCHA   |
| Product approvals   | WaterMark, RCM, ARC  |
| WELS rating         | 5 Star, 6 litres   |
| Warranty            | 5 years (appliance warranty 36 months plus additional 24 months tank warranty) |

# Capacity, weight & dimensions

|                       |       |
|-----------------------|-------|
| Number of people      | 21-40 |
| Boiling cups per hour | 160   |
| Chilled cups per hour | 125   |

# Plumbing

|                           |  |
|---------------------------|--|
| Water supply requirements | Cold   |
| Water connection          | 1/2" BSP (G1/2)  |
| Water valves              | Integrated 500kPa Pressure limiting valve and Dual Check Valve |
| Water pressure            | Min 300kPa - Max 700kPa  |

# Electrical

|              |                          |
|--------------|--------------------------|
| Power rating | 1.97kW 220-240V 50Hz     |
| Power supply | 1 × 10 Amp socket outlet |

# Tap design

|                 |   |
|-----------------|---|
| Tap             | Zip HydroTap Touch-Free Wave tap (Chrome) |
| HydroTap style  | Touch-Free Wave                           |
| Mixer tap style | Arc                                       |
| Finish          | Chrome                                    |

# Command centre

Dimensions

W395mm x D487mm x H333mm


## Installation

### Installation requirements

1. Installation and connection of your Zip HydroTap must be carried out by a qualified person, observing national and local regulations.
2. You will require suitable mains electrical and drinking water connections, plus waste water drainage all within 1.5 metres of the product.
3. **Discrete cabinetry cut outs are required for airflow. 40mm minimum clearance on cupboard base overhang required otherwise alternative installation options are available.**
4. Installation on most bench tops is straightforward however some stone bench tops may require a specialised cutting service.
5. If you live in a hard water area, we recommend installation of a Zip scale filtration kit.
6. Installation by Zip Professional Service can be arranged with a phone call or through [www.zipwater.com/book-service-visit](http://www.zipwater.com/book-service-visit)

### Files

Installation Layout 3D (DWG)




















Installation Layout (PDF)

# BIM files

|  |   |   |   |
|--|---|---|---|
|  |  |  |  |
| <a href="#">↓ ArchiCAD Swift<br/>Globals Library<br/>(LCF)</a>                   | <a href="#">↓ ArchiCAD Zip Water<br/>Library (LCF)</a>                            | <a href="#">↓ Revit Project File<br/>(RFA)</a>                                    | <a href="#">↓ Revit Virtual<br/>Showroom (RVT)</a>                                |


[↓ Download all](#)

# Certifications

|  |   |   |   |  |   |   |
|--|---|---|---|--|---|---|
|    |    |    |    |   |    |    |
|  |   | <b>Environment<br/>ISO 14001</b>  |   |  | <b>Health &amp; Safety<br/>AS/NZS 4801</b>  | <b>Quality<br/>ISO 9001</b>   |
|  |  |    |   |  |   |   |
|  |   | <b>WATER RATING</b><br>www.waterrating.gov.au<br><b>6.0</b> litres per<br>minute<br><small>In accordance with AS/NZS 6400<br/>Licence No. 0086<br/>Zip Heaters (Aust) Pty Ltd</small> |   |  |   |   |
|  |  |    |  |  |  |  |
| <a href="#">↓ ARC (PDF)</a>  | <a href="#">↓ Environment ISO<br/>(PDF)</a>   | <a href="#">↓ Environmental<br/>Product Declaration<br/>Brochure (PDF)</a>  | <a href="#">↓ Filter performance<br/>(PDF)</a>                                      | <a href="#">↓ Health &amp; Safety<br/>(PDF)</a>                                      | <a href="#">↓ HydroTap Clean<br/>SDS (PDF)</a>  | <a href="#">↓ Quality ISO (PDF)</a>   |

# Manuals & brochures




 Brochure (PDF)




 Instruction manual (PDF)




 Quick guide (PDF)



 Tap operation label (PDF)



 User manual (PDF)

 Download all