




## HydroTap G5 BCHA20 4-in-1 Touch-Free Wave tap with Classic Accessible Mixer Chrome

Boiling Chilled

 **Finish:** Chrome

**Product code:** H5WD21Z00AU

**Capacity:** Commercial

Zip HydroTap Touch-Free Wave 4 in 1 Boiling, Chilled, Filtered water plus Hot and Cold washing up water from two separate taps. The system uses smart infrared 100% touch-free operation that is activated with the Wave of a hand. The water system features a single under bench command centre including full colour interactive touch screen display with pin code protection and customisable settings including boiling water safety mode, 2 energy saving modes including ON/OFF timers and 2 hour sleep mode, 'Quiet' mode with automated intelligent fan speed adjustment, antimicrobial protection impregnated into key water paths for enhanced hygiene, 100% water efficient air cooled technology and 0.2 micron water filtration.

# Specifications

Product name	HydroTap G5 BCHA20 4-in-1 Touch-Free Wave tap with Classic Accessible Mixer Chrome
Product code	H5WD21Z00AU
Filtered water type	BCHA
Product approvals	WaterMark, RCM, ARC
WELS rating	6 Star, 3.0 litres
Warranty	5 years (appliance warranty 36 months plus additional 24 months tank warranty)

# Capacity, weight & dimensions

Number of people	1-20
Boiling cups per hour	100
Chilled cups per hour	75

# Plumbing

Water supply requirements	Cold
Water connection	1/2" BSP (G1/2)
Water valves	Integrated 500kPa Pressure limiting valve and Dual Check Valve
Water pressure	Min 300kPa - Max 700kPa

# Electrical

Power rating	1.9kW 220-240V 50Hz
Power supply	1 × 10 Amp socket outlet

# Tap design

Tap	Zip HydroTap Touch-Free Wave tap (Chrome)
HydroTap style	Touch-Free Wave
Mixer tap style	Accessible
Finish	Chrome

# Command centre

Dimensions

W280mm x D478mm x H333mm


## Installation

### Installation requirements

1. Installation and connection of your Zip HydroTap must be carried out by a qualified person, observing national and local regulations.
2. You will require suitable mains electrical and drinking water connections, plus waste water drainage all within 1.5 metres of the product.
3. **Discrete cabinetry cut outs are required for airflow. 40mm minimum clearance on cupboard base overhang required otherwise alternative installation options are available.**
4. Installation on most bench tops is straightforward however some stone bench tops may require a specialised cutting service.
5. If you live in a hard water area, we recommend installation of a Zip scale filtration kit.
6. Installation by Zip Professional Service can be arranged with a phone call or through [www.zipwater.com/book-service-visit](http://www.zipwater.com/book-service-visit)

### Files

Installation Layout 3D (DWG)



















Installation Layout (PDF)

# BIM files

			
<a href="#">↓ ArchiCAD Swift Globals Library (LCF)</a>	<a href="#">↓ ArchiCAD Zip Water Library (LCF)</a>	<a href="#">↓ Revit Project File (RFA)</a>	<a href="#">↓ Revit Virtual Showroom (RVT)</a>

[↓ Download all](#)

# Certifications

						
		<b>Environment ISO 14001</b>			<b>Health &amp; Safety AS/NZS 4801</b>	<b>Quality ISO 9001</b>
						
		<b>WATER RATING</b> www.waterrating.gov.au <b>3.0</b> litres per minute. In accordance with AS/NZS 6400 Licence No. 0086 Zip Heaters (Aust) Pty Ltd				
						
<a href="#">↓ ARC (PDF)</a>	<a href="#">↓ Environment ISO (PDF)</a>	<a href="#">↓ Environmental Product Declaration Brochure (PDF)</a>	<a href="#">↓ Filter performance (PDF)</a>	<a href="#">↓ Health &amp; Safety (PDF)</a>	<a href="#">↓ HydroTap Clean SDS (PDF)</a>	<a href="#">↓ Quality ISO (PDF)</a>

# Manuals & brochures



 Brochure (PDF)



 Instruction manual (PDF)



 Quick guide (PDF)



 Tap operation label (PDF)



 User manual (PDF)

 Download all