



**Stainless Steel Counter  
Display Refrigerators**  
Instruction manual



**Model:**  
**CK490-A/CK491-A/CK492-A**

## Safety Tips

- Position on a flat, stable surface.
- A service agent/qualified technician should carry out installation and any repairs if required. Do not remove any components or service panels on this product.
- Consult Local and National Standards to comply with the following:
  - Health and Safety at Work Legislation
  - Fire Precautions
  - Wiring Regulations
  - Building Regulations
- DO NOT use jet/pressure washers to clean the appliance.
- DO NOT use the appliance outside.
- DO NOT use this appliance to store medical supplies.
- DO NOT stand or support yourself on the base, drawers or doors.
- DO NOT allow oil or fat to come into contact with the plastic components or door seal. Clean immediately if contact occurs.
- Bottles that contain a high percentage of alcohol must be sealed and placed vertically in the refrigerator.
- Always carry, store and handle the appliance in a vertical position and move by holding the base of the appliance.
- Always switch off and disconnect the power supply to the unit before cleaning.
- Keep all packaging away from children. Dispose of the packaging in accordance with the regulations of local authorities.
- If the power cord is damaged, it must be replaced by a POLAR agent or a recommended qualified technician in order to avoid a hazard.
- POLAR recommends that this appliance should be periodically tested (at least annually) by a Competent Person. Testing should include, but not be limited to: Visual Inspection, Polarity Test, Earth Continuity, Insulation Continuity and Functional Testing.

- This appliance is not intended for use by persons (including children) with reduced physical, sensory or mental capabilities, or lack of experience and knowledge, unless they have been given supervision or instruction concerning use of the appliance by a person responsible for their safety.



### Caution Risk of Fire

- Do not store explosive substances such as aerosol cans with a flammable propellant in this appliance.



**Warning: Keep all ventilation openings clear of obstruction. Unit should not be boxed in without adequate ventilation.**

- **Warning:** Do not use mechanical devices or other means to accelerate the defrosting process, other than those recommended by the manufacturer.
- **Warning:** Do not damage the refrigerant circuit.
- **Warning:** Do not use electrical appliances inside the food storage compartments of the appliance, unless they are the type recommended by the manufacturer.

## Product Description

**CK490-A** - POLAR 2 Door Counter Bar Refrigerator

**CK491-A** - POLAR 3 Door Counter Bar Refrigerator

**CK492-A** - POLAR 4 Door Counter Bar Refrigerator

## Introduction

Please take a few moments to carefully read through this manual. Correct maintenance and operation of this machine will provide the best possible performance from your POLAR product.

## Pack Contents

The following is included:

- POLAR Refrigerator
- Shelves (2 per door)
- Spacer (x2)
- Shelf guides (4 per door)
- Instruction manual

POLAR prides itself on quality and service, ensuring that at the time of packaging the contents are supplied fully functional and free of damage.

Should you find any damage as a result of transit, please contact your POLAR dealer immediately.

## Installation



**Note: If the unit has not been stored or moved in an upright position, let it stand upright for approximately 12 hours before operation. If in doubt allow to stand.**

1. Remove the appliance from the packaging. Make sure that all protective plastic film and coatings are thoroughly removed from all surfaces.
2. Maintain a distance of 20cm (7 inches) between the unit and walls or other objects for ventilation. **NEVER LOCATE NEXT TO OR NEAR A HEAT SOURCE.**



**To avoid being pushed tight against the wall accidentally and ensure good ventilation, 2 spaces are supplied for mounting on the rear.**

3. Set the brakes on the castors to keep the appliance in position  
OR  
Level the appliance by adjusting the screw feet.



**Note: Before using the appliance for the first time, clean the shelves and interior with soapy water.**

## Fitting the Shelves & Floor Guards

1. Place one set of shelf guides on either side of the cabinet at the desired height.
2. Slide the shelf into place.
3. Repeat for the remaining shelves.
4. Place the floor guards on the floor of the cabinet, ensuring the flat side is clear of the floor.



**Note: This is vital for ensuring correct drainage of condensation.**

## Operation

### Storing Food


To get the best results from your POLAR appliance, follow these instructions:

- Only store foodstuffs in the appliance when it has reached the correct operating temperature.
- Do not place uncovered hot food or liquid inside the appliance.
- Wrap or cover food where possible.
- Do not obstruct the fans inside the appliance.
- Avoid opening the doors for prolonged periods of time.

### Turn On

1. Close the doors/drawers of the appliance.
2. Ensure the power switch is set to [O] and turn on at the socket.
3. Switch on the Power [I]. The current temperature within the appliance is displayed.

### Control Panel



### To See the Setpoint

Push and immediately release the **SET** key. The display will show the Setpoint value.

### Changing the Setpoint

1. Push the **SET** key for more than 2 seconds to change the Setpoint value.
2. The value of the set point will be displayed and the COMPRESSOR LED starts blinking.
3. To change the Set value push ▲ and ▼ buttons within 10 seconds.
4. To store the new Setpoint push the **SET** key or wait 10 seconds.

## Manual Defrost

The appliance will automatically run a defrost cycle every six hours.



**Note: The cycle starts from the time the appliance is initially powered up.**

To manually defrost the appliance:

1. Press and hold the "aux" button for more than 2 seconds.
2. The defrost cycle will start immediately and the Defrost LED illuminates.



**Note: Starting a manual defrost also resets the automatic defrost timer.**

3. The next automatic defrost will start six hours after the manual defrost has finished.

## Cleaning, Care & Maintenance

- **Switch off and disconnect from the power supply before cleaning.**
- Clean the interior of the appliance as often as possible.
- Do not use abrasive cleaning agents. These can leave harmful residues.
- Clean the door seal with warm soapy water.
- Always wipe dry after cleaning.
- Do not allow water used in cleaning to run through the drain hole into the evaporation pan.
- Take care when cleaning the rear of the appliance. Sharp edges can cut.
- A POLAR agent or qualified technician must carry out repairs if required.

### Cleaning the Condenser

Periodically cleaning the condenser can extend the life of the appliance.

POLAR recommend that a POLAR agent or qualified technician clean the condenser.

## Troubleshooting

If your POLAR appliance develops a fault, please check the following table before making a call to the Helpline or your POLAR dealer.

| Fault   | Probable Cause  | Solution  |
|---|---|---|
| The appliance is not working                                | The unit is not switched on   | Check the unit is plugged in correctly and switched on      |
|   | Plug and lead are damaged   | Call POLAR agent or qualified Technician                    |
|   | Power supply  | Check power supply  |
| The appliance turns on, but the temperature is too high/low | Too much ice on the evaporator  | Defrost the appliance                                       |
|   | Condenser blocked with dust   | Clean condenser with hose attachment of vacuum              |
|   | Doors are not shut properly   | Check doors are shut and seals are not damaged              |
|   | Appliance is located near a heat source or air flow to the condenser is being interrupted | Move the refrigerator to a more suitable location           |
|   | Ambient temperature is too high   | Increase ventilation or move appliance to a cooler position |
|   | Unsuitable foodstuffs are being stored in the appliance                                   | Remove any excessive hot foodstuffs or blockages to the fan |
|   | Appliance is overloaded   | Reduce the amount of food stored in the appliance           |

| Fault                           | Probable Cause   | Solution   |
|---------------------------------|--|--|
| The appliance is leaking water  | The appliance is not properly levelled                             | Adjust the screw feet to level the appliance (if applicable) |
|                                 | The discharge outlet is blocked                                    | Clear the discharge outlet                                   |
|                                 | Movement of water to the drain is obstructed                       | Clear the floor of the appliance (if applicable)             |
|                                 | The water container is damaged                                     | Call POLAR agent or qualified Technician                     |
|                                 | The drip tray is overflowing                                       | Empty the drip tray (if applicable)                          |
| The appliance is unusually loud | Loose nut/screw  | Check and tighten all nuts and screws                        |
|                                 | The appliance has not been installed in a level or stable position | Check installation position and change if necessary          |

## Technical Specifications

| Model   | Voltage       | Power | Current | Temp. Range | Capacity (litres) | Refrigerant | Dimensions H x W x D (mm) | Weight (Kg) |
|---------|---------------|-------|---------|-------------|-------------------|-------------|---------------------------|-------------|
| CK490-A | 220-240V 50Hz | 360W  | 1.8A    | 2°C to 6°C  | 366               | R290 85g    | 1060 x 1505 x 600         | 120         |
| CK491-A | 220-240V 50Hz | 360W  | 1.8A    | 2°C to 6°C  | 543               | R290 85g    | 1060 x 2005 x 600         | 150         |
| CK492-A | 220-240V 50Hz | 360W  | 1.8A    | 2°C to 6°C  | 720               | R290 85g    | 1080 x 2505 x 600         | 180         |

## Electrical Wiring

The plug is to be connected to a suitable mains socket. POLAR appliances are wired as follows:

- Live wire (coloured brown) to terminal marked L
- Neutral wire (coloured blue) to terminal marked N
- Earth wire (coloured green/yellow) to terminal marked E

This appliance must be earthed.

If in doubt consult a qualified electrician.

Electrical isolation points must be kept clear of any obstructions. In the event of any emergency disconnection being required they must be readily accessible.



## Compliance

The product must not be disposed of as household waste. To help prevent possible harm to human health and/or the environment, the product must be disposed of in an approved and environmentally safe recycling process. For further information on how to dispose of this product correctly, contact the product supplier, or the local authority responsible for waste disposal in your area.

POLAR parts have undergone strict product testing in order to comply with regulatory standards and specifications set by international, independent, and federal authorities.

POLAR products have been approved to carry the following symbol:



**All rights reserved. No part of these instructions may be produced or transmitted in any form or by any means, electronic, mechanical, photocopying, recording or otherwise, without the prior written permission of POLAR.**

**Every effort is made to ensure all details are correct at the time of going to press, however, POLAR reserve the right to change specifications without notice.**

# DECLARATION OF CONFORMITY

• Conformanceverklaring • Déclaration de conformité • Konformitätserklärung • Dichiarazione di conformità •  
• Declaración de conformidad • Declaração de conformidade

|  |   |
|--|---|
| Equipment Type • Uitrustings-type • Type d'équipement • Gerätetyp<br>• Tipo di apparecchiatura • Tipo de equipo • Tipo de equipamento  | Model • Modèle • Modell • Modello<br>• Modelo • Malli   |
| U-Series 2 door Premium Bar fridge<br>U-Series 3 door Premium Bar fridge<br>U-Series 4 door Premium Bar fridge   | CK490-A<br>CK491-A<br>CK492-A   |
| Application of Territory Legislation & Council Directives(s)<br>Toepassing van Europese Richtlijn(en) • Application de la/des directive(s) du Conseil • Anwendbare EU-Richtlinie(n) • Applicazione delle Direttive<br>• Aplicación de la(s) directiva(s) del consejo • Aplicação de directiva(s) do Conselho | <b>Electrical Safety</b><br>IEC 60335-1:2010 +A1:2013 +A2:2015<br>IEC 60335-2-89:2010 +A1:2012 +A2:2016<br><br><b>Electromagnetic Compatibility</b><br>EN 55014-1:2017<br>EN 55014-2:2015<br>EN 61000-3-2: 2014<br>EN 61000-3-3: 2013 |
| Producer Name • Naam fabrikant • Nom du producteur • Name des Herstellers<br>• Nome del produttore • Nombre del fabricante • Nome do fabricante  | <b>Polar</b>  |

I, the undersigned, hereby declare that the equipment specified above conforms to the above Territory Legislation, Directive(s) and Standard(s).

Ik, de ondergetekende, verklaar hierbij dat de hierboven gespecificeerde uitrusting goedgekeurd is volgens de bovenstaande Richtlijn(en) en Standaard(en).

Je soussigné, confirme la conformité de l'équipement cité dans la présente à la / aux Directive(s) et Norme(s) ci-dessus  
Ich, der/die Unterzeichnende, erkläre hiermit, dass das oben angegebene Gerät der/den oben angeführten Richtlinie(n) und Norm(en) entspricht.

Il sottoscritto dichiara che l'apparecchiatura di sopra specificata è conforme alle Direttive e agli Standard sopra riportati.

El abajo firmante declara por la presente que el equipo arriba especificado está en conformidad con la(s) directiva(s) y estándar(es) arriba mencionadas.

Eu, o abaixo-assinado, declaro que o equipamento anteriormente especificado está em conformidade com a(s) anterior(es) Directiva(s) e Norma(s)

Date • Data • Date • Datum • Data •  
Fecha • Data

Signature • Handtekening •  
Signature • Unterschrift Firma •  
Firma • Assinatura

Full Name • Volledige naam • Nom  
et prénom • Vollständiger Name •  
Nome completo • Nombre completo  
• Nome por extenso

Position • Functie • Fonction •  
Position • Qualifica • Posición •  
Função

Producer Address • Adres fabrikant •  
Adresse du producteur • Anschrift  
des Herstellers • Indirizzo del  
produttore • Dirección del fabricante  
• Morada do fabricante

**11<sup>th</sup> January 2021**

DocuSigned by:

*Ashley Hooper*

B39382C9FD9C478...

**Ashley Hooper**

**Technical & Quality Manager**

**Fourth Way,  
Avonmouth,  
Bristol,  
BS11 8TB  
United Kingdom**

DocuSigned by:

*Josie Holt*

3582E210C4054DA...

**Josie Holt**

**Commercial Manager/ Responsible  
Supplier**

**15 Bagdally Road,  
Campbelltown  
NSW 2560**





<http://www.polar-refrigerator.com/> 

CK490-A\_CK491-A\_CK492-A\_A5\_v3\_20210125