

Big versatility in smaller packages.

The new IQV12 Series™ of 12-volt tools from Ingersoll Rand offers versatile performance, cordless convenience, and rugged durability in exceptionally compact packages with class-leading ergonomics — key benefits in the automotive services and MRO markets. Lighter tool weight and smaller tool sizes combine with ergonomic design to make accessing difficult areas easier, minimize operator fatigue, and **Do the Job, Do it Fast, Do it Every Time**.

Accessibility

The compact, cordless design of every IQV12 Series tool makes accessing tight spaces easier.

Comfort

Lightweight design and small handles help minimize fatigue, making tools more ergonomic and comfortable to hold.

Durability

Chemical- and impact-resistant housings are designed to withstand tough environments and repeated drops while protecting interior components.



















IQ^{V12} Series[™] Impactools[™]

W1110 1/4" and W1130 3/8"



Bright white LED casts light on the work piece

Patent-pending soft-mount system reduces vibration for extended motor and switch life

Positive-lock battery with patent-pending dual side button design for easier and more secure battery installation



Impact- and chemicalresistant housing protects against repeated

1.80 m (6 ft) drops onto concrete and exposure to

3-point rubber pads protect tool and work

Ergonomically designed small-handle grip helps reduce operator fatigue during extended use

| Model no. | Model no. | Voltage | Drive | Blows | Free | Recomended | Maximum | Sound level dBA | | Vibration | |
|-------------------------|-------------|---------|--------------------------|------------|----------|----------------------------|------------------|-----------------|----------------|------------------|------------------|
| (bare unit) | battery | DC | type | per minute | speed | torque range | torque | † Pressure | ‡ Power | Level | *K |
| | | V | | | rpm | Nm (ft-lb) | Nm (ft-lb) | L _P | L _P | m/s ² | m/s ² |
| IQ ^{V12} Serie | s™ Impactoo | ls™ | | | | | | | | | |
| W1110 | BL1203 | 12 | 1/4" Hex quick change | 3300 | 0 - 2700 | 20 - 100 (15-75) | 135 (100) | 82 | 93 | 4.5 | 3.0 |
| W1130 | BL1203 | 12 | 3/8" Square | 3300 | 0 - 2700 | 20 - 100 (15-75) | 135 (100) | 82 | 93 | 3.8 | 2.7 |

† KPA 3dB measurement uncertainty † KWA 3dB measurement uncertainty *K Vibration measurement uncertainty



Available in kits

| Model | Description |
|------------|---|
| W1110EU-K2 | 1/4" hex quick change 12V Impactool, charger, 2 Li-Ion batteries & tool bag |
| W1130EU-K2 | 3/8" square 12V Impactool, charger, 2 Li-lon batteries & tool bag |

W1130EU-K2



IQ^{V12} Series™ Ratchet Wrench

R1130 3/8"



| Model no. | Model no. | Voltage | Drive | Free | Recomended | Maximum | Sound level dBA | | Vibration | |
|-------------------------|--------------|---------|-------------|-------|-------------------------|----------------|-----------------|----------------|------------------|------------------|
| (bare unit) | battery | DC | type | speed | torque range | torque | † Pressure | ‡ Power | Level | *K |
| | | V | | rpm | Nm (ft-lb) | Nm (ft-lb) | L _P | L _P | m/s ² | m/s ² |
| IQ ^{V12} Serie | s™ Ratchet V | Vrench | | | | | | | | |
| R1130 | BL1203 | 12 | 3/8" Square | 0-260 | 7 - 34 (5-25) | 40 (30) | 76 | 87 | < 2.5 | - |

† KPA 3dB measurement uncertainty † KWA 3dB measurement uncertainty *K Vibration measurement uncertainty



Available in kit

| Model | Description |
|------------|--|
| R1130EU-K1 | 3/8" 12V ratchet, charger, 1 Li-Ion battery & tool bag |



IQ^{V12} Series[™] Drill/Driver

D1130 10 mm

15-position clutch maximizes fastening control

on the work piece



Compact size is just 190 mm (7.5") from tip to tail for outstanding accessibility and versatility

3-point rubber pads protect tool and work surfaces

Ergonomically designed small-handle grip helps reduce operator fatique during extended use

Impact- and chemicalresistant housing protects against repeated 1.80 m (6 ft) drops onto concrete and exposure to shop fluids

extended motor and switch life

Positive-lock battery with patent-pending dual side button design for easier and more secure battery installation




† KPA 3dB measurement uncertainty † KWA 3dB measurement uncertainty *K Vibration measurement uncertainty



Available in kit

| | cription |
|-----------------------|--|
| D1130EU-K2 3/8 | " 12V drill/driver, charger, 2 Li-Ion batteries & tool bag |



IQ^{V12} Series[™] Screwdriver

D1410



| Model no. (bare unit) | Model no. battery | Voltage DC | Drive type | Free speed | | Maximum | Sound level dBA | | Vibration | |
|--------------------------|----------------------|---------------|--------------------------|------------|---------|-----------------|-----------------|----------------|------------------|------------------|
| | | | | High | Low | torque | † Pressure | ‡ Power | Level | *K |
| | | V | | rpm | rpm | Nm (ft-lb) | L _P | L _P | m/s ² | m/s ² |
| IQ ^{V12} Serie | s™ Screwdriv | ver | | | | | | | | |
| D1410 | BL1203 | 12 | 1/4" Quick Change Hex | 0 - 1600 | 0 - 400 | 23 (205) | 64 | 75 | < 2.5 | - |

† KPA 3dB measurement uncertainty † KWA 3dB measurement uncertainty *K Vibration measurement uncertainty



Available in kit

Model Description

D1410EU-K2 1/4" quick change hex 12V screwdriver, charger, 2 Li-lon batteries & tool bag

D1410EU-K2



IQ^{V12} Series™ LED Task Light

L1110



The IQ^{V12} Series 12V lithium-ion battery platform powers all of the cordless tools you need. That means all of the IQ^{V12} Series tools you own can share batteries and chargers, making it easier and faster to have a freshly charged battery ready to get the job done.

IQV12 Series Battery BL1203

Performance — Each battery provides 2.0 Ah of 12-volt power, intelligently managed by the IQ^{V12} Series system for maximum tool runtime.

Durability — Positive-lock system emits highly audible click when properly secured in tool, helping to eliminate drops and damage.

Ergonomics — Patent-pending dual side button design for easier battery installation.

IQV12 Series Charger BC1110-EU

Performance — Brings fully depleted battery to 100% charge in about an hour.

Durability — Engineered composite housing withstands wear, abrasions, drops, and can be securely screwmounted to a wall or toolbox.





Ingersoll Rand (NYSE:IR) advances the quality of life by creating comfortable, sustainable and efficient environments. Our people and our family of brands—including Club Car*, Ingersoll Rand*, Thermo King* and Trane*—work together to enhance the quality and comfort of air in homes and buildings; transport and protect food and perishables; and increase industrial productivity and efficiency. We are a global business committed to a world of sustainable progress and enduring results.



ingersollrandproducts.com

Ingersoll Rand, IR and the IR logo are trademarks of Ingersoll Rand, its subsidiaries and/or affiliates.

Nothing contained on these pages is intended to extend any warranty or representation, expressed or implied, regarding the product described herein. Any such warranties or other terms and conditions of sale of product shall be in accordance with Ingersoll Rand's standard terms and conditions of sale for such products, which are available upon request.

Product improvement is a continuing goal at Ingersoll Rand. Designs and specifications are subject to change without notice or obligation.