

## MODEL: R4KRA1 — RESIDENT CHECK-IN STATION



**R4KRA1**



### FEATURES

- Two (2) call points with Call-Assurance LEDs
- Back-lit "Push for Help" button for easy activation
- One (1) Cancel touchpoint
- Continuous supervision for station presence
- Unique mounting plate design accommodates a variety of single and dual gang backboxes
- Plug-in connectors for easy service

### SPECIFICATIONS

**Power Required:** 15.5V DC @ 7mA

**Weight:** 0.25 lb. (0.11 kg)

**Size:** W: 4.21" (10.69 cm)  
H: 5.46" (13.87 cm)  
D: 1.17" (2.97 cm)

**Housing & Finish:** High-impact molded ABS94VO;  
light gray faceplate

**Controls:** One (1) Cancel button  
Two (2) Call-Assurance indicators

**Terminations:** Plug-on connectors

**Backbox Requirements:** Raco 561, Steel City 58371 3/4R or any other single gang backbox. Mounting plate allows for North American, South American, and European style single and dual gang backboxes

**Certification:** UL/C-UL 1069

### DESCRIPTION

The R4KRA1 is a dual pushbutton station typically located in residents apartments. Through programming, the call-assurance LED on the "Check-In" button can flash at various intervals to alert and remind a resident to check-in at a designated time. After a certain length of time, if the resident has not checked in for the day, a call may be placed on the system, alerting the caregiver. The "Push for Help" button allows residents to place a unique call priority at the console if they are in need of assistance. The Cancel touchpoint allows for cancellation of the call at the station.

The R4KRA1 is connected to its associated corridor light or domeless room controller and is continually supervised for station presence. Through programming, a "Trouble" message can annunciate at the associated console(s) when the station is removed from the system.

### ASSOCIATED EQUIPMENT

- CLA222 / CLA244 — Audio Corridor Lights
- CLV122 / CLV144 — Visual Corridor Lights
- DCA200 / DCA216 — Audio Domeless Room Controllers
- DCV100 / DCV116 — Visual Domeless Room Controllers

*Engineering Specifications available on disk. Specifications subject to change without notice.*

## Rauland-Borg Corporation

3450 West Oakton Street • Skokie, IL 60076-2958 • (847) 679-0900 • (847) 679-4106 Fax • www.rauland.com  
In Canada: 4025 Sladeview Crescent, Units 4-6 • Mississauga, ON CANADA L5L 5Y1 • (905) 607-2335 • (905) 607-3554 Fax

