

MODEL: R5K STAFF ASSIST CODE STATION



R4KPB23



FEATURES

- Two (2) call points with Call-Assurance LEDs and Monitor LED
- Back-lit pushbuttons for easy activation
- Cancel button
- Continuous supervision of station
- Plug-in connectors for easy service
- Output for elapsed timer
- Optional antimicrobial Bio-seal to cover buttons and allow for easy disinfecting of the station

SPECIFICATIONS

Power Required: 7mA @ 15VDC

Power Required when used with Speaker Module: 10 mA @ 15VDC

Weight: 0.22 lbs. (0.09 kg)

Size: W: 3.2" (8.1 cm)

H: 4.25" (10.8 cm)

D: 0.6" (1.5 cm) in back box: 0.5" (1.3 cm) off-wall

Housing and Finish: High-impact molded Cycloy 2950 UL 94-5VB; light grey faceplate

Controls: Two (2) push button for call actuation, One (1) Call-assurance LED, One (1) Call-assurance/Monitor LED, and One (1) Cancel button

Terminations: Plug-on connectors

Backbox Requirement: 1-gang, Non-gangable [W: 2.25" (5.7 cm) H: 4" (10.2 cm) D: 3.5" (8.9 cm)]

Backbox Requirement when used with Speaker

Module: 3-gang, Non-gangable [W: 5.5" (14 cm) H: 3.75" (9.5 cm) D: 3.5" (8.9 cm)]

Certification: Designed for compliance to ANSI/UL 1069, IEC 60950, CE, RoHS / WEEE Compliant. Assembled in a U.S. FDA Registered facility.

DESCRIPTION

The Responder® 5000 Staff Assist / Code Station is an emergency dual pushbutton station that has the ability to place two (2) unique call priorities from a single station. Using special buttons, the station can be customized for unique call-ins such as: "Code Pink", "Push for Help", etc. This type of station is normally located at a resident room head wall for placing a call for help, staff emergency and/or code call. The Cancel button allows for cancellation of the call at the station. The station also provides an output for an elapsed timer.

The Staff Assist / Code Station is connected to its associated corridor light and is continually supervised for station presence. Through programming, a "Trouble" message can annunciate at the associated console(s) when the station is removed from the system. This station also offers enhanced supervision capabilities by notifying staff if the cancel button is depressed for a long time (stuck). A "CB Fail" trouble message will be to the associated console(s).