

# Certificate of Analysis

For R&D Use Only - Not a California Compliance Certificate.

## Sativa

**Client: Healthy Alternatives**

Sample Name: Sativa

Batch Number: N/A

Matrix: Plant

Unit Mass: 1 g per unit

Sample ID: 6750890-1

Date Received: 12/18/2025



**Total CBD** **19.72 %**

**Delta 9-THC** **0.17 %**

**THCA** **0.12 %**

**Total Cannabinoids** **22.22 %**

## Cannabinoid Analysis

Complete

| Analyte                   | LOD (%)       | LOQ (%)       | Mass (%)      | Mass (mg/g)   |
|---------------------------|---------------|---------------|---------------|---------------|
| CBDV                      | 0.0035        | 0.011         | ND            | ND            |
| <b>CBD</b>                | <b>0.0030</b> | <b>0.0090</b> | <b>3.984</b>  | <b>39.84</b>  |
| CBG                       | 0.0038        | 0.011         | ND            | ND            |
| <b>CBDA</b>               | <b>0.0017</b> | <b>0.0052</b> | <b>17.944</b> | <b>179.44</b> |
| CBN                       | 0.00080       | 0.0024        | ND            | ND            |
| <b>Delta 9-THC</b>        | <b>0.0022</b> | <b>0.0067</b> | <b>0.172</b>  | <b>1.72</b>   |
| Delta 8-THC               | 0.0020        | 0.0059        | ND            | ND            |
| CBC                       | 0.00070       | 0.0021        | ND            | ND            |
| <b>THCA</b>               | <b>0.0024</b> | <b>0.0073</b> | <b>0.120</b>  | <b>1.20</b>   |
| <b>Total CBD</b>          |               |               | <b>19.720</b> | <b>197.20</b> |
| <b>Total THC</b>          |               |               | <b>0.277</b>  | <b>2.77</b>   |
| <b>Total Cannabinoids</b> |               |               | <b>22.218</b> | <b>222.18</b> |

Date Tested: 12/18/2025

Total THC = THCa \* 0.877 + d9-THC + d8-THC; Total CBD = CBDa \* 0.877 + CBD

### Method References:

Hemp Profile (SOP HPLC Hemp by UV-Detection)

This certificate of analysis is responsible for the tested sample only and is for research and development (R&D) use only. This certificate of analysis shall not be reproduced, except in its entirety, without the written approval of FESA Labs. FESA Labs shall not be liable for any damage that may result from the data contained herein in any way. FESA Labs makes no claim to the efficacy, safety or other risks associated with any detected or non-detected amounts of any substances reported herein. If there are any questions with this report please email [info@fesalabs.com](mailto:info@fesalabs.com). This certificate of analysis is intended only for the use of the party to whom it is addressed and may contain information that is confidential or protected from disclosure under applicable law. If you have received this document in error, please immediately contact us.

**References:** limit of detection (LOD), limit of quantitation (LOQ), not detected (ND), not tested (NT)

# Certificate of Analysis

For R&D Use Only - Not a California Compliance Certificate.

## Pesticide Analysis

Pass

| Analyte                 | LOQ (ppm) | Limit (ppm) | Mass (ppm) | Status |
|-------------------------|-----------|-------------|------------|--------|
| Abamectin               | 0.050     | 0.10        | ND         | Pass   |
| Acephate                | 0.050     | 0.10        | ND         | Pass   |
| Acequinocyl             | 0.050     | 0.10        | ND         | Pass   |
| Acetamiprid             | 0.050     | 0.10        | ND         | Pass   |
| Aldicarb                | 0.050     | 0.00        | ND         | Pass   |
| Azoxystrobin            | 0.050     | 0.10        | ND         | Pass   |
| Bifenazate              | 0.050     | 0.10        | ND         | Pass   |
| Bifenthrin              | 0.050     | 3.00        | ND         | Pass   |
| Boscalid                | 0.050     | 0.10        | ND         | Pass   |
| Captan                  | 0.050     | 0.70        | ND         | Pass   |
| Carbaryl                | 0.050     | 0.50        | ND         | Pass   |
| Carbofuran              | 0.050     | 0.00        | ND         | Pass   |
| Chlorantraniliprole     | 0.050     | 10.00       | ND         | Pass   |
| Chlordane               | 0.050     | 0.00        | ND         | Pass   |
| Chlorfenapyr            | 0.050     | 0.00        | ND         | Pass   |
| Chlorpyrifos            | 0.050     | 0.00        | ND         | Pass   |
| Clofentezine            | 0.050     | 0.10        | ND         | Pass   |
| Coumaphos               | 0.050     | 0.00        | ND         | Pass   |
| Cyfluthrin              | 0.050     | 2.00        | ND         | Pass   |
| Cypermethrin            | 0.050     | 1.00        | ND         | Pass   |
| Daminozide              | 0.050     | 0.00        | ND         | Pass   |
| DDVP                    | 0.050     | 0.00        | ND         | Pass   |
| Diazinon                | 0.050     | 0.10        | ND         | Pass   |
| Dimethoate              | 0.050     | 0.00        | ND         | Pass   |
| Dimethomorph            | 0.050     | 2.00        | ND         | Pass   |
| Ethoprophos             | 0.050     | 0.00        | ND         | Pass   |
| Etofenprox              | 0.050     | 0.00        | ND         | Pass   |
| Etoxazole               | 0.050     | 0.10        | ND         | Pass   |
| Fenhexamid              | 0.050     | 0.10        | ND         | Pass   |
| Fenoxycarb              | 0.050     | 0.00        | ND         | Pass   |
| Fenpyroximate           | 0.050     | 0.10        | ND         | Pass   |
| Fipronil                | 0.050     | 0.00        | ND         | Pass   |
| Flonicamid              | 0.050     | 0.10        | ND         | Pass   |
| Fludioxonil             | 0.050     | 0.10        | ND         | Pass   |
| Hexythiazox             | 0.050     | 0.10        | ND         | Pass   |
| Imazalil                | 0.050     | 0.00        | ND         | Pass   |
| Imidacloprid            | 0.050     | 5.00        | ND         | Pass   |
| Kresoxim Methyl         | 0.050     | 0.10        | ND         | Pass   |
| Malathion               | 0.050     | 0.50        | ND         | Pass   |
| Metalaxyl               | 0.050     | 2.00        | ND         | Pass   |
| Methiocarb              | 0.050     | 0.00        | ND         | Pass   |
| Methomyl                | 0.050     | 1.00        | ND         | Pass   |
| Methyl Parathion        | 0.050     | 0.00        | ND         | Pass   |
| Mevinphos               | 0.050     | 0.00        | ND         | Pass   |
| Myclobutanil            | 0.050     | 0.10        | ND         | Pass   |
| Naled                   | 0.050     | 0.10        | ND         | Pass   |
| Oxamyl                  | 0.050     | 0.50        | ND         | Pass   |
| Paclobutrazol           | 0.050     | 0.00        | ND         | Pass   |
| Pentachloronitrobenzene | 0.050     | 0.10        | ND         | Pass   |
| Permethrin              | 0.050     | 0.50        | ND         | Pass   |
| Phosmet                 | 0.050     | 0.10        | ND         | Pass   |
| Piperonyl Butoxide      | 0.050     | 3.00        | ND         | Pass   |
| Prallethrin             | 0.050     | 0.10        | ND         | Pass   |
| Propiconazole           | 0.050     | 0.10        | ND         | Pass   |

# Certificate of Analysis

For R&D Use Only - Not a California Compliance Certificate.

## Pesticide Analysis

Pass

| Analyte         | LOQ (ppm) | Limit (ppm) | Mass (ppm) | Status |
|-----------------|-----------|-------------|------------|--------|
| Propoxur        | 0.050     | 0.00        | ND         | Pass   |
| Pyrethrins      | 0.050     | 0.50        | ND         | Pass   |
| Pyridaben       | 0.050     | 0.10        | ND         | Pass   |
| Spinetoram      | 0.050     | 0.10        | ND         | Pass   |
| Spinosad        | 0.050     | 0.10        | ND         | Pass   |
| Spiromesifen    | 0.050     | 0.10        | ND         | Pass   |
| Spirotetramat   | 0.050     | 0.10        | ND         | Pass   |
| Spiroxamine     | 0.050     | 0.00        | ND         | Pass   |
| Tebuconazole    | 0.050     | 0.10        | ND         | Pass   |
| Thiacloprid     | 0.050     | 0.00        | ND         | Pass   |
| Thiamethoxam    | 0.050     | 5.00        | ND         | Pass   |
| Trifloxystrobin | 0.050     | 0.10        | ND         | Pass   |

Date Tested: 12/18/2025

## Mycotoxins

Pass

| Analyte      | LOQ (µg/g) | Limit (µg/g) | Mass (µg/g) | Status |
|--------------|------------|--------------|-------------|--------|
| Aflatoxin B1 | 0.02       | 0.02         | ND          | Pass   |
| Aflatoxin B2 | 0.02       | 0.02         | ND          | Pass   |
| Aflatoxin G1 | 0.02       | 0.02         | ND          | Pass   |
| Aflatoxin G2 | 0.02       | 0.02         | ND          | Pass   |
| Ochratoxin A | 0.02       | 0.02         | ND          | Pass   |

Date Tested: 12/18/2025

## Heavy Metals Analysis

Pass

| Analyte | LOQ (µg/g) | Limit (µg/g) | Mass (µg/g) | Status |
|---------|------------|--------------|-------------|--------|
| Arsenic | 0.050      | 0.200        | ND          | Pass   |
| Cadmium | 0.050      | 0.200        | ND          | Pass   |
| Lead    | 0.125      | 0.500        | 0.139       | Pass   |
| Mercury | 0.025      | 0.100        | ND          | Pass   |

Date Tested: 12/18/2025

## Microbial Analysis

Pass

| Test                 | Limit (CFU/g) | Result (CFU/g) | Status |
|----------------------|---------------|----------------|--------|
| Total <i>E. coli</i> | <1            | Absent / 1g    | Pass   |
| <i>Salmonella</i>    | <1            | Absent / 1g    | Pass   |

Date Tested: 12/18/2025

CFU = Colony Forming Units

# Certificate of Analysis

For R&D Use Only - Not a California Compliance Certificate.

## Moisture Content

Complete

| Test             | Result (%) |
|------------------|------------|
| Moisture Content | 10.37      |

Date Tested: 12/18/2025

## Water Activity

Pass

| Test           | Limit (Aw) | Result (Aw) | Status |
|----------------|------------|-------------|--------|
| Water Activity | 0.65       | 0.55        | Pass   |

Date Tested: 12/18/2025

## Terpenoid Analysis

Complete

| Analyte                 | LOQ (%)       | Mass (%)      | Mass (mg/g)  |
|-------------------------|---------------|---------------|--------------|
| Camphene                | 0.0085        | ND            | ND           |
| 3-Carene                | 0.0085        | ND            | ND           |
| <b>β-Caryophyllene</b>  | <b>0.0085</b> | <b>0.1584</b> | <b>1.584</b> |
| p-Cymene                | 0.0085        | ND            | ND           |
| <b>Eucalyptol</b>       | <b>0.0085</b> | <b>0.0144</b> | <b>0.144</b> |
| <b>Fenchol</b>          | <b>0.0085</b> | <b>0.0356</b> | <b>0.356</b> |
| <b>α-Humulene</b>       | <b>0.0085</b> | <b>0.4273</b> | <b>4.273</b> |
| <b>δ-Limonene</b>       | <b>0.0085</b> | <b>0.5596</b> | <b>5.596</b> |
| <b>Linalool</b>         | <b>0.0085</b> | <b>0.5237</b> | <b>5.237</b> |
| <b>β-Myrcene</b>        | <b>0.0085</b> | <b>0.4392</b> | <b>4.392</b> |
| Nerolidol               | 0.0085        | ND            | ND           |
| <b>α-Pinene</b>         | <b>0.0085</b> | <b>0.0212</b> | <b>0.212</b> |
| Terpinolene             | 0.0085        | ND            | ND           |
| <b>Total Terpenoids</b> |               | <b>2.18</b>   | <b>21.79</b> |

Date Tested: 12/18/2025

### Method References:

Hemp Profile (SOP HPLC Hemp by UV-Detection)

Multi-Residue Pesticide Analysis - (AOAC\_200701)

Official Methods of Analysis, AOAC Official Method 2007.01, Pesticide Residues in Foods by Acetonitrile Extraction and Partitioning with Magnesium Sulfate, AOAC INTERNATIONAL (modified).

CEN Standard Method EN 15662: Food of plant origin - Determination of pesticide residues using GC-MS and/or LC-MS/MS following acetonitrile extraction/partitioning and clean-up by dispersive SPE - QuEChERS method.

Mycotoxins Analysis - 5 compounds (FDA\_MYC)

Determination of Mycotoxins in Corn, Peanut Butter and Wheat Flour Using Stable Isotope Dilution Assay (SIDA) and Liquid Chromatography-Tandem Mass Spectrometry (LC-MS/MS) (modified).

Heavy Metals Analysis - 4 elements (EPA\_200.8)

Methods for the Determination of Metals in Environmental Standards - Supplement 1, EPA-600/R-94-111, May 1994.

"Determination of Metals and Trace Elements in Water and Wastes by Inductively Coupled Plasma-Mass Spectrometry", USEPA Method 200.8, Revision 5.1, EMMC Version (modified).

Microbial Analysis - (AOAC\_2014\_991)

Official Methods of Analysis, AOAC Official Method 2014.01 *Salmonella* in Selected Foods, AOAC Official Method 991.14 Coliform and *Escherichia coli* Counts in Foods; AOAC INTERNATIONAL (modified).

Moisture Content Analysis - (AOAC\_934\_06)

Official Methods of Analysis, Method 934.06.AOAC INTERNATIONAL, Moisture in Dried Fruits (modified).

Water Activity Analysis - (AOAC\_978\_18)

Official Methods of Analysis, Method 978.18.AOAC INTERNATIONAL, Water Activity of Canned Vegetables (modified).