

RECEIVED MAR 14 1991

SHEET 1 LTPP TRAFFIC DATA SUMMARY TRANSMITTAL FORM	*STATE ASSIGNED ID [4 0 5 1]
	*STATE CODE [0 1]
	*SHRP SECTION ID [4 0 8 4]

STATE OR PROVINCE Alabama COUNTY Jefferson

HIGHWAY ROUTE NO. I-59 MILEPOST# 117.3

NEAREST CITY/TOWN Birmingham NEAREST INTERSECTION 3.9 mi. SW of Jct with Ala. 269

FUNCTIONAL CLASS 11 NO. LANES EACH DIRECTION 2 TOTAL NO. LANES 4

DIRECTION OF TRAVEL GPS LANE NB DATE OPENED TO TRAF. 01 - 01 - 76

FIPS COUNTY CODE 73 FHWA STATION IDENTIFICATION NO. _____

HPMS SAMPLE NO. _____ HPMS SUBDIVISION NO. _____

TYPE OF PAVEMENT: AC _____ PCC x OTHER _____

CONTROL OF ACCESS: YES x NO _____ MEDIAN: YES x NO _____

CURRENT SURROUNDING DEVELOPMENT:
URBAN x SUBURBAN _____ RURAL _____

HAS INTENSITY OF ROADSIDE DEVELOPMENT INCREASED OVER PAST 10 YEARS?
YES _____ NO x
IF YES, DESCRIBE CHANGES _____

ARCHIVED JUL 16 2008 TK

NOTE: ATTACH ALL RELATED FORMS AND COUNT DATA AND SUBMIT TO THE SHRP REGIONAL OFFICE. ATTACH MAP INDICATING THE LOCATION OF EACH TRAFFIC COUNT, VEHICLE CLASSIFICATION COUNT, OR WEIGHT STATION RELATIVE TO THIS GPS TEST SECTION.

NAME OF PREPARER <u>Robert J. Taylor</u>	PHONE # <u>242-6395</u>
DATE PREPARED <u>2-15-91</u>	

SHEET 2

LTPP TRAFFIC DATA

TRAFFIC VOLUMES
AND LOAD ESTIMATES

*STATE ASSIGNED ID [4 0 5 1]

*STATE CODE [0 1]

*SHRP SECTION ID [4 0 8 4]

YEAR	1. ESTIMATED TOTAL VEHICLES AADT (TWO-WAY)	2. ESTIMATED TOTAL TRUCK AADT (TWO-WAY)	3. ESTIMATED TOTAL VEHICLES AADT GPS LANE	4. ESTIMATED TOTAL TRUCKS AADT GPS LANE	5. ESTIMATED ESAL'S/YR GPS LANE (1000's)
1989	50990	9688	21671	4117	1253
1988	50230	9544	21348	4056	1234
1987	48770	9266	20727	3938	1198
1986	46590	8852	19801	3762	1145
1985	44250	8407	18806	3573	1087
1984	46620	8858	19814	3765	1146
1983	44100	8379	18743	3561	1084
1982	41510	5811	17642	2470	752
1981	43240	6054	18377	2572	783
1980	38970	5456	16562	2319	706
1979	23290	3261	9898	1386	422
1978	22800	3192	9690	1357	413
1977	22200	3108	9435	1321	402
1976	21850	3059	9286	1300	396
1975					
1974					
1973					
1972					
1971					
1970					
1969					
1968					
1967					
1966					
1965					

NAME OF PREPARER Robert J. Taylor

PHONE # 242-6395

DATE PREPARED 2-15-91

SHEET 3

LTPP TRAFFIC DATA PROCEDURES FOR ESTIMATING ANNUAL AVERAGE VOLUMES AND TOTAL ANNUAL ESALS

*STATE ASSIGNED ID 4 0 5 1 1*STATE CODE 0 1 1*SHRP SECTION ID 4 0 8 41. Year Applicable 1989

2. METHOD FOR ESTIMATING AADT

- ☒ Factored a single count taken this year at the GPS site.
- ☐ Averaged multiple counts taken this year at the GPS site.
- ☐ Averaged and factored multiple counts taken this year at the GPS site.
- ☐ Growth factored last year's estimate.
- ☐ Estimated based on volume counts at nearby locations.
- ☐ Used flow maps.
- ☐ Used computerized network analyses.
- ☐ Other: _____

3. METHOD FOR ESTIMATING TRUCK VOLUMES OR PERCENTAGES

- ☐ Used a single count taken this year at the GPS site.
- ☐ Factored a single count taken this year at the GPS site.
- ☐ Averaged multiple counts taken this year at the GPS site.
- ☐ Used system averages from counts taken this year.
- ☐ Used count data from nearby sites.
- ☐ Used count data taken in earlier years at the GPS site.
- ☐ Used system averages taken in earlier years at the GPS site.
- ☐ Used computerized network analyses.
- ☒ Other: Same percentage used in 1985.

4. METHOD FOR ESTIMATING AADT BY GPS LANE

- ☐ Based on actual lane count data.
- ☐ System distribution factors.
- ☒ Other: Lane occupancy study conducted in 1983.

5. METHOD FOR ESTIMATING TRUCK AADT IN GPS LANES

- ☐ Based on actual lane count data.
- ☐ System distribution factors.
- ☒ Other: Lane occupancy study conducted in 1983.

6. METHOD FOR ESTIMATING ESAL/VEHICLE

- ☒ ESAL/Truck.
- ☐ ESAL/Vehicle class. (no. of classes) _____
- ☐ Other: _____

7. ESAL ESTIMATES

(A) Source of Data

- ☐ Weight data collected at GPS site this year.
- ☐ Weight data collected at GPS site prior years.
- ☐ Weight data from system averages this year.
- ☒ Weight data from system averages prior years.
- ☐ Weight data from historic W-4 Tables used.
- ☐ Other: _____

(B) Weight Scale Type

- ☒ WIM scale.
- ☐ Static scale used for enforcement.
- ☐ Static scale not used for enforcement.
- ☐ Other: _____

NAME OF PREPARER Robert J. TaylorPHONE # 242-6395DATE PREPARED 2-15-91

SHEET 3

LTPP TRAFFIC DATA
PROCEDURES FOR ESTIMATING
ANNUAL AVERAGE VOLUMES AND
TOTAL ANNUAL ESALS*STATE ASSIGNED ID 4 0 5 1 1*STATE CODE 0 1*SHRP SECTION ID 4 0 8 41. Year Applicable 1988

2. METHOD FOR ESTIMATING AADT

- ☐ Factored a single count taken this year at the GPS site.
- ☐ Averaged multiple counts taken this year at the GPS site.
- ☐ Averaged and factored multiple counts taken this year at the GPS site.
- ☒ Growth factored last year's estimate.
- ☐ Estimated based on volume counts at nearby locations.
- ☐ Used flow maps.
- ☐ Used computerized network analyses.
- ☐ Other: _____

3. METHOD FOR ESTIMATING TRUCK
VOLUMES OR PERCENTAGES

- ☐ Used a single count taken this year at the GPS site.
- ☐ Factored a single count taken this year at the GPS site.
- ☐ Averaged multiple counts taken this year at the GPS site.
- ☐ Used system averages from counts taken this year.
- ☐ Used count data from nearby sites.
- ☐ Used count data taken in earlier years at the GPS site.
- ☐ Used system averages taken in earlier years at the GPS site.
- ☐ Used computerized network analyses.
- ☒ Other: Same percentage used in 1985.

4. METHOD FOR ESTIMATING AADT
BY GPS LANE

- ☐ Based on actual lane count data.
- ☐ System distribution factors.
- ☒ Other: Lane occupancy study conducted in 1983.

5. METHOD FOR ESTIMATING TRUCK AADT
IN GPS LANES

- ☐ Based on actual lane count data.
- ☐ System distribution factors.
- ☒ Other: Lane occupancy study conducted in 1983.

6. METHOD FOR ESTIMATING ESAL/VEHICLE

- ☒ ESAL/Truck.
- ☐ ESAL/Vehicle class. (no. of classes) _____
- ☐ Other: _____

7. ESAL ESTIMATES

(A) Source of Data

- ☐ Weight data collected at GPS site this year.
- ☐ Weight data collected at GPS site prior years.
- ☐ Weight data from system averages this year.
- ☒ Weight data from system averages prior years.
- ☐ Weight data from historic W-4 Tables used.
- ☐ Other: _____

(B) Weight Scale Type

- ☒ WIM scale.
- ☐ Static scale used for enforcement.
- ☐ Static scale not used for enforcement.
- ☐ Other: _____

NAME OF PREPARER Robert J. TaylorPHONE # 242-6395DATE PREPARED 2-15-91

LTPP TRAFFIC DATA PROCEDURES FOR ESTIMATING ANNUAL AVERAGE VOLUMES AND TOTAL ANNUAL ESALS

*STATE ASSIGNED ID [4 0 5 1]

*STATE CODE [0 1]

*SHRP SECTION ID [4 0 8 4]

1. Year Applicable 1987

2. METHOD FOR ESTIMATING AADT

- ☒ Factored a single count taken this year at the GPS site.
- ☐ Averaged multiple counts taken this year at the GPS site.
- ☐ Averaged and factored multiple counts taken this year at the GPS site.
- ☐ Growth factored last year's estimate.
- ☐ Estimated based on volume counts at nearby locations.
- ☐ Used flow maps.
- ☐ Used computerized network analyses.
- ☐ Other: _____

3. METHOD FOR ESTIMATING TRUCK VOLUMES OR PERCENTAGES

- ☐ Used a single count taken this year at the GPS site.
- ☐ Factored a single count taken this year at the GPS site.
- ☐ Averaged multiple counts taken this year at the GPS site.
- ☐ Used system averages from counts taken this year.
- ☐ Used count data from nearby sites.
- ☐ Used count data taken in earlier years at the GPS site.
- ☐ Used system averages taken in earlier years at the GPS site.
- ☐ Used computerized network analyses.
- ☒ Other: Same percentage used in 1983.

4. METHOD FOR ESTIMATING AADT BY GPS LANE

- ☐ Based on actual lane count data.
- ☐ System distribution factors.
- ☒ Other: Lane occupancy study conducted in 1983.

5. METHOD FOR ESTIMATING TRUCK AADT IN GPS LANES

- ☐ Based on actual lane count data.
- ☐ System distribution factors.
- ☒ Other: Lane occupancy study conducted in 1983.

6. METHOD FOR ESTIMATING ESAL/VEHICLE

- ☒ ESAL/Truck.
- ☐ ESAL/Vehicle class. (no. of classes) _____
- ☐ Other: _____

7. ESAL ESTIMATES

(A) Source of Data

- ☐ Weight data collected at GPS site this year.
- ☐ Weight data collected at GPS site prior years.
- ☐ Weight data from system averages this year.
- ☒ Weight data from system averages prior years.
- ☐ Weight data from historic W-4 Tables used.
- ☐ Other: _____

(B) Weight Scale Type

- ☒ WIM scale.
- ☐ Static scale used for enforcement.
- ☐ Static scale not used for enforcement.
- ☐ Other: _____

NAME OF PREPARER Robert J. TaylorPHONE # 242-6395DATE PREPARED 2-15-91

SHEET 3

LTPP TRAFFIC DATA
PROCEDURES FOR ESTIMATING
ANNUAL AVERAGE VOLUMES AND
TOTAL ANNUAL ESALS

*STATE ASSIGNED ID [4 0 5 1]

*STATE CODE [0 1]

*SHRP SECTION ID [4 0 8 4]

1. Year Applicable 1986

2. METHOD FOR ESTIMATING AADT

- ☒ Factored a single count taken this year at the GPS site.
- ☐ Averaged multiple counts taken this year at the GPS site.
- ☐ Averaged and factored multiple counts taken this year at the GPS site.
- ☐ Growth factored last year's estimate.
- ☐ Estimated based on volume counts at nearby locations.
- ☐ Used flow maps.
- ☐ Used computerized network analyses.
- ☐ Other: _____

3. METHOD FOR ESTIMATING TRUCK
VOLUMES OR PERCENTAGES

- ☐ Used a single count taken this year at the GPS site.
- ☐ Factored a single count taken this year at the GPS site.
- ☐ Averaged multiple counts taken this year at the GPS site.
- ☐ Used system averages from counts taken this year.
- ☐ Used count data from nearby sites.
- ☐ Used count data taken in earlier years at the GPS site.
- ☐ Used system averages taken in earlier years at the GPS site.
- ☐ Used computerized network analyses.
- ☒ Other: Same percentage used in 1985.

4. METHOD FOR ESTIMATING AADT
BY GPS LANE

- ☐ Based on actual lane count data.
- ☐ System distribution factors.
- ☒ Other: Lane occupancy study conducted in 1983.

5. METHOD FOR ESTIMATING TRUCK AADT
IN GPS LANES

- ☐ Based on actual lane count data.
- ☐ System distribution factors.
- ☒ Other: Lane occupancy study conducted in 1983.

6. METHOD FOR ESTIMATING ESAL/VEHICLE

- ☒ ESAL/Truck.
- ☐ ESAL/Vehicle class. (no. of classes) _____
- ☐ Other: _____

7. ESAL ESTIMATES

(A) Source of Data

- ☐ Weight data collected at GPS site this year.
- ☐ Weight data collected at GPS site prior years.
- ☐ Weight data from system averages this year.
- ☒ Weight data from system averages prior years.
- ☐ Weight data from historic W-4 Tables used.
- ☐ Other: _____

(B) Weight Scale Type

- ☒ WIM scale.
- ☐ Static scale used for enforcement.
- ☐ Static scale not used for enforcement.
- ☐ Other: _____

NAME OF PREPARER Robert J. TaylorPHONE # 242-6395DATE PREPARED 2-15-91

SHEET 3

LTPP TRAFFIC DATA
PROCEDURES FOR ESTIMATING
ANNUAL AVERAGE VOLUMES AND
TOTAL ANNUAL ESALS

*STATE ASSIGNED ID [4 0 5 1]

*STATE CODE [0 1]

*SHRP SECTION ID [4 0 8 4]

1. Year Applicable 1985

2. METHOD FOR ESTIMATING AADT

- ☐ Factored a single count taken this year at the GPS site.
- ☐ Averaged multiple counts taken this year at the GPS site.
- ☐ Averaged and factored multiple counts taken this year at the GPS site.
- ☐ Growth factored last year's estimate.
- ☐ Estimated based on volume counts at nearby locations.
- ☐ Used flow maps.
- ☐ Used computerized network analyses.
- ☐ Other: _____

3. METHOD FOR ESTIMATING TRUCK
VOLUMES OR PERCENTAGES

- ☐ Used a single count taken this year at the GPS site.
- ☐ Factored a single count taken this year at the GPS site.
- ☐ Averaged multiple counts taken this year at the GPS site.
- ☐ Used system averages from counts taken this year.
- ☒ Used count data from nearby sites.
- ☐ Used count data taken in earlier years at the GPS site.
- ☐ Used system averages taken in earlier years at the GPS site.
- ☐ Used computerized network analyses.
- ☐ Other: _____

4. METHOD FOR ESTIMATING AADT
BY GPS LANE

- ☐ Based on actual lane count data.
- ☐ System distribution factors.
- ☒ Other: Lane occupancy study conducted in 1983.

5. METHOD FOR ESTIMATING TRUCK AADT
IN GPS LANES

- ☐ Based on actual lane count data.
- ☐ System distribution factors.
- ☒ Other: Lane occupancy study conducted in 1983.

6. METHOD FOR ESTIMATING ESAL/VEHICLE

- ☒ ESAL/Truck.
- ☐ ESAL/Vehicle class. (no. of classes) _____
- ☐ Other: _____

7. ESAL ESTIMATES

(A) Source of Data

- ☐ Weight data collected at GPS site this year.
- ☐ Weight data collected at GPS site prior years.
- ☐ Weight data from system averages this year.
- ☒ Weight data from system averages prior years.
- ☐ Weight data from historic W-4 Tables used.
- ☐ Other: _____

(B) Weight Scale Type

- ☒ WIM scale.
- ☐ Static scale used for enforcement.
- ☐ Static scale not used for enforcement.
- ☐ Other: _____

NAME OF PREPARER Robert J. Taylor

PHONE # 242-6395

DATE PREPARED 2-15-91

SHEET 3

LTPP TRAFFIC DATA PROCEDURES FOR ESTIMATING ANNUAL AVERAGE VOLUMES AND TOTAL ANNUAL ESALS

*STATE ASSIGNED ID [4 0 5 1]

*STATE CODE [0 1]

*SHRP SECTION ID [4 0 8 4]

1. Year Applicable 1984

2. METHOD FOR ESTIMATING AADT

- ☒ Factored a single count taken this year at the GPS site.
- ☐ Averaged multiple counts taken this year at the GPS site.
- ☐ Averaged and factored multiple counts taken this year at the GPS site.
- ☐ Growth factored last year's estimate.
- ☐ Estimated based on volume counts at nearby locations.
- ☐ Used flow maps.
- ☐ Used computerized network analyses.
- ☐ Other: _____

3. METHOD FOR ESTIMATING TRUCK VOLUMES OR PERCENTAGES

- ☐ Used a single count taken this year at the GPS site.
- ☐ Factored a single count taken this year at the GPS site.
- ☐ Averaged multiple counts taken this year at the GPS site.
- ☐ Used system averages from counts taken this year.
- ☐ Used count data from nearby sites.
- ☐ Used count data taken in earlier years at the GPS site.
- ☐ Used system averages taken in earlier years at the GPS site.
- ☐ Used computerized network analyses.
- ☒ Other: Same percentage used in 1985.

4. METHOD FOR ESTIMATING AADT BY GPS LANE

- ☐ Based on actual lane count data.
- ☐ System distribution factors.
- ☒ Other: Lane occupancy study conducted in 1983.

5. METHOD FOR ESTIMATING TRUCK AADT IN GPS LANES

- ☐ Based on actual lane count data.
- ☐ System distribution factors.
- ☒ Other: Lane occupancy study conducted in 1983.

6. METHOD FOR ESTIMATING ESAL/VEHICLE

- ☒ ESAL/Truck.
- ☐ ESAL/Vehicle class. (no. of classes) _____
- ☐ Other: _____

7. ESAL ESTIMATES

(A) Source of Data

- ☐ Weight data collected at GPS site this year.
- ☐ Weight data collected at GPS site prior years.
- ☒ Weight data from system averages this year.
- ☐ Weight data from system averages prior years.
- ☐ Weight data from historic W-4 Tables used.
- ☐ Other: _____

(B) Weight Scale Type

- ☒ WIM scale.
- ☐ Static scale used for enforcement.
- ☐ Static scale not used for enforcement.
- ☐ Other: _____

NAME OF PREPARER Robert J. TaylorPHONE # 242-6395DATE PREPARED 2-15-91

SHEET 3

LTPP TRAFFIC DATA
PROCEDURES FOR ESTIMATING
ANNUAL AVERAGE VOLUMES AND
TOTAL ANNUAL ESALS

*STATE ASSIGNED ID [4 0 5 1]

*STATE CODE [0 1]

*SHRP SECTION ID [4 0 8 4]

1. Year Applicable 1983

2. METHOD FOR ESTIMATING AADT

- ☒ Factored a single count taken this year at the GPS site.
- ☐ Averaged multiple counts taken this year at the GPS site.
- ☐ Averaged and factored multiple counts taken this year at the GPS site.
- ☐ Growth factored last year's estimate.
- ☐ Estimated based on volume counts at nearby locations.
- ☐ Used flow maps.
- ☐ Used computerized network analyses.
- ☐ Other: _____

3. METHOD FOR ESTIMATING TRUCK
VOLUMES OR PERCENTAGES

- ☐ Used a single count taken this year at the GPS site.
- ☐ Factored a single count taken this year at the GPS site.
- ☐ Averaged multiple counts taken this year at the GPS site.
- ☐ Used system averages from counts taken this year.
- ☐ Used count data from nearby sites.
- ☐ Used count data taken in earlier years at the GPS site.
- ☐ Used system averages taken in earlier years at the GPS site.
- ☐ Used computerized network analyses.
- ☒ Other: Same percentage used in 1985.

4. METHOD FOR ESTIMATING AADT
BY GPS LANE

- ☐ Based on actual lane count data.
- ☐ System distribution factors.
- ☒ Other: Lane occupancy study conducted in 1983.

5. METHOD FOR ESTIMATING TRUCK AADT
IN GPS LANES

- ☐ Based on actual lane count data.
- ☐ System distribution factors.
- ☒ Other: Lane occupancy study conducted in 1983.

6. METHOD FOR ESTIMATING ESAL/VEHICLE

- ☒ ESAL/Truck.
- ☐ ESAL/Vehicle class. (no. of classes) _____
- ☐ Other: _____

7. ESAL ESTIMATES

(A) Source of Data

- ☐ Weight data collected at GPS site this year.
- ☐ Weight data collected at GPS site prior years.
- ☐ Weight data from system averages this year.
- ☒ Weight data from system averages prior years.
- ☐ Weight data from historic W-4 Tables used.
- ☐ Other: _____

(B) Weight Scale Type

- ☒ WIM scale.
- ☐ Static scale used for enforcement.
- ☐ Static scale not used for enforcement.
- ☐ Other: _____

NAME OF PREPARER Robert J. TaylorPHONE # 242-6395DATE PREPARED 2-15-91

SHEET 3

LTPP TRAFFIC DATA PROCEDURES FOR ESTIMATING ANNUAL AVERAGE VOLUMES AND TOTAL ANNUAL ESALS

*STATE ASSIGNED ID 4 0 5 1 1*STATE CODE 0 1 1*SHRP SECTION ID 4 0 8 41. Year Applicable 1982

2. METHOD FOR ESTIMATING AADT

- ☒ Factored a single count taken this year at the GPS site.
- ☐ Averaged multiple counts taken this year at the GPS site.
- ☐ Averaged and factored multiple counts taken this year at the GPS site.
- ☐ Growth factored last year's estimate.
- ☐ Estimated based on volume counts at nearby locations.
- ☐ Used flow maps.
- ☐ Used computerized network analyses.
- ☐ Other: _____

3. METHOD FOR ESTIMATING TRUCK VOLUMES OR PERCENTAGES

- ☐ Used a single count taken this year at the GPS site.
- ☐ Factored a single count taken this year at the GPS site.
- ☐ Averaged multiple counts taken this year at the GPS site.
- ☐ Used system averages from counts taken this year.
- ☐ Used count data from nearby sites.
- ☐ Used count data taken in earlier years at the GPS site.
- ☐ Used system averages taken in earlier years at the GPS site.
- ☐ Used computerized network analyses.
- ☒ Other: Same percentage used in 1980.

4. METHOD FOR ESTIMATING AADT BY GPS LANE

- ☐ Based on actual lane count data.
- ☐ System distribution factors.
- ☒ Other: Lane occupancy study conducted in 1983.

5. METHOD FOR ESTIMATING TRUCK AADT IN GPS LANES

- ☐ Based on actual lane count data.
- ☐ System distribution factors.
- ☒ Other: Lane occupancy study conducted in 1983.

6. METHOD FOR ESTIMATING ESAL/VEHICLE

- ☒ ESAL/Truck.
- ☐ ESAL/Vehicle class. (no. of classes) _____
- ☐ Other: _____

7. ESAL ESTIMATES

(A) Source of Data

- ☐ Weight data collected at GPS site this year.
- ☐ Weight data collected at GPS site prior years.
- ☐ Weight data from system averages this year.
- ☒ Weight data from system averages prior years.
- ☐ Weight data from historic W-4 Tables used.
- ☐ Other: _____

(B) Weight Scale Type

- ☒ WIM scale.
- ☐ Static scale used for enforcement.
- ☐ Static scale not used for enforcement.
- ☐ Other: _____

NAME OF PREPARER Robert J. TaylorPHONE # 242-6395DATE PREPARED 2-15-91

SHEET 3

LTPP TRAFFIC DATA PROCEDURES FOR ESTIMATING ANNUAL AVERAGE VOLUMES AND TOTAL ANNUAL ESALS

*STATE ASSIGNED ID 4 0 5 1 1*STATE CODE 0 1 1*SHRP SECTION ID 4 0 8 41. Year Applicable 1981

2. METHOD FOR ESTIMATING AADT

- ☒ Factored a single count taken this year at the GPS site.
☐ Averaged multiple counts taken this year at the GPS site.
☐ Averaged and factored multiple counts taken this year at the GPS site.
☐ Growth factored last year's estimate.
☐ Estimated based on volume counts at nearby locations.
☐ Used flow maps.
☐ Used computerized network analyses.
☐ Other: _____

3. METHOD FOR ESTIMATING TRUCK VOLUMES OR PERCENTAGES

- ☐ Used a single count taken this year at the GPS site.
☐ Factored a single count taken this year at the GPS site.
☐ Averaged multiple counts taken this year at the GPS site.
☐ Used system averages from counts taken this year.
☐ Used count data from nearby sites.
☐ Used count data taken in earlier years at the GPS site.
☐ Used system averages taken in earlier years at the GPS site.
☐ Used computerized network analyses.
☒ Other: Same percentage used in 1980.

4. METHOD FOR ESTIMATING AADT BY GPS LANE

- ☐ Based on actual lane count data.
☐ System distribution factors.
☒ Other: Lane occupancy study conducted in 1983.

5. METHOD FOR ESTIMATING TRUCK AADT IN GPS LANES

- ☐ Based on actual lane count data.
☐ System distribution factors.
☒ Other: Lane occupancy study conducted in 1983.

6. METHOD FOR ESTIMATING ESAL/VEHICLE

- ☒ ESAL/Truck.
☐ ESAL/Vehicle class. (no. of classes) _____
☐ Other: _____

7. ESAL ESTIMATES

(A) Source of Data

- ☐ Weight data collected at GPS site this year.
☐ Weight data collected at GPS site prior years.
☐ Weight data from system averages this year.
☒ Weight data from system averages prior years.
☐ Weight data from historic W-4 Tables used.
☐ Other: _____

(B) Weight Scale Type

- ☒ WIM scale.
☐ Static scale used for enforcement.
☐ Static scale not used for enforcement.
☐ Other: _____

NAME OF PREPARER Robert J. TaylorPHONE # 242-6395DATE PREPARED 2-15-91

SHEET 3

LTPP TRAFFIC DATA PROCEDURES FOR ESTIMATING ANNUAL AVERAGE VOLUMES AND TOTAL ANNUAL ESALS

*STATE ASSIGNED ID [400 5 1]

*STATE CODE [0 1]

*SHRP SECTION ID [4 0 8 4]

1. Year Applicable 1980

2. METHOD FOR ESTIMATING AADT

- ☒ Factored a single count taken this year at the GPS site.
- ☐ Averaged multiple counts taken this year at the GPS site.
- ☐ Averaged and factored multiple counts taken this year at the GPS site.
- ☐ Growth factored last year's estimate.
- ☐ Estimated based on volume counts at nearby locations.
- ☐ Used flow maps.
- ☐ Used computerized network analyses.
- ☐ Other: _____

3. METHOD FOR ESTIMATING TRUCK VOLUMES OR PERCENTAGES

- ☐ Used a single count taken this year at the GPS site.
- ☐ Factored a single count taken this year at the GPS site.
- ☐ Averaged multiple counts taken this year at the GPS site.
- ☐ Used system averages from counts taken this year.
- ☒ Used count data from nearby sites.
- ☐ Used count data taken in earlier years at the GPS site.
- ☐ Used system averages taken in earlier years at the GPS site.
- ☐ Used computerized network analyses.
- ☐ Other: _____

4. METHOD FOR ESTIMATING AADT BY GPS LANE

- ☐ Based on actual lane count data.
- ☐ System distribution factors.
- ☒ Other: Lane occupancy study conducted in 1983.

5. METHOD FOR ESTIMATING TRUCK AADT IN GPS LANES

- ☐ Based on actual lane count data.
- ☐ System distribution factors.
- ☒ Other: Lane occupancy study conducted in 1983.

6. METHOD FOR ESTIMATING ESAL/VEHICLE

- ☒ ESAL/Truck.
- ☐ ESAL/Vehicle class. (no. of classes) _____
- ☐ Other: _____

7. ESAL ESTIMATES

(A) Source of Data

- ☐ Weight data collected at GPS site this year.
- ☐ Weight data collected at GPS site prior years.
- ☐ Weight data from system averages this year.
- ☒ Weight data from system averages prior years.
- ☐ Weight data from historic W-4 Tables used.
- ☐ Other: _____

(B) Weight Scale Type

- ☒ WIM scale.
- ☐ Static scale used for enforcement.
- ☐ Static scale not used for enforcement.
- ☐ Other: _____

NAME OF PREPARER Robert J. TaylorPHONE # 242-6395DATE PREPARED 2-15-91

SHEET 3

LTPP TRAFFIC DATA PROCEDURES FOR ESTIMATING ANNUAL AVERAGE VOLUMES AND TOTAL ANNUAL ESALS

*STATE ASSIGNED ID 4 0 5 1 1*STATE CODE 0 1 1*SHRP SECTION ID 4 0 8 4 11. Year Applicable 1979

2. METHOD FOR ESTIMATING AADT

- ☐ Factored a single count taken this year at the GPS site.
☐ Averaged multiple counts taken this year at the GPS site.
☒ Averaged and factored multiple counts taken this year at the GPS site.
☐ Growth factored last year's estimate.
☐ Estimated based on volume counts at nearby locations.
☐ Used flow maps.
☐ Used computerized network analyses.
☐ Other: _____

3. METHOD FOR ESTIMATING TRUCK VOLUMES OR PERCENTAGES

- ☐ Used a single count taken this year at the GPS site.
☐ Factored a single count taken this year at the GPS site.
☐ Averaged multiple counts taken this year at the GPS site.
☐ Used system averages from counts taken this year.
☐ Used count data from nearby sites.
☐ Used count data taken in earlier years at the GPS site.
☐ Used system averages taken in earlier years at the GPS site.
☐ Used computerized network analyses.
☒ Other: Same percentage used in 1980.

4. METHOD FOR ESTIMATING AADT BY GPS LANE

- ☐ Based on actual lane count data.
☐ System distribution factors.
☒ Other: Lane occupancy study conducted in 1983.

5. METHOD FOR ESTIMATING TRUCK AADT IN GPS LANES

- ☐ Based on actual lane count data.
☐ System distribution factors.
☒ Other: Lane occupancy study conducted in 1983.

6. METHOD FOR ESTIMATING ESAL/VEHICLE

- ☒ ESAL/Truck.
☐ ESAL/Vehicle class. (no. of classes) _____
☐ Other: _____

7. ESAL ESTIMATES

(A) Source of Data

- ☐ Weight data collected at GPS site this year.
☐ Weight data collected at GPS site prior years.
☐ Weight data from system averages this year.
☒ Weight data from system averages prior years.
☐ Weight data from historic W-4 Tables used.
☐ Other: _____

(B) Weight Scale Type

- ☒ WIM scale.
☐ Static scale used for enforcement.
☐ Static scale not used for enforcement.
☐ Other: _____

NAME OF PREPARER Robert J. TaylorPHONE # 242-6395DATE PREPARED 2-15-91

SHEET 3

LTPP TRAFFIC DATA
PROCEDURES FOR ESTIMATING
ANNUAL AVERAGE VOLUMES AND
TOTAL ANNUAL ESALS*STATE ASSIGNED ID 40511*STATE CODE 011*SHRP SECTION ID 408411. Year Applicable 1978

2. METHOD FOR ESTIMATING AADT

- ☒ Factored a single count taken this year at the GPS site.
- ☐ Averaged multiple counts taken this year at the GPS site.
- ☐ Averaged and factored multiple counts taken this year at the GPS site.
- ☐ Growth factored last year's estimate.
- ☐ Estimated based on volume counts at nearby locations.
- ☐ Used flow maps.
- ☐ Used computerized network analyses.
- ☐ Other: _____

3. METHOD FOR ESTIMATING TRUCK
VOLUMES OR PERCENTAGES

- ☐ Used a single count taken this year at the GPS site.
- ☐ Factored a single count taken this year at the GPS site.
- ☐ Averaged multiple counts taken this year at the GPS site.
- ☐ Used system averages from counts taken this year.
- ☐ Used count data from nearby sites.
- ☐ Used count data taken in earlier years at the GPS site.
- ☐ Used system averages taken in earlier years at the GPS site.
- ☐ Used computerized network analyses.
- ☒ Other: Same percentage used in 1980.

4. METHOD FOR ESTIMATING AADT
BY GPS LANE

- ☐ Based on actual lane count data.
- ☐ System distribution factors.
- ☒ Other: Lane occupancy study conducted in 1983.

5. METHOD FOR ESTIMATING TRUCK AADT
IN GPS LANES

- ☐ Based on actual lane count data.
- ☐ System distribution factors.
- ☒ Other: Lane occupancy study conducted in 1983.

6. METHOD FOR ESTIMATING ESAL/VEHICLE

- ☒ ESAL/Truck.
- ☐ ESAL/Vehicle class. (no. of classes) _____
- ☐ Other: _____

7. ESAL ESTIMATES

(A) Source of Data

- ☐ Weight data collected at GPS site this year.
- ☐ Weight data collected at GPS site prior years.
- ☐ Weight data from system averages this year.
- ☒ Weight data from system averages prior years.
- ☐ Weight data from historic W-4 Tables used.
- ☐ Other: _____

(B) Weight Scale Type

- ☒ WIM scale.
- ☐ Static scale used for enforcement.
- ☐ Static scale not used for enforcement.
- ☐ Other: _____

NAME OF PREPARER Robert J. TaylorPHONE # 242-6395DATE PREPARED 2-15-91

SHEET 3

LTPP TRAFFIC DATA
PROCEDURES FOR ESTIMATING
ANNUAL AVERAGE VOLUMES AND
TOTAL ANNUAL ESALS

*STATE ASSIGNED ID [4 0 5 1]

*STATE CODE [0 1]

*SHRP SECTION ID [4 0 8 4]

1. Year Applicable 1977

2. METHOD FOR ESTIMATING AADT

- ☒ Factored a single count taken this year at the GPS site.
- ☐ Averaged multiple counts taken this year at the GPS site.
- ☐ Averaged and factored multiple counts taken this year at the GPS site.
- ☐ Growth factored last year's estimate.
- ☐ Estimated based on volume counts at nearby locations.
- ☐ Used flow maps.
- ☐ Used computerized network analyses.
- ☐ Other: _____

3. METHOD FOR ESTIMATING TRUCK
VOLUMES OR PERCENTAGES

- ☐ Used a single count taken this year at the GPS site.
- ☐ Factored a single count taken this year at the GPS site.
- ☐ Averaged multiple counts taken this year at the GPS site.
- ☐ Used system averages from counts taken this year.
- ☐ Used count data from nearby sites.
- ☐ Used count data taken in earlier years at the GPS site.
- ☐ Used system averages taken in earlier years at the GPS site.
- ☐ Used computerized network analyses.
- ☒ Other: Same percentage used in 1980.

4. METHOD FOR ESTIMATING AADT
BY GPS LANE

- ☐ Based on actual lane count data.
- ☐ System distribution factors.
- ☒ Other: Lane occupancy study conducted in 1983.

5. METHOD FOR ESTIMATING TRUCK AADT
IN GPS LANES

- ☐ Based on actual lane count data.
- ☐ System distribution factors.
- ☒ Other: Lane occupancy study conducted in 1983.

6. METHOD FOR ESTIMATING ESAL/VEHICLE

- ☒ ESAL/Truck.
- ☐ ESAL/Vehicle class. (no. of classes) _____
- ☐ Other: _____

7. ESAL ESTIMATES

(A) Source of Data

- ☐ Weight data collected at GPS site this year.
- ☐ Weight data collected at GPS site prior years.
- ☐ Weight data from system averages this year.
- ☒ Weight data from system averages prior years.
- ☐ Weight data from historic W-4 Tables used.
- ☐ Other: _____

(B) Weight Scale Type

- ☒ WIM scale.
- ☐ Static scale used for enforcement.
- ☐ Static scale not used for enforcement.
- ☐ Other: _____

NAME OF PREPARER Robert J. TaylorPHONE # 242-6395DATE PREPARED 2-15-91

SHEET 3

LTPP TRAFFIC DATA PROCEDURES FOR ESTIMATING ANNUAL AVERAGE VOLUMES AND TOTAL ANNUAL ESALS

*STATE ASSIGNED ID [4 0 5 1]

*STATE CODE [0 1]

*SHRP SECTION ID [4 0 8 4]

1. Year Applicable 1976

2. METHOD FOR ESTIMATING AADT

- ☒ Factored a single count taken this year at the GPS site.
☐ Averaged multiple counts taken this year at the GPS site.
☐ Averaged and factored multiple counts taken this year at the GPS site.
☐ Growth factored last year's estimate.
☐ Estimated based on volume counts at nearby locations.
☐ Used flow maps.
☐ Used computerized network analyses.
☐ Other: _____

3. METHOD FOR ESTIMATING TRUCK VOLUMES OR PERCENTAGES

- ☐ Used a single count taken this year at the GPS site.
☐ Factored a single count taken this year at the GPS site.
☐ Averaged multiple counts taken this year at the GPS site.
☐ Used system averages from counts taken this year.
☐ Used count data from nearby sites.
☐ Used count data taken in earlier years at the GPS site.
☐ Used system averages taken in earlier years at the GPS site.
☐ Used computerized network analyses.
☒ Other: Same percentage used in 1980.

4. METHOD FOR ESTIMATING AADT BY GPS LANE

- ☐ Based on actual lane count data.
☐ System distribution factors.
☒ Other: Lane occupancy study conducted in 1983.

5. METHOD FOR ESTIMATING TRUCK AADT IN GPS LANES

- ☐ Based on actual lane count data.
☐ System distribution factors.
☒ Other: Lane occupancy study conducted in 1983.

6. METHOD FOR ESTIMATING ESAL/VEHICLE

- ☒ ESAL/Truck.
☐ ESAL/Vehicle class. (no. of classes) _____
☐ Other: _____

7. ESAL ESTIMATES

(A) Source of Data

- ☐ Weight data collected at GPS site this year.
☐ Weight data collected at GPS site prior years.
☐ Weight data from system averages this year.
☒ Weight data from system averages prior years.
☐ Weight data from historic W-4 Tables used.
☐ Other: _____

(B) Weight Scale Type

- ☒ WIM scale.
☐ Static scale used for enforcement.
☐ Static scale not used for enforcement.
☐ Other: _____

NAME OF PREPARER Robert J. TaylorPHONE # 242-6395DATE PREPARED 2-15-91

SHEET 4 LTPP TRAFFIC DATA TRAFFIC VOLUME COUNTS	*STATE ASSIGNED ID [4 0 5 1] *STATE CODE [0 1] *SHRP SECTION ID [4 0 8 4]
---	---

HIGHWAY ROUTE NO. (THIS COUNT) I-59

MILEPOST# OR LOCATION (THIS COUNT) 117.3

BEGINNING DATE 04/17/89 ENDING DATE 04/24/89

NE Leg 8:05 8:05

BEGINNING TIME SW Leg 7:05 ENDING TIME 7:05

COUNT DURATION 7 [] HOURS [X] DAYS [] MONTHS

TYPE OF COUNTER NE Leg StreeterAmet NAME/MODEL # None
SW Leg StreeterAmet 6812

TYPE OF COUNT: TWO-WAY x ONE DIRECTION ONLY GPS TEST LANE ONLY

ITEM	ACTUAL COUNTS	UNITS
1. TOTAL NO. OF VEHICLES (RAW COUNT)	<u>386037</u>	
2. ADJUSTMENT FACTORS (FILL IN AS APPLICABLE):		
A. ADJUSTMENT TO 24-HOUR COUNT	<u>.143</u>	
B. AXLE CORRECTION FACTOR	<u>.903</u>	
C. DAY OF WEEK FACTOR	<u> </u>	
D. MONTH FACTOR	<u> </u>	
E. OTHER FACTOR (<u>7-Day Avg. to AADT</u>)	<u>1.024</u>	
3. ANNUAL AVERAGE DAILY TRAFFIC (AADT) (TWO-WAY)	<u>50990</u>	
4. DIRECTIONAL DISTRIBUTION FACTOR	<u>.500</u>	
5. GPS LANE DISTRIBUTION FACTOR	<u>.850</u>	
6. AADT GPS LANE	<u>21671</u>	

NOTE: COMPLETE ONE SHEET FOR EACH COUNTING SESSION.

NAME OF PREPARER <u>Robert J. Taylor</u>	PHONE # <u>242-6395</u>
DATE PREPARED <u>2-15-91</u>	

SHEET 4 LTPP TRAFFIC DATA TRAFFIC VOLUME COUNTS	*STATE ASSIGNED ID [4 0 5 1] *STATE CODE [0 1] *SHRP SECTION ID [4 0 8 4]
---	---

 HIGHWAY ROUTE NO. (THIS COUNT) I-59

 MILEPOST# OR LOCATION (THIS COUNT) 117.3

 BEGINNING DATE 08/03/87 ENDING DATE 08/10/87

 BEGINNING TIME 11:15 ENDING TIME 11:15

 COUNT DURATION 7 [] HOURS [X] DAYS [] MONTHS

 TYPE OF COUNTER NE Leg StreeterAmet NAME/MODEL # 4546
~~SW Leg StreeterAmet~~ Jt.

 TYPE OF COUNT: TWO-WAY x ONE DIRECTION ONLY GPS TEST LANE ONLY

ITEM	ACTUAL COUNTS	UNITS
1. TOTAL NO. OF VEHICLES (RAW COUNT)	<u>384565</u>	
2. ADJUSTMENT FACTORS (FILL IN AS APPLICABLE):		
A. ADJUSTMENT TO 24-HOUR COUNT	<u>.143</u>	
B. AXLE CORRECTION FACTOR	<u>.920</u>	
C. DAY OF WEEK FACTOR	<u> </u>	
D. MONTH FACTOR	<u> </u>	
E. OTHER FACTOR (<u>7-Day Avg. to AADT</u>)	<u>.965</u>	
3. ANNUAL AVERAGE DAILY TRAFFIC (AADT) (TWO-WAY)	<u>48770</u>	
4. DIRECTIONAL DISTRIBUTION FACTOR	<u>.500</u>	
5. GPS LANE DISTRIBUTION FACTOR	<u>.850</u>	
6. AADT GPS LANE	<u>20727</u>	

NOTE: COMPLETE ONE SHEET FOR EACH COUNTING SESSION.

NAME OF PREPARER <u>Robert J. Taylor</u>	PHONE # <u>242-6395</u>
DATE PREPARED <u>2-15-91</u>	

SHEET 4 LTPP TRAFFIC DATA TRAFFIC VOLUME COUNTS	*STATE ASSIGNED ID [4 0 5 1] *STATE CODE [0 1] *SHRP SECTION ID [4 0 8 4]
---	---

HIGHWAY ROUTE NO. (THIS COUNT) I-59

MILEPOST# OR LOCATION (THIS COUNT) 117.3

BEGINNING DATE 08/07/86 ENDING DATE 08/14/86

BEGINNING TIME 7:10 ENDING TIME 7:10

COUNT DURATION 7 [] HOURS [X] DAYS [] MONTHS

TYPE OF COUNTER NE Leg StreeterAmet NAME/MODEL # 4545
SW Leg StreeterAmet 6795

TYPE OF COUNT: TWO-WAY x ONE DIRECTION ONLY GPS TEST LANE ONLY

<u>ACTUAL COUNTS</u>	
<u>ITEM</u>	<u>UNITS</u>
1. TOTAL NO. OF VEHICLES (RAW COUNT)	372171
2. ADJUSTMENT FACTORS (FILL IN AS APPLICABLE):	
A. ADJUSTMENT TO 24-HOUR COUNT	. 143
B. AXLE CORRECTION FACTOR	. 910
C. DAY OF WEEK FACTOR	. ---
D. MONTH FACTOR	. 960
E. OTHER FACTOR (<u>Week to Month</u>)	1 . 003
3. ANNUAL AVERAGE DAILY TRAFFIC (AADT) (TWO-WAY)	46590
4. DIRECTIONAL DISTRIBUTION FACTOR	. 500
5. GPS LANE DISTRIBUTION FACTOR	. 850
6. AADT GPS LANE	19801

NOTE: COMPLETE ONE SHEET FOR EACH COUNTING SESSION.

NAME OF PREPARER <u>Robert J. Taylor</u>	PHONE # <u>242-6395</u>
DATE PREPARED <u>2-15-91</u>	

SHEET 4 LTPP TRAFFIC DATA TRAFFIC VOLUME COUNTS	*STATE ASSIGNED ID [4 0 5 1] *STATE CODE [0 1] *SHRP SECTION ID [4 0 8 4]
---	---

HIGHWAY ROUTE NO. (THIS COUNT) I-59

MILEPOST# OR LOCATION (THIS COUNT) 117.3

BEGINNING DATE 08/12/85 ENDING DATE 08/19/85

BEGINNING TIME 9:00 ENDING TIME 9:00

COUNT DURATION 7 [] HOURS [X] DAYS [] MONTHS

TYPE OF COUNTERS N Leg StreeterAmet NAME/MODEL # 5605 Jr.

TYPE OF COUNT: TWO-WAY x ONE DIRECTION ONLY GPS TEST LANE ONLY

ITEM	ACTUAL COUNTS	UNITS
1. TOTAL NO. OF VEHICLES (RAW COUNT)		<u>362060</u>
2. ADJUSTMENT FACTORS (FILL IN AS APPLICABLE):		
A. ADJUSTMENT TO 24-HOUR COUNT		<u>. 143</u>
B. AXLE CORRECTION FACTOR		<u>. 910</u>
C. DAY OF WEEK FACTOR		<u>. ---</u>
D. MONTH FACTOR		<u>. 940</u>
E. OTHER FACTOR (<u>Week to Month</u>)		<u>1. 000</u>
3. ANNUAL AVERAGE DAILY TRAFFIC (AADT) (TWO-WAY)		<u>44250</u>
4. DIRECTIONAL DISTRIBUTION FACTOR		<u>. 500</u>
5. GPS LANE DISTRIBUTION FACTOR		<u>. 850</u>
6. AADT GPS LANE		<u>18806</u>

NOTE: COMPLETE ONE SHEET FOR EACH COUNTING SESSION.

NAME OF PREPARER <u>Robert J. Taylor</u>	PHONE # <u>242-6395</u>
DATE PREPARED <u>2-15-91</u>	

SHEET 4 LTPP TRAFFIC DATA TRAFFIC VOLUME COUNTS	*STATE ASSIGNED ID [4 0 5 1]
	*STATE CODE [0 1]
	*SHRP SECTION ID [4 0 8 4]

HIGHWAY ROUTE NO. (THIS COUNT) I-59

MILEPOST# OR LOCATION (THIS COUNT) 117.3

BEGINNING DATE 08/84 ENDING DATE 08/84

BEGINNING TIME _____ ENDING TIME _____

COUNT DURATION 7 [] HOURS [X] DAYS [] MONTHS

TYPE OF COUNTER _____ NAME/MODEL # _____

TYPE OF COUNT: TWO-WAY x ONE DIRECTION ONLY _____ GPS TEST LANE ONLY _____

ITEM	ACTUAL COUNTS	UNITS
1. TOTAL NO. OF VEHICLES (RAW COUNT)	_____	_____
2. ADJUSTMENT FACTORS (FILL IN AS APPLICABLE):		
A. ADJUSTMENT TO 24-HOUR COUNT	<u>.143</u>	
B. AXLE CORRECTION FACTOR	<u>_____</u>	
C. DAY OF WEEK FACTOR	<u>_____</u>	
D. MONTH FACTOR	<u>925</u>	
E. OTHER FACTOR (_____)	<u>_____</u>	
3. ANNUAL AVERAGE DAILY TRAFFIC (AADT) (TWO-WAY)	<u>46620</u>	
4. DIRECTIONAL DISTRIBUTION FACTOR	<u>.500</u>	
5. GPS LANE DISTRIBUTION FACTOR	<u>.850</u>	
6. AADT GPS LANE	<u>19814</u>	

NOTE: COMPLETE ONE SHEET FOR EACH COUNTING SESSION.

NAME OF PREPARER <u>Robert J. Taylor</u>	PHONE # <u>242-6395</u>
DATE PREPARED <u>2-15-91</u>	

SHEET 4

LTPP TRAFFIC DATA
TRAFFIC VOLUME COUNTS

*STATE ASSIGNED ID [4 0 5 1]

*STATE CODE [0 1]

*SHRP SECTION ID [4 0 8 4]

HIGHWAY ROUTE NO. (THIS COUNT) I-59MILEPOST# OR LOCATION (THIS COUNT) 117.3BEGINNING DATE 10/83 ENDING DATE 10/83

BEGINNING TIME _____ ENDING TIME _____

COUNT DURATION 7 [] HOURS [X] DAYS [] MONTHS

TYPE OF COUNTER _____ NAME/MODEL # _____

TYPE OF COUNT: TWO-WAY x ONE DIRECTION ONLY _____ GPS TEST LANE ONLY _____

ITEM	ACTUAL COUNTS	UNITS
1. TOTAL NO. OF VEHICLES (RAW COUNT)	_____	_____
2. ADJUSTMENT FACTORS (FILL IN AS APPLICABLE):		
A. ADJUSTMENT TO 24-HOUR COUNT	_____	<u>.143</u>
B. AXLE CORRECTION FACTOR	_____	_____
C. DAY OF WEEK FACTOR	_____	_____
D. MONTH FACTOR	_____	<u>.966</u>
E. OTHER FACTOR (_____)	_____	_____
3. ANNUAL AVERAGE DAILY TRAFFIC (AADT) (TWO-WAY)	_____	<u>44100</u>
4. DIRECTIONAL DISTRIBUTION FACTOR	_____	<u>.500</u>
5. GPS LANE DISTRIBUTION FACTOR	_____	<u>.850</u>
6. AADT GPS LANE	_____	<u>18743</u>

NOTE: COMPLETE ONE SHEET FOR EACH COUNTING SESSION.

NAME OF PREPARER Robert J. Taylor PHONE # 242-6395
DATE PREPARED 2-15-91

<p align="center">SHEET 4</p> <p align="center">LTPP TRAFFIC DATA</p> <p align="center">TRAFFIC VOLUME COUNTS</p>	*STATE ASSIGNED ID [4 0 5 1]
	*STATE CODE [0 1]
	*SHRP SECTION ID [4 0 8 4]

HIGHWAY ROUTE NO. (THIS COUNT) I-59

MILEPOST# OR LOCATION (THIS COUNT) 117.3

BEGINNING DATE 05/82 ENDING DATE 05/82

BEGINNING TIME _____ ENDING TIME _____

COUNT DURATION 7 [] HOURS [☒] DAYS [] MONTHS

TYPE OF COUNTER _____ NAME/MODEL # _____

TYPE OF COUNT: TWO-WAY ☒ ONE DIRECTION ONLY _____ GPS TEST LANE ONLY _____

ITEM	ACTUAL COUNTS	UNITS
1. TOTAL NO. OF VEHICLES (RAW COUNT)	_____	_____
2. ADJUSTMENT FACTORS (FILL IN AS APPLICABLE):		
A. ADJUSTMENT TO 24-HOUR COUNT	<u>143</u>	_____
B. AXLE CORRECTION FACTOR	_____	_____
C. DAY OF WEEK FACTOR	_____	_____
D. MONTH FACTOR	<u>989</u>	_____
E. OTHER FACTOR (_____)	_____	_____
3. ANNUAL AVERAGE DAILY TRAFFIC (AADT) (TWO-WAY)	<u>41510</u>	_____
4. DIRECTIONAL DISTRIBUTION FACTOR	<u>500</u>	_____
5. GPS LANE DISTRIBUTION FACTOR	<u>850</u>	_____
6. AADT GPS LANE	<u>17641</u>	_____

NOTE: COMPLETE ONE SHEET FOR EACH COUNTING SESSION.

NAME OF PREPARER <u>Robert J. Taylor</u>	PHONE # <u>242-6395</u>
DATE PREPARED <u>2-15-91</u>	

SHEET 4 LTPP TRAFFIC DATA TRAFFIC VOLUME COUNTS	*STATE ASSIGNED ID [4 0 5 1] *STATE CODE [0 1] *SHRP SECTION ID [4 0 8 4]
---	---

HIGHWAY ROUTE NO. (THIS COUNT) I-59

MILEPOST# OR LOCATION (THIS COUNT) 117.3

BEGINNING DATE 08/81 ENDING DATE 08/81

BEGINNING TIME _____ ENDING TIME _____

COUNT DURATION 7 [] HOURS [X] DAYS [] MONTHS

TYPE OF COUNTER _____ NAME/MODEL # _____

TYPE OF COUNT: TWO-WAY x ONE DIRECTION ONLY _____ GPS TEST LANE ONLY _____

ITEM	ACTUAL COUNTS	UNITS
1. TOTAL NO. OF VEHICLES (RAW COUNT)	_____	_____
2. ADJUSTMENT FACTORS (FILL IN AS APPLICABLE):		
A. ADJUSTMENT TO 24-HOUR COUNT	<u>143</u>	_____
B. AXLE CORRECTION FACTOR	_____	_____
C. DAY OF WEEK FACTOR	_____	_____
D. MONTH FACTOR	<u>952</u>	_____
E. OTHER FACTOR (_____)	_____	_____
3. ANNUAL AVERAGE DAILY TRAFFIC (AADT) (TWO-WAY)	<u>43240</u>	_____
4. DIRECTIONAL DISTRIBUTION FACTOR	<u>500</u>	_____
5. GPS LANE DISTRIBUTION FACTOR	<u>850</u>	_____
6. AADT GPS LANE	<u>18377</u>	_____

NOTE: COMPLETE ONE SHEET FOR EACH COUNTING SESSION.

NAME OF PREPARER <u>Robert J. Taylor</u>	PHONE # <u>242-6395</u>
DATE PREPARED <u>2-15-91</u>	

<p align="center">SHEET 4</p> <p align="center">LTPP TRAFFIC DATA</p> <p align="center">TRAFFIC VOLUME COUNTS</p>	*STATE ASSIGNED ID [4 0 5 1]
	*STATE CODE [0 1]
	*SHRP SECTION ID [4 0 8 4]

HIGHWAY ROUTE NO. (THIS COUNT) I-59

MILEPOST# OR LOCATION (THIS COUNT) 117.3

BEGINNING DATE 06/80 ENDING DATE 06/80

BEGINNING TIME _____ ENDING TIME _____

COUNT DURATION 7 [] HOURS [X] DAYS [] MONTHS

TYPE OF COUNTER _____ NAME/MODEL # _____

TYPE OF COUNT: TWO-WAY x ONE DIRECTION ONLY _____ GPS TEST LANE ONLY _____

ITEM	ACTUAL COUNTS	UNITS
1. TOTAL NO. OF VEHICLES (RAW COUNT)	_____	_____
2. ADJUSTMENT FACTORS (FILL IN AS APPLICABLE):		
A. ADJUSTMENT TO 24-HOUR COUNT	___ . 143	
B. AXLE CORRECTION FACTOR	___ . ____	
C. DAY OF WEEK FACTOR	___ . ____	
D. MONTH FACTOR	___ . 965	
E. OTHER FACTOR (_____)	___ . ____	
3. ANNUAL AVERAGE DAILY TRAFFIC (AADT) (TWO-WAY)	___ . 38970	
4. DIRECTIONAL DISTRIBUTION FACTOR	___ . 500	
5. GPS LANE DISTRIBUTION FACTOR	___ . 850	
6. AADT GPS LANE	___ . 16562	

NOTE: COMPLETE ONE SHEET FOR EACH COUNTING SESSION.

NAME OF PREPARER <u>Robert J. Taylor</u>	PHONE # <u>242-6395</u>
DATE PREPARED <u>2-15-91</u>	

SHEET 4 LTPP TRAFFIC DATA TRAFFIC VOLUME COUNTS	*STATE ASSIGNED ID [4 0 5 1]
	*STATE CODE [0 1]
	*SHRP SECTION ID [4 0 8 4]

HIGHWAY ROUTE NO. (THIS COUNT) I-59

MILEPOST# OR LOCATION (THIS COUNT) 117.3

BEGINNING DATE 10/79 ENDING DATE 10/79

BEGINNING TIME _____ ENDING TIME _____

COUNT DURATION 7 [] HOURS [X] DAYS [] MONTHS

TYPE OF COUNTER _____ NAME/MODEL # _____

TYPE OF COUNT: TWO-WAY x ONE DIRECTION ONLY _____ GPS TEST LANE ONLY _____

ITEM	ACTUAL COUNTS	UNITS
1. TOTAL NO. OF VEHICLES (RAW COUNT)	_____	_____
2. ADJUSTMENT FACTORS (FILL IN AS APPLICABLE):		
A. ADJUSTMENT TO 24-HOUR COUNT	_____	<u>. 143</u>
B. AXLE CORRECTION FACTOR	_____	_____
C. DAY OF WEEK FACTOR	_____	_____
D. MONTH FACTOR	_____	<u>. 986</u>
E. OTHER FACTOR (_____)	_____	_____
3. ANNUAL AVERAGE DAILY TRAFFIC (AADT) (TWO-WAY)	_____	<u>23290</u>
4. DIRECTIONAL DISTRIBUTION FACTOR	_____	<u>. 500</u>
5. GPS LANE DISTRIBUTION FACTOR	_____	<u>. 850</u>
6. AADT GPS LANE	_____	<u>9898</u>

NOTE: COMPLETE ONE SHEET FOR EACH COUNTING SESSION.

NAME OF PREPARER <u>Robert J. Taylor</u>	PHONE # <u>242-6395</u>
DATE PREPARED <u>2-15-91</u>	

SHEET 4 LTPP TRAFFIC DATA TRAFFIC VOLUME COUNTS	*STATE ASSIGNED ID [4 0 5 1] *STATE CODE [0 1] *SHRP SECTION ID [4 0 8 4]
---	---

HIGHWAY ROUTE NO. (THIS COUNT) I-59

MILEPOST# OR LOCATION (THIS COUNT) 117.3

BEGINNING DATE 05/79 ENDING DATE 05/79

BEGINNING TIME _____ ENDING TIME _____

COUNT DURATION 7 [] HOURS [X] DAYS [] MONTHS

TYPE OF COUNTER _____ NAME/MODEL # _____

TYPE OF COUNT: TWO-WAY x ONE DIRECTION ONLY _____ GPS TEST LANE ONLY _____

ITEM	ACTUAL COUNTS	UNITS
1. TOTAL NO. OF VEHICLES (RAW COUNT)	_____	_____
2. ADJUSTMENT FACTORS (FILL IN AS APPLICABLE):		
A. ADJUSTMENT TO 24-HOUR COUNT	_____	<u>143</u>
B. AXLE CORRECTION FACTOR	_____	_____
C. DAY OF WEEK FACTOR	_____	_____
D. MONTH FACTOR	_____	<u>974</u>
E. OTHER FACTOR (_____)	_____	_____
3. ANNUAL AVERAGE DAILY TRAFFIC (AADT) (TWO-WAY)	_____	<u>23290</u>
4. DIRECTIONAL DISTRIBUTION FACTOR	_____	<u>500</u>
5. GPS LANE DISTRIBUTION FACTOR	_____	<u>850</u>
6. AADT GPS LANE	_____	<u>9898</u>

NOTE: COMPLETE ONE SHEET FOR EACH COUNTING SESSION.

NAME OF PREPARER <u>Robert J. Taylor</u>	PHONE # <u>242-6395</u>
DATE PREPARED <u>2-15-91</u>	

SHEET 4 LTPP TRAFFIC DATA TRAFFIC VOLUME COUNTS	*STATE ASSIGNED ID [4 0 5 1] *STATE CODE [0 1] *SHRP SECTION ID [4 0 8 4]
---	---

HIGHWAY ROUTE NO. (THIS COUNT) I-59

MILEPOST# OR LOCATION (THIS COUNT) 117.3

BEGINNING DATE 05/78 ENDING DATE 05/78

BEGINNING TIME _____ ENDING TIME _____

COUNT DURATION 7 [] HOURS [X] DAYS [] MONTHS

TYPE OF COUNTER _____ NAME/MODEL # _____

TYPE OF COUNT: TWO-WAY x ONE DIRECTION ONLY _____ GPS TEST LANE ONLY _____

ITEM	ACTUAL COUNTS	UNITS
1. TOTAL NO. OF VEHICLES (RAW COUNT)	_____	_____
2. ADJUSTMENT FACTORS (FILL IN AS APPLICABLE):		
A. ADJUSTMENT TO 24-HOUR COUNT	<u>143</u>	_____
B. AXLE CORRECTION FACTOR	<u>---</u>	_____
C. DAY OF WEEK FACTOR	<u>---</u>	_____
D. MONTH FACTOR	<u>987</u>	_____
E. OTHER FACTOR (_____)	<u>---</u>	_____
3. ANNUAL AVERAGE DAILY TRAFFIC (AADT) (TWO-WAY)	<u>22800</u>	_____
4. DIRECTIONAL DISTRIBUTION FACTOR	<u>500</u>	_____
5. GPS LANE DISTRIBUTION FACTOR	<u>850</u>	_____
6. AADT GPS LANE	<u>9690</u>	_____

NOTE: COMPLETE ONE SHEET FOR EACH COUNTING SESSION.

NAME OF PREPARER <u>Robert J. Taylor</u>	PHONE # <u>242-6395</u>
DATE PREPARED <u>2-15-91</u>	

SHEET 4 LTPP TRAFFIC DATA TRAFFIC VOLUME COUNTS	*STATE ASSIGNED ID [4 0 5 1]
	*STATE CODE [0 1]
	*SHRP SECTION ID [4 0 8 4]

HIGHWAY ROUTE NO. (THIS COUNT) I-59

MILEPOST# OR LOCATION (THIS COUNT) 117.3

BEGINNING DATE 08/77 ENDING DATE 08/77

BEGINNING TIME _____ ENDING TIME _____

COUNT DURATION 7 [] HOURS [X] DAYS [] MONTHS

TYPE OF COUNTER _____ NAME/MODEL # _____

TYPE OF COUNT: TWO-WAY x ONE DIRECTION ONLY _____ GPS TEST LANE ONLY _____

ITEM	ACTUAL COUNTS	UNITS
1. TOTAL NO. OF VEHICLES (RAW COUNT)	_____	_____
2. ADJUSTMENT FACTORS (FILL IN AS APPLICABLE):		
A. ADJUSTMENT TO 24-HOUR COUNT	_____	<u>. 143</u>
B. AXLE CORRECTION FACTOR	_____	_____
C. DAY OF WEEK FACTOR	_____	_____
D. MONTH FACTOR	_____	<u>. 941</u>
E. OTHER FACTOR (_____)	_____	_____
3. ANNUAL AVERAGE DAILY TRAFFIC (AADT) (TWO-WAY)	_____	<u>22200</u>
4. DIRECTIONAL DISTRIBUTION FACTOR	_____	<u>. 500</u>
5. GPS LANE DISTRIBUTION FACTOR	_____	<u>. 850</u>
6. AADT GPS LANE	_____	<u>9435</u>

NOTE: COMPLETE ONE SHEET FOR EACH COUNTING SESSION.

NAME OF PREPARER <u>Robert J. Taylor</u>	PHONE # <u>242-6395</u>
DATE PREPARED <u>2-15-91</u>	

SHEET 4 LTPP TRAFFIC DATA TRAFFIC VOLUME COUNTS	*STATE ASSIGNED ID [4 0 51] *STATE CODE [0 1] *SHRP SECTION ID [4 0 8 4]
---	--

HIGHWAY ROUTE NO. (THIS COUNT) I-59

MILEPOST# OR LOCATION (THIS COUNT) 117.3

BEGINNING DATE 05/76 ENDING DATE 05/76

BEGINNING TIME _____ ENDING TIME _____

COUNT DURATION 7 [] HOURS [X] DAYS [] MONTHS

TYPE OF COUNTER _____ NAME/MODEL # _____

TYPE OF COUNT: TWO-WAY x ONE DIRECTION ONLY _____ GPS TEST LANE ONLY _____

ITEM	ACTUAL COUNTS	UNITS
1. TOTAL NO. OF VEHICLES (RAW COUNT)	_____	_____
2. ADJUSTMENT FACTORS (FILL IN AS APPLICABLE):		
A. ADJUSTMENT TO 24-HOUR COUNT	<u>143</u>	_____
B. AXLE CORRECTION FACTOR	_____	_____
C. DAY OF WEEK FACTOR	_____	_____
D. MONTH FACTOR	<u>1.000</u>	_____
E. OTHER FACTOR (_____)	_____	_____
3. ANNUAL AVERAGE DAILY TRAFFIC (AADT) (TWO-WAY)	<u>21850</u>	_____
4. DIRECTIONAL DISTRIBUTION FACTOR	<u>500</u>	_____
5. GPS LANE DISTRIBUTION FACTOR	<u>850</u>	_____
6. AADT GPS LANE	<u>9286</u>	_____

NOTE: COMPLETE ONE SHEET FOR EACH COUNTING SESSION.

NAME OF PREPARER <u>Robert J. Taylor</u>	PHONE # <u>242-6395</u>
DATE PREPARED <u>2-15-91</u>	

SHEET 5

LTPP TRAFFIC DATA

VEHICLE CLASSIFICATION DATA
FHWA 13-CLASS SYSTEM

*STATE ASSIGNED ID [4 0 5 1]

*STATE CODE [0 1]

*SHRP SECTION ID [4 0 8 4]

HIGHWAY RT. NO. (THIS COUNT) I-59 MILEPOST# (THIS COUNT) 113

LOCATION (THIS COUNT) Bessemer FUNCTIONAL CLASS 11

BEGINNING DATE 08/05/85 ENDING DATE 08/08/85

BEGINNING TIME 0600 ENDING TIME 2200 DURATION (HRS) 16

TYPE OF COUNT: MANUAL ☒ AUTOMATED ☐ NO. OF LANES COUNTED 4TYPE OF EQUIP.: AVC PERM. ☐ AVC PORT. ☐ WIM PERM. ☐ WIM PORT. ☐

EQUIPMENT NAME / MODEL #

TOTAL NO. OF VEHICLES CLASSIFIED 19103 # TRUCKS 3563 % TRUCKS 18.7

NO. OF TRUCKS IN GPS LANE % OF TRUCKS IN GPS LANE 85

VEHICLE CLASSIFICATION METHOD: FHWA ☒ OTHER ☐ # BINS

NOTE: IF THIS COUNT DOES NOT USE THE FHWA 13-BIN CLASSIFICATION SYSTEM USE SHEET 6. PLEASE DESCRIBE ON AN ATTACHED PAGE THE VEHICLE CLASSIFICATION SYSTEM USED BY THE AGENCY AND COMPLETE SHEET 7 DESCRIBING HOW THE SHA WOULD EXPAND OR COLLAPSE THE USER CLASSIFICATION SYSTEM TO CORRESPOND WITH THE FHWA 13 CLASSES.

VEHICLE CLASSES

TOTAL NUMBER
OF VEHICLES
TWO-WAYTOTAL NUMBER
OF VEHICLES
GPS DIRECTIONTOTAL NUMBER
OF VEHICLES
GPS LANE

1. FHWA CLASSES 1-3 (Cars, Motorcycles, Vans)	1 5 5 4 0		
2. FHWA CLASS 4 (Buses)	2 0		
3. FHWA CLASS 5 (Two Axle, 6-Tire, SU Truck)	6 2 8		
4. FHWA CLASS 6 (3 AXLE SU TRUCK)	1 2 6		
5. FHWA CLASS 7 (4 or more Axle SU Truck)	1 6		
6. FHWA CLASS 8 (4 or less axle 1-Trlr.Truck)	1 0 7		
7. FHWA CLASS 9 (5 Axle, 1-Trlr.Truck)	2 6 3 8		
8. FHWA CLASS 10 (6 or more Axle, 1-Trlr.Truck)	2 8		
9. FHWA CLASS 11 (5 or less Axle, Multi-Trlr.Truck)	-		
10. FHWA CLASS 12 (6 Axle, Multi-Trlr.Truck)			
11. FHWA CLASS 13 (7 or more Axle, Multi-Trlr.Truck)			
12. OTHER VEHICLES			

GRAND TOTAL

1 9 1 0 3

NAME OF PREPARER Robert J. Taylor PHONE # 242-6395

DATE PREPARED 2-15-91