

RECEIVED MAR 14 1991

<p>SHEET 1</p> <p>LTPP TRAFFIC DATA</p> <p>SUMMARY TRANSMITTAL FORM</p>	*STATE ASSIGNED ID [ 6 0 1 2 ]
	*STATE CODE [ 0 1 ]
	*SHRP SECTION ID [ 6 0 1 9 ]

STATE OR PROVINCE Alabama COUNTY Baldwin

HIGHWAY ROUTE NO. I-65 MILEPOST# 42.8

NEAREST CITY/TOWN 4 mi. SW of Perdido NEAREST INTERSECTION 2 mi. SW of Jct. 47 with Co. Rd. (nor

FUNCTIONAL CLASS 01 NO. LANES EACH DIRECTION 2 TOTAL NO. LANES 4

DIRECTION OF TRAVEL GPS LANE NB DATE OPENED TO TRAF. 04 - 01 - 81

FIPS COUNTY CODE 3 FHWA STATION IDENTIFICATION NO. \_\_\_\_\_

HPMS SAMPLE NO. \_\_\_\_\_ HPMS SUBDIVISION NO. \_\_\_\_\_

TYPE OF PAVEMENT: AC X PCC \_\_\_\_\_ OTHER \_\_\_\_\_

CONTROL OF ACCESS: YES X NO \_\_\_\_\_ MEDIAN: YES X NO \_\_\_\_\_

CURRENT SURROUNDING DEVELOPMENT:  
 URBAN \_\_\_\_\_ SUBURBAN \_\_\_\_\_ RURAL X


HAS INTENSITY OF ROADSIDE DEVELOPMENT INCREASED OVER PAST 10 YEARS?  
 YES \_\_\_\_\_ NO X  
 IF YES, DESCRIBE CHANGES \_\_\_\_\_  
 \_\_\_\_\_  
 \_\_\_\_\_

ARCHIVED JUL 16 2008 TK

NOTE: ATTACH ALL RELATED FORMS AND COUNT DATA AND SUBMIT TO THE SHRP REGIONAL OFFICE. ATTACH MAP INDICATING THE LOCATION OF EACH TRAFFIC COUNT, VEHICLE CLASSIFICATION COUNT, OR WEIGHT STATION RELATIVE TO THIS GPS TEST SECTION.

NAME OF PREPARER <u>Robert J. Taylor</u>	PHONE # <u>242-6395</u>
DATE PREPARED <u>2-15-91</u>	

<p>SHEET 2</p> <p>LTPP TRAFFIC DATA</p> <p>TRAFFIC VOLUMES AND LOAD ESTIMATES</p>	<p>*STATE ASSIGNED ID [6 0 1 2]</p> <p>*STATE CODE [0 1]</p> <p>*SHRP SECTION ID [6 0 1 9]</p>
---	--



YEAR	1. ESTIMATED TOTAL VEHICLES AADT (TWO-WAY)	2. ESTIMATED TOTAL TRUCK AADT (TWO-WAY)	3. ESTIMATED TOTAL VEHICLES AADT GPS LANE	4. ESTIMATED TOTAL TRUCKS AADT GPS LANE	5. ESTIMATED ESAL'S/YR GPS LANE (1000's)
1989	11870	3086	5045	1312	383
1988	10880	2829	4624	1202	351
1987	10280	2673	4369	1136	332
1986	9090	2363	3863	1004	293
1985	8550	2907	3634	1235	361
1984	8190	2785	3481	1184	346
1983	7870	1889	3345	803	234
1982	7220	1733	3069	736	215
1981	6090	1462	2588	621	181
1980					
1979					
1978					
1977					
1976					
1975					
1974					
1973					
1972					
1971					
1970					
1969					
1968					
1967					
1966					
1965					

NAME OF PREPARER	Robert J. Taylor	PHONE #	242-6395
DATE PREPARED	2-15-91		

## SHEET 3

# LTPP TRAFFIC DATA PROCEDURES FOR ESTIMATING ANNUAL AVERAGE VOLUMES AND TOTAL ANNUAL ESALS

\*STATE ASSIGNED ID [ 6 0 1 1 2 ]

\*STATE CODE [ 0 1 ]

\*SHRP SECTION ID [ 6 0 1 9 ]

1. Year Applicable 1989

## 2. METHOD FOR ESTIMATING AADT

- ☒ Factored a single count taken this year at the GPS site.
- ☐ Averaged multiple counts taken this year at the GPS site.
- ☐ Averaged and factored multiple counts taken this year at the GPS site.
- ☐ Growth factored last year's estimate.
- ☐ Estimated based on volume counts at nearby locations.
- ☐ Used flow maps.
- ☐ Used computerized network analyses.
- ☐ Other: \_\_\_\_\_

## 3. METHOD FOR ESTIMATING TRUCK VOLUMES OR PERCENTAGES

- ☐ Used a single count taken this year at the GPS site.
- ☐ Factored a single count taken this year at the GPS site.
- ☐ Averaged multiple counts taken this year at the GPS site.
- ☐ Used system averages from counts taken this year.
- ☐ Used count data from nearby sites.
- ☐ Used count data taken in earlier years at the GPS site.
- ☐ Used system averages taken in earlier years at the GPS site.
- ☐ Used computerized network analyses.
- ☒ Other: Same percentage used in 1987.

## 4. METHOD FOR ESTIMATING AADT BY GPS LANE

- ☐ Based on actual lane count data.
- ☐ System distribution factors.
- ☒ Other: Lane occupancy study conducted in 1983.

## 5. METHOD FOR ESTIMATING TRUCK AADT IN GPS LANES

- ☐ Based on actual lane count data.
- ☐ System distribution factors.
- ☒ Other: Lane occupancy study conducted in 1983.

## 6. METHOD FOR ESTIMATING ESAL/VEHICLE

- ☒ ESAL/Truck.
- ☐ ESAL/Vehicle class. (no. of classes) \_\_\_\_\_
- ☐ Other: \_\_\_\_\_

## 7. ESAL ESTIMATES

## (A) Source of Data

- ☐ Weight data collected at GPS site this year.
- ☐ Weight data collected at GPS site prior years.
- ☐ Weight data from system averages this year.
- ☒ Weight data from system averages prior years.
- ☐ Weight data from historic W-4 Tables used.
- ☐ Other: \_\_\_\_\_

## (B) Weight Scale Type

- ☒ WIM scale.
- ☐ Static scale used for enforcement.
- ☐ Static scale not used for enforcement.
- ☐ Other: \_\_\_\_\_

NAME OF PREPARER Robert J. Taylor

PHONE # 242-6395

DATE PREPARED 2-15-91

## SHEET 3

LTPP TRAFFIC DATA  
PROCEDURES FOR ESTIMATING  
ANNUAL AVERAGE VOLUMES AND  
TOTAL ANNUAL ESALS

\*STATE ASSIGNED ID [6 0 1 2]

\*STATE CODE [0 1]

\*SHRP SECTION ID [6 0 1 9]

1. Year Applicable 1988

## 2. METHOD FOR ESTIMATING AADT

- ☒ Factored a single count taken this year at the GPS site.
- ☐ Averaged multiple counts taken this year at the GPS site.
- ☐ Averaged and factored multiple counts taken this year at the GPS site.
- ☐ Growth factored last year's estimate.
- ☐ Estimated based on volume counts at nearby locations.
- ☐ Used flow maps.
- ☐ Used computerized network analyses.
- ☐ Other: \_\_\_\_\_

3. METHOD FOR ESTIMATING TRUCK  
VOLUMES OR PERCENTAGES

- ☐ Used a single count taken this year at the GPS site.
- ☐ Factored a single count taken this year at the GPS site.
- ☐ Averaged multiple counts taken this year at the GPS site.
- ☐ Used system averages from counts taken this year.
- ☐ Used count data from nearby sites.
- ☐ Used count data taken in earlier years at the GPS site.
- ☐ Used system averages taken in earlier years at the GPS site.
- ☐ Used computerized network analyses.
- ☒ Other: Same percentage used in 1987.

4. METHOD FOR ESTIMATING AADT  
BY GPS LANE

- ☐ Based on actual lane count data.
- ☐ System distribution factors.
- ☒ Other: Lane occupancy study conducted in 1983.

5. METHOD FOR ESTIMATING TRUCK AADT  
IN GPS LANES

- ☐ Based on actual lane count data.
- ☐ System distribution factors.
- ☒ Other: Lane occupancy study conducted in 1983.

## 6. METHOD FOR ESTIMATING ESAL/VEHICLE

- ☒ ESAL/Truck.
- ☐ ESAL/Vehicle class. (no. of classes) \_\_\_\_\_
- ☐ Other: \_\_\_\_\_

## 7. ESAL ESTIMATES

## (A) Source of Data

- ☐ Weight data collected at GPS site this year.
- ☐ Weight data collected at GPS site prior years.
- ☐ Weight data from system averages this year.
- ☒ Weight data from system averages prior years.
- ☐ Weight data from historic W-4 Tables used.
- ☐ Other: \_\_\_\_\_

## (B) Weight Scale Type

- ☒ WIM scale.
- ☐ Static scale used for enforcement.
- ☐ Static scale not used for enforcement.
- ☐ Other: \_\_\_\_\_

NAME OF PREPARER Robert J. TaylorPHONE # 242-6395DATE PREPARED 2-15-91

## SHEET 3

LTPP TRAFFIC DATA  
PROCEDURES FOR ESTIMATING  
ANNUAL AVERAGE VOLUMES AND  
TOTAL ANNUAL ESALS

\*STATE ASSIGNED ID [6 0 1 2]

\*STATE CODE [0 1]

\*SHRP SECTION ID [6 0 1 9]

1. Year Applicable 1987

## 2. METHOD FOR ESTIMATING AADT

- ☒ Factored a single count taken this year at the GPS site.
- ☐ Averaged multiple counts taken this year at the GPS site.
- ☐ Averaged and factored multiple counts taken this year at the GPS site.
- ☐ Growth factored last year's estimate.
- ☐ Estimated based on volume counts at nearby locations.
- ☐ Used flow maps.
- ☐ Used computerized network analyses.
- ☐ Other: \_\_\_\_\_

3. METHOD FOR ESTIMATING TRUCK  
VOLUMES OR PERCENTAGES

- ☐ Used a single count taken this year at the GPS site.
- ☐ Factored a single count taken this year at the GPS site.
- ☐ Averaged multiple counts taken this year at the GPS site.
- ☐ Used system averages from counts taken this year.
- ☒ Used count data from nearby sites.
- ☐ Used count data taken in earlier years at the GPS site.
- ☐ Used system averages taken in earlier years at the GPS site.
- ☐ Used computerized network analyses.
- ☐ Other: \_\_\_\_\_

4. METHOD FOR ESTIMATING AADT  
BY GPS LANE

- ☐ Based on actual lane count data.
- ☐ System distribution factors.
- ☒ Other: Lane occupancy study conducted in 1983.

5. METHOD FOR ESTIMATING TRUCK AADT  
IN GPS LANES

- ☐ Based on actual lane count data.
- ☐ System distribution factors.
- ☒ Other: Lane occupancy study conducted in 1983.

## 6. METHOD FOR ESTIMATING ESAL/VEHICLE

- ☒ ESAL/Truck.
- ☐ ESAL/Vehicle class. (no. of classes) \_\_\_\_\_
- ☐ Other: \_\_\_\_\_

## 7. ESAL ESTIMATES

## (A) Source of Data

- ☐ Weight data collected at GPS site this year.
- ☐ Weight data collected at GPS site prior years.
- ☐ Weight data from system averages this year.
- ☒ Weight data from system averages prior years.
- ☐ Weight data from historic W-4 Tables used.
- ☐ Other: \_\_\_\_\_

## (B) Weight Scale Type

- ☒ WIM scale.
- ☐ Static scale used for enforcement.
- ☐ Static scale not used for enforcement.
- ☐ Other: \_\_\_\_\_

NAME OF PREPARER Robert J. TaylorPHONE # 242-6395DATE PREPARED 2-15-91

## SHEET 3

# LTPP TRAFFIC DATA PROCEDURES FOR ESTIMATING ANNUAL AVERAGE VOLUMES AND TOTAL ANNUAL ESALS

\*STATE ASSIGNED ID [6 0 1 2]

\*STATE CODE [0 1]

\*SHRP SECTION ID [6 0 1 9]

1. Year Applicable 1986

## 2. METHOD FOR ESTIMATING AADT

- ☐ Factored a single count taken this year at the GPS site.
- ☐ Averaged multiple counts taken this year at the GPS site.
- ☐ Averaged and factored multiple counts taken this year at the GPS site.
- ☒ Growth factored last year's estimate.
- ☐ Estimated based on volume counts at nearby locations.
- ☐ Used flow maps.
- ☐ Used computerized network analyses.
- ☐ Other: \_\_\_\_\_

## 3. METHOD FOR ESTIMATING TRUCK VOLUMES OR PERCENTAGES

- ☐ Used a single count taken this year at the GPS site.
- ☐ Factored a single count taken this year at the GPS site.
- ☐ Averaged multiple counts taken this year at the GPS site.
- ☐ Used system averages from counts taken this year.
- ☐ Used count data from nearby sites.
- ☐ Used count data taken in earlier years at the GPS site.
- ☐ Used system averages taken in earlier years at the GPS site.
- ☐ Used computerized network analyses.
- ☒ Other: Same percentage used in 1987.

## 4. METHOD FOR ESTIMATING AADT BY GPS LANE

- ☐ Based on actual lane count data.
- ☐ System distribution factors.
- ☒ Other: Lane occupancy study conducted in 1983.

## 5. METHOD FOR ESTIMATING TRUCK AADT IN GPS LANES

- ☐ Based on actual lane count data.
- ☐ System distribution factors.
- ☒ Other: Lane occupancy study conducted in 1983.

## 6. METHOD FOR ESTIMATING ESAL/VEHICLE

- ☒ ESAL/Truck.
- ☐ ESAL/Vehicle class. (no. of classes) \_\_\_\_\_
- ☐ Other: \_\_\_\_\_

## 7. ESAL ESTIMATES

## (A) Source of Data

- ☐ Weight data collected at GPS site this year.
- ☐ Weight data collected at GPS site prior years.
- ☐ Weight data from system averages this year.
- ☒ Weight data from system averages prior years.
- ☐ Weight data from historic W-4 Tables used.
- ☐ Other: \_\_\_\_\_

## (B) Weight Scale Type

- ☒ WIM scale.
- ☐ Static scale used for enforcement.
- ☐ Static scale not used for enforcement.
- ☐ Other: \_\_\_\_\_

NAME OF PREPARER Robert J. TaylorPHONE # 242-6395DATE PREPARED 2-15-91

## SHEET 3

# LTPP TRAFFIC DATA PROCEDURES FOR ESTIMATING ANNUAL AVERAGE VOLUMES AND TOTAL ANNUAL ESALS

\*STATE ASSIGNED ID [6 0 1 2]

\*STATE CODE [0 1]

\*SHRP SECTION ID [6 0 1 9]

1. Year Applicable 1985

## 2. METHOD FOR ESTIMATING AADT

- ☒ Factored a single count taken this year at the GPS site.
- ☐ Averaged multiple counts taken this year at the GPS site.
- ☐ Averaged and factored multiple counts taken this year at the GPS site.
- ☐ Growth factored last year's estimate.
- ☐ Estimated based on volume counts at nearby locations.
- ☐ Used flow maps.
- ☐ Used computerized network analyses.
- ☐ Other: \_\_\_\_\_

## 3. METHOD FOR ESTIMATING TRUCK VOLUMES OR PERCENTAGES

- ☐ Used a single count taken this year at the GPS site.
- ☐ Factored a single count taken this year at the GPS site.
- ☐ Averaged multiple counts taken this year at the GPS site.
- ☐ Used system averages from counts taken this year.
- ☐ Used count data from nearby sites.
- ☐ Used count data taken in earlier years at the GPS site.
- ☐ Used system averages taken in earlier years at the GPS site.
- ☐ Used computerized network analyses.
- ☒ Other: Same percentage used in 1984.

## 4. METHOD FOR ESTIMATING AADT BY GPS LANE

- ☐ Based on actual lane count data.
- ☐ System distribution factors.
- ☒ Other: Lane occupancy study conducted in 1983.

## 5. METHOD FOR ESTIMATING TRUCK AADT IN GPS LANES

- ☐ Based on actual lane count data.
- ☐ System distribution factors.
- ☒ Other: Lane occupancy study conducted in 1983.

## 6. METHOD FOR ESTIMATING ESAL/VEHICLE

- ☒ ESAL/Truck.
- ☐ ESAL/Vehicle class. (no. of classes) \_\_\_\_\_
- ☐ Other: \_\_\_\_\_

## 7. ESAL ESTIMATES

## (A) Source of Data

- ☐ Weight data collected at GPS site this year.
- ☐ Weight data collected at GPS site prior years.
- ☐ Weight data from system averages this year.
- ☒ Weight data from system averages prior years.
- ☐ Weight data from historic W-4 Tables used.
- ☐ Other: \_\_\_\_\_

## (B) Weight Scale Type

- ☒ WIM scale.
- ☐ Static scale used for enforcement.
- ☐ Static scale not used for enforcement.
- ☐ Other: \_\_\_\_\_

NAME OF PREPARER Robert J. TaylorPHONE # 242-6395DATE PREPARED 2-15-91

## SHEET 3

LTPP TRAFFIC DATA  
PROCEDURES FOR ESTIMATING  
ANNUAL AVERAGE VOLUMES AND  
TOTAL ANNUAL ESALS

\*STATE ASSIGNED ID [6 0 1 2]

\*STATE CODE [0 1]

\*SHRP SECTION ID [6 0 1 9]

1. Year Applicable 1984

## 2. METHOD FOR ESTIMATING AADT

- ☒ Factored a single count taken this year at the GPS site.
- ☐ Averaged multiple counts taken this year at the GPS site.
- ☐ Averaged and factored multiple counts taken this year at the GPS site.
- ☐ Growth factored last year's estimate.
- ☐ Estimated based on volume counts at nearby locations.
- ☐ Used flow maps.
- ☐ Used computerized network analyses.
- ☐ Other: \_\_\_\_\_

3. METHOD FOR ESTIMATING TRUCK  
VOLUMES OR PERCENTAGES

- ☐ Used a single count taken this year at the GPS site.
- ☐ Factored a single count taken this year at the GPS site.
- ☐ Averaged multiple counts taken this year at the GPS site.
- ☐ Used system averages from counts taken this year.
- ☒ Used count data from nearby sites.
- ☐ Used count data taken in earlier years at the GPS site.
- ☐ Used system averages taken in earlier years at the GPS site.
- ☐ Used computerized network analyses.
- ☐ Other: \_\_\_\_\_

4. METHOD FOR ESTIMATING AADT  
BY GPS LANE

- ☐ Based on actual lane count data.
- ☐ System distribution factors.
- ☒ Other: Lane occupancy study conducted  
in 1983.

5. METHOD FOR ESTIMATING TRUCK AADT  
IN GPS LANES

- ☐ Based on actual lane count data.
- ☐ System distribution factors.
- ☒ Other: Lane occupancy study conducted  
in 1983.

## 6. METHOD FOR ESTIMATING ESAL/VEHICLE

- ☒ ESAL/Truck.
- ☐ ESAL/Vehicle class. (no. of classes) \_\_\_\_\_
- ☐ Other: \_\_\_\_\_

## 7. ESAL ESTIMATES

## (A) Source of Data

- ☐ Weight data collected at GPS site this year.
- ☐ Weight data collected at GPS site prior years.
- ☐ Weight data from system averages this year.
- ☒ Weight data from system averages prior years.
- ☐ Weight data from historic W-4 Tables used.
- ☐ Other: \_\_\_\_\_

## (B) Weight Scale Type

- ☒ WIM scale.
- ☐ Static scale used for enforcement.
- ☐ Static scale not used for enforcement.
- ☐ Other: \_\_\_\_\_

NAME OF PREPARER Robert J. TaylorPHONE # 242-6395DATE PREPARED 2-15-91



## SHEET 3

# LTPP TRAFFIC DATA PROCEDURES FOR ESTIMATING ANNUAL AVERAGE VOLUMES AND TOTAL ANNUAL ESALS

\*STATE ASSIGNED ID [6 0 1 2]

\*STATE CODE [0 1]

\*SHRP SECTION ID [6 0 1 9]

1. Year Applicable 1983

## 2. METHOD FOR ESTIMATING AADT

- ☒ Factored a single count taken this year at the GPS site.
- ☐ Averaged multiple counts taken this year at the GPS site.
- ☐ Averaged and factored multiple counts taken this year at the GPS site.
- ☐ Growth factored last year's estimate.
- ☐ Estimated based on volume counts at nearby locations.
- ☐ Used flow maps.
- ☐ Used computerized network analyses.
- ☐ Other: \_\_\_\_\_

## 3. METHOD FOR ESTIMATING TRUCK VOLUMES OR PERCENTAGES

- ☐ Used a single count taken this year at the GPS site.
- ☐ Factored a single count taken this year at the GPS site.
- ☐ Averaged multiple counts taken this year at the GPS site.
- ☐ Used system averages from counts taken this year.
- ☐ Used count data from nearby sites.
- ☐ Used count data taken in earlier years at the GPS site.
- ☐ Used system averages taken in earlier years at the GPS site.
- ☐ Used computerized network analyses.
- ☒ Other: Same percentage used in 1982.

## 4. METHOD FOR ESTIMATING AADT BY GPS LANE

- ☐ Based on actual lane count data.
- ☐ System distribution factors.
- ☒ Other: Lane occupancy study conducted in 1983.

## 5. METHOD FOR ESTIMATING TRUCK AADT IN GPS LANES

- ☐ Based on actual lane count data.
- ☐ System distribution factors.
- ☒ Other: Lane occupancy study conducted in 1983.

## 6. METHOD FOR ESTIMATING ESAL/VEHICLE

- ☒ ESAL/Truck.
- ☐ ESAL/Vehicle class. (no. of classes) \_\_\_\_\_
- ☐ Other: \_\_\_\_\_

## 7. ESAL ESTIMATES

## (A) Source of Data

- ☐ Weight data collected at GPS site this year.
- ☐ Weight data collected at GPS site prior years.
- ☐ Weight data from system averages this year.
- ☒ Weight data from system averages prior years.
- ☐ Weight data from historic W-4 Tables used.
- ☐ Other: \_\_\_\_\_

## (B) Weight Scale Type

- ☒ WIM scale.
- ☐ Static scale used for enforcement.
- ☐ Static scale not used for enforcement.
- ☐ Other: \_\_\_\_\_

NAME OF PREPARER Robert J. TaylorPHONE # 242-6395DATE PREPARED 2-15-91

## SHEET 3

LTPP TRAFFIC DATA  
PROCEDURES FOR ESTIMATING  
ANNUAL AVERAGE VOLUMES AND  
TOTAL ANNUAL ESALS

\*STATE ASSIGNED ID [6 0 1 2]

\*STATE CODE [0 1]

\*SHRP SECTION ID [6 0 1 9]

1. Year Applicable 1982

## 2. METHOD FOR ESTIMATING AADT

- ☒ Factored a single count taken this year at the GPS site.
- ☐ Averaged multiple counts taken this year at the GPS site.
- ☐ Averaged and factored multiple counts taken this year at the GPS site.
- ☐ Growth factored last year's estimate.
- ☐ Estimated based on volume counts at nearby locations.
- ☐ Used flow maps.
- ☐ Used computerized network analyses.
- ☐ Other: \_\_\_\_\_

3. METHOD FOR ESTIMATING TRUCK  
VOLUMES OR PERCENTAGES

- ☐ Used a single count taken this year at the GPS site.
- ☐ Factored a single count taken this year at the GPS site.
- ☐ Averaged multiple counts taken this year at the GPS site.
- ☐ Used system averages from counts taken this year.
- ☒ Used count data from nearby sites.
- ☐ Used count data taken in earlier years at the GPS site.
- ☐ Used system averages taken in earlier years at the GPS site.
- ☐ Used computerized network analyses.
- ☐ Other: \_\_\_\_\_

4. METHOD FOR ESTIMATING AADT  
BY GPS LANE

- ☐ Based on actual lane count data.
- ☐ System distribution factors.
- ☒ Other: Lane occupancy study conducted  
in 1983.

5. METHOD FOR ESTIMATING TRUCK AADT  
IN GPS LANES

- ☐ Based on actual lane count data.
- ☐ System distribution factors.
- ☒ Other: Lane occupancy study conducted  
in 1983.

## 6. METHOD FOR ESTIMATING ESAL/VEHICLE

- ☒ ESAL/Truck.
- ☐ ESAL/Vehicle class. (no. of classes) \_\_\_\_\_
- ☐ Other: \_\_\_\_\_

## 7. ESAL ESTIMATES

## (A) Source of Data

- ☐ Weight data collected at GPS site this year.
- ☐ Weight data collected at GPS site prior years.
- ☐ Weight data from system averages this year.
- ☒ Weight data from system averages prior years.
- ☐ Weight data from historic W-4 Tables used.
- ☐ Other: \_\_\_\_\_

## (B) Weight Scale Type

- ☒ WIM scale.
- ☐ Static scale used for enforcement.
- ☐ Static scale not used for enforcement.
- ☐ Other: \_\_\_\_\_

NAME OF PREPARER Robert J. TaylorPHONE # 242-6395DATE PREPARED 2-15-91

## SHEET 3

LTPP TRAFFIC DATA  
PROCEDURES FOR ESTIMATING  
ANNUAL AVERAGE VOLUMES AND  
TOTAL ANNUAL ESALS

\*STATE ASSIGNED ID [6 0 1 2]

\*STATE CODE [0 1]

\*SHRP SECTION ID [6 0 1 9]

1. Year Applicable 1981

## 2. METHOD FOR ESTIMATING AADT

- ☒ Factored a single count taken this year at the GPS site.
- ☐ Averaged multiple counts taken this year at the GPS site.
- ☐ Averaged and factored multiple counts taken this year at the GPS site.
- ☐ Growth factored last year's estimate.
- ☐ Estimated based on volume counts at nearby locations.
- ☐ Used flow maps.
- ☐ Used computerized network analyses.
- ☐ Other: \_\_\_\_\_

3. METHOD FOR ESTIMATING TRUCK  
VOLUMES OR PERCENTAGES

- ☐ Used a single count taken this year at the GPS site.
- ☐ Factored a single count taken this year at the GPS site.
- ☐ Averaged multiple counts taken this year at the GPS site.
- ☐ Used system averages from counts taken this year.
- ☐ Used count data from nearby sites.
- ☐ Used count data taken in earlier years at the GPS site.
- ☐ Used system averages taken in earlier years at the GPS site.
- ☐ Used computerized network analyses.
- ☒ Other: Same percentage used in 1982.

4. METHOD FOR ESTIMATING AADT  
BY GPS LANE

- ☐ Based on actual lane count data.
- ☐ System distribution factors.
- ☒ Other: Lane occupancy study conducted in 1983.

5. METHOD FOR ESTIMATING TRUCK AADT  
IN GPS LANES

- ☐ Based on actual lane count data.
- ☐ System distribution factors.
- ☒ Other: Lane occupancy study conducted in 1983.

## 6. METHOD FOR ESTIMATING ESAL/VEHICLE

- ☒ ESAL/Truck.
- ☐ ESAL/Vehicle class. (no. of classes) \_\_\_\_\_
- ☐ Other: \_\_\_\_\_

## 7. ESAL ESTIMATES

## (A) Source of Data

- ☐ Weight data collected at GPS site this year.
- ☐ Weight data collected at GPS site prior years.
- ☐ Weight data from system averages this year.
- ☒ Weight data from system averages prior years.
- ☐ Weight data from historic W-4 Tables used.
- ☐ Other: \_\_\_\_\_

## (B) Weight Scale Type

- ☒ WIM scale.
- ☐ Static scale used for enforcement.
- ☐ Static scale not used for enforcement.
- ☐ Other: \_\_\_\_\_

NAME OF PREPARER Robert J. TaylorPHONE # 242-6395DATE PREPARED 2-15-91

<p>SHEET 4</p> <p>LTPP TRAFFIC DATA</p> <p>TRAFFIC VOLUME COUNTS</p>	<p>*STATE ASSIGNED ID [6 0 1 2]</p> <p>*STATE CODE [0 1]</p> <p>*SHRP SECTION ID [6 0 1 9]</p>
--	--

HIGHWAY ROUTE NO. (THIS COUNT) I-65

MILEPOST# OR LOCATION (THIS COUNT) 42.8

BEGINNING DATE 04/05/89 ENDING DATE 04/12/89

BEGINNING TIME 10:50 ENDING TIME 10:50

COUNT DURATION 7 [ ] HOURS [X] DAYS [ ] MONTHS

TYPE OF COUNTER N Leg StreeterAmet NAME/MODEL # 5600  
S Leg StreeterAmet Tr

TYPE OF COUNT: TWO-WAY x ONE DIRECTION ONLY     GPS TEST LANE ONLY    

<u>ITEM</u>	<u>ACTUAL COUNTS</u>	<u>UNITS</u>
1. TOTAL NO. OF VEHICLES (RAW COUNT)	99850	
2. ADJUSTMENT FACTORS (FILL IN AS APPLICABLE):		
A. ADJUSTMENT TO 24-HOUR COUNT	.143	
B. AXLE CORRECTION FACTOR	.780	
C. DAY OF WEEK FACTOR	.	
D. MONTH FACTOR	.	
E. OTHER FACTOR ( <u>7-Day Avg. to AADT</u> )	1.067	
3. ANNUAL AVERAGE DAILY TRAFFIC (AADT) (TWO-WAY)	11870	
4. DIRECTIONAL DISTRIBUTION FACTOR	.500	
5. GPS LANE DISTRIBUTION FACTOR	.850	
6. AADT GPS LANE	5045	

NOTE: COMPLETE ONE SHEET FOR EACH COUNTING SESSION.

NAME OF PREPARER <u>Robert J. Taylor</u>	PHONE # <u>242-6395</u>
DATE PREPARED <u>2-15-91</u>	

SHEET 4 LTPP TRAFFIC DATA TRAFFIC VOLUME COUNTS	*STATE ASSIGNED ID [ 6 0 1 2 ] *STATE CODE [ 0 1 ] *SHRP SECTION ID [ 6 0 1 9 ]
---	---

HIGHWAY ROUTE NO. (THIS COUNT) I-65

MILEPOST# OR LOCATION (THIS COUNT) 42.8

BEGINNING DATE 08/02/88 ENDING DATE 08/09/88

BEGINNING TIME \_\_\_\_\_ ENDING TIME \_\_\_\_\_

COUNT DURATION 7 [ ] HOURS [ X ] DAYS [ ] MONTHS

TYPE OF COUNTER \_\_\_\_\_ NAME/MODEL # \_\_\_\_\_

TYPE OF COUNT: TWO-WAY X ONE DIRECTION ONLY \_\_\_\_\_ GPS TEST LANE ONLY \_\_\_\_\_

ITEM	ACTUAL COUNTS	UNITS
1. TOTAL NO. OF VEHICLES (RAW COUNT)	_____	_____
2. ADJUSTMENT FACTORS (FILL IN AS APPLICABLE):		
A. ADJUSTMENT TO 24-HOUR COUNT	<u>. 143</u>	_____
B. AXLE CORRECTION FACTOR	<u>_____</u>	_____
C. DAY OF WEEK FACTOR	<u>_____</u>	_____
D. MONTH FACTOR	<u>_____</u>	_____
E. OTHER FACTOR ( <u>7-Day Avg. to AADT</u> )	<u>. 832</u>	_____
3. ANNUAL AVERAGE DAILY TRAFFIC (AADT) (TWO-WAY)	<u>10880</u>	_____
4. DIRECTIONAL DISTRIBUTION FACTOR	<u>. 500</u>	_____
5. GPS LANE DISTRIBUTION FACTOR	<u>. 850</u>	_____
6. AADT GPS LANE	<u>4624</u>	_____

NOTE: COMPLETE ONE SHEET FOR EACH COUNTING SESSION.

NAME OF PREPARER <u>Robert J. Taylor</u>	PHONE # <u>242-6395</u>
DATE PREPARED <u>2-15-91</u>	

SHEET 4 LTPP TRAFFIC DATA TRAFFIC VOLUME COUNTS	*STATE ASSIGNED ID [6 0 1 2] *STATE CODE [0 1] *SHRP SECTION ID [6 0 1 9]
---	---

 HIGHWAY ROUTE NO. (THIS COUNT) I-65

 MILEPOST# OR LOCATION (THIS COUNT) 42.8

 BEGINNING DATE 08/12/87 ENDING DATE 08/19/87

 BEGINNING TIME 12:00 ENDING TIME 12:00

 COUNT DURATION 7 [ ] HOURS [X] DAYS [ ] MONTHS

 TYPE OF COUNTER S Leg StreeterAmet NAME/MODEL # 4572  
N Leg StreeterAmet 6787

 TYPE OF COUNT: TWO-WAY x ONE DIRECTION ONLY      GPS TEST LANE ONLY     

ITEM	ACTUAL COUNTS	UNITS
1. TOTAL NO. OF VEHICLES (RAW COUNT)	<u>103370</u>	
2. ADJUSTMENT FACTORS (FILL IN AS APPLICABLE):		
A. ADJUSTMENT TO 24-HOUR COUNT	<u>.143</u>	
B. AXLE CORRECTION FACTOR	<u>.823</u>	
C. DAY OF WEEK FACTOR	<u>    </u>	
D. MONTH FACTOR	<u>    </u>	
E. OTHER FACTOR ( <u>7-Day Avg. to AADT</u> )	<u>.846</u>	
3. ANNUAL AVERAGE DAILY TRAFFIC (AADT) (TWO-WAY)	<u>10280</u>	
4. DIRECTIONAL DISTRIBUTION FACTOR	<u>.500</u>	
5. GPS LANE DISTRIBUTION FACTOR	<u>.850</u>	
6. AADT GPS LANE	<u>4369</u>	

NOTE: COMPLETE ONE SHEET FOR EACH COUNTING SESSION.

NAME OF PREPARER <u>Robert J. Taylor</u>	PHONE # <u>242-6395</u>
DATE PREPARED <u>2-15-91</u>	

SHEET 4 LTPP TRAFFIC DATA TRAFFIC VOLUME COUNTS	*STATE ASSIGNED ID [6 0 1 2]
	*STATE CODE [0 1]
	*SHRP SECTION ID [6 0 1 9]

HIGHWAY ROUTE NO. (THIS COUNT) I-65

MILEPOST# OR LOCATION (THIS COUNT) 42.8

BEGINNING DATE 08/05/85 ENDING DATE 08/12/85

BEGINNING TIME 1:00 ENDING TIME 1:00

COUNT DURATION 7 [ ] HOURS [X] DAYS [ ] MONTHS

TYPE OF COUNTER \_\_\_\_\_ NAME/MODEL # \_\_\_\_\_

TYPE OF COUNT: TWO-WAY x ONE DIRECTION ONLY \_\_\_\_\_ GPS TEST LANE ONLY \_\_\_\_\_

ITEM	ACTUAL COUNTS	UNITS
1. TOTAL NO. OF VEHICLES (RAW COUNT)	<u>89618</u>	
2. ADJUSTMENT FACTORS (FILL IN AS APPLICABLE):		
A. ADJUSTMENT TO 24-HOUR COUNT	<u>.143</u>	
B. AXLE CORRECTION FACTOR	<u>.805</u>	
C. DAY OF WEEK FACTOR	<u>-----</u>	
D. MONTH FACTOR	<u>830</u>	
E. OTHER FACTOR ( <u>Week to Month</u> )	<u>.999</u>	
3. ANNUAL AVERAGE DAILY TRAFFIC (AADT) (TWO-WAY)	<u>8550</u>	
4. DIRECTIONAL DISTRIBUTION FACTOR	<u>.500</u>	
5. GPS LANE DISTRIBUTION FACTOR	<u>.850</u>	
6. AADT GPS LANE	<u>3634</u>	

NOTE: COMPLETE ONE SHEET FOR EACH COUNTING SESSION.

NAME OF PREPARER <u>Robert J. Taylor</u>	PHONE # <u>242-6395</u>
DATE PREPARED <u>2-15-91</u>	

SHEET 4 LTPP TRAFFIC DATA TRAFFIC VOLUME COUNTS	*STATE ASSIGNED ID [6 0 1 2] *STATE CODE [0 1] *SHRP SECTION ID [6 0 1 9]
---	---

HIGHWAY ROUTE NO. (THIS COUNT) I-65

MILEPOST# OR LOCATION (THIS COUNT) 42.8

BEGINNING DATE 08/84 ENDING DATE 08/84

BEGINNING TIME \_\_\_\_\_ ENDING TIME \_\_\_\_\_

COUNT DURATION 7 [ ] HOURS [X] DAYS [ ] MONTHS

TYPE OF COUNTER \_\_\_\_\_ NAME/MODEL # \_\_\_\_\_

TYPE OF COUNT: TWO-WAY x ONE DIRECTION ONLY \_\_\_\_\_ GPS TEST LANE ONLY \_\_\_\_\_

ITEM	ACTUAL COUNTS	UNITS
1. TOTAL NO. OF VEHICLES (RAW COUNT)	_____	_____
2. ADJUSTMENT FACTORS (FILL IN AS APPLICABLE):		
A. ADJUSTMENT TO 24-HOUR COUNT	<u>. 143</u>	
B. AXLE CORRECTION FACTOR	<u>. ____</u>	
C. DAY OF WEEK FACTOR	<u>. ____</u>	
D. MONTH FACTOR	<u>. 856</u>	
E. OTHER FACTOR (_____)	<u>. ____</u>	
3. ANNUAL AVERAGE DAILY TRAFFIC (AADT) (TWO-WAY)	<u>8190</u>	
4. DIRECTIONAL DISTRIBUTION FACTOR	<u>. 500</u>	
5. GPS LANE DISTRIBUTION FACTOR	<u>. 850</u>	
6. AADT GPS LANE	<u>3481</u>	

NOTE: COMPLETE ONE SHEET FOR EACH COUNTING SESSION.

NAME OF PREPARER <u>Robert J. Taylor</u>	PHONE # <u>242-6395</u>
DATE PREPARED <u>2-15-91</u>	



SHEET 4 LTPP TRAFFIC DATA TRAFFIC VOLUME COUNTS	*STATE ASSIGNED ID [6 0 1 2] *STATE CODE [0 1] *SHRP SECTION ID [6 0 1 9]
---	---

HIGHWAY ROUTE NO. (THIS COUNT) I-65

MILEPOST# OR LOCATION (THIS COUNT) 42.8

BEGINNING DATE 09/83 ENDING DATE 09/83

BEGINNING TIME \_\_\_\_\_ ENDING TIME \_\_\_\_\_

COUNT DURATION 7 [ ] HOURS [X] DAYS [ ] MONTHS

TYPE OF COUNTER \_\_\_\_\_ NAME/MODEL # \_\_\_\_\_

TYPE OF COUNT: TWO-WAY x ONE DIRECTION ONLY \_\_\_\_\_ GPS TEST LANE ONLY \_\_\_\_\_

ITEM	ACTUAL COUNTS	UNITS
1. TOTAL NO. OF VEHICLES (RAW COUNT)	_____	_____
2. ADJUSTMENT FACTORS (FILL IN AS APPLICABLE):		
A. ADJUSTMENT TO 24-HOUR COUNT	<u>. 143</u>	_____
B. AXLE CORRECTION FACTOR	<u>. ____</u>	_____
C. DAY OF WEEK FACTOR	<u>. ____</u>	_____
D. MONTH FACTOR	<u>. 981</u>	_____
E. OTHER FACTOR (_____)	<u>. ____</u>	_____
3. ANNUAL AVERAGE DAILY TRAFFIC (AADT) (TWO-WAY)	<u>7870</u>	_____
4. DIRECTIONAL DISTRIBUTION FACTOR	<u>. 500</u>	_____
5. GPS LANE DISTRIBUTION FACTOR	<u>. 850</u>	_____
6. AADT GPS LANE	<u>3345</u>	_____

NOTE: COMPLETE ONE SHEET FOR EACH COUNTING SESSION.

NAME OF PREPARER <u>Robert J. Taylor</u>	PHONE # <u>242-6395</u>
DATE PREPARED <u>2-15-91</u>	

SHEET 4 LTPP TRAFFIC DATA TRAFFIC VOLUME COUNTS	*STATE ASSIGNED ID [6 0 1 2] *STATE CODE [0 1] *SHRP SECTION ID [6 0 1 9]
---	---

HIGHWAY ROUTE NO. (THIS COUNT) I-65

MILEPOST# OR LOCATION (THIS COUNT) 42.8

BEGINNING DATE 04/82 ENDING DATE 04/82

BEGINNING TIME \_\_\_\_\_ ENDING TIME \_\_\_\_\_

COUNT DURATION 7 [ ] HOURS [X] DAYS [ ] MONTHS

TYPE OF COUNTER \_\_\_\_\_ NAME/MODEL # \_\_\_\_\_

TYPE OF COUNT: TWO-WAY x ONE DIRECTION ONLY \_\_\_\_\_ GPS TEST LANE ONLY \_\_\_\_\_

ITEM	ACTUAL COUNTS	UNITS
1. TOTAL NO. OF VEHICLES (RAW COUNT)	_____	_____
2. ADJUSTMENT FACTORS (FILL IN AS APPLICABLE):		
A. ADJUSTMENT TO 24-HOUR COUNT	<u>. 143</u>	
B. AXLE CORRECTION FACTOR	<u>_____</u>	
C. DAY OF WEEK FACTOR	<u>_____</u>	
D. MONTH FACTOR	<u>1 . 015</u>	
E. OTHER FACTOR (_____)	<u>_____</u>	
3. ANNUAL AVERAGE DAILY TRAFFIC (AADT) (TWO-WAY)	<u>7220</u>	
4. DIRECTIONAL DISTRIBUTION FACTOR	<u>. 500</u>	
5. GPS LANE DISTRIBUTION FACTOR	<u>. 850</u>	
6. AADT GPS LANE	<u>3069</u>	

NOTE: COMPLETE ONE SHEET FOR EACH COUNTING SESSION.

NAME OF PREPARER <u>Robert J. Taylor</u>	PHONE # <u>242-6395</u>
DATE PREPARED <u>2-15-91</u>	

<p align="center">SHEET 4</p> <p align="center">LTPP TRAFFIC DATA</p> <p align="center">TRAFFIC VOLUME COUNTS</p>	*STATE ASSIGNED ID [6 0 1 2]
	*STATE CODE [0 1]
	*SHRP SECTION ID [6 0 1 9]

HIGHWAY ROUTE NO. (THIS COUNT) I-65

MILEPOST# OR LOCATION (THIS COUNT) 42.8

BEGINNING DATE 10/81 ENDING DATE 10/81

BEGINNING TIME \_\_\_\_\_ ENDING TIME \_\_\_\_\_

COUNT DURATION 7 [ ] HOURS [X] DAYS [ ] MONTHS

TYPE OF COUNTER \_\_\_\_\_ NAME/MODEL # \_\_\_\_\_

TYPE OF COUNT: TWO-WAY x ONE DIRECTION ONLY \_\_\_\_\_ GPS TEST LANE ONLY \_\_\_\_\_

ITEM	ACTUAL COUNTS	UNITS
1. TOTAL NO. OF VEHICLES (RAW COUNT)	_____	_____
2. ADJUSTMENT FACTORS (FILL IN AS APPLICABLE):		
A. ADJUSTMENT TO 24-HOUR COUNT	<u>.143</u>	_____
B. AXLE CORRECTION FACTOR	<u>._____</u>	_____
C. DAY OF WEEK FACTOR	<u>._____</u>	_____
D. MONTH FACTOR	<u>.900</u>	_____
E. OTHER FACTOR (_____)	<u>._____</u>	_____
3. ANNUAL AVERAGE DAILY TRAFFIC (AADT) (TWO-WAY)	<u>6090</u>	_____
4. DIRECTIONAL DISTRIBUTION FACTOR	<u>.500</u>	_____
5. GPS LANE DISTRIBUTION FACTOR	<u>.850</u>	_____
6. AADT GPS LANE	<u>2588</u>	_____

NOTE: COMPLETE ONE SHEET FOR EACH COUNTING SESSION.

NAME OF PREPARER <u>Robert J. Taylor</u>	PHONE # <u>242-6395</u>
DATE PREPARED <u>2-15-91</u>	

SHEET 5

## LTPP TRAFFIC DATA

VEHICLE CLASSIFICATION DATA  
FHWA 13-CLASS SYSTEM

\*STATE ASSIGNED ID [ 6 0 1 2 ]

\*STATE CODE [ 0 1 ]

\*SHRP SECTION ID [ 6 0 1 9 ]

HIGHWAY RT. NO. (THIS COUNT) I-65 MILEPOST# (THIS COUNT) 47.8LOCATION (THIS COUNT) Perdido FUNCTIONAL CLASS 01BEGINNING DATE 08/25/87 ENDING DATE 08/27/87BEGINNING TIME 0600 ENDING TIME 2200 DURATION (HRS) 16TYPE OF COUNT: MANUAL X AUTOMATED \_\_\_\_\_ NO. OF LANES COUNTED 4

TYPE OF EQUIP.: AVC PERM. \_\_\_\_\_ AVC PORT. \_\_\_\_\_ WIM PERM. \_\_\_\_\_ WIM PORT. \_\_\_\_\_

EQUIPMENT NAME / MODEL # \_\_\_\_\_

TOTAL NO. OF VEHICLES CLASSIFIED 7599 # TRUCKS 1954 % TRUCKS 25.7NO. OF TRUCKS IN GPS LANE \_\_\_\_\_ % OF TRUCKS IN GPS LANE 85VEHICLE CLASSIFICATION METHOD: FHWA X OTHER \_\_\_\_\_ # BINS \_\_\_\_\_

NOTE: IF THIS COUNT DOES NOT USE THE FHWA 13-BIN CLASSIFICATION SYSTEM USE SHEET 6. PLEASE DESCRIBE ON AN ATTACHED PAGE THE VEHICLE CLASSIFICATION SYSTEM USED BY THE AGENCY AND COMPLETE SHEET 7 DESCRIBING HOW THE SHA WOULD EXPAND OR COLLAPSE THE USER CLASSIFICATION SYSTEM TO CORRESPOND WITH THE FHWA 13 CLASSES.

## VEHICLE CLASSES

TOTAL NUMBER  
OF VEHICLES  
TWO-WAYTOTAL NUMBER  
OF VEHICLES  
GPS DIRECTIONTOTAL NUMBER  
OF VEHICLES  
GPS LANE

VEHICLE CLASSES	TOTAL NUMBER OF VEHICLES TWO-WAY	TOTAL NUMBER OF VEHICLES GPS DIRECTION	TOTAL NUMBER OF VEHICLES GPS LANE
1. FHWA CLASSES 1-3 (Cars, Motorcycles, Vans)	5 6 4 5	_____	_____
2. FHWA CLASS 4 (Buses)	1 4	_____	_____
3. FHWA CLASS 5 (Two Axle, 6-Tire, SU Truck)	3 1 0	_____	_____
4. FHWA CLASS 6 (3 AXLE SU TRUCK)	5 5	_____	_____
5. FHWA CLASS 7 (4 or more Axle SU Truck)	4	_____	_____
6. FHWA CLASS 8 (4 or less axle 1-Trlr.Truck)	9 0	_____	_____
7. FHWA CLASS 9 (5 Axle, 1-Trlr.Truck)	1 4 4 3	_____	_____
8. FHWA CLASS 10 (6 or more Axle, 1-Trlr.Truck)	1 4	_____	_____
9. FHWA CLASS 11 (5 or less Axle, Multi-Trlr.Truck)	2 0	_____	_____
10. FHWA CLASS 12 (6 Axle, Multi-Trlr.Truck)	- 4	_____	_____
11. FHWA CLASS 13 (7 or more Axle, Multi-Trlr.Truck)	_____	_____	_____
12. OTHER VEHICLES	_____	_____	_____
GRAND TOTAL	7 5 9 9	_____	_____

NAME OF PREPARER Robert J. Taylor PHONE # 242-6395  
DATE PREPARED 2-15-91