

SHEET 1 <b>LTPP TRAFFIC DATA</b> <b>SUMMARY TRANSMITTAL FORM</b>	*STATE ASSIGNED ID [ _ _ _ _ ] *STATE CODE [ 08 ] *SHRP SECTION ID [ 7036 ]
--	---

STATE OR PROVINCE COLORADO COUNTY ARAPAHOE

HIGHWAY ROUTE NO. I 70 MILEPOST# 308.6

NEAREST CITY/TOWN BENNETT NEAREST INTERSECTION SH 79

FUNCTIONAL CLASS 01 NO. LANES EACH DIRECTION 2 TOTAL NO. LANES 4

DIRECTION OF TRAVEL GPS LANE E DATE OPENED TO TRAF. 07 - 82

FIPS COUNTY CODE 005 FHWA STATION IDENTIFICATION NO. \_\_\_\_\_

HPMS SAMPLE NO. \_\_\_\_\_ HPMS SUBDIVISION NO. \_\_\_\_\_

TYPE OF PAVEMENT: AC \_\_\_\_\_ PCC ~~\_\_\_\_\_~~ OTHER X 010 9/28/700<sup>4</sup>

CONTROL OF ACCESS: YES X NO \_\_\_\_\_ MEDIAN: YES X NO \_\_\_\_\_

CURRENT SURROUNDING DEVELOPMENT:  
 URBAN \_\_\_\_\_ SUBURBAN \_\_\_\_\_ RURAL X

HAS INTENSITY OF ROADSIDE DEVELOPMENT INCREASED OVER PAST 10 YEARS?  
 YES \_\_\_\_\_ NO X  
 IF YES, DESCRIBE CHANGES \_\_\_\_\_

NOTE: ATTACH ALL RELATED FORMS AND COUNT DATA AND SUBMIT TO THE  
 SHRP REGIONAL OFFICE. ATTACH MAP INDICATING THE LOCATION OF

ENTERED DEC 10 1991 STATION RELATIVE TO THIS GPS TEST SECTION.

By LL

ENTERED  
 SEP 13 1991

NAME OF PREPARER <u>BOB TENNEY</u>	PHONE # <u>303-757-9489</u>
DATE PREPARED <u>15 JUL 91</u>	

SHEET 2

## LTPP TRAFFIC DATA

TRAFFIC VOLUMES  
AND LOAD ESTIMATES

\*STATE ASSIGNED ID [ \_ \_ \_ \_ ]

\*STATE CODE [ 08 ]

\*SHRP SECTION ID [ 7036 ]

YEAR	1. ESTIMATED TOTAL VEHICLES AADT (TWO-WAY)	2. ESTIMATED TOTAL TRUCK AADT (TWO-WAY)	3. ESTIMATED TOTAL VEHICLES AADT GPS LANE	4. ESTIMATED TOTAL TRUCKS AADT GPS LANE	5. ESTIMATED ESAL'S/YR GPS LANE (1000's) USED RIGID EQUIVALENCIES
1989	9250	2130	4160	960	487
1988	8600	1950	3870	880	450
1987	8500	2210	3825	990	515
1986	8650	2250	3890	1010	524
1985	8600	2240	3870	1010	522
1984	8050	2330	3620	1050	564
1983	8000	2320	3600	1040	562
1982	7950	2290	3580	1030	556
1981					
1980					
1979					
1978					
1977					
1976					
1975					
1974					
1973					
1972					
1971					
1970					
1969					
1968		ENTERED		ENTERED	
1967		DEC 10 1991		SEP 13 1991	
1966		By <u>HS</u>		By _____	
1965					

NAME OF PREPARER BOB TENNEYPHONE # 303-757-9489DATE PREPARED 15 JUL 91

SHE 3

# LTPP TRAFFIC DATA PROCEDURES FOR ESTIMATING ANNUAL AVERAGE VOLUMES AND TOTAL ANNUAL ESALS

\*STATE ASSIGNED ID [ \_ \_ \_ \_ ]

\*STATE CODE [08]

\*SHRP SECTION ID [7036]

1. Year Applicable 1989

## 2. METHOD FOR ESTIMATING AADT

- ☐ Factored a single count taken this year at the GPS site.
- ☐ Averaged multiple counts taken this year at the GPS site.
- ☐ Averaged and factored multiple counts taken this year at the GPS site.
- ☒ Growth factored last year's estimate.
- ☐ Estimated based on volume counts at nearby locations.
- ☐ Used flow maps.
- ☐ Used computerized network analyses.
- ☐ Other: \_\_\_\_\_

## 3. METHOD FOR ESTIMATING TRUCK VOLUMES OR PERCENTAGES

- ☐ Used a single count taken this year at the GPS site.
- ☐ Factored a single count taken this year at the GPS site.
- ☐ Averaged multiple counts taken this year at the GPS site.
- ☒ Used system averages from counts taken this year.
- ☐ Used count data from nearby sites.
- ☐ Used count data taken in earlier years at the GPS site.
- ☐ Used system averages taken in earlier years at the GPS site.
- ☐ Used computerized network analyses.
- ☐ Other: \_\_\_\_\_

## 4. METHOD FOR ESTIMATING AADT BY GPS LANE

- ☐ Based on actual lane count data.
- ☒ System distribution factors.
- ☐ Other: \_\_\_\_\_

## 5. METHOD FOR ESTIMATING TRUCK AADT IN GPS LANES

- ☐ Based on actual lane count data.
- ☒ System distribution factors.
- ☐ Other: \_\_\_\_\_

## 6. METHOD FOR ESTIMATING ESAL/VEHICLE

- ☐ ESAL/Truck.
- ☒ ESAL/Vehicle class. (no. of classes) 3
- ☐ Other: \_\_\_\_\_

## 7. ESAL ESTIMATES

## (A) Source of Data

- ☐ Weight data collected at GPS site this year.
- ☐ Weight data collected at GPS site prior years.
- ☐ Weight data from system averages this year.
- ☒ Weight data from system averages prior years.
- ☐ Weight data from historic W-4 Tables used.
- ☐ Other: \_\_\_\_\_

## (B) Weight Scale Type

- ☐ WIM scale.
- ☒ Static scale used for enforcement.
- ☐ Static scale not used for enforcement.
- ☐ Other: \_\_\_\_\_

ENTERED

DEC 10 1991

By 42

ENTERED

SEP 13 1991

By \_\_\_\_\_

NAME OF PREPARER BOB TENNEYPHONE # 303-757-9489DATE PREPARED 15 JUL 91

# LTPP TRAFFIC DATA PROCEDURES FOR ESTIMATING ANNUAL AVERAGE VOLUMES AND TOTAL ANNUAL ESALS

\*STATE ASSIGNED ID [ \_ \_ \_ \_ ]

\*STATE CODE 1281

\*SHRP SECTION ID 170361

1. Year Applicable 1988

## 2. METHOD FOR ESTIMATING AADT

- ☒ Factored a single count taken this year at the GPS site.
- ☐ Averaged multiple counts taken this year at the GPS site.
- ☐ Averaged and factored multiple counts taken this year at the GPS site.
- ☐ Growth factored last year's estimate.
- ☐ Estimated based on volume counts at nearby locations.
- ☐ Used flow maps.
- ☐ Used computerized network analyses.
- ☐ Other: \_\_\_\_\_

## 3. METHOD FOR ESTIMATING TRUCK VOLUMES OR PERCENTAGES

- ☐ Used a single count taken this year at the GPS site.
- ☐ Factored a single count taken this year at the GPS site.
- ☐ Averaged multiple counts taken this year at the GPS site.
- ☐ Used system averages from counts taken this year.
- ☒ Used count data from nearby sites.
- ☐ Used count data taken in earlier years at the GPS site.
- ☐ Used system averages taken in earlier years at the GPS site.
- ☐ Used computerized network analyses.
- ☐ Other: \_\_\_\_\_

## 4. METHOD FOR ESTIMATING AADT BY GPS LANE

- ☐ Based on actual lane count data.
- ☒ System distribution factors.
- ☐ Other: \_\_\_\_\_

## 5. METHOD FOR ESTIMATING TRUCK AADT IN GPS LANES

- ☒ Based on actual lane count data.
- ☒ System distribution factors.
- ☐ Other: \_\_\_\_\_

## 6. METHOD FOR ESTIMATING ESAL/VEHICLE

- ☐ ESAL/Truck.
- ☒ ESAL/Vehicle class. (no. of classes) 3
- ☐ Other: \_\_\_\_\_

## 7. ESAL ESTIMATES

## (A) Source of Data

- ☐ Weight data collected at GPS site this year.
- ☐ Weight data collected at GPS site prior years.
- ☐ Weight data from system averages this year.
- ☐ Weight data from system averages prior years.
- ☒ Weight data from historic W-4 Tables used.
- ☐ Other: \_\_\_\_\_

## (B) Weight Scale Type

- ☐ WIM scale.
- ☐ Static scale used for enforcement.
- ☒ Static scale not used for enforcement.
- ☐ Other: \_\_\_\_\_

ENTERED

DEC 10 1991

By LD

ENTERED

SEP 13 1991

By \_\_\_\_\_

NAME OF PREPARER BOB TENNEYPHONE # 303-757-9489DATE PREPARED 15 JUL 91

SHE 3

# LTPP TRAFFIC DATA PROCEDURES FOR ESTIMATING ANNUAL AVERAGE VOLUMES AND TOTAL ANNUAL ESALS

\*STATE ASSIGNED ID [ \_ \_ \_ \_ ]

\*STATE CODE [08]

\*SHRP SECTION ID [7036]

1. Year Applicable 1987

## 2. METHOD FOR ESTIMATING AADT

- ☒ Factored a single count taken this year at the GPS site.
- ☐ Averaged multiple counts taken this year at the GPS site.
- ☐ Averaged and factored multiple counts taken this year at the GPS site.
- ☐ Growth factored last year's estimate.
- ☐ Estimated based on volume counts at nearby locations.
- ☐ Used flow maps.
- ☐ Used computerized network analyses.
- ☐ Other: \_\_\_\_\_

## 3. METHOD FOR ESTIMATING TRUCK VOLUMES OR PERCENTAGES

- ☐ Used a single count taken this year at the GPS site.
- ☐ Factored a single count taken this year at the GPS site.
- ☐ Averaged multiple counts taken this year at the GPS site.
- ☐ Used system averages from counts taken this year.
- ☒ Used count data from nearby sites.
- ☐ Used count data taken in earlier years at the GPS site.
- ☐ Used system averages taken in earlier years at the GPS site.
- ☐ Used computerized network analyses.
- ☐ Other: \_\_\_\_\_

## 4. METHOD FOR ESTIMATING AADT BY GPS LANE

- ☒ Based on actual lane count data.
- ☒ System distribution factors.
- ☐ Other: \_\_\_\_\_

## 5. METHOD FOR ESTIMATING TRUCK AADT IN GPS LANES

- ☒ Based on actual lane count data.
- ☒ System distribution factors.
- ☐ Other: \_\_\_\_\_

## 6. METHOD FOR ESTIMATING ESAL/VEHICLE

- ☐ ESAL/Truck.
- ☒ ESAL/Vehicle class. (no. of classes) 3
- ☐ Other: \_\_\_\_\_

## 7. ESAL ESTIMATES

## (A) Source of Data

- ☐ Weight data collected at GPS site this year.
- ☐ Weight data collected at GPS site prior years.
- ☐ Weight data from system averages this year.
- ☐ Weight data from system averages prior years.
- ☐ Weight data from historic W-4 Tables used.
- ☐ Other: \_\_\_\_\_

## (B) Weight Scale Type

- ☐ WIM scale.
- ☐ Static scale used for enforcement.
- ☐ Static scale not used for enforcement.
- ☐ Other: \_\_\_\_\_

ENTERED

DEC 10 1991

By W

- ENTERED

SEP 13 1991

By \_\_\_\_\_

NAME OF PREPARER BOB TENNEYPHONE # 303-757-9489DATE PREPARED 15 JUL 91

# LTPP TRAFFIC DATA PROCEDURES FOR ESTIMATING ANNUAL AVERAGE VOLUMES AND TOTAL ANNUAL ESALS

\*STATE ASSIGNED ID [ \_ \_ \_ \_ ]

\*STATE CODE [ 08 ]

\*SHRP SECTION ID [ 7036 ]

1. Year Applicable 1984-1986

## 2. METHOD FOR ESTIMATING AADT

- ☐ Factored a single count taken this year at the GPS site.
- ☐ Averaged multiple counts taken this year at the GPS site.
- ☐ Averaged and factored multiple counts taken this year at the GPS site.
- ☐ Growth factored last year's estimate.
- ☒ Estimated based on volume counts at nearby locations.
- ☐ Used flow maps.
- ☐ Used computerized network analyses.
- ☐ Other: \_\_\_\_\_

## 3. METHOD FOR ESTIMATING TRUCK VOLUMES OR PERCENTAGES

- ☐ Used a single count taken this year at the GPS site.
- ☐ Factored a single count taken this year at the GPS site.
- ☐ Averaged multiple counts taken this year at the GPS site.
- ☐ Used system averages from counts taken this year.
- ☒ Used count data from nearby sites.
- ☐ Used count data taken in earlier years at the GPS site.
- ☐ Used system averages taken in earlier years at the GPS site.
- ☐ Used computerized network analyses.
- ☐ Other: \_\_\_\_\_

## 4. METHOD FOR ESTIMATING AADT BY GPS LANE

- ☐ Based on actual lane count data.
- ☒ System distribution factors.
- ☐ Other: \_\_\_\_\_

## 5. METHOD FOR ESTIMATING TRUCK AADT IN GPS LANES

- ☐ Based on actual lane count data.
- ☒ System distribution factors.
- ☐ Other: \_\_\_\_\_

## 6. METHOD FOR ESTIMATING ESAL/VEHICLE

- ☐ ESAL/Truck.
- ☒ ESAL/Vehicle class. (no. of classes) 3
- ☐ Other: \_\_\_\_\_

## 7. ESAL ESTIMATES

## (A) Source of Data

- ☐ Weight data collected at GPS site this year.
- ☐ Weight data collected at GPS site prior years.
- ☐ Weight data from system averages this year.
- ☐ Weight data from system averages prior years.
- ☒ Weight data from historic W-4 Tables used.
- ☐ Other: \_\_\_\_\_

## (B) Weight Scale Type

- ☐ WIM scale.
- ☐ Static scale used for enforcement.
- ☒ Static scale not used for enforcement.
- ☐ Other: \_\_\_\_\_

ENTERED

DEC 10 1991

By WJ

ENTERED

SEP 13 1991

By \_\_\_\_\_

NAME OF PREPARER BOB TENNEYPHONE # 303-757-9489DATE PREPARED 15 JUL 91

# LTPP TRAFFIC DATA PROCEDURES FOR ESTIMATING ANNUAL AVERAGE VOLUMES AND TOTAL ANNUAL ESALS

\*STATE ASSIGNED ID [ \_ \_ \_ \_ ]

\*STATE CODE [ 08 ]

\*SHRP SECTION ID [ 2036 ]

1. Year Applicable 1983

## 2. METHOD FOR ESTIMATING AADT

- ☐ Factored a single count taken this year at the GPS site.
- ☐ Averaged multiple counts taken this year at the GPS site.
- ☐ Averaged and factored multiple counts taken this year at the GPS site.
- ☐ Growth factored last year's estimate.
- ☐ Estimated based on volume counts at nearby locations.
- ☐ Used flow maps.
- ☐ Used computerized network analyses.
- ☒ Other: AVERAGED PRIOR AND SUBSEQUENT YEAR COUNTS

## 3. METHOD FOR ESTIMATING TRUCK VOLUMES OR PERCENTAGES

- ☐ Used a single count taken this year at the GPS site.
- ☐ Factored a single count taken this year at the GPS site.
- ☐ Averaged multiple counts taken this year at the GPS site.
- ☐ Used system averages from counts taken this year.
- ☐ Used count data from nearby sites.
- ☐ Used count data taken in earlier years at the GPS site.
- ☐ Used system averages taken in earlier years at the GPS site.
- ☐ Used computerized network analyses.
- ☒ Other: USED COUNT DATA FROM NEARBY SITES IN PRIOR YEAR

## 4. METHOD FOR ESTIMATING AADT BY GPS LANE

- ☐ Based on actual lane count data.
- ☒ System distribution factors.
- ☐ Other: \_\_\_\_\_

## 5. METHOD FOR ESTIMATING TRUCK AADT IN GPS LANES

- ☐ Based on actual lane count data.
- ☒ System distribution factors.
- ☐ Other: \_\_\_\_\_

## 6. METHOD FOR ESTIMATING ESAL/VEHICLE

- ☐ ESAL/Truck.
- ☒ ESAL/Vehicle class. (no. of classes) - 3
- ☐ Other: \_\_\_\_\_

## 7. ESAL ESTIMATES

## (A) Source of Data

- ☐ Weight data collected at GPS site this year.
- ☐ Weight data collected at GPS site prior years.
- ☐ Weight data from system averages this year.
- ☐ Weight data from system averages prior years.
- ☒ Weight data from historic W-4 Tables used.
- ☐ Other: \_\_\_\_\_

## (B) Weight Scale Type

- ☐ WIM scale.
- ☐ Static scale used for enforcement.
- ☒ Static scale not used for enforcement.
- ☐ Other: \_\_\_\_\_

ENTERED ENTERED

DEC 10 1991

SEP 13 1991

By 122

By \_\_\_\_\_

NAME OF PREPARER BOB TENNEYPHONE # 303-757-9489DATE PREPARED 15 JUL 91

# LTPP TRAFFIC DATA PROCEDURES FOR ESTIMATING ANNUAL AVERAGE VOLUMES AND TOTAL ANNUAL ESALS

\*STATE ASSIGNED ID [ \_ \_ \_ \_ ]

\*STATE CODE [08]

\*SHRP SECTION ID [7036]

1. Year Applicable 1982

## 2. METHOD FOR ESTIMATING AADT

- ☐ Factored a single count taken this year at the GPS site.
- ☐ Averaged multiple counts taken this year at the GPS site.
- ☐ Averaged and factored multiple counts taken this year at the GPS site.
- ☒ Growth factored last year's estimate.
- ☒ Estimated based on volume counts at nearby locations.
- ☐ Used flow maps.
- ☐ Used computerized network analyses.
- ☐ Other: \_\_\_\_\_

## 5. METHOD FOR ESTIMATING TRUCK AADT IN GPS LANES

- ☐ Based on actual lane count data.
- ☒ System distribution factors.
- ☐ Other: \_\_\_\_\_

## 6. METHOD FOR ESTIMATING ESAL/VEHICLE

- ☐ ESAL/Truck.
- ☒ ESAL/Vehicle class. (no. of classes) 3
- ☐ Other: \_\_\_\_\_

## 3. METHOD FOR ESTIMATING TRUCK VOLUMES OR PERCENTAGES

- ☐ Used a single count taken this year at the GPS site.
- ☐ Factored a single count taken this year at the GPS site.
- ☐ Averaged multiple counts taken this year at the GPS site.
- ☐ Used system averages from counts taken this year.
- ☒ Used count data from nearby sites.
- ☐ Used count data taken in earlier years at the GPS site.
- ☐ Used system averages taken in earlier years at the GPS site.
- ☐ Used computerized network analyses.
- ☐ Other: \_\_\_\_\_

## 7. ESAL ESTIMATES

## (A) Source of Data

- ☐ Weight data collected at GPS site this year.
- ☐ Weight data collected at GPS site prior years.
- ☐ Weight data from system averages this year.
- ☐ Weight data from system averages prior years.
- ☒ Weight data from historic W-4 Tables used.
- ☐ Other: \_\_\_\_\_

## (B) Weight Scale Type

- ☐ WIM scale.
- ☐ Static scale used for enforcement.
- ☒ Static scale not used for enforcement.
- ☐ Other: \_\_\_\_\_

## 4. METHOD FOR ESTIMATING AADT BY GPS LANE

- ☐ Based on actual lane count data.
- ☒ System distribution factors.
- ☐ Other: \_\_\_\_\_

ENTERED ENTERED

DEC 10 1991

SEP 13 1991

By W

By \_\_\_\_\_

NAME OF PREPARER BOB TENNEYPHONE # 303-757-9489DATE PREPARED 15 JUL 91

<b>SHEET 4</b> <b>LTPP TRAFFIC DATA</b> <b>TRAFFIC VOLUME COUNTS</b>	*STATE ASSIGNED ID [ _ _ _ _ ] *STATE CODE [ 08 ] *SHRP SECTION ID [ 7036 ]
--	---

HIGHWAY ROUTE NO. (THIS COUNT) I 70

MILEPOST# OR LOCATION (THIS COUNT) 310.1

BEGINNING DATE 6/20/88 ENDING DATE 6/22/88

BEGINNING TIME 11A ENDING TIME 1500 11A

COUNT DURATION 52 [X] HOURS [ ] DAYS [ ] MONTHS

TYPE OF COUNTER GOLDEN RIVER NAME/MODEL # MARKSMAN 330

TYPE OF COUNT: TWO-WAY X ONE DIRECTION ONLY      GPS TEST LANE ONLY     

<u>ITEM</u>	<u>ACTUAL COUNTS</u>	<u>UNITS</u>
1. TOTAL NO. OF VEHICLES (RAW COUNT)		<u>025126</u>
2. ADJUSTMENT FACTORS (FILL IN AS APPLICABLE):		
A. ADJUSTMENT TO 24-HOUR COUNT		AVERAGE FOR EACH HOUR + SUM = 11167 -----
B. AXLE CORRECTION FACTOR		SUBTRACT 2300 FOR EXTRA AXLES -----
C. DAY OF WEEK FACTOR		-----
D. MONTH FACTOR		-----
E. OTHER FACTOR ( <u>WEEKLY</u> )	<u>0.97</u>	ENTERED APR 09 1992 By <u>LD</u>
3. ANNUAL AVERAGE DAILY TRAFFIC (AADT) (TWO-WAY)		<u>008600</u>
4. DIRECTIONAL DISTRIBUTION FACTOR		<u>0.500</u>
5. GPS LANE DISTRIBUTION FACTOR		<u>0.900</u>
6. AADT GPS LANE		<u>003870</u> ENTERED

NOTE: COMPLETE ONE SHEET FOR EACH COUNTING SESSION.

SEP 13 1991

By                     

NAME OF PREPARER <u>BOB TENNEY</u>	PHONE # <u>303-757-9489</u>
DATE PREPARED <u>15 JUL 91</u>	

<b>SHEET 4</b> <b>LTPP TRAFFIC DATA</b> <b>TRAFFIC VOLUME COUNTS</b>	*STATE ASSIGNED ID [ _ _ _ _ ] *STATE CODE [ 08 ] *SHRP SECTION ID [ 7036 ]
--	---

HIGHWAY ROUTE NO. (THIS COUNT) I 70

MILEPOST# OR LOCATION (THIS COUNT) 310.1

BEGINNING DATE 6/29/87 ENDING DATE 7/1/87

BEGINNING TIME N/A ENDING TIME N/A

COUNT DURATION 48 [X] HOURS [ ] DAYS [ ] MONTHS

TYPE OF COUNTER GOLDEN RIVER NAME/MODEL # MARKSMAN 330

TYPE OF COUNT: TWO-WAY X ONE DIRECTION ONLY    GPS TEST LANE ONLY   

<u>ITEM</u>	<u>ACTUAL COUNTS</u>	<u>UNITS</u>
1. TOTAL NO. OF VEHICLES (RAW COUNT)		<u>17000</u> <sup>0000</sup> <u>N/A</u>
2. ADJUSTMENT FACTORS (FILL IN AS APPLICABLE):		
A. ADJUSTMENT TO 24-HOUR COUNT		<u>AVERAGE FOR EACH HOUR + SUM = 9869</u>
B. AXLE CORRECTION FACTOR		<u>1.000</u> DID NOT APPEAR HOSE WAS COUNTING ALL AXLES.
C. DAY OF WEEK FACTOR		<u>  </u>
D. MONTH FACTOR		<u>  </u>
E. OTHER FACTOR ( <u>WEEKLY</u> )	<u>0.86</u>	ENTERED APR 09 1992 By <u>W</u>
3. ANNUAL AVERAGE DAILY TRAFFIC (AADT) (TWO-WAY)		<u>008500</u>
4. DIRECTIONAL DISTRIBUTION FACTOR	<u>0.500</u>	
5. GPS LANE DISTRIBUTION FACTOR	<u>0.900</u>	
6. AADT GPS LANE	<u>003825</u>	

NOTE: COMPLETE ONE SHEET FOR EACH COUNTING SESSION.

ENTERED  
SEP 13 1991

NAME OF PREPARER <u>BOB TENNEY</u>	PHONE # <u>303-757-9489</u>
DATE PREPARED <u>15 JUL 91</u>	