

|  |   |
|--|---|
| SHEET<br><b>LTPP TRAFFIC DATA</b><br><b>SUMMARY TRANSMITTAL FORM</b> | *STATE ASSIGNED ID [ _ _ _ _ ]<br>*STATE CODE [ 08 ]<br>*SHRP SECTION ID [ 7781 ] |
|--|---|

STATE OR PROVINCE COLORADO COUNTY BENT  
 HIGHWAY ROUTE NO. SH 50 MILEPOST# 402.3  
 NEAREST CITY/TOWN LAS ANIMAS NEAREST INTERSECTION 2.1 MI E/SH 194  
 FUNCTIONAL CLASS 02 NO. LANES EACH DIRECTION 2 TOTAL NO. LANES 4  
 DIRECTION OF TRAVEL GPS LANE W DATE OPENED TO TRAF. 10-72  
 FIPS COUNTY CODE 11 FHWA STATION IDENTIFICATION NO. \_\_\_\_\_  
 HPMS SAMPLE NO. 011-0036-050 HPMS SUBDIVISION NO. \_\_\_\_\_  
 TYPE OF PAVEMENT: AC X PCC \_\_\_\_\_ OTHER \_\_\_\_\_  
 CONTROL OF ACCESS: YES \_\_\_\_\_ NO X MEDIAN: YES X NO \_\_\_\_\_  
 CURRENT SURROUNDING DEVELOPMENT:  
 URBAN \_\_\_\_\_ SUBURBAN \_\_\_\_\_ RURAL X  
 HAS INTENSITY OF ROADSIDE DEVELOPMENT INCREASED OVER PAST 10 YEARS?  
 YES \_\_\_\_\_ NO X  
 IF YES, DESCRIBE CHANGES \_\_\_\_\_  
 \_\_\_\_\_  
 \_\_\_\_\_

NOTE: ATTACH ALL RELATED FORMS AND COUNT DATA AND SUBMIT TO THE  
 SHRP REGIONAL OFFICE. ATTACH MAP INDICATING THE LOCATION OF

ENTERED DEC 10 1991 EACH TRAFFIC COUNT, VEHICLE CLASSIFICATION COUNT, OR WEIGHT

LOCATION RELATIVE TO THIS GPS TEST SECTION.

ENTERED

By HJ

SEP 13 1991

By \_\_\_\_\_

|  |                             |
|--|-----------------------------|
| NAME OF PREPARER <u>BOB TENNEY</u><br>DATE PREPARED <u>11 JUL 91</u> | PHONE # <u>303-757-9489</u> |
|--|-----------------------------|

|  |  |
|--|--|
| <p><b>SHEET 9</b></p> <p><b>LTPP TRAFFIC DATA</b></p> <p><b>TRAFFIC VOLUMES<br/>AND LOAD ESTIMATES</b></p> | <p>*STATE ASSIGNED ID [ _ _ _ _ ]</p> <p>*STATE CODE [ 08 ]</p> <p>*SHRP SECTION ID [ 7781 ]</p> |
|--|--|

| YEAR | 1.<br>ESTIMATED<br>TOTAL VEHICLES<br>AADT<br>(TWO-WAY) | 2.<br>ESTIMATED<br>TOTAL TRUCK<br>AADT<br>(TWO-WAY) | 3.<br>ESTIMATED<br>TOTAL VEHICLES<br>AADT<br>GPS LANE | 4.<br>ESTIMATED<br>TOTAL TRUCKS<br>AADT<br>GPS LANE | 5.<br>ESTIMATED<br>ESAL'S / YR<br>GPS LANE<br>(1000's) |
|------|--|---|---|---|--|
| 1989 | 4550   | 640   | 2050  | 290   | 75   |
| 1988 | 4350   | 600   | 1960  | 270   | 70   |
| 1987 | 4050   | 570   | 1820  | 255   | 66   |
| 1986 | 3900   | 580   | 1760  | 260   | 67   |
| 1985 | 4100   | 570   | 1850  | 255   | 66   |
| 1984 | 4150   | 540   | 1870  | 245   | 70   |
| 1983 | 4250   | 590   | 1910  | 265   | 76   |
| 1982 | 4350   | 610   | 1960  | 275   | 77   |
| 1981 | 4200   | 590   | 1890  | 265   | 76   |
| 1980 | 4050   | 580   | 1820  | 260   | 75   |
| 1979 | 4000   | 570   | 1800  | 255   | 71   |
| 1978 | 4000   | 560   | 1800  | 250   | 67   |
| 1977 | 3850   | 550   | 1730  | 250   | 67   |
| 1976 | 3700   | 540   | 1670  | 245   | 63   |
| 1975 | 3650   | 540   | 1640  | 245   | 63   |
| 1974 | 3600   | 530   | 1620  | 240   | 62   |
| 1973 | 3650   | 540   | 1640  | 245   | 63   |
| 1972 |  |   |   |   |  |
| 1971 |  |   |   |   |  |
| 1970 |  |   |   |   |  |
| 1969 |  |   |   |   |  |
| 1968 |  |   |   |   |  |
| 1967 |  |   |   |   |  |
| 1966 |  |   |   |   |  |
| 1965 |  |   |   |   |  |

ENTERED  
 DEC 10 1991  
 By HW

|                                    |                             |
|------------------------------------|-----------------------------|
| NAME OF PREPARER <u>BOB TENNEY</u> | PHONE # <u>303-757-9489</u> |
| DATE PREPARED <u>11 JUL 91</u>     |                             |

SHE 3

# LTPP TRAFFIC DATA PROCEDURES FOR ESTIMATING ANNUAL AVERAGE VOLUMES AND TOTAL ANNUAL ESALS

\*STATE ASSIGNED ID [ \_ \_ \_ \_ ]

\*STATE CODE [ 08 ]

\*SHRP SECTION ID [ 7781 ]

1. Year Applicable 1989

## 2. METHOD FOR ESTIMATING AADT

- ☐ Factored a single count taken this year at the GPS site.
- ☐ Averaged multiple counts taken this year at the GPS site.
- ☐ Averaged and factored multiple counts taken this year at the GPS site.
- ☒ Growth factored last year's estimate.
- ☐ Estimated based on volume counts at nearby locations.
- ☐ Used flow maps.
- ☐ Used computerized network analyses.
- ☐ Other: \_\_\_\_\_

## 3. METHOD FOR ESTIMATING TRUCK VOLUMES OR PERCENTAGES

- ☐ Used a single count taken this year at the GPS site.
- ☐ Factored a single count taken this year at the GPS site.
- ☐ Averaged multiple counts taken this year at the GPS site.
- ☒ Used system averages from counts taken this year.
- ☐ Used count data from nearby sites.
- ☐ Used count data taken in earlier years at the GPS site.
- ☐ Used system averages taken in earlier years at the GPS site.
- ☐ Used computerized network analyses.
- ☐ Other: \_\_\_\_\_

## 4. METHOD FOR ESTIMATING AADT BY GPS LANE

- ☒ Based on actual lane count data.
- ☐ System distribution factors.
- ☐ Other: \_\_\_\_\_

## 5. METHOD FOR ESTIMATING TRUCK AADT IN GPS LANES

- ☐ Based on actual lane count data.
- ☒ System distribution factors.
- ☐ Other: \_\_\_\_\_

## 6. METHOD FOR ESTIMATING ESAL/VEHICLE

- ☐ ESAL/Truck.
- ☒ ESAL/Vehicle class. (no. of classes) 3
- ☐ Other: \_\_\_\_\_

## 7. ESAL ESTIMATES

## (A) Source of Data

- ☐ Weight data collected at GPS site this year.
- ☐ Weight data collected at GPS site prior years.
- ☐ Weight data from system averages this year.
- ☐ Weight data from system averages prior years.
- ☒ Weight data from historic W-4 Tables used.
- ☐ Other: \_\_\_\_\_

## (B) Weight Scale Type

- ☐ WIM scale.
- ☐ Static scale used for enforcement.
- ☒ Static scale not used for enforcement.
- ☐ Other: \_\_\_\_\_

ENTERED

DEC 10 1991

By W

ENTERED

SEP 13 1991

By \_\_\_\_\_

NAME OF PREPARER BOB TENNEYPHONE # 303-757-9489DATE PREPARED 11 JUL 91

# LTPP TRAFFIC DATA PROCEDURES FOR ESTIMATING ANNUAL AVERAGE VOLUMES AND TOTAL ANNUAL ESALS

\*STATE ASSIGNED ID [ \_ \_ \_ \_ ]

\*STATE CODE [08]

\*SHRP SECTION ID [7781]

1. Year Applicable 1984-1988

## 2. METHOD FOR ESTIMATING AADT

- ☐ Factored a single count taken this year at the GPS site.
- ☐ Averaged multiple counts taken this year at the GPS site.
- ☐ Averaged and factored multiple counts taken this year at the GPS site.
- ☐ Growth factored last year's estimate.
- ☒ Estimated based on volume counts at nearby locations.
- ☐ Used flow maps.
- ☐ Used computerized network analyses.
- ☐ Other: \_\_\_\_\_

## 3. METHOD FOR ESTIMATING TRUCK VOLUMES OR PERCENTAGES

- ☐ Used a single count taken this year at the GPS site.
- ☐ Factored a single count taken this year at the GPS site.
- ☐ Averaged multiple counts taken this year at the GPS site.
- ☐ Used system averages from counts taken this year.
- ☒ Used count data from nearby sites.
- ☐ Used count data taken in earlier years at the GPS site.
- ☐ Used system averages taken in earlier years at the GPS site.
- ☐ Used computerized network analyses.
- ☐ Other: \_\_\_\_\_

## 4. METHOD FOR ESTIMATING AADT BY GPS LANE

- ☒ Based on actual lane count data.
- ☐ System distribution factors.
- ☐ Other: \_\_\_\_\_

## 5. METHOD FOR ESTIMATING TRUCK AADT IN GPS LANES

- ☐ Based on actual lane count data.
- ☒ System distribution factors.
- ☐ Other: \_\_\_\_\_

## 6. METHOD FOR ESTIMATING ESAL/VEHICLE

- ☐ ESAL/Truck.
- ☒ ESAL/Vehicle class. (no. of classes) 3
- ☐ Other: \_\_\_\_\_

## 7. ESAL ESTIMATES

## (A) Source of Data

- ☐ Weight data collected at GPS site this year.
- ☐ Weight data collected at GPS site prior years.
- ☐ Weight data from system averages this year.
- ☐ Weight data from system averages prior years.
- ☒ Weight data from historic W-4 Tables used.
- ☐ Other: \_\_\_\_\_

## (B) Weight Scale Type

- ☐ WIM scale.
- ☐ Static scale used for enforcement.
- ☒ Static scale not used for enforcement.
- ☐ Other: \_\_\_\_\_

ENTERED

DEC 10 1991

By HW

ENTERED

SEP 13 1991

By \_\_\_\_\_

NAME OF PREPARER BOB TENNEYPHONE # 303-757-9489DATE PREPARED 11 JUL 91

# **LTPP TRAFFIC DATA PROCEDURES FOR ESTIMATING ANNUAL AVERAGE VOLUMES AND TOTAL ANNUAL ESALS**

\*STATE ASSIGNED ID [ \_ \_ \_ \_ ]

\*STATE CODE 1081

\*SHRP SECTION ID 177811

1. Year Applicable 1983**2. METHOD FOR ESTIMATING AADT**

- ☐ Factored a single count taken this year at the GPS site.  
☐ Averaged multiple counts taken this year at the GPS site.  
☐ Averaged and factored multiple counts taken this year at the GPS site.  
☐ Growth factored last year's estimate.  
☐ Estimated based on volume counts at nearby locations.  
☐ Used flow maps.  
☐ Used computerized network analyses.  
☒ Other: AVERAGED PRIOR AND  
SUBSEQUENT YEAR COUNTS

**3. METHOD FOR ESTIMATING TRUCK VOLUMES OR PERCENTAGES**

- ☐ Used a single count taken this year at the GPS site.  
☐ Factored a single count taken this year at the GPS site.  
☐ Averaged multiple counts taken this year at the GPS site.  
☐ Used system averages from counts taken this year.  
☐ Used count data from nearby sites.  
☐ Used count data taken in earlier years at the GPS site.  
☐ Used system averages taken in earlier years at the GPS site.  
☐ Used computerized network analyses.  
☒ Other: USED COUNT DATA FROM  
NEARBY SITES IN PRIOR YEAR

**4. METHOD FOR ESTIMATING AADT BY GPS LANE**

- ☒ Based on actual lane count data.  
☒ System distribution factors.  
☐ Other: \_\_\_\_\_

**5. METHOD FOR ESTIMATING TRUCK AADT IN GPS LANES**

- ☒ Based on actual lane count data.  
☒ System distribution factors.  
☐ Other: \_\_\_\_\_

**6. METHOD FOR ESTIMATING ESAL/VEHICLE**

- ☐ ESAL/Truck.  
☒ ESAL/Vehicle class. (no. of classes) 3  
☐ Other: \_\_\_\_\_

**7. ESAL ESTIMATES****(A) Source of Data**

- ☐ Weight data collected at GPS site this year.  
☐ Weight data collected at GPS site prior years.  
☐ Weight data from system averages this year.  
☐ Weight data from system averages prior years.  
☒ Weight data from historic W-4 Tables used.  
☐ Other: \_\_\_\_\_

**(B) Weight Scale Type**

- ☐ WIM scale.  
☒ Static scale used for enforcement.  
☒ Static scale not used for enforcement.  
☐ Other: \_\_\_\_\_

ENTERED ENTERED

DEC 10 1991

SEP 13 1991

By W By \_\_\_\_\_NAME OF PREPARER BOB TENNEYPHONE # 303-757-9489DATE PREPARED 11 JUL 91

SHEP 3

# **LTPP TRAFFIC DATA PROCEDURES FOR ESTIMATING ANNUAL AVERAGE VOLUMES AND TOTAL ANNUAL ESALS**

\*STATE ASSIGNED ID [ \_ \_ \_ \_ ]

\*STATE CODE [ 08 ]

\*SHRP SECTION ID [ 7781 ]

1. Year Applicable 1982**2. METHOD FOR ESTIMATING AADT**

- ☐ Factored a single count taken this year at the GPS site.
- ☐ Averaged multiple counts taken this year at the GPS site.
- ☐ Averaged and factored multiple counts taken this year at the GPS site.
- ☒ Growth factored last year's estimate.
- ☒ Estimated based on volume counts at nearby locations.
- ☐ Used flow maps.
- ☐ Used computerized network analyses.
- ☐ Other: \_\_\_\_\_

**3. METHOD FOR ESTIMATING TRUCK VOLUMES OR PERCENTAGES**

- ☐ Used a single count taken this year at the GPS site.
- ☐ Factored a single count taken this year at the GPS site.
- ☐ Averaged multiple counts taken this year at the GPS site.
- ☐ Used system averages from counts taken this year.
- ☒ Used count data from nearby sites.
- ☐ Used count data taken in earlier years at the GPS site.
- ☐ Used system averages taken in earlier years at the GPS site.
- ☐ Used computerized network analyses.
- ☐ Other: \_\_\_\_\_

**4. METHOD FOR ESTIMATING AADT BY GPS LANE**

- ☐ Based on actual lane count data.
- ☒ System distribution factors.
- ☐ Other: \_\_\_\_\_

**5. METHOD FOR ESTIMATING TRUCK AADT IN GPS LANES**

- ☐ Based on actual lane count data.
- ☒ System distribution factors.
- ☐ Other: \_\_\_\_\_

**6. METHOD FOR ESTIMATING ESAL/VEHICLE**

- ☒ ESAL/Truck.
- ☒ ESAL/Vehicle class. (no. of classes): 3
- ☐ Other: \_\_\_\_\_

**7. ESAL ESTIMATES****(A) Source of Data**

- ☐ Weight data collected at GPS site this year.
- ☐ Weight data collected at GPS site prior years.
- ☐ Weight data from system averages this year.
- ☐ Weight data from system averages prior years.
- ☒ Weight data from historic W-4 Tables used.
- ☐ Other: \_\_\_\_\_

**(B) Weight Scale Type**

- ☐ WIM scale.
- ☐ Static scale used for enforcement.
- ☒ Static scale not used for enforcement.
- ☐ Other: \_\_\_\_\_

**ENTERED**  
**DEC 10 1991**

**ENTERED****SEP 13 1991**

By \_\_\_\_\_

By WJNAME OF PREPARER BOB TENNEYPHONE # 303-757-9489DATE PREPARED 11 JUL 91

SHEET 3

# LTPP TRAFFIC DATA PROCEDURES FOR ESTIMATING ANNUAL AVERAGE VOLUMES AND TOTAL ANNUAL ESALS

\*STATE ASSIGNED ID [ \_ \_ \_ \_ ]

\*STATE CODE [ 08 ]

\*SHRP SECTION ID [ 7781 ]

1. Year Applicable 1981

## 2. METHOD FOR ESTIMATING AADT

- ☐ Factored a single count taken this year at the GPS site.  
☐ Averaged multiple counts taken this year at the GPS site.  
☐ Averaged and factored multiple counts taken this year at the GPS site.  
☐ Growth factored last year's estimate.  
☐ Estimated based on volume counts at nearby locations.  
☐ Used flow maps.  
☐ Used computerized network analyses.  
☒ Other: AYERAGED PRIOR AND SUBSEQUENT YEAR COUNTS

## 3. METHOD FOR ESTIMATING TRUCK VOLUMES OR PERCENTAGES

- ☐ Used a single count taken this year at the GPS site.  
☐ Factored a single count taken this year at the GPS site.  
☐ Averaged multiple counts taken this year at the GPS site.  
☐ Used system averages from counts taken this year.  
☐ Used count data from nearby sites.  
☐ Used count data taken in earlier years at the GPS site.  
☐ Used system averages taken in earlier years at the GPS site.  
☐ Used computerized network analyses.  
☒ Other: USED COUNT DATA FROM NEARBY SITES IN PRIOR YEAR

## 4. METHOD FOR ESTIMATING AADT BY GPS LANE

- ☐ Based on actual lane count data.  
☒ System distribution factors.  
☐ Other: \_\_\_\_\_

## 5. METHOD FOR ESTIMATING TRUCK AADT IN GPS LANES

- ☐ Based on actual lane count data.  
☒ System distribution factors.  
☐ Other: \_\_\_\_\_

## 6. METHOD FOR ESTIMATING ESAL/VEHICLE

- ☐ ESAL/Truck.  
☒ ESAL/Vehicle class. (no. of classes) 3  
☐ Other: \_\_\_\_\_

## 7. ESAL ESTIMATES

## (A) Source of Data

- ☐ Weight data collected at GPS site this year.  
☐ Weight data collected at GPS site prior years.  
☐ Weight data from system averages this year.  
☒ Weight data from system averages prior years.  
☐ Weight data from historic W-4 Tables used.  
☐ Other: \_\_\_\_\_

## (B) Weight Scale Type

- ☐ WIM scale.  
☐ Static scale used for enforcement.  
☒ Static scale not used for enforcement.  
☐ Other: \_\_\_\_\_

ENTERED

DEC 10 1991

ENTERED

SEP 13 1991

By \_\_\_\_\_

NAME OF PREPARER BOB TENNEYPHONE # 303-757-9489DATE PREPARED 11 JUL 91

# LTPP TRAFFIC DATA PROCEDURES FOR ESTIMATING ANNUAL AVERAGE VOLUMES AND TOTAL ANNUAL ESALS

\*STATE ASSIGNED ID [ \_ \_ \_ \_ ]

\*STATE CODE [ 08 ]

\*SHRP SECTION ID [ 7781 ]

1. Year Applicable 1980

## 2. METHOD FOR ESTIMATING AADT

- ☐ Factored a single count taken this year at the GPS site.
- ☐ Averaged multiple counts taken this year at the GPS site.
- ☐ Averaged and factored multiple counts taken this year at the GPS site.
- ☒ Growth factored last year's estimate.
- ☒ Estimated based on volume counts at nearby locations.
- ☐ Used flow maps.
- ☐ Used computerized network analyses.
- ☐ Other: \_\_\_\_\_

## 3. METHOD FOR ESTIMATING TRUCK VOLUMES OR PERCENTAGES

- ☐ Used a single count taken this year at the GPS site.
- ☐ Factored a single count taken this year at the GPS site.
- ☐ Averaged multiple counts taken this year at the GPS site.
- ☐ Used system averages from counts taken this year.
- ☒ Used count data from nearby sites.
- ☐ Used count data taken in earlier years at the GPS site.
- ☐ Used system averages taken in earlier years at the GPS site.
- ☐ Used computerized network analyses.
- ☐ Other: \_\_\_\_\_

## 4. METHOD FOR ESTIMATING AADT BY GPS LANE

- ☒ Based on actual lane count data.
- ☒ System distribution factors.
- ☐ Other: \_\_\_\_\_

## 5. METHOD FOR ESTIMATING TRUCK AADT IN GPS LANES

- ☐ Based on actual lane count data.
- ☒ System distribution factors.
- ☐ Other: \_\_\_\_\_

## 6. METHOD FOR ESTIMATING ESAL/VEHICLE

- ☐ ESAL/Truck.
- ☒ ESAL/Vehicle class. (no. of classes) 3
- ☐ Other: \_\_\_\_\_

## 7. ESAL ESTIMATES

## (A) Source of Data

- ☐ Weight data collected at GPS site this year.
- ☐ Weight data collected at GPS site prior years.
- ☐ Weight data from system averages this year.
- ☒ Weight data from system averages prior years.
- ☒ Weight data from historic W-4 Tables used.
- ☐ Other: \_\_\_\_\_

## (B) Weight Scale Type

- ☐ WIM scale.
- ☒ Static scale used for enforcement.
- ☒ Static scale not used for enforcement.
- ☐ Other: \_\_\_\_\_

ENTERED  
DEC 10 1991

ENTERED

SEP 13 1991

By \_\_\_\_\_

NAME OF PREPARER BOB TENNEYPHONE # 303-757-9489DATE PREPARED 11 JUL 91



SHEE

**LTPP TRAFFIC DATA  
PROCEDURES FOR ESTIMATING  
ANNUAL AVERAGE VOLUMES AND  
TOTAL ANNUAL ESALS**

\*STATE ASSIGNED ID [ \_ \_ \_ \_ ]

\*STATE CODE [ 08 ]

\*SHRP SECTION ID [ 7781 ]

1. Year Applicable 1979**2. METHOD FOR ESTIMATING AADT**

- ☐ Factored a single count taken this year at the GPS site.
- ☐ Averaged multiple counts taken this year at the GPS site.
- ☐ Averaged and factored multiple counts taken this year at the GPS site.
- ☐ Growth factored last year's estimate.
- ☐ Estimated based on volume counts at nearby locations.
- ☐ Used flow maps.
- ☐ Used computerized network analyses.
- ☒ Other: AVERAGED PRIOR AND  
SUBSEQUENT YEAR COUNTS

**3. METHOD FOR ESTIMATING TRUCK  
VOLUMES OR PERCENTAGES**

- ☐ Used a single count taken this year at the GPS site.
- ☐ Factored a single count taken this year at the GPS site.
- ☐ Averaged multiple counts taken this year at the GPS site.
- ☐ Used system averages from counts taken this year.
- ☐ Used count data from nearby sites.
- ☐ Used count data taken in earlier years at the GPS site.
- ☐ Used system averages taken in earlier years at the GPS site.
- ☐ Used computerized network analyses.
- ☒ Other: USED COUNT DATA FROM  
NEARBY SITES IN PRIOR YEAR.

**4. METHOD FOR ESTIMATING AADT  
BY GPS LANE**

- ☒ Based on actual lane count data.
- ☒ System distribution factors.
- ☐ Other: \_\_\_\_\_

**5. METHOD FOR ESTIMATING TRUCK AADT  
IN GPS LANES**

- ☒ Based on actual lane count data.
- ☒ System distribution factors.
- ☐ Other: \_\_\_\_\_

**6. METHOD FOR ESTIMATING ESAL/VEHICLE**

- ☐ ESAL/Truck.
- ☒ ESAL/Vehicle class. (no. of classes) 3
- ☐ Other: \_\_\_\_\_

**7. ESAL ESTIMATES****(A) Source of Data**

- ☐ Weight data collected at GPS site this year.
- ☐ Weight data collected at GPS site prior years.
- ☐ Weight data from system averages this year.
- ☐ Weight data from system averages prior years.
- ☒ Weight data from historic W-4 Tables used.
- ☐ Other: \_\_\_\_\_

**(B) Weight Scale Type**

- ☐ WIM scale.
- ☐ Static scale used for enforcement.
- ☒ Static scale not used for enforcement.
- ☐ Other: \_\_\_\_\_

ENTERED

DEC 10 1991

By

H

ENTERED

SEP 13 1991

By

NAME OF PREPARER BOB TENNEYPHONE # 303-757-9489DATE PREPARED 11 JUL 91

SHE 3

# LTPP TRAFFIC DATA PROCEDURES FOR ESTIMATING ANNUAL AVERAGE VOLUMES AND TOTAL ANNUAL ESALS

\*STATE ASSIGNED ID [ \_ \_ \_ \_ ]

\*STATE CODE [ 08 ]

\*SHRP SECTION ID [ 7781 ]

1. Year Applicable 1978

## 2. METHOD FOR ESTIMATING AADT

- ☐ Factored a single count taken this year at the GPS site.  
☐ Averaged multiple counts taken this year at the GPS site.  
☐ Averaged and factored multiple counts taken this year at the GPS site.  
☒ Growth factored last year's estimate.  
☒ Estimated based on volume counts at nearby locations.  
☐ Used flow maps.  
☐ Used computerized network analyses.  
☐ Other: \_\_\_\_\_

## 3. METHOD FOR ESTIMATING TRUCK VOLUMES OR PERCENTAGES

- ☐ Used a single count taken this year at the GPS site.  
☐ Factored a single count taken this year at the GPS site.  
☐ Averaged multiple counts taken this year at the GPS site.  
☐ Used system averages from counts taken this year.  
☒ Used count data from nearby sites.  
☐ Used count data taken in earlier years at the GPS site.  
☐ Used system averages taken in earlier years at the GPS site.  
☐ Used computerized network analyses.  
☐ Other: \_\_\_\_\_

## 4. METHOD FOR ESTIMATING AADT BY GPS LANE

- ☒ Based on actual lane count data.  
☒ System distribution factors.  
☐ Other: \_\_\_\_\_

## 5. METHOD FOR ESTIMATING TRUCK AADT IN GPS LANES

- ☒ Based on actual lane count data.  
☒ System distribution factors.  
☐ Other: \_\_\_\_\_

## 6. METHOD FOR ESTIMATING ESAL/VEHICLE

- ☒ ESAL/Truck.  
☒ ESAL/Vehicle class. (no. of classes) 3  
☐ Other: \_\_\_\_\_

## 7. ESAL ESTIMATES

## (A) Source of Data

- ☐ Weight data collected at GPS site this year.  
☐ Weight data collected at GPS site prior years.  
☐ Weight data from system averages this year.  
☒ Weight data from system averages prior years.  
☒ Weight data from historic W-4 Tables used.  
☐ Other: \_\_\_\_\_

## (B) Weight Scale Type

- ☐ WIM scale.  
☒ Static scale used for enforcement.  
☒ Static scale not used for enforcement.  
☐ Other: \_\_\_\_\_

ENTERED

DEC 10 1991

By UV

ENTERED

SEP 13 1991

By \_\_\_\_\_

NAME OF PREPARER BOB TENNEYPHONE # 303-757-9489DATE PREPARED 11 JUL 91

# LTPP TRAFFIC DATA PROCEDURES FOR ESTIMATING ANNUAL AVERAGE VOLUMES AND TOTAL ANNUAL ESALS

\*STATE ASSIGNED ID [ \_ \_ \_ \_ ]

\*STATE CODE [ 08 ]

\*SHRP SECTION ID [ 7781 ]

1. Year Applicable 1977

## 2. METHOD FOR ESTIMATING AADT

- ☐ Factored a single count taken this year at the GPS site.  
☐ Averaged multiple counts taken this year at the GPS site.  
☐ Averaged and factored multiple counts taken this year at the GPS site.  
☐ Growth factored last year's estimate.  
☐ Estimated based on volume counts at nearby locations.  
☐ Used flow maps.  
☐ Used computerized network analyses.  
☒ Other: AVERAGED PRIOR AND SUBSEQUENT YEAR COUNTS

## 3. METHOD FOR ESTIMATING TRUCK VOLUMES OR PERCENTAGES

- ☐ Used a single count taken this year at the GPS site.  
☐ Factored a single count taken this year at the GPS site.  
☐ Averaged multiple counts taken this year at the GPS site.  
☐ Used system averages from counts taken this year.  
☐ Used count data from nearby sites.  
☐ Used count data taken in earlier years at the GPS site.  
☐ Used system averages taken in earlier years at the GPS site.  
☐ Used computerized network analyses.  
☒ Other: USED COUNT DATA FROM NEARBY SITES IN PRIOR YEAR

## 4. METHOD FOR ESTIMATING AADT BY GPS LANE

- ☒ Based on actual lane count data.  
☐ System distribution factors.  
☐ Other: \_\_\_\_\_

## 5. METHOD FOR ESTIMATING TRUCK AADT IN GPS LANES

- ☐ Based on actual lane count data.  
☒ System distribution factors.  
☐ Other: \_\_\_\_\_

## 6. METHOD FOR ESTIMATING ESAL/VEHICLE

- ☐ ESAL/Truck.  
☒ ESAL/Vehicle class. (no. of classes): 3  
☐ Other: \_\_\_\_\_

## 7. ESAL ESTIMATES

## (A) Source of Data

- ☐ Weight data collected at GPS site this year.  
☐ Weight data collected at GPS site prior years.  
☐ Weight data from system averages this year.  
☐ Weight data from system averages prior years.  
☒ Weight data from historic W-4 Tables used.  
☐ Other: \_\_\_\_\_

## (B) Weight Scale Type

- ☐ WIM scale.  
☐ Static scale used for enforcement.  
☒ Static scale not used for enforcement.  
☐ Other: \_\_\_\_\_

ENTERED

ENTERED

DEC 10 1991

SEP 13 1991

By

LD

By

NAME OF PREPARER BOB TENNEYPHONE # 303-757-9489DATE PREPARED 11 JUL 91

SHE 3

# LTPP TRAFFIC DATA PROCEDURES FOR ESTIMATING ANNUAL AVERAGE VOLUMES AND TOTAL ANNUAL ESALS

\*STATE ASSIGNED ID [ \_ \_ \_ \_ ]

\*STATE CODE [ 08 ]

\*SHRP SECTION ID [ 7781 ]

1. Year Applicable 1976

## 2. METHOD FOR ESTIMATING AADT

- ☐ Factored a single count taken this year at the GPS site.
- ☐ Averaged multiple counts taken this year at the GPS site.
- ☐ Averaged and factored multiple counts taken this year at the GPS site.
- ☒ Growth factored last year's estimate.
- ☒ Estimated based on volume counts at nearby locations.
- ☐ Used flow maps.
- ☐ Used computerized network analyses.
- ☐ Other: \_\_\_\_\_

## 3. METHOD FOR ESTIMATING TRUCK VOLUMES OR PERCENTAGES

- ☐ Used a single count taken this year at the GPS site.
- ☐ Factored a single count taken this year at the GPS site.
- ☐ Averaged multiple counts taken this year at the GPS site.
- ☐ Used system averages from counts taken this year.
- ☒ Used count data from nearby sites.
- ☐ Used count data taken in earlier years at the GPS site.
- ☐ Used system averages taken in earlier years at the GPS site.
- ☐ Used computerized network analyses.
- ☐ Other: \_\_\_\_\_

## 4. METHOD FOR ESTIMATING AADT BY GPS LANE

- ☒ Based on actual lane count data.
- ☒ System distribution factors.
- ☐ Other: \_\_\_\_\_

## 5. METHOD FOR ESTIMATING TRUCK AADT IN GPS LANES

- ☐ Based on actual lane count data.
- ☒ System distribution factors.
- ☐ Other: \_\_\_\_\_

## 6. METHOD FOR ESTIMATING ESAL/VEHICLE

- ☐ ESAL/Truck.
- ☒ ESAL/Vehicle class. (no. of classes) 3
- ☐ Other: \_\_\_\_\_

## 7. ESAL ESTIMATES

## (A) Source of Data

- ☐ Weight data collected at GPS site this year.
- ☐ Weight data collected at GPS site prior years.
- ☐ Weight data from system averages this year.
- ☒ Weight data from system averages prior years.
- ☒ Weight data from historic W-4 Tables used.
- ☐ Other: \_\_\_\_\_

## (B) Weight Scale Type

- ☐ WIM scale.
- ☒ Static scale used for enforcement.
- ☒ Static scale not used for enforcement.
- ☐ Other: \_\_\_\_\_

ENTERED

DEC 10 1991

By WV

ENTERED

SEP 13 1991

By \_\_\_\_\_

NAME OF PREPARER BOB TENNEYPHONE # 303-757-9489DATE PREPARED 11 JUL 91

SHEP

**LTPP TRAFFIC DATA  
PROCEDURES FOR ESTIMATING  
ANNUAL AVERAGE VOLUMES AND  
TOTAL ANNUAL ESALS**

\*STATE ASSIGNED ID [ \_ \_ \_ \_ ]

\*STATE CODE [ 08 ]

\*SHRP SECTION ID [ 7781 ]

1. Year Applicable 1975

## 2. METHOD FOR ESTIMATING AADT

- ☐ Factored a single count taken this year at the GPS site.  
☐ Averaged multiple counts taken this year at the GPS site.  
☐ Averaged and factored multiple counts taken this year at the GPS site.  
☐ Growth factored last year's estimate.  
☐ Estimated based on volume counts at nearby locations.  
☐ Used flow maps.  
☐ Used computerized network analyses.  
☒ Other: AVERAGED PRIOR AND  
SUBSEQUENT YEAR COUNTS

3. METHOD FOR ESTIMATING TRUCK  
VOLUMES OR PERCENTAGES

- ☐ Used a single count taken this year at the GPS site.  
☐ Factored a single count taken this year at the GPS site.  
☐ Averaged multiple counts taken this year at the GPS site.  
☐ Used system averages from counts taken this year.  
☐ Used count data from nearby sites.  
☐ Used count data taken in earlier years at the GPS site.  
☐ Used system averages taken in earlier years at the GPS site.  
☐ Used computerized network analyses.  
☒ Other: USED COUNT DATA FROM  
NEARBY SITES IN PRIOR YEAR

4. METHOD FOR ESTIMATING AADT  
BY GPS LANE

- ☐ Based on actual lane count data.  
☒ System distribution factors.  
☐ Other: \_\_\_\_\_

5. METHOD FOR ESTIMATING TRUCK AADT  
IN GPS LANES

- ☐ Based on actual lane count data.  
☒ System distribution factors.  
☐ Other: \_\_\_\_\_

## 6. METHOD FOR ESTIMATING ESAL/VEHICLE

- ☐ ESAL/Truck.  
☒ ESAL/Vehicle class. (no. of classes) 3  
☐ Other: \_\_\_\_\_

## 7. ESAL ESTIMATES

## (A) Source of Data

- ☐ Weight data collected at GPS site this year.  
☐ Weight data collected at GPS site prior years.  
☐ Weight data from system averages this year.  
☐ Weight data from system averages prior years.  
☒ Weight data from historic W-4 Tables used.  
☐ Other: \_\_\_\_\_

## (B) Weight Scale Type

- ☐ WIM scale.  
☐ Static scale used for enforcement.  
☒ Static scale not used for enforcement.  
☐ Other: \_\_\_\_\_

ENTERED

DEC 10 1991

By

H2

ENTERED

SEP 13 1991

By

NAME OF PREPARER BOB TENNEYPHONE # 303-757-9489DATE PREPARED 11 JUL 91

SHE 3

# LTPP TRAFFIC DATA PROCEDURES FOR ESTIMATING ANNUAL AVERAGE VOLUMES AND TOTAL ANNUAL ESALS

\*STATE ASSIGNED ID [ \_ \_ \_ \_ ]

\*STATE CODE [ 08 ]

\*SHRP SECTION ID [ 7781 ]

1. Year Applicable 1974

## 2. METHOD FOR ESTIMATING AADT

- ☐ Factored a single count taken this year at the GPS site.  
☐ Averaged multiple counts taken this year at the GPS site.  
☐ Averaged and factored multiple counts taken this year at the GPS site.  
☒ Growth factored last year's estimate.  
☒ Estimated based on volume counts at nearby locations.  
☐ Used flow maps.  
☐ Used computerized network analyses.  
☐ Other: \_\_\_\_\_

## 3. METHOD FOR ESTIMATING TRUCK VOLUMES OR PERCENTAGES

- ☐ Used a single count taken this year at the GPS site.  
☐ Factored a single count taken this year at the GPS site.  
☐ Averaged multiple counts taken this year at the GPS site.  
☐ Used system averages from counts taken this year.  
☒ Used count data from nearby sites.  
☐ Used count data taken in earlier years at the GPS site.  
☐ Used system averages taken in earlier years at the GPS site.  
☐ Used computerized network analyses.  
☐ Other: \_\_\_\_\_

## 4. METHOD FOR ESTIMATING AADT BY GPS LANE

- ☒ Based on actual lane count data.  
☒ System distribution factors.  
☐ Other: \_\_\_\_\_

## 5. METHOD FOR ESTIMATING TRUCK AADT IN GPS LANES

- ☐ Based on actual lane count data.  
☒ System distribution factors.  
☐ Other: \_\_\_\_\_

## 6. METHOD FOR ESTIMATING ESAL/VEHICLE

- ☐ ESAL/Truck.  
☒ ESAL/Vehicle class. (no. of classes) 3  
☐ Other: \_\_\_\_\_

## 7. ESAL ESTIMATES

## (A) Source of Data

- ☐ Weight data collected at GPS site this year.  
☐ Weight data collected at GPS site prior years.  
☐ Weight data from system averages this year.  
☒ Weight data from system averages prior years.  
☒ Weight data from historic W-4 Tables used.  
☐ Other: \_\_\_\_\_

## (B) Weight Scale Type

- ☐ WIM scale.  
☒ Static scale used for enforcement.  
☒ Static scale not used for enforcement.  
☐ Other: \_\_\_\_\_

ENTERED

DEC 10 1991

By

ENTERED

SEP 13 1991

By

NAME OF PREPARER BOB TENNEYPHONE # 303-757-2489DATE PREPARED 11 JUL 91

SHEET 3

# LTPP TRAFFIC DATA PROCEDURES FOR ESTIMATING ANNUAL AVERAGE VOLUMES AND TOTAL ANNUAL ESALS

\*STATE ASSIGNED ID [ \_ \_ \_ \_ ]

\*STATE CODE [ 08 ]

\*SHRP SECTION ID [ 7701 ]

1. Year Applicable 1973

## 2. METHOD FOR ESTIMATING AADT

- ☐ Factored a single count taken this year at the GPS site.
- ☐ Averaged multiple counts taken this year at the GPS site.
- ☐ Averaged and factored multiple counts taken this year at the GPS site.
- ☐ Growth factored last year's estimate.
- ☐ Estimated based on volume counts at nearby locations.
- ☐ Used flow maps.
- ☐ Used computerized network analyses.
- ☒ Other: AYERAGED PRIOR AND SUBSEQUENT YEAR COUNTS

## 3. METHOD FOR ESTIMATING TRUCK VOLUMES OR PERCENTAGES

- ☐ Used a single count taken this year at the GPS site.
- ☐ Factored a single count taken this year at the GPS site.
- ☐ Averaged multiple counts taken this year at the GPS site.
- ☐ Used system averages from counts taken this year.
- ☐ Used count data from nearby sites.
- ☐ Used count data taken in earlier years at the GPS site.
- ☐ Used system averages taken in earlier years at the GPS site.
- ☐ Used computerized network analyses.
- ☒ Other: USED COUNT DATA FROM NEARBY SITES IN PRIOR YEARS

## 4. METHOD FOR ESTIMATING AADT BY GPS LANE

- ☐ Based on actual lane count data.
- ☒ System distribution factors.
- ☐ Other: \_\_\_\_\_

## 5. METHOD FOR ESTIMATING TRUCK AADT IN GPS LANES

- ☐ Based on actual lane count data.
- ☒ System distribution factors.
- ☐ Other: \_\_\_\_\_

## 6. METHOD FOR ESTIMATING ESAL/VEHICLE

- ☐ ESAL/Truck.
- ☒ ESAL/Vehicle class. (no. of classes) 3
- ☐ Other: \_\_\_\_\_

## 7. ESAL ESTIMATES

## (A) Source of Data

- ☐ Weight data collected at GPS site this year.
- ☐ Weight data collected at GPS site prior years.
- ☐ Weight data from system averages this year.
- ☐ Weight data from system averages prior years.
- ☒ Weight data from historic W-4 Tables used.
- ☐ Other: \_\_\_\_\_

## (B) Weight Scale Type

- ☐ WIM scale.
- ☐ Static scale used for enforcement.
- ☒ Static scale not used for enforcement.
- ☐ Other: \_\_\_\_\_

DEC 10 1991

By WJ

ENTERED

SEP 13 1991

By \_\_\_\_\_

NAME OF PREPARER BOB TENNEYPHONE # 303-757-9489DATE PREPARED 11 JUL 91