

SHEET 1 LTPP TRAFFIC DATA SUMMARY TRANSMITTAL FORM	*STATE ASSIGNED ID [_ _ _ _]
	*STATE CODE [_ _]
	*SHRP SECTION ID [_ _ ¹⁰ _ _]
	4002

Del. Road No. K 356

4002

STATE OR PROVINCE Delaware COUNTY Kent
 HIGHWAY ROUTE NO. St. Rte. 10 MILEPOSTS 1.60
 NEAREST CITY/TOWN Dover NEAREST INTERSECTION US. Rte. 113
 FUNCTIONAL CLASS 5 NO. LANES EACH DIRECTION 2 TOTAL NO. LANES 4
 DIRECTION OF TRAVEL GPS LANE WB DATE OPENED TO TRAF. 1977
 FIPS COUNTY CODE _____ FHWA STATION IDENTIFICATION NO. _____
 HPMS SAMPLE NO. 336 HPMS SUBDIVISION NO. N/A
 TYPE OF PAVEMENT: AC _____ PCC ☒ OTHER _____
 CONTROL OF ACCESS: YES _____ NO ☒ MEDIAN: YES ☒ NO _____
 CURRENT SURROUNDING DEVELOPMENT:
 URBAN _____ SUBURBAN ☒ RURAL _____
 HAS INTENSITY OF ROADSIDE DEVELOPMENT INCREASED OVER PAST 10 YEARS?
 YES ☒ NO _____
 IF YES, DESCRIBE CHANGES _____

NOTE: ATTACH ALL RELATED FORMS AND COUNT DATA AND SUBMIT TO THE
 SHRP REGIONAL OFFICE. ATTACH MAP INDICATING THE LOCATION OF
 EACH TRAFFIC COUNT, VEHICLE CLASSIFICATION COUNT, OR WEIGHT
 STATION RELATIVE TO THIS GPS TEST SECTION.

NAME OF PREPARER <u>James C. Ho</u>	PHONE # <u>739-3304</u>
DATE PREPARED <u>Oct. 11, 1991</u>	

SHEET 2 LTPP TRAFFIC DATA TRAFFIC VOLUMES AND LOAD ESTIMATES	*STATE ASSIGNED ID [_ _ _ _] *STATE CODE [10] *SHRP SECTION ID [4202]
---	---

YEAR	1. ESTIMATED TOTAL VEHICLES AADT (TWO-WAY)	2. ESTIMATED TOTAL TRUCK AADT (TWO-WAY)	3. ESTIMATED TOTAL VEHICLES AADT GPS LANE	4. ESTIMATED TOTAL TRUCKS AADT GPS LANE	5. ESTIMATED ESAL'S / YR GPS LANE (1000's)
1989	12987	390	9545	136	40
1988	12773	383	9471	134	39
1987	12249	357	9282	129	38
1986	11771	353	9120	124	36
1985	11173	335	3911	117	34
1984	10394	312	3638	109	32
1983	10091	303	3532	106	31
1982	9797	294	3429	103	30
1981	9420	283	3297	99	29
1980	10851	326	3798	119	33
1979	10851	326	3798	119	33
1978	10851	326	3798	119	33
1977	11840	355	4144	129	36
1976					
1975					
1974					
1973					
1972					
1971					
1970					
1969					
1968					
1967					
1966					
1965					

NAME OF PREPARER _____	PHONE # _____
DATE PREPARED _____	

SHEET 3

LTPP TRAFFIC DATA PROCEDURES FOR ESTIMATING ANNUAL AVERAGE VOLUMES AND TOTAL ANNUAL ESALS

*STATE ASSIGNED ID [_ _ _ _]

*STATE CODE [10]

*SHRP SECTION ID [4002]

1. Year Applicable 1977-78

2. METHOD FOR ESTIMATING AADT

- ☒ Factored a single count taken this year at the GPS site.
- ☐ Averaged multiple counts taken this year at the GPS site.
- ☐ Averaged and factored multiple counts taken this year at the GPS site.
- ☐ Growth factored last year's estimate.
- ☐ Estimated based on volume counts at nearby locations.
- ☐ Used flow maps.
- ☐ Used computerized network analyses.
- ☐ Other: _____

3. METHOD FOR ESTIMATING TRUCK VOLUMES OR PERCENTAGES

- ☐ Used a single count taken this year at the GPS site.
- ☐ Factored a single count taken this year at the GPS site.
- ☐ Averaged multiple counts taken this year at the GPS site.
- ☐ Used system averages from counts taken this year.
- ☐ Used count data from nearby sites.
- ☐ Used count data taken in earlier years at the GPS site.
- ☒ Used system averages taken in earlier years at the GPS site.
- ☐ Used computerized network analyses.
- ☐ Other: _____

4. METHOD FOR ESTIMATING AADT BY GPS LANE

- ☐ Based on actual lane count data.
- ☒ System distribution factors.
- ☐ Other: _____

5. METHOD FOR ESTIMATING TRUCK AADT IN GPS LANES

- ☐ Based on actual lane count data.
- ☒ System distribution factors.
- ☐ Other: _____

6. METHOD FOR ESTIMATING ESAL/VEHICLE

- ☐ ESAL/Truck.
- ☒ ESAL/Vehicle class. (no. of classes) 6
- ☐ Other: _____

7. ESAL ESTIMATES

(A) Source of Data

- ☐ Weight data collected at GPS site this year.
- ☐ Weight data collected at GPS site prior years.
- ☐ Weight data from system averages this year.
- ☐ Weight data from system averages prior years.
- ☐ Weight data from historic W-4 Tables used.
- ☒ Other: SYSTEM AVERAGES
1989

(B) Weight Scale Type

- ☐ WIM scale.
- ☐ Static scale used for enforcement.
- ☒ Static scale not used for enforcement.
- ☐ Other: _____

NAME OF PREPARER _____

PHONE # _____

DATE PREPARED _____

SHEET 3

LTPP TRAFFIC DATA PROCEDURES FOR ESTIMATING ANNUAL AVERAGE VOLUMES AND TOTAL ANNUAL ESALS

*STATE ASSIGNED ID [_ _ _ _]

*STATE CODE [L 2]

*SHRP SECTION ID [4002]

1. Year Applicable 1979-80

2. METHOD FOR ESTIMATING AADT

- ☐ Factored a single count taken this year at the GPS site.
☐ Averaged multiple counts taken this year at the GPS site.
☐ Averaged and factored multiple counts taken this year at the GPS site.
☒ Growth factored last year's estimate.
☐ Estimated based on volume counts at nearby locations.
☐ Used flow maps.
☐ Used computerized network analyses.
☐ Other: _____

3. METHOD FOR ESTIMATING TRUCK VOLUMES OR PERCENTAGES

- ☐ Used a single count taken this year at the GPS site.
☐ Factored a single count taken this year at the GPS site.
☐ Averaged multiple counts taken this year at the GPS site.
☐ Used system averages from counts taken this year.
☐ Used count data from nearby sites.
☐ Used count data taken in earlier years at the GPS site.
☒ Used system averages taken in earlier years at the GPS site.
☐ Used computerized network analyses.
☐ Other: _____

4. METHOD FOR ESTIMATING AADT BY GPS LANE

- ☐ Based on actual lane count data.
☒ System distribution factors.
☐ Other: _____

5. METHOD FOR ESTIMATING TRUCK AADT IN GPS LANES

- ☐ Based on actual lane count data.
☒ System distribution factors.
☐ Other: _____

6. METHOD FOR ESTIMATING ESAL/VEHICLE

- ☐ ESAL/Truck.
☒ ESAL/Vehicle class. (no. of classes) 6
☐ Other: _____

7. ESAL ESTIMATES

(A) Source of Data

- ☐ Weight data collected at GPS site this year.
☐ Weight data collected at GPS site prior years.
☐ Weight data from system averages this year.
☐ Weight data from system averages prior years.
☐ Weight data from historic W-4 Tables used.
☒ Other: SYSTEM AVERAGES
1989

(B) Weight Scale Type

- ☐ WIM scale.
☐ Static scale used for enforcement.
☒ Static scale not used for enforcement.
☐ Other: _____

NAME OF PREPARER _____

PHONE # _____

DATE PREPARED _____

SHEET 3

LTPP TRAFFIC DATA PROCEDURES FOR ESTIMATING ANNUAL AVERAGE VOLUMES AND TOTAL ANNUAL ESALS

*STATE ASSIGNED ID [_ _ _ _]

*STATE CODE [10]

*SHRP SECTION ID [9002]

1. Year Applicable 1989

2. METHOD FOR ESTIMATING AADT

- ☒ Factored a single count taken this year at the GPS site.
- ☐ Averaged multiple counts taken this year at the GPS site.
- ☐ Averaged and factored multiple counts taken this year at the GPS site.
- ☐ Growth factored last year's estimate.
- ☐ Estimated based on volume counts at nearby locations.
- ☐ Used flow maps.
- ☐ Used computerized network analyses.
- ☐ Other: _____

3. METHOD FOR ESTIMATING TRUCK VOLUMES OR PERCENTAGES

- ☐ Used a single count taken this year at the GPS site.
- ☐ Factored a single count taken this year at the GPS site.
- ☐ Averaged multiple counts taken this year at the GPS site.
- ☐ Used system averages from counts taken this year.
- ☐ Used count data from nearby sites.
- ☐ Used count data taken in earlier years at the GPS site.
- ☒ Used system averages taken in earlier years at the GPS site.
- ☐ Used computerized network analyses.
- ☐ Other: _____

4. METHOD FOR ESTIMATING AADT BY GPS LANE

- ☐ Based on actual lane count data.
- ☒ System distribution factors.
- ☐ Other: _____

5. METHOD FOR ESTIMATING TRUCK AADT IN GPS LANES

- ☐ Based on actual lane count data.
- ☒ System distribution factors.
- ☐ Other: _____

6. METHOD FOR ESTIMATING ESAL/VEHICLE

- ☐ ESAL/Truck.
- ☒ ESAL/Vehicle class. (no. of classes) 6
- ☐ Other: _____

7. ESAL ESTIMATES

(A) Source of Data

- ☐ Weight data collected at GPS site this year.
- ☐ Weight data collected at GPS site prior years.
- ☐ Weight data from system averages this year.
- ☐ Weight data from system averages prior years.
- ☐ Weight data from historic W-4 Tables used.
- ☒ Other: SYSTEM AVERAGES

1989

(B) Weight Scale Type

- ☐ WIM scale.
- ☐ Static scale used for enforcement.
- ☒ Static scale not used for enforcement.
- ☐ Other: _____

NAME OF PREPARER _____

PHONE # _____

DATE PREPARED _____

SHEET 3

LTPP TRAFFIC DATA PROCEDURES FOR ESTIMATING ANNUAL AVERAGE VOLUMES AND TOTAL ANNUAL ESALS

*STATE ASSIGNED ID [_ _ _ _]

*STATE CODE [10]

*SHRP SECTION ID [9002]

1. Year Applicable 1992-86

2. METHOD FOR ESTIMATING AADT

- ☐ Factored a single count taken this year at the GPS site.
☐ Averaged multiple counts taken this year at the GPS site.
☐ Averaged and factored multiple counts taken this year at the GPS site.
☒ Growth factored last year's estimate.
☐ Estimated based on volume counts at nearby locations.
☐ Used flow maps.
☐ Used computerized network analyses.
☐ Other: _____

3. METHOD FOR ESTIMATING TRUCK VOLUMES OR PERCENTAGES

- ☐ Used a single count taken this year at the GPS site.
☐ Factored a single count taken this year at the GPS site.
☐ Averaged multiple counts taken this year at the GPS site.
☐ Used system averages from counts taken this year.
☐ Used count data from nearby sites.
☐ Used count data taken in earlier years at the GPS site.
☒ Used system averages taken in earlier years at the GPS site.
☐ Used computerized network analyses.
☐ Other: _____

4. METHOD FOR ESTIMATING AADT BY GPS LANE

- ☐ Based on actual lane count data.
☒ System distribution factors.
☐ Other: _____

5. METHOD FOR ESTIMATING TRUCK AADT IN GPS LANES

- ☐ Based on actual lane count data.
☒ System distribution factors.
☐ Other: _____

6. METHOD FOR ESTIMATING ESAL/VEHICLE

- ☐ ESAL/Truck.
☒ ESAL/Vehicle class. (no. of classes) 6
☐ Other: _____

7. ESAL ESTIMATES

(A) Source of Data

- ☐ Weight data collected at GPS site this year.
☐ Weight data collected at GPS site prior years.
☐ Weight data from system averages this year.
☐ Weight data from system averages prior years.
☐ Weight data from historic W-4 Tables used.
☒ Other: SYSTEM AVERAGES
1989

(B) Weight Scale Type

- ☐ WIM scale.
☐ Static scale used for enforcement.
☒ Static scale not used for enforcement.
☐ Other: _____

NAME OF PREPARER _____

PHONE # _____

DATE PREPARED _____

SHEET 3

LTPP TRAFFIC DATA PROCEDURES FOR ESTIMATING ANNUAL AVERAGE VOLUMES AND TOTAL ANNUAL ESALS

*STATE ASSIGNED ID [_ _ _ _]

*STATE CODE [10]

*SHRP SECTION ID [7002]

1. Year Applicable 1987

2. METHOD FOR ESTIMATING AADT

- ☒ Factored a single count taken this year at the GPS site.
☐ Averaged multiple counts taken this year at the GPS site.
☐ Averaged and factored multiple counts taken this year at the GPS site.
☐ Growth factored last year's estimate.
☐ Estimated based on volume counts at nearby locations.
☐ Used flow maps.
☐ Used computerized network analyses.
☐ Other: _____

3. METHOD FOR ESTIMATING TRUCK VOLUMES OR PERCENTAGES

- ☐ Used a single count taken this year at the GPS site.
☐ Factored a single count taken this year at the GPS site.
☐ Averaged multiple counts taken this year at the GPS site.
☐ Used system averages from counts taken this year.
☐ Used count data from nearby sites.
☐ Used count data taken in earlier years at the GPS site.
☒ Used system averages taken in earlier years at the GPS site.
☐ Used computerized network analyses.
☐ Other: _____

4. METHOD FOR ESTIMATING AADT BY GPS LANE

- ☐ Based on actual lane count data.
☒ System distribution factors.
☐ Other: _____

5. METHOD FOR ESTIMATING TRUCK AADT IN GPS LANES

- ☐ Based on actual lane count data.
☒ System distribution factors.
☐ Other: _____

6. METHOD FOR ESTIMATING ESAL/VEHICLE

- ☐ ESAL/Truck.
☒ ESAL/Vehicle class. (no. of classes) 6
☐ Other: _____

7. ESAL ESTIMATES

(A) Source of Data

- ☐ Weight data collected at GPS site this year.
☐ Weight data collected at GPS site prior years.
☐ Weight data from system averages this year.
☐ Weight data from system averages prior years.
☐ Weight data from historic W-4 Tables used.
☒ Other: SYSTEM AVERAGES
1989

(B) Weight Scale Type

- ☐ WIM scale.
☐ Static scale used for enforcement.
☒ Static scale not used for enforcement.
☐ Other: _____

NAME OF PREPARER _____ PHONE # _____

DATE PREPARED _____

SHEET 3

LTPP TRAFFIC DATA PROCEDURES FOR ESTIMATING ANNUAL AVERAGE VOLUMES AND TOTAL ANNUAL ESALS

*STATE ASSIGNED ID [_ _ _ _]

*STATE CODE [10]

*SHRP SECTION ID [1002]

1. Year Applicable 1988-89

2. METHOD FOR ESTIMATING AADT

- ☐ Factored a single count taken this year at the GPS site.
☐ Averaged multiple counts taken this year at the GPS site.
☐ Averaged and factored multiple counts taken this year at the GPS site.
☒ Growth factored last year's estimate.
☐ Estimated based on volume counts at nearby locations.
☐ Used flow maps.
☐ Used computerized network analyses.
☐ Other: _____

3. METHOD FOR ESTIMATING TRUCK VOLUMES OR PERCENTAGES

- ☐ Used a single count taken this year at the GPS site.
☐ Factored a single count taken this year at the GPS site.
☐ Averaged multiple counts taken this year at the GPS site.
☐ Used system averages from counts taken this year.
☐ Used count data from nearby sites.
☐ Used count data taken in earlier years at the GPS site.
☒ Used system averages taken in earlier years at the GPS site.
☐ Used computerized network analyses.
☐ Other: _____

4. METHOD FOR ESTIMATING AADT BY GPS LANE

- ☐ Based on actual lane count data.
☒ System distribution factors.
☐ Other: _____

5. METHOD FOR ESTIMATING TRUCK AADT IN GPS LANES

- ☐ Based on actual lane count data.
☒ System distribution factors.
☐ Other: _____

6. METHOD FOR ESTIMATING ESAL/VEHICLE

- ☐ ESAL/Truck.
☒ ESAL/Vehicle class. (no. of classes) 6
☐ Other: _____

7. ESAL ESTIMATES

(A) Source of Data

- ☐ Weight data collected at GPS site this year.
☐ Weight data collected at GPS site prior years.
☐ Weight data from system averages this year.
☐ Weight data from system averages prior years.
☐ Weight data from historic W-4 Tables used.
☒ Other: SYSTEM AVERAGES
1989

(B) Weight Scale Type

- ☐ WIM scale.
☐ Static scale used for enforcement.
☒ Static scale not used for enforcement.
☐ Other: _____

NAME OF PREPARER _____ PHONE # _____

DATE PREPARED _____