

SHEET 1 LTPP TRAFFIC DATA SUMMARY TRANSMITTAL FORM	*STATE ASSIGNED ID [3210] *STATE CODE [12] *SHRP SECTION ID [1057]
--	--

STATE OR PROVINCE Florida COUNTY Hillsborough
HIGHWAY ROUTE NO. I-75 MILEPOST# 21.74
NEAREST CITY/TOWN Within Tampa NEAREST INTERSECTION 0.21 miles south of SR 618
FUNCTIONAL CLASS UPAI ^{PLS 7/28/75} NO LANE(S) EACH DIRECTION 5 left/3 right TOTAL NO. LANES 8
DIRECTION OF TRAVEL GPS LANE South DATE OPENED TO TRAF. 6-1-86
FIPS COUNTY CODE 057 FHWA STATION IDENTIFICATION NO. NA
HPMS SAMPLE NO. NONE HPMS SUBDIVISION NO. NONE
TYPE OF PAVEMENT: AC _____ PCC ☒ OTHER _____
CONTROL OF ACCESS: YES ☒ NO _____ MEDIAN: YES ☒ NO _____
CURRENT SURROUNDING DEVELOPMENT:
URBAN ☒ SUBURBAN _____ RURAL _____
HAS INTENSITY OF ROADSIDE DEVELOPMENT INCREASED OVER PAST 10 YEARS?
YES ☒ NO _____
IF YES, DESCRIBE CHANGES large residential, industrial and commercial.
Access not direct.

NOTE: ATTACH ALL RELATED FORMS AND COUNT DATA AND SUBMIT TO THE
SHRP REGIONAL OFFICE. ATTACH MAP INDICATING THE LOCATION OF
EACH TRAFFIC COUNT, VEHICLE CLASSIFICATION COUNT, OR WEIGHT
STATION RELATIVE TO THIS GPS TEST SECTION.

NAME OF PREPARER Ray Harris / Leslie Miami PHONE # (904) 488-4111
DATE PREPARED 2/91

SHEET 2

LTPP TRAFFIC DATA

TRAFFIC VOLUMES
AND LOAD ESTIMATES

*STATE ASSIGNED ID 3210

*STATE CODE 12

*SHRP SECTION ID 4057

YEAR	1. ESTIMATED TOTAL VEHICLES AADT (TWO-WAY)	2. ESTIMATED TOTAL TRUCK AADT (TWO-WAY)	3. ESTIMATED TOTAL VEHICLES AADT GPS LANE	4. ESTIMATED TOTAL TRUCKS AADT GPS LANE	5. ESTIMATED ESAL'S/YR GPS LANE (1000's)
→ 1990	32,828	3,874	9,848	1,162	666
1989	31,872	4,494	9,562	1,348	773
1988	30,944	2,599	9,283	780	447
1987	28,392	2,385	8,518	716	410
1986	20,999	1,764	6,300	529	303
					2,599

→
 ed To
 u/ret id.
 53

4-21-88

NAME OF PREPARER
DATE PREPARED

Gordon R. Morgan
2/18/92

PHONE # (904) 488-4111

LTPP TRAFFIC DATA PROCEDURES FOR ESTIMATING ANNUAL AVERAGE VOLUMES AND TOTAL ANNUAL ESALS

*STATE ASSIGNED ID [3210]

*STATE CODE [42]

*SHRP SECTION ID [4052]

1. Year Applicable 90

2. METHOD FOR ESTIMATING AADT

- ☐ Factored a single count taken this year at the GPS site.
- ☐ Averaged multiple counts taken this year at the GPS site.
- ☐ Averaged and factored multiple counts taken this year at the GPS site.
- ☒ Growth factored last year's estimate.
- ☐ Estimated based on volume counts at nearby locations.
- ☐ Used flow maps.
- ☐ Used computerized network analyses.
- ☐ Other: Estimated from 1989 estimated AADT.

(Factor = 1.03)

3. METHOD FOR ESTIMATING TRUCK VOLUMES OR PERCENTAGES

- ☐ Used a single count taken this year at the GPS site.
- ☐ Factored a single count taken this year at the GPS site.
- ☐ Averaged multiple counts taken this year at the GPS site.
- ☐ Used system averages from counts taken this year.
- ☐ Used count data from nearby sites.
- ☐ Used count data taken in earlier years at the GPS site.
- ☐ Used system averages taken in earlier years at the GPS site.
- ☐ Used computerized network analyses.
- ☒ Other: See note 2

4. METHOD FOR ESTIMATING AADT BY GPS LANE

- ☐ Based on actual lane count data.
- ☐ System distribution factors.
- ☐ Other: _____

5. METHOD FOR ESTIMATING TRUCK AADT IN GPS LANES

- ☐ Based on actual lane count data.
- ☐ System distribution factors.
- ☐ Other: _____

6. METHOD FOR ESTIMATING ESAL/VEHICLE

- ☐ ESAL/Truck.
- ☐ ESAL/Vehicle class. (no. of classes) _____
- ☐ Other: _____

7. ESAL ESTIMATES

(A) Source of Data

- ☐ Weight data collected at GPS site this year.
- ☐ Weight data collected at GPS site prior years.
- ☐ Weight data from system averages this year.
- ☐ Weight data from system averages prior years.
- ☐ Weight data from historic W-4 Tables used.
- ☐ Other: _____

(B) Weight Scale Type

- ☐ WIM scale.
- ☐ Static scale used for enforcement.
- ☐ Static scale not used for enforcement.
- ☐ Other: _____

NAME OF PREPARER M DancyPHONE # (904) 488-4111DATE PREPARED 4/91

LTPP TRAFFIC DATA PROCEDURES FOR ESTIMATING ANNUAL AVERAGE VOLUMES AND TOTAL ANNUAL ESALS

*STATE ASSIGNED ID [3210]

*STATE CODE 42

*SHRP SECTION ID [4052]

1. Year Applicable 89

2. METHOD FOR ESTIMATING AADT

- ☐ Factored a single count taken this year at the GPS site.
- ☐ Averaged multiple counts taken this year at the GPS site.
- ☐ Averaged and factored multiple counts taken this year at the GPS site.
- ☒ Growth factored last year's estimate.
- ☐ Estimated based on volume counts at nearby locations.
- ☐ Used flow maps.
- ☐ Used computerized network analyses.
- ☐ Other: Estimated from 1988 AADT

Factor = 1.03

3. METHOD FOR ESTIMATING TRUCK VOLUMES OR PERCENTAGES

- ☐ Used a single count taken this year at the GPS site.
- ☐ Factored a single count taken this year at the GPS site.
- ☐ Averaged multiple counts taken this year at the GPS site.
- ☐ Used system averages from counts taken this year.
- ☐ Used count data from nearby sites.
- ☐ Used count data taken in earlier years at the GPS site.
- ☐ Used system averages taken in earlier years at the GPS site.
- ☐ Used computerized network analyses.
- ☒ Other: See note 2

4. METHOD FOR ESTIMATING AADT BY GPS LANE

- ☐ Based on actual lane count data.
- ☐ System distribution factors.
- ☐ Other: _____

5. METHOD FOR ESTIMATING TRUCK AADT IN GPS LANES

- ☐ Based on actual lane count data.
- ☐ System distribution factors.
- ☐ Other: _____

6. METHOD FOR ESTIMATING ESAL/VEHICLE

- ☐ ESAL/Truck.
- ☐ ESAL/Vehicle class. (no. of classes) _____
- ☐ Other: _____

7. ESAL ESTIMATES

(A) Source of Data

- ☐ Weight data collected at GPS site this year.
- ☐ Weight data collected at GPS site prior years.
- ☐ Weight data from system averages this year.
- ☐ Weight data from system averages prior years.
- ☐ Weight data from historic W-4 Tables used.
- ☐ Other: _____

(B) Weight Scale Type

- ☐ WIM scale.
- ☐ Static scale used for enforcement.
- ☐ Static scale not used for enforcement.
- ☐ Other: _____

NAME OF PREPARER M. DancyPHONE # (904) 488-4111DATE PREPARED 4/91

LTPP TRAFFIC DATA PROCEDURES FOR ESTIMATING ANNUAL AVERAGE VOLUMES AND TOTAL ANNUAL ESALS

*STATE ASSIGNED ID [3210]

*STATE CODE [42]

*SHRP SECTION ID [4057]

1. Year Applicable 88

2. METHOD FOR ESTIMATING AADT

- ☒ Factored a single count taken this year at the GPS site.
- ☐ Averaged multiple counts taken this year at the GPS site.
- ☐ Averaged and factored multiple counts taken this year at the GPS site.
- ☐ Growth factored last year's estimate.
- ☐ Estimated based on volume counts at nearby locations.
- ☐ Used flow maps.
- ☐ Used computerized network analyses.
- ☐ Other: _____

3. METHOD FOR ESTIMATING TRUCK VOLUMES OR PERCENTAGES

- ☐ Used a single count taken this year at the GPS site.
- ☐ Factored a single count taken this year at the GPS site.
- ☐ Averaged multiple counts taken this year at the GPS site.
- ☐ Used system averages from counts taken this year.
- ☐ Used count data from nearby sites.
- ☐ Used count data taken in earlier years at the GPS site.
- ☐ Used system averages taken in earlier years at the GPS site.
- ☐ Used computerized network analyses.
- ☒ Other: See note 2

4. METHOD FOR ESTIMATING AADT BY GPS LANE

- ☐ Based on actual lane count data.
- ☐ System distribution factors.
- ☐ Other: _____

5. METHOD FOR ESTIMATING TRUCK AADT IN GPS LANES

- ☐ Based on actual lane count data.
- ☐ System distribution factors.
- ☐ Other: _____

6. METHOD FOR ESTIMATING ESAL/VEHICLE

- ☐ ESAL/Truck.
- ☐ ESAL/Vehicle class. (no. of classes) _____
- ☐ Other: _____

7. ESAL ESTIMATES

(A) Source of Data

- ☐ Weight data collected at GPS site this year.
- ☐ Weight data collected at GPS site prior years.
- ☐ Weight data from system averages this year.
- ☐ Weight data from system averages prior years.
- ☐ Weight data from historic W-4 Tables used.
- ☐ Other: _____

(B) Weight Scale Type

- ☐ WIM scale.
- ☐ Static scale used for enforcement.
- ☐ Static scale not used for enforcement.
- ☐ Other: _____

NAME OF PREPARER M DancyPHONE # (904) 488-4111DATE PREPARED 4/91

LTPP TRAFFIC DATA PROCEDURES FOR ESTIMATING ANNUAL AVERAGE VOLUMES AND TOTAL ANNUAL ESALS

*STATE ASSIGNED ID [3210]

*STATE CODE [42]

*SHRP SECTION ID [4252]

1. Year Applicable 87

2. METHOD FOR ESTIMATING AADT

- ☒ Factored a single count taken this year at the GPS site.
- ☐ Averaged multiple counts taken this year at the GPS site.
- ☐ Averaged and factored multiple counts taken this year at the GPS site.
- ☐ Growth factored last year's estimate.
- ☐ Estimated based on volume counts at nearby locations.
- ☐ Used flow maps.
- ☐ Used computerized network analyses.
- ☐ Other: _____

3. METHOD FOR ESTIMATING TRUCK VOLUMES OR PERCENTAGES

- ☐ Used a single count taken this year at the GPS site.
- ☐ Factored a single count taken this year at the GPS site.
- ☐ Averaged multiple counts taken this year at the GPS site.
- ☐ Used system averages from counts taken this year.
- ☐ Used count data from nearby sites.
- ☐ Used count data taken in earlier years at the GPS site.
- ☐ Used system averages taken in earlier years at the GPS site.
- ☐ Used computerized network analyses.
- ☒ Other: See note 2

4. METHOD FOR ESTIMATING AADT BY GPS LANE

- ☐ Based on actual lane count data.
- ☐ System distribution factors.
- ☐ Other: _____

5. METHOD FOR ESTIMATING TRUCK AADT IN GPS LANES

- ☐ Based on actual lane count data.
- ☐ System distribution factors.
- ☐ Other: _____

6. METHOD FOR ESTIMATING ESAL/VEHICLE

- ☐ ESAL/Truck.
- ☐ ESAL/Vehicle class. (no. of classes) _____
- ☐ Other: _____

7. ESAL ESTIMATES

(A) Source of Data

- ☐ Weight data collected at GPS site this year.
- ☐ Weight data collected at GPS site prior years.
- ☐ Weight data from system averages this year.
- ☐ Weight data from system averages prior years.
- ☐ Weight data from historic W-4 Tables used.
- ☐ Other: _____

(B) Weight Scale Type

- ☐ WIM scale.
- ☐ Static scale used for enforcement.
- ☐ Static scale not used for enforcement.
- ☐ Other: _____

NAME OF PREPARER M DancyPHONE # (904) 488-4111DATE PREPARED 4/91

LTPP TRAFFIC DATA PROCEDURES FOR ESTIMATING ANNUAL AVERAGE VOLUMES AND TOTAL ANNUAL ESALS

*STATE ASSIGNED ID [3210]

*STATE CODE [42]

*SHRP SECTION ID [4052]

1. Year Applicable 86

2. METHOD FOR ESTIMATING AADT

- ☒ Factored a single count taken this year at the GPS site.
- ☐ Averaged multiple counts taken this year at the GPS site.
- ☐ Averaged and factored multiple counts taken this year at the GPS site.
- ☐ Growth factored last year's estimate.
- ☐ Estimated based on volume counts at nearby locations.
- ☐ Used flow maps.
- ☐ Used computerized network analyses.
- ☐ Other: _____

3. METHOD FOR ESTIMATING TRUCK VOLUMES OR PERCENTAGES

- ☐ Used a single count taken this year at the GPS site.
- ☐ Factored a single count taken this year at the GPS site.
- ☐ Averaged multiple counts taken this year at the GPS site.
- ☐ Used system averages from counts taken this year.
- ☐ Used count data from nearby sites.
- ☐ Used count data taken in earlier years at the GPS site.
- ☐ Used system averages taken in earlier years at the GPS site.
- ☐ Used computerized network analyses.
- ☒ Other: See note 2

4. METHOD FOR ESTIMATING AADT BY GPS LANE

- ☐ Based on actual lane count data.
- ☐ System distribution factors.
- ☐ Other: _____

5. METHOD FOR ESTIMATING TRUCK AADT IN GPS LANES

- ☐ Based on actual lane count data.
- ☐ System distribution factors.
- ☐ Other: _____

6. METHOD FOR ESTIMATING ESAL/VEHICLE

- ☐ ESAL/Truck.
- ☐ ESAL/Vehicle class. (no. of classes) _____
- ☐ Other: _____

7. ESAL ESTIMATES

(A) Source of Data

- ☐ Weight data collected at GPS site this year.
- ☐ Weight data collected at GPS site prior years.
- ☐ Weight data from system averages this year.
- ☐ Weight data from system averages prior years.
- ☐ Weight data from historic W-4 Tables used.
- ☐ Other: _____

(B) Weight Scale Type

- ☐ WIM scale.
- ☐ Static scale used for enforcement.
- ☐ Static scale not used for enforcement.
- ☐ Other: _____

NAME OF PREPARER M DancyPHONE # (904) 488-4111DATE PREPARED 4/91

SHEET 4

LTPP TRAFFIC DATA
TRAFFIC VOLUME COUNTS

*STATE ASSIGNED ID [3210]

*STATE CODE [12]

*SHRP SECTION ID [4252]

HIGHWAY ROUTE NO. (THIS COUNT) I-75

COUNT SITE # = 146, MP = 17.100, I-75

MILEPOST# OR LOCATION (THIS COUNT) 2424BEGINNING DATE 5-9-88 ENDING DATE 5-9-88BEGINNING TIME 0000 ENDING TIME 2400COUNT DURATION 24 ☒ HOURS ☐ DAYS ☐ MONTHSTYPE OF COUNTER Streck and Jr NAME/MODEL # 125TYPE OF COUNT: TWO-WAY ☒ ONE DIRECTION ONLY ☐ GPS TEST LANE ONLY ☐

ACTUAL COUNTS

ITEM

UNITS

1. TOTAL NO. OF VEHICLES (RAW COUNT)

34328

2. ADJUSTMENT FACTORS (FILL IN AS APPLICABLE):

A. ADJUSTMENT TO 24-HOUR COUNT

1.03

B. AXLE CORRECTION FACTOR

C. DAY OF WEEK FACTOR

D. MONTH FACTOR

E. OTHER FACTOR ()

3. ANNUAL AVERAGE DAILY TRAFFIC (AADT)
(TWO-WAY)33329

4. DIRECTIONAL DISTRIBUTION FACTOR

5. GPS LANE DISTRIBUTION FACTOR

6. AADT GPS LANE

NOTE: COMPLETE ONE SHEET FOR EACH COUNTING SESSION.

NAME OF PREPARER M Dancy / M WatneePHONE # (904) 488-4111DATE PREPARED 4/91

SHEET 4
LTPP TRAFFIC DATA
TRAFFIC VOLUME COUNTS

*STATE ASSIGNED ID [3210]
*STATE CODE [12]
*SHRP SECTION ID [4257]

HIGHWAY ROUTE NO. (THIS COUNT) I-75

MILEPOST# OR LOCATION (THIS COUNT) (Count Site #146, MP 17.100)
21.74

BEGINNING DATE 9-24-86 ENDING DATE 9-24-86

BEGINNING TIME 0000 ENDING TIME 2400

COUNT DURATION 24 ☒ HOURS ☐ DAYS ☐ MONTHS

TYPE OF COUNTER Stewart Model Jx NAME/MODEL # 125

TYPE OF COUNT: TWO-WAY ☒ ONE DIRECTION ONLY ☐ GPS TEST LANE ONLY ☐

ACTUAL COUNTS

ITEM

UNITS

1. TOTAL NO. OF VEHICLES (RAW COUNT)

31493

2. ADJUSTMENT FACTORS (FILL IN AS APPLICABLE):

A. ADJUSTMENT TO 24-HOUR COUNT

0.98

B. AXLE CORRECTION FACTOR

C. DAY OF WEEK FACTOR

D. MONTH FACTOR

E. OTHER FACTOR ()

3. ANNUAL AVERAGE DAILY TRAFFIC (AADT)
(TWO-WAY)

32134

4. DIRECTIONAL DISTRIBUTION FACTOR

5. GPS LANE DISTRIBUTION FACTOR

6. AADT GPS LANE

NOTE: COMPLETE ONE SHEET FOR EACH COUNTING SESSION.

NAME OF PREPARER MDancy / M Watson PHONE # (904) 488-4111
DATE PREPARED 4/91

SHEET 4

LTPP TRAFFIC DATA

TRAFFIC VOLUME COUNTS

*STATE ASSIGNED ID [3210]

*STATE CODE [12]

*SHRP SECTION ID [4057]

HIGHWAY ROUTE NO. (THIS COUNT) I-75MILEPOST# OR LOCATION (THIS COUNT) Count site 146, MP 17.100
21.74BEGINNING DATE 9-11-85 ENDING DATE 9-11-85BEGINNING TIME 0000 ENDING TIME 2400COUNT DURATION 24 ☒ HOURS [] DAYS [] MONTHSTYPE OF COUNTER Charles M. J. Jr NAME/MODEL # 125TYPE OF COUNT: TWO-WAY ☒ ONE DIRECTION ONLY ☐ GPS TEST LANE ONLY ☐

ACTUAL COUNTS

ITEM

UNITS

1. TOTAL NO. OF VEHICLES (RAW COUNT)

20782

2. ADJUSTMENT FACTORS (FILL IN AS APPLICABLE):

A. ADJUSTMENT TO 24-HOUR COUNT

0.99

B. AXLE CORRECTION FACTOR

C. DAY OF WEEK FACTOR

D. MONTH FACTOR

E. OTHER FACTOR ()

3. ANNUAL AVERAGE DAILY TRAFFIC (AADT)
(TWO-WAY)20999

4. DIRECTIONAL DISTRIBUTION FACTOR

5. GPS LANE DISTRIBUTION FACTOR

6. AADT GPS LANE

NOTE: COMPLETE ONE SHEET FOR EACH COUNTING SESSION.

NAME OF PREPARER M. Watson / M. DancyPHONE # (904) 488-4111DATE PREPARED 4/91