

SHEET 1 LTPP TRAFFIC DATA SUMMARY TRANSMITTAL FORM	*STATE ASSIGNED ID <u>[1004]</u> *STATE CODE <u>[23]</u> *SHRP SECTION ID <u>[1028]</u>
---	---

STATE OR PROVINCE Maine COUNTY Oxford
 HIGHWAY ROUTE NO. US 2 MILEPOST# 0.88 m. E/O Androscoggin R. Bridge
 NEAREST CITY/TOWN Bethel NEAREST INTERSECTION SR 5426
 FUNCTIONAL CLASS 2 NO. LANES EACH DIRECTION 1 TOTAL NO. LANES 2
 DIRECTION OF TRAVEL GPS LANE East DATE OPENED TO TRAF. 7.3
 FIPS COUNTY CODE 17 FHWA STATION IDENTIFICATION NO. 231028
 HPMS SAMPLE NO. N/A HPMS SUBDIVISION NO. N/A
 TYPE OF PAVEMENT: AC ☒ PCC ☐ OTHER ☐
 CONTROL OF ACCESS: YES ☐ NO ☒ MEDIAN: YES ☐ NO ☒
 CURRENT SURROUNDING DEVELOPMENT:
 URBAN ☐ SUBURBAN ☒ RURAL ☐
 HAS INTENSITY OF ROADSIDE DEVELOPMENT INCREASED OVER PAST 10 YEARS?
 YES ☐ NO ☒
 IF YES, DESCRIBE CHANGES _____

NOTE: ATTACH ALL RELATED FORMS AND COUNT DATA AND SUBMIT TO THE
 SHRP REGIONAL OFFICE. ATTACH MAP INDICATING THE LOCATION OF
 EACH TRAFFIC COUNT, VEHICLE CLASSIFICATION COUNT, OR WEIGHT
 STATION RELATIVE TO THIS GPS TEST SECTION.

NAME OF PREPARER <u>Everett F. Higgins</u> DATE PREPARED <u>3-11-92</u>	PHONE # <u>(207) 289-2023</u>
--	-------------------------------

SHEET 2 LTPP TRAFFIC DATA TRAFFIC VOLUMES AND LOAD ESTIMATES	*STATE ASSIGNED ID [_ _ _ _] *STATE CODE [<u>23</u>] *SHRP SECTION ID [<u>1028</u>]
---	---

ENTERED FEB 26 1999

YEAR	1. ESTIMATED TOTAL VEHICLES AADT (TWO-WAY)	2. ESTIMATED TOTAL TRUCK AADT (TWO-WAY)	3. ESTIMATED TOTAL VEHICLES AADT GPS LANE	4. ESTIMATED TOTAL TRUCKS AADT GPS LANE	5. ESTIMATED ESAL'S / YR GPS LANE (1000's)
1989					
1988					
1987					
1986					
1985					
1984					
1983					
1982					
1981					
1980					
1979					
1978					
1977					
1976					
1975					
1974					
1973					
1972	<u>2740</u>	<u>440</u>	<u>1370</u>	<u>220</u>	<u>92</u>
1971					
1970					
1969					
1968					
1967					
1966					
1965					

NAME OF PREPARER <u>S. MacDonald</u>	PHONE # <u>716-632-0804</u>
DATE PREPARED <u>24 FEB 1999</u>	

231028

SHEET 2

LTPP TRAFFIC DATA

TRAFFIC VOLUMES
AND LOAD ESTIMATES

STATE ASSIGNED ID []

STATE CODE []

SHIP SECTION ID []

Bethel Route 2 N/0 North Rd.

YEAR	1. ESTIMATED TOTAL VEHICLES AADT (TWO-WAY)	2. ESTIMATED TOTAL TRUCK AADT (TWO-WAY)	3. ESTIMATED TOTAL VEHICLES AADT GPS LANE	4. ESTIMATED TOTAL TRUCKS AADT GPS LANE	5. ESTIMATED ESAL'S / YR GPS LANE (1000's)
1989					
1988	5270				
1987					
1986					3395
1985	4515				
1984					
1983					
1982					
1981					
1980	3100				
1979	* 2755	* 16%			
1978					
1977					
1976					
1975					
1974					
1973	2860				
1972					
1971					
1970					
1969					
1968					
1967					
1966	2050				
1965					

* Classification

⊗ Traffic Request

NAME OF PREPARER

PHONE #

DATE PREPARED

<p>SHEET 2</p> <p>LTPP TRAFFIC DATA</p> <p>TRAFFIC VOLUMES AND LOAD ESTIMATES</p>	<p>*STATE ASSIGNED ID [1004]</p> <p>*STATE CODE [23]</p> <p>*SHRP SECTION ID [1028]</p>
--	---

YEAR	1. ESTIMATED TOTAL VEHICLES AADT (TWO-WAY)	2. ESTIMATED TOTAL TRUCK AADT (TWO-WAY)	3. ESTIMATED TOTAL VEHICLES AADT GPS LANE	4. ESTIMATED TOTAL TRUCKS AADT GPS LANE	5. ESTIMATED ESAL'S / YR GPS LANE (1000's)
1989	5510	880	2760	440	183
1988	5300	850	2650	425	176
1987	5040	810	2520	405	169
1986	4780	760	2390	380	158
1985	4515	720	2260	360	150
1984	4350	700	2180	350	146
1983	4200	670	2100	335	139
1982	4050	650	2030	325	135
1981	3900	620	1950	310	129
1980	3750	600	1880	300	125
1979	3590	570	1800	285	119
1978	3460	550	1730	275	114
1977	3340	530	1670	265	110
1976	3220	520	1610	260	108
1975	3100	500	1550	250	104
1974	2980	480	1490	240	100
1973	2860	460	1430	230	96
1972					
1971					
1970					
1969					
1968					
1967					
1966					
1965					

NAME OF PREPARER <u>Everett F. Higgins</u>	PHONE # <u>(207) 289-2023</u>
DATE PREPARED <u>3-10-92</u>	

SHEET 3

LTPP TRAFFIC DATA PROCEDURES FOR ESTIMATING ANNUAL AVERAGE VOLUMES AND TOTAL ANNUAL ESALS

*STATE ASSIGNED ID [1004]

*STATE CODE [23]

*SHRP SECTION ID [1028]

1. Year Applicable 1973

2. METHOD FOR ESTIMATING AADT

- ☐ Factored a single count taken this year at the GPS site.
☐ Averaged multiple counts taken this year at the GPS site.
☐ Averaged and factored multiple counts taken this year at the GPS site.
☐ Growth factored last year's estimate.
☒ Estimated based on volume counts at nearby locations.
☐ Used flow maps.
☐ Used computerized network analyses.
☐ Other: _____

3. METHOD FOR ESTIMATING TRUCK VOLUMES OR PERCENTAGES

- ☐ Used a single count taken this year at the GPS site.
☐ Factored a single count taken this year at the GPS site.
☐ Averaged multiple counts taken this year at the GPS site.
☐ Used system averages from counts taken this year.
☒ Used count data from nearby sites.
☐ Used count data taken in earlier years at the GPS site.
☐ Used system averages taken in earlier years at the GPS site.
☐ Used computerized network analyses.
☐ Other: _____

4. METHOD FOR ESTIMATING AADT BY GPS LANE

- ☐ Based on actual lane count data.
☒ System distribution factors.
☐ Other: _____

5. METHOD FOR ESTIMATING TRUCK AADT IN GPS LANES

- ☐ Based on actual lane count data.
☒ System distribution factors.
☐ Other: _____

6. METHOD FOR ESTIMATING ESAL/VEHICLE

- ☐ ESAL/Truck.
☒ ESAL/Vehicle class. (no. of classes) 20
☐ Other: _____

7. ESAL ESTIMATES

(A) Source of Data

- ☐ Weight data collected at GPS site this year.
☐ Weight data collected at GPS site prior years.
☐ Weight data from system averages this year.
☒ Weight data from system averages prior years.
☐ Weight data from historic W-4 Tables used.
☐ Other: _____

(B) Weight Scale Type

- ☐ WIM scale.
☐ Static scale used for enforcement.
☒ Static scale not used for enforcement.
☐ Other: _____

NAME OF PREPARER Everett F. HigginsPHONE # (207) 289-2023DATE PREPARED 3-10-92

SHEET 3

LTPP TRAFFIC DATA PROCEDURES FOR ESTIMATING ANNUAL AVERAGE VOLUMES AND TOTAL ANNUAL ESALS

*STATE ASSIGNED ID [_ _ _ _]

*STATE CODE [23]

*SHRP SECTION ID [4028]

1. Year (s) Applicable 74-78, 80-83, 89

2. METHOD FOR ESTIMATING AADT

- ☐ Factored a single count taken this year at the GPS site.
- ☐ Averaged multiple counts taken this year at the GPS site.
- ☐ Averaged and factored multiple counts taken this year at the GPS site.
- ☒ Growth factored last year's estimate.
- ☐ Estimated based on volume counts at nearby locations.
- ☐ Used flow maps.
- ☐ Used computerized network analyses.
- ☐ Other: _____

3. METHOD FOR ESTIMATING TRUCK VOLUMES OR PERCENTAGES

- ☐ Used a single count taken this year at the GPS site.
- ☐ Factored a single count taken this year at the GPS site.
- ☐ Averaged multiple counts taken this year at the GPS site.
- ☐ Used system averages from counts taken this year.
- ☐ Used count data from nearby sites.
- ☐ Used count data taken in earlier years at the GPS site.
- ☒ Used system averages taken in earlier years at the GPS site.
- ☐ Used computerized network analyses.
- ☐ Other: _____

4. METHOD FOR ESTIMATING AADT BY GPS LANE

- ☐ Based on actual lane count data.
- ☒ System distribution factors.
- ☐ Other: _____

5. METHOD FOR ESTIMATING TRUCK AADT IN GPS LANES

- ☐ Based on actual lane count data.
- ☒ System distribution factors.
- ☐ Other: _____

6. METHOD FOR ESTIMATING ESAL/VEHICLE

- ☐ ESAL/Truck.
- ☒ ESAL/Vehicle class. (no. of classes) 20
- ☐ Other: _____

7. ESAL ESTIMATES

(A) Source of Data

- ☐ Weight data collected at GPS site this year.
- ☐ Weight data collected at GPS site prior years.
- ☐ Weight data from system averages this year.
- ☒ Weight data from system averages prior years.
- ☐ Weight data from historic W-4 Tables used.
- ☐ Other: _____

(B) Weight Scale Type

- ☐ WIM scale.
- ☐ Static scale used for enforcement.
- ☒ Static scale not used for enforcement.
- ☐ Other: _____

NAME OF PREPARER _____ PHONE # _____

DATE PREPARED _____

SHEET 3

LTPP TRAFFIC DATA PROCEDURES FOR ESTIMATING ANNUAL AVERAGE VOLUMES AND TOTAL ANNUAL ESALS

*STATE ASSIGNED ID [1004]

*STATE CODE [23]

*SHRP SECTION ID [1028]

1. Year Applicable 1979

2. METHOD FOR ESTIMATING AADT

- ☐ Factored a single count taken this year at the GPS site.
☐ Averaged multiple counts taken this year at the GPS site.
☐ Averaged and factored multiple counts taken this year at the GPS site.
☐ Growth factored last year's estimate.
☒ Estimated based on volume counts at nearby locations.
☐ Used flow maps.
☐ Used computerized network analyses.
☐ Other: _____

3. METHOD FOR ESTIMATING TRUCK VOLUMES OR PERCENTAGES

- ☐ Used a single count taken this year at the GPS site.
☐ Factored a single count taken this year at the GPS site.
☐ Averaged multiple counts taken this year at the GPS site.
☐ Used system averages from counts taken this year.
☒ Used count data from nearby sites.
☐ Used count data taken in earlier years at the GPS site.
☐ Used system averages taken in earlier years at the GPS site.
☐ Used computerized network analyses.
☐ Other: _____

4. METHOD FOR ESTIMATING AADT BY GPS LANE

- ☐ Based on actual lane count data.
☒ System distribution factors.
☐ Other: _____

5. METHOD FOR ESTIMATING TRUCK AADT IN GPS LANES

- ☐ Based on actual lane count data.
☒ System distribution factors.
☐ Other: _____

6. METHOD FOR ESTIMATING ESAL/VEHICLE

- ☐ ESAL/Truck.
☒ ESAL/Vehicle class. (no. of classes) 28
☐ Other: _____

7. ESAL ESTIMATES

(A) Source of Data

- ☐ Weight data collected at GPS site this year.
☐ Weight data collected at GPS site prior years.
☐ Weight data from system averages this year.
☒ Weight data from system averages prior years.
☐ Weight data from historic W-4 Tables used.
☐ Other: _____

(B) Weight Scale Type

- ☐ WIM scale.
☐ Static scale used for enforcement.
☒ Static scale not used for enforcement.
☐ Other: _____

NAME OF PREPARER Everett F. Higgins PHONE # (207) 289-2023
DATE PREPARED 3-10-92

SHEET 3

LTPP TRAFFIC DATA PROCEDURES FOR ESTIMATING ANNUAL AVERAGE VOLUMES AND TOTAL ANNUAL ESALS

*STATE ASSIGNED ID [1004]

*STATE CODE [23]

*SHRP SECTION ID [1028]

1. Year Applicable 1988

2. METHOD FOR ESTIMATING AADT

- ☐ Factored a single count taken this year at the GPS site.
- ☐ Averaged multiple counts taken this year at the GPS site.
- ☐ Averaged and factored multiple counts taken this year at the GPS site.
- ☒ Growth factored last year's estimate.
- ☒ Estimated based on volume counts at nearby locations.
- ☐ Used flow maps.
- ☐ Used computerized network analyses.
- ☐ Other: _____

3. METHOD FOR ESTIMATING TRUCK VOLUMES OR PERCENTAGES

- ☐ Used a single count taken this year at the GPS site.
- ☐ Factored a single count taken this year at the GPS site.
- ☐ Averaged multiple counts taken this year at the GPS site.
- ☐ Used system averages from counts taken this year.
- ☒ Used count data from nearby sites.
- ☐ Used count data taken in earlier years at the GPS site.
- ☐ Used system averages taken in earlier years at the GPS site.
- ☐ Used computerized network analyses.
- ☐ Other: _____

4. METHOD FOR ESTIMATING AADT BY GPS LANE

- ☐ Based on actual lane count data.
- ☒ System distribution factors.
- ☐ Other: _____

5. METHOD FOR ESTIMATING TRUCK AADT IN GPS LANES

- ☐ Based on actual lane count data.
- ☒ System distribution factors.
- ☐ Other: _____

6. METHOD FOR ESTIMATING ESAL/VEHICLE

- ☐ ESAL/Truck.
- ☒ ESAL/Vehicle class. (no. of classes) 20
- ☐ Other: _____

7. ESAL ESTIMATES

(A) Source of Data

- ☐ Weight data collected at GPS site this year.
- ☐ Weight data collected at GPS site prior years.
- ☐ Weight data from system averages this year.
- ☒ Weight data from system averages prior years.
- ☐ Weight data from historic W-4 Tables used.
- ☐ Other: _____

(B) Weight Scale Type

- ☐ WIM scale.
- ☐ Static scale used for enforcement.
- ☒ Static scale not used for enforcement.
- ☐ Other: _____

NAME OF PREPARER Everett F. Higgins PHONE # (207) 289-2023
DATE PREPARED 3-10-92

SHEET 4 LTPP TRAFFIC DATA TRAFFIC VOLUME COUNTS	*STATE ASSIGNED ID [1004]
	*STATE CODE [23]
	*SHRP SECTION ID [1028]

HIGHWAY ROUTE NO. (THIS COUNT) US 2

MILEPOST# OR LOCATION (THIS COUNT) 0.14 mi. S/O Andruscoggin R. Bridge

BEGINNING DATE Sept 17, 1973 ENDING DATE Sept. 19, 1973

BEGINNING TIME 1100 ENDING TIME 1000

COUNT DURATION 48 [☒] HOURS [] DAYS [] MONTHS

TYPE OF COUNTER Leupold-Stevens NAME/MODEL # PPR II

TYPE OF COUNT: TWO-WAY ☒ ONE DIRECTION ONLY ☐ GPS TEST LANE ONLY ☐

ITEM	ACTUAL COUNTS	UNITS
1. TOTAL NO. OF VEHICLES (RAW COUNT)		<u>5710</u> <u>2855</u>
2. ADJUSTMENT FACTORS (FILL IN AS APPLICABLE):		
A. ADJUSTMENT TO 24-HOUR COUNT		<u>.500</u>
B. AXLE CORRECTION FACTOR		<u>----</u>
C. DAY OF WEEK FACTOR		<u>----</u>
D. MONTH FACTOR		<u>----</u>
E. OTHER FACTOR (<u>Week of Month</u>)		<u>1.002</u>
3. ANNUAL AVERAGE DAILY TRAFFIC (AADT) (TWO-WAY)		<u>2860</u>
4. DIRECTIONAL DISTRIBUTION FACTOR		<u>.50</u>
5. GPS LANE DISTRIBUTION FACTOR		<u>---</u>
6. AADT GPS LANE		<u>1430</u>

NOTE: COMPLETE ONE SHEET FOR EACH COUNTING SESSION.

NAME OF PREPARER <u>Everett F. Higgins</u>	PHONE # <u>(207) 289-2023</u>
DATE PREPARED <u>3-10-92</u>	

SHEET 4 LTPP TRAFFIC DATA TRAFFIC VOLUME COUNTS	*STATE ASSIGNED ID [1004]
	*STATE CODE [23]
	*SHRP SECTION ID [1028]

HIGHWAY ROUTE NO. (THIS COUNT) 115 2

MILEPOST# OR LOCATION (THIS COUNT) 0.14 mi. S/O Androscoggin R. Bridge

BEGINNING DATE OCT. 23, 1979 ENDING DATE OCT. 24, 1979

BEGINNING TIME 7:00 000 ENDING TIME 0600 000

COUNT DURATION 24 ~~24~~ [☒] HOURS [] DAYS [] MONTHS

TYPE OF COUNTER Leupold - Stevens NAME/MODEL # PPR II

TYPE OF COUNT: TWO-WAY ☒ ONE DIRECTION ONLY ☐ GPS TEST LANE ONLY ☐

ITEM	ACTUAL COUNTS	UNITS
1. TOTAL NO. OF VEHICLES (RAW COUNT)		<u>3003</u>
2. ADJUSTMENT FACTORS (FILL IN AS APPLICABLE):		
A. ADJUSTMENT TO 24-HOUR COUNT		<u>-----</u>
B. AXLE CORRECTION FACTOR		<u>-----</u>
C. DAY OF WEEK FACTOR		<u>-----</u>
D. MONTH FACTOR		<u>-----</u>
E. OTHER FACTOR (<u>Week & Month</u>)		<u>1.196</u>
3. ANNUAL AVERAGE DAILY TRAFFIC (AADT) (TWO-WAY)		<u>3590</u>
4. DIRECTIONAL DISTRIBUTION FACTOR		<u>.50</u>
5. GPS LANE DISTRIBUTION FACTOR		<u>1</u>
6. AADT GPS LANE		<u>1800</u>

NOTE: COMPLETE ONE SHEET FOR EACH COUNTING SESSION.

NAME OF PREPARER <u>Everett F. Higgins</u>	PHONE # <u>(207) 289-2023</u>
DATE PREPARED <u>3-10-92</u>	

<p align="center">SHEET 4</p> <p align="center">LTPP TRAFFIC DATA</p> <p align="center">TRAFFIC VOLUME COUNTS</p>	*STATE ASSIGNED ID [1004]
	*STATE CODE [23]
	*SHRP SECTION ID [1028]

HIGHWAY ROUTE NO. (THIS COUNT) US 2

MILEPOST# OR LOCATION (THIS COUNT) 0.14 mi. S/O Andruscoggin R. Bridge

BEGINNING DATE May 25, 1988 ENDING DATE May 27, 1988

BEGINNING TIME 1100 ENDING TIME 1100

COUNT DURATION 48 ☒ HOURS ☐ DAYS ☐ MONTHS

TYPE OF COUNTER Streeter NAME/MODEL # 241

TYPE OF COUNT: TWO-WAY ☒ ONE DIRECTION ONLY ☐ GPS TEST LANE ONLY ☐

<u>ITEM</u>	<u>ACTUAL COUNTS</u>	<u>UNITS</u>
1. TOTAL NO. OF VEHICLES (RAW COUNT)		<u>10730</u>
2. ADJUSTMENT FACTORS (FILL IN AS APPLICABLE):		
A. ADJUSTMENT TO 24-HOUR COUNT		<u>.500</u>
B. AXLE CORRECTION FACTOR		<u>----</u>
C. DAY OF WEEK FACTOR		<u>----</u>
D. MONTH FACTOR		<u>----</u>
E. OTHER FACTOR (<u>Week of Month</u>)		<u>.989</u>
3. ANNUAL AVERAGE DAILY TRAFFIC (AADT) (TWO-WAY)		<u>5304</u>
4. DIRECTIONAL DISTRIBUTION FACTOR		<u>.50</u>
5. GPS LANE DISTRIBUTION FACTOR		<u>----</u>
6. AADT GPS LANE		<u>2650</u>

NOTE: COMPLETE ONE SHEET FOR EACH COUNTING SESSION.

NAME OF PREPARER <u>Everett F. Higgins</u>	PHONE # <u>(207) 289-2023</u>
DATE PREPARED <u>3-10-92</u>	