

SHEET 10 LTPP TRAFFIC DATA TRAFFIC VOLUME AND LOAD ESTIMATE UPDATE-NO SITE COUNT	<table style="width: 100%; border: none;"> <tr> <td style="width: 60%;">*STATE ASSIGNED ID</td> <td style="width: 40%; text-align: right;">[0658]</td> </tr> <tr> <td>*STATE CODE</td> <td style="text-align: right;">[29]</td> </tr> <tr> <td>*SHRP SECTION ID</td> <td style="text-align: right;">[0700]</td> </tr> </table>	*STATE ASSIGNED ID	[0658]	*STATE CODE	[29]	*SHRP SECTION ID	[0700]
*STATE ASSIGNED ID	[0658]						
*STATE CODE	[29]						
*SHRP SECTION ID	[0700]						

1. ANNUAL TRAFFIC ESTIMATES

*YEAR	ESTIMATED TOTAL VEHICLES AADT (TWO-WAY)	ESTIMATED TOTAL TRUCK AADT (TWO-WAY)	ESTIMATED TOTAL VEHICLES AADT LTPP LANE	*ESTIMATED TOTAL TRUCKS AADT LTPP LANE	*ESTIMATED ESAL'S/YR LTPP LANE (1000'S)
2009	19717	1540	7435	696	264

2. METHOD FOR ESTIMATING TOTAL VEHICLE AADT (TWO-WAY)

- ☒ Growth factored last year's estimate. (6)
- ☐ Estimated based on volume counts at nearby locations. (3)
- ☐ Used computerized network analyses. (4)
- ☐ Factored a single count taken this year at the LTPP site. (1)
- ☐ Averaged multiple counts taken this year at the LTPP site. (2)
- ☐ Averaged and factored multiple count taken this year at the LTPP site. (5)
- ☐ Used flow maps. (7)
- ☐ Other: (8)

3. METHOD FOR ESTIMATING TOTAL TRUCK AADT (TWO-WAY)

- ☐ Used system averages from counts taken this year. (6)
- ☐ Used count data from nearby sites. (3)
- ☒ Used count data from previous years at the LTPP site. (7)
- ☐ Used system averages from previous years. (8)
- ☐ Used computerized network analyses. (4)
- ☐ Used a single count taken this year at the LTPP site. (5)
- ☐ Factored a single count taken this year at the LTPP site. (1)
- ☐ Averaged multiple counts taken this year at the LTPP site. (2)
- ☐ Other: (9)

4. METHOD FOR ESTIMATING TOTAL VEHICLES LTPP LANE AADT

- ☒ System distribution factors. (2)
- ☒ Based on actual lane count data. (1)
- ☐ Other: (3)

*5. METHOD FOR ESTIMATING TOTAL TRUCKS, LTPP LANE, AADT

- ☐ System distribution factors. (2)
- ☒ Based on actual lane data count. (1)
- ☐ Other: (3)

*6. METHOD FOR ESTIMATING ESAL/YEAR IN LTPP LANE

- ☐ ESAL/Truck factor (1)
- ☒ ESAL/Vehicle class. (2) (No. of classes)
- ☐ ESAL/Axle(3) Sing. ____ Tand. ____ Tri.
- ☐ Other: (4)

7. ESAL ESTIMATES - SOURCE OF DATA

- ☐ Weight data collected at LTPP site prior years. (2)
- ☐ Weight data from system averages this year. (3)
- ☐ Weight data from system averages prior years. (4)
- ☐ Weight data from historic W-4 Tables used. (5)
- ☒ Other: (6) *not wim site*

8. WEIGHT SCALE TYPE

- ☐ WIM scale. (1)
- ☐ Static scale used for enforcement. (2)
- ☒ Static scale not used for enforcement. (3)
- ☐ Other: (4) *not wim site*

NAME OF PREPARER <u>MB Anthony</u> DATE PREPARED <u>06/01/10</u>	PHONE # <u>(573) 751-3700</u> <div style="text-align: right;">rev. March 12, 2001</div>
---	--

SHEET 12 LTPP TRAFFIC DATA CLASSIFICATION DATA TRANSMITTAL FORM	*STATE ASSIGNED ID	[0658]
	*STATE CODE	[29]
	*SHRP SECTION ID	[0700]

HIGHWAY RT. NO. (THIS COUNT) US 67

MILEPOST NO. OR LOCATION (THIS COUNT) 0.7 miles s/o RT J+

FILENAME _____ DISK ID _____

BEGINNING DATE 1/1/2009 BEGINNING TIME _____

ENDING DATE 12/31/2009 ENDING TIME _____

COUNT DURATION 12 [] HOURS [] DAYS ☒ MONTHS

VEHICLE CLASSIFICATION METHOD: FHWA _____ OTHER MO DOT

NAME OF AGENCY CLASSIFICATION SCHEME: F-13 Class NO. OF BINS 15

NOTE: IF NOT PREVIOUSLY PROVIDED TO SHRP/LTPP, PLEASE ATTACH SHEET 6 DESCRIBING THE VEHICLE CLASSIFICATION CATEGORIES AND ALSO ATTACH SHEET 7 DESCRIBING HOW THE AGENCY WOULD CONVERT ITS CLASSIFICATION SCHEME TO THE FHWA 13 BIN SYSTEM.

TYPE OF AVC EQUIPMENT: PORTABLE _____ PERMANENT ☒

EQUIPMENT MAKE/MODEL# Peek AOR 3000

SENSOR TYPE piezo cable loop

ADJUSTMENT FACTORS FOR ESTIMATING AVERAGE ANNUAL VOLUMES BY CLASSIFICATION:

GENERAL FACTORS: _____

CLASS SPECIFIC FACTORS (PROVIDE BY CLASS OF CLASS GROUPS)

COMMENTS _____

FILL OUT ONE TRANSMITTAL SHEET FOR EACH DATA SUBMITTAL.

NAME OF PREPARER <u>MS Anthony</u>	PHONE <u>(573) 751-3702</u>
DATE PREPARED <u>06/01/10</u>	revised November 11, 1999

SHEET 13 LTPP TRAFFIC DATA VEHICLE WEIGHT DATA TRANSMITTAL FORM	*STATE ASSIGNED ID	[0658]
	*STATE CODE	[29]
	*SHRP SECTION ID	[0700]

HIGHWAY RT. NO. (THIS SESSION) US 67
MILEPOST NO. OR LOCATION (THIS SESSION) 0.7 miles s/o RT JT

FILENAME _____ DISK ID _____

BEGINNING DATE 1/1/2009 BEGINNING TIME _____

ENDING DATE 12/31/2009 ENDING TIME _____

COUNT DURATION 12 [] HOURS [] DAYS [] MONTHS

WEIGHT SCALE TYPE: PORT. WIM ☒ PERM. WIM _____ OTHER _____

EQUIPMENT MAKE/MODEL# Peek ADR 3000

SENSOR TYPE _____
VEHICLE CLASSIFICATION METHOD: pierzo cable, loop

7-card FHWA 13 bin in cols. 18-19 _____ 7-card FHWA 13 bin in cols. 22-23 _____
7-card 6 digit Truck Weight study _____ W-card ☒ OTHER _____

NAME OF AGENCY CLASSIFICATION SCHEME: F NO. OF BINS 13

NOTE: IF NOT PREVIOUSLY PROVIDED TO SHRP/LTPP, PLEASE ATTACH SHEET 6 DESCRIBING THE VEHICLE CLASSIFICATION CATEGORIES AND ALSO ATTACH SHEET 7 DESCRIBING HOW THE AGENCY WOULD CONVERT ITS CLASSIFICATION SCHEME TO THE FHWA 13 CLASS SYSTEM.

METHOD OF CALIBRATION AND FREQUENCY: Test Truck Only
performed annually or as needed
COMMENTS _____

FILL OUT ONE TRANSMITTAL SHEET FOR EACH DATA SUBMITTAL.

NAME OF PREPARER <u>MB Anthony</u>	PHONE <u>(573) 751-3702</u>
DATE PREPARED <u>06/01/10</u>	revised February 21, 2000

ENTERED MAY 26 2000 W

SHEET 16 LTPP MONITORED TRAFFIC DATA SITE CALIBRATION SUMMARY	*STATE ASSIGNED ID (0658) *STATE CODE (29) *SHRP SECTION ID (0.700)
---	---

both

SITE CALIBRATION INFORMATION

1. * DATE OF CALIBRATION (MONTH/DAY/YEAR) (01/21/2009)
2. * TYPE OF EQUIPMENT CALIBRATED ___ WIM ☒ CLASSIFIER ___ BOTH
3. * REASON FOR CALIBRATION
☒ REGULARLY SCHEDULED SITE VISIT ___ RESEARCH
___ EQUIPMENT REPLACEMENT ___ TRAINING
___ DATA TRIGGERED SYSTEM REVISION ___ NEW EQUIPMENT INSTALLATION
___ OTHER (SPECIFY) _____
4. * SENSORS INSTALLED IN LTPP LANE AT THIS SITE (CHECK ALL THAT APPLY):
☒ BARE ROUND PIEZO CERAMIC ___ BARE FLAT PIEZO ___ BENDING PLATES
___ CHANNELIZED ROUND PIEZO ___ LOAD CELLS ___ QUARTZ PIEZO
___ CHANNELIZED FLAT PIEZO ☒ INDUCTIVE COILS ___ CAPACITIVE PAIRS
___ OTHER (SPECIFY) _____
5. EQUIPMENT MAKE/MODEL/PRIOR PEEC ADR 3000

WEI SYSTEM CALIBRATION SPECIFICS**

6. ** CALIBRATION TECHNIQUE USED:
___ TRAFFIC STREAM ___ STATIC SCALE (Y/N) ___ TEST TRUCKS
___ NUMBER OF TRUCKS COMPALED ___ NUMBER OF TEST TRUCKS USED
___ PASSES PER TRUCK
TRUCK TYPE SUSPENSION
TYPE PER FHWA 15 BIN SYSTEM 1
SUSPENSION 1 - AIR; 2 - LEAF SPRING 2
___ OTHER (SPECIFY) _____
7. SUMMARY CALIBRATION RESULTS (EXPRESSED AS A PERCENT)
MEAN DIFFERENCE BETWEEN ___
DYNAMIC AND STATIC GVW ___ STANDARD DEVIATION ___
DYNAMIC AND STATIC SINGLE AXLES ___ STANDARD DEVIATION ___
DYNAMIC AND STATIC DOUBLE AXLES ___ STANDARD DEVIATION ___
8. ___ NUMBER OF SPEEDS AT WHICH CALIBRATION WAS PERFORMED
9. DEFINE THE SPEED RANGES USED (MPH) 60-65
10. CALIBRATION FACTOR (AT EXPECTED FREE FLOW SPEED) _____
11. ** IS AUTO-CALIBRATION USED AT THIS SITE? (Y/N) ___
IF YES, LIST AND DEFINE AUTO-CALIBRATION VALUE: _____

CLASSIFIER TEST SPECIFICS**

12. ** METHOD FOR COLLECTING INDEPENDENT VOLUME MEASUREMENT BY VEHICLE CLASS:
___ VIDEO ☒ MANUAL ___ PARALLEL CLASSIFIERS
13. METHOD TO DETERMINE LENGTH OF COUNT ___ TIME ☒ NUMBER OF TRUCKS 39
14. MEAN DIFFERENCE IN VOLUMES BY VEHICLES CLASSIFICATION:
*** FHWA CLASS 9 0 FHWA CLASS ___
*** FHWA CLASS 8 0 FHWA CLASS ___
FHWA CLASS' ___
FHWA CLASS ___
*** PERCENT "UNCLASSIFIED" VEHICLES: 0

PERSON LEADING CALIBRATION EFFORT: <u>Wesley Focher</u>
CONTACT INFORMATION: <u>573 751 2842</u>

rev. November 9, 1999

SHEET 16
LTPP MONITORED TRAFFIC DATA
SITE CALIBRATION SUMMARY

*STATE ASSIGNED ID [0658]
*STATE CODE [29]
*SHRP SECTION ID [0700]

both

SITE CALIBRATION INFORMATION

1. * DATE OF CALIBRATION (MONTH/DAY/YEAR) [___/___/___]
2. * TYPE OF EQUIPMENT CALIBRATED ___ WIM ~~CLASSIFIER~~ ___ BOTH count only
3. * REASON FOR CALIBRATION
☒ REGULARLY SCHEDULED SITE VISIT
☐ EQUIPMENT REPLACEMENT
☐ DATA TRIGGERED SYSTEM REVISION
☐ OTHER (SPECIFY) _____
4. * SENSORS INSTALLED IN LTPP LANE AT THIS SITE (CHECK ALL THAT APPLY):
☒ BARE ROUND PIEZO CERAMIC
☐ CHANNELIZED ROUND PIEZO
☐ CHANNELIZED FLAT PIEZO
☐ OTHER (SPECIFY) _____
5. EQUIPMENT MANUFACTURER PEEK

WIM SYSTEM CALIBRATION SPECIFICS**

- 6.** CALIBRATION TECHNIQUE USED:
___ TRAFFIC STREAM -- ___ STATIC SCALE (Y/N) ___ TEST TRUCKS
___ NUMBER OF TRUCKS COMPARED ___ NUMBER OF TEST TRUCKS USED
___ PASSES PER TRUCK
- | TRUCK | TYPE | SUSPENSION |
|-------|------|------------|
| 1 | ___ | ___ |
| 2 | ___ | ___ |
| 3 | ___ | ___ |
- TYPE PER FHWA 13 BIN SYSTEM
SUSPENSION: 1 - AIR; 2 - LEAF SPRING
3 - OTHER (DESCRIBE)
7. SUMMARY CALIBRATION RESULTS (EXPRESSED AS A PERCENT)
MEAN DIFFERENCE BETWEEN ---
DYNAMIC AND STATIC GVW
DYNAMIC AND STATIC SINGLE AXLES
DYNAMIC AND STATIC DOUBLE AXLES
8. ___ NUMBER OF SPEEDS AT WHICH CALIBRATION WAS PERFORMED
9. DEFINE THE SPEED RANGES USED (MPH) 60 65
10. CALIBRATION FACTOR (AT EXPECTED FREE FLOW SPEED) ___
- 11.** IS AUTO-CALIBRATION USED AT THIS SITE? (Y/N) ___
IF YES, LIST AND DEFINE AUTO-CALIBRATION VALUE: _____

CLASSIFIER TEST SPECIFICS***

- 12.*** METHOD FOR COLLECTING INDEPENDENT VOLUME MEASUREMENT BY VEHICLE CLASS:
___ VIDEO ☒ MANUAL ~~PARALLEL CLASSIFIERS~~

13. METHOD TO DETERMINE LENGTH OF COUNT ____ TIME ____ NUMBER OF TRUCKS

14. MEAN DIFFERENCE IN VOLUMES BY VEHICLES CLASSIFICATION:

*** FHWA CLASS 9 ____

FHWA CLASS ____

*** FHWA CLASS 8 ____

FHWA CLASS ____

FHWA CLASS ____

FHWA CLASS ____

*** PERCENT "UNCLASSIFIED" VEHICLES: ____ . ____

PERSON LEADING CALIBRATION EFFORT:

CONTACT INFORMATION: _____

rev. November 9, 1999