

<b>SHEET 10</b> <b>LTPP TRAFFIC DATA</b>  <b>TRAFFIC VOLUME AND LOAD</b> <b>ESTIMATE UPDATE-NO SITE COUNT</b>	*STATE ASSIGNED ID <span style="float: right;">[05 00]</span> *STATE CODE <span style="float: right;">[09]</span> *SHRP SECTION ID <span style="float: right;">[5473]</span>
---	--

wb

### 1. ANNUAL TRAFFIC ESTIMATES

*YEAR	ESTIMATED TOTAL VEHICLES AADT (TWO-WAY)	ESTIMATED TOTAL TRUCK AADT (TWO-WAY)	ESTIMATED TOTAL VEHICLES AADT LTPP LANE	*ESTIMATED TOTAL TRUCKS AADT LTPP LANE	*ESTIMATED ESAL=S/YR LTPP LANE (1000'S)
2006	32914	<del>4557</del> 9084	10171	<del>3072</del> 3692	<del>1509</del> 2183

### 2. METHOD FOR ESTIMATING TOTAL VEHICLE AADT (TWO-WAY)

- ☒ Growth factored last year=s estimate. (6)
- ☐ Estimated based on volume counts at nearby locations. (3)
- ☐ Used computerized network analyses. (4)
- ☐ Factored a single count taken this year at the LTPP site. (1)
- ☐ Average multiple counts taken this year at the LTPP site. (2)
- ☐ Average and factored multiple count taken this year at the LTPP site. (5)
- ☐ Used flow maps. (7)
- ☐ Other: (8)

### 3. METHOD FOR ESTIMATING TOTAL TRUCK AADT (TWO-WAY)

- ☐ Used system averages from counts taken this year. (6)
- ☐ Used count data from nearby sites. (3)
- ☐ Used count data from previous years at the LTPP site. (7)
- ☒ Used system averages from previous years. (8)
- ☐ Used computerized network analyses. (4)
- ☐ Used a single count taken this year at the LTPP site. (5)
- ☐ Factored a single count taken this year at the LTPP site. (1)
- ☐ Averaged multiple counts taken this year at the LTPP site. (2)

Other: (9)

### 4. METHOD FOR ESTIMATING TOTAL VEHICLES LTPP LANE AADT

- ☐ System distribution factors. (2)
- ☒ Based on actual lane count data. (1) *from previous year*
- ☐ Other: (3)

### \*5. METHOD FOR ESTIMATING TOTAL TRUCKS, LTPP LANE, AADT

- ☐ System distribution factors. (2)
- ☒ Based on actual lane data count. (1) *from previous year*
- ☐ Other: (3)

### \*6. METHOD FOR ESTIMATING ESAL/YEAR IN LTPP LANE

- ☐ ESAL/Truck factor (1)
- ☒ ESAL/Vehicle class. (2) (No. of classes)
- ☐ ESAL/Axle(3) Sing. Tand. Tri.
- ☐ Other: (4)

### 7. ESAL ESTIMATES - SOURCE OF DATA

- ☒ Weight data collected at LTPP site prior years. (2)
- ☐ Weight data from system averages this year. (3)
- ☐ Weight data from system averages prior years. (4)
- ☐ Weight data from historic W-4 Tables used. (5)
- ☐ Other: (6)

### 8. WEIGHT SCALE TYPE

- ☒ WIM scale. (1)
- ☐ Static scale used for enforcement. (2)
- ☐ Static scale not used for enforcement. (3)
- ☐ Other: (4)

ENTERED

JUL 04 2007

ENTERED APR 08 2009

NAME OF PREPARER Darla Fischer  
 DATE PREPARED 1/30/2007

PHONE# 573 7751 2842

rev. March 12, 2001

**SHEET 10  
LTPP TRAFFIC DATA**

**TRAFFIC VOLUME AND LOAD  
ESTIMATE UPDATE-NO SITE COUNT**

\*STATE ASSIGNED ID [05 00] *wb*  
 \*STATE CODE [29]  
 \*SHRP SECTION ID [5473]

**1. ANNUAL TRAFFIC ESTIMATES**

*YEAR	ESTIMATED TOTAL VEHICLES AADT (TWO-WAY)	ESTIMATED TOTAL TRUCK AADT (TWO-WAY)	ESTIMATED TOTAL VEHICLES AADT LTPP LANE	*ESTIMATED TOTAL TRUCKS AADT LTPP LANE	*ESTIMATED ESAL=S/YR LTPP LANE (1000'S)
<u>2006</u>	<u>32914</u>	<u>6557</u>	<u>10171</u>	<u>3072</u>	<u>1 5 6 9</u>

**2. METHOD FOR ESTIMATING TOTAL VEHICLE  
AADT (TWO-WAY)**

- ☒ Growth factored last year=s estimate. (6)  
☐ Estimated based on volume counts at nearby locations. (3)  
☐ Used computerized network analyses. (4)  
☐ Factored a single count taken this year at the LTPP site. (1)  
☐ Average multiple counts taken this year at the LTPP site. (2)  
☐ Average and factored multiple count taken this year at the LTPP site. (5)  
☐ Used flow maps. (7)  
☐ Other: (8) \_\_\_\_\_

**3. METHOD FOR ESTIMATING TOTAL TRUCK  
AADT (TWO-WAY)**

- ☐ Used system averages from counts taken this year. (6)  
☐ Used count data from nearby sites. (3)  
☐ Used count data from previous years at the LTPP site. (7)  
☒ Used system averages from previous years. (8)  
☐ Used computerized network analyses. (4)  
☐ Used a single count taken this year at the LTPP site. (5)  
☐ Factored a single count taken this year at the LTPP site. (1)  
☐ Averaged multiple counts taken this year at the LTPP site. (2)

ENTERED *[initials]*

JUL 04 2007

Other: (9) \_\_\_\_\_

**4. METHOD FOR ESTIMATING TOTAL VEHICLES  
LTPP LANE AADT**

- ☐ System distribution factors. (2)  
☒ Based on actual lane count data. (1) *from previous year*  
☐ Other: (3) \_\_\_\_\_

**\*5. METHOD FOR ESTIMATING TOTAL TRUCKS,  
LTPP LANE, AADT**

- ☐ System distribution factors. (2)  
☒ Based on actual lane data count. (1) *from previous year*  
☐ Other: (3) \_\_\_\_\_

**\*6. METHOD FOR ESTIMATING ESAL/YEAR  
IN LTPP LANE**

- ☐ ESAL/Truck factor (1)  
☒ ESAL/Vehicle class. (2) (No. of classes)  
☐ ESAL/Axle(3) Sing. \_\_\_\_\_ Tand. \_\_\_\_\_ Tri. \_\_\_\_\_  
☐ Other: (4) \_\_\_\_\_

**7. ESAL ESTIMATES - SOURCE OF DATA**

- ☒ Weight data collected at LTPP site prior years. (2)  
☐ Weight data from system averages this year. (3)  
☐ Weight data from system averages prior years. (4)  
☐ Weight data from historic W-4 Tables used. (5)  
☐ Other: (6) \_\_\_\_\_

**8. WEIGHT SCALE TYPE**

- ☒ WIM scale. (1)  
☐ Static scale used for enforcement. (2)  
☐ Static scale not used for enforcement. (3)  
☐ Other: (4) \_\_\_\_\_

NAME OF PREPARER Darla Fischer  
 DATE PREPARED 1/30/2007

PHONE# 573/751 2842

rev. March 12, 2001

**SHEET 10  
LTPP TRAFFIC DATA**

**TRAFFIC VOLUME AND LOAD  
ESTIMATE UPDATE-NO SITE COUNT**

\*STATE ASSIGNED ID 0500 *wb*  
 \*STATE CODE 29  
 \*SHRP SECTION ID E473

**1. ANNUAL TRAFFIC ESTIMATES**

*YEAR	ESTIMATED TOTAL VEHICLES AADT (TWO-WAY)	ESTIMATED TOTAL TRUCK AADT (TWO-WAY)	ESTIMATED TOTAL VEHICLES AADT LTPP LANE	*ESTIMATED TOTAL TRUCKS AADT LTPP LANE	*ESTIMATED ESAL=S/YR LTPP LANE (1000'S)
<u>2006</u>	<u>32914</u>	<u>6557</u>	<u>10171</u>	<u>3072</u>	<u>          </u>

**2. METHOD FOR ESTIMATING TOTAL VEHICLE  
AADT (TWO-WAY)**

- ☒ Growth factored last year=s estimate. (6)  
☐ Estimated based on volume counts at nearby locations. (3)  
☐ Used computerized network analyses. (4)  
☐ Factored a single count taken this year at the LTPP site. (1)  
☐ Average multiple counts taken this year at the LTPP site. (2)  
☐ Average and factored multiple count taken this year at the LTPP site. (5)  
☐ Used flow maps. (7)  
☐ Other: (8) \_\_\_\_\_

**3. METHOD FOR ESTIMATING TOTAL TRUCK  
AADT (TWO-WAY)**

- ☐ Used system averages from counts taken this year. (6)  
☐ Used count data from nearby sites. (3)  
☐ Used count data from previous years at the LTPP site. (7)  
☒ Used system averages from previous years. (8)  
☐ Used computerized network analyses. (4)  
☐ Used a single count taken this year at the LTPP site. (5)  
☐ Factored a single count taken this year at the LTPP site. (1)  
☐ Averaged multiple counts taken this year at the LTPP site. (2)

Other: (9) \_\_\_\_\_

**4. METHOD FOR ESTIMATING TOTAL VEHICLES  
LTPP LANE AADT**

- ☐ System distribution factors. (2)  
☒ Based on actual lane count data. (1) *from previous year*  
☐ Other: (3) \_\_\_\_\_

**\*5. METHOD FOR ESTIMATING TOTAL TRUCKS,  
LTPP LANE, AADT**

- ☐ System distribution factors. (2)  
☒ Based on actual lane data count. (1) *from previous year*  
☐ Other: (3) \_\_\_\_\_

**\*6. METHOD FOR ESTIMATING ESAL//YEAR  
IN LTPP LANE**

- ☐ ESAL/Truck factor (1)  
☒ ESAL/Vehicle class. (2) (No. of classes)  
☐ ESAL/Axle(3) Sing. \_\_\_\_\_ Tand. \_\_\_\_\_ Tri. \_\_\_\_\_  
☐ Other:(4) \_\_\_\_\_

**7. ESAL ESTIMATES - SOURCE OF DATA**

- ☒ Weight data collected at LTPP site prior years. (2)  
☐ Weight data from system averages this year. (3)  
☐ Weight data from system averages prior years. (4)  
☐ Weight data from historic W-4 Tables used. (5)  
☐ Other: (6) \_\_\_\_\_

**8. WEIGHT SCALE TYPE**

- ☒ WIM scale. (1)  
☐ Static scale used for enforcement. (2)  
☐ Static scale not used for enforcement. (3)  
☐ Other: (4) \_\_\_\_\_

NAME OF PREPARER Doula Fischer  
 DATE PREPARED 1/30/2007

PHONE# 573/151-2842

rev. March 12, 2001

<b>SHEET 12</b> <b>LTPP TRAFFIC DATA</b>  <b>CLASSIFICATION DATA</b> <b>TRANSMITTAL FORM</b>	*STATE ASSIGNED ID	[0500]
	*STATE CODE	[29]
	*SHRP SECTION ID	[5473]

HIGHWAY RT. NO. (THIS COUNT) IS 70

MILEPOST NO. OR LOCATION (THIS COUNT) 2.2 (0.5 miles elo mo 87)

FILENAME mo DOT-LTPP 0810 DISK ID \_\_\_\_\_

BEGINNING DATE 1/1/106 BEGINNING TIME \_\_\_\_\_

ENDING DATE 12/31/106 ENDING TIME \_\_\_\_\_

COUNT DURATION 12 [ ] HOURS [ ] DAYS ☒ MONTHS

VEHICLE CLASSIFICATION METHOD: FHWA X OTHER \_\_\_\_\_

NAME OF AGENCY CLASSIFICATION SCHEME: F13 class NO. OF BINS 15

NOTE: IF NOT PREVIOUSLY PROVIDED TO SHRP/LTPP, PLEASE ATTACH SHEET 6 DESCRIBING THE VEHICLE CLASSIFICATION CATEGORIES AND ALSO ATTACH SHEET 7 DESCRIBING HOW THE AGENCY WOULD CONVERT ITS CLASSIFICATION SCHEME TO THE FHWA 13 BIN SYSTEM.

TYPE OF AVC EQUIPMENT: PORTABLE \_\_\_\_\_ PERMANENT X

EQUIPMENT MAKE/MODEL# IRD 1067

SENSOR TYPE piezo cable - loops

ADJUSTMENT FACTORS FOR ESTIMATING AVERAGE ANNUAL VOLUMES BY CLASSIFICATION:

GENERAL FACTORS: \_\_\_\_\_

CLASS SPECIFIC FACTORS (PROVIDE BY CLASS OF CLASS GROUPS) \_\_\_\_\_

COMMENTS \_\_\_\_\_

FILL OUT ONE TRANSMITTAL SHEET FOR EACH DATA FILE SUBMITTED.

NAME OF PREPARER <u>Dan/a Fischer</u>	PHONE <u>513 751 0842</u>
DATE PREPARED <u>1/19/07</u>	revised November 11, 1999

<b>SHEET 13</b> <b>LTPP TRAFFIC DATA</b>  <b>VEHICLE WEIGHT DATA</b> <b>TRANSMITTAL FORM</b>	*STATE ASSIGNED ID	[0500]
	*STATE CODE	[29]
	*SHRP SECTION ID	[5473]

HIGHWAY RT. NO. (THIS SESSION) 15 70

MILEPOST NO. OR LOCATION (THIS SESSION) 2.2 (0.5 miles e/o mo 87)

FILENAME mo DOT - LTPP 086 DISK ID \_\_\_\_\_

BEGINNING DATE 1/1/00 BEGINNING TIME \_\_\_\_\_

ENDING DATE 12/31/00 ENDING TIME \_\_\_\_\_

COUNT DURATION 12 [ ] HOURS [ ] DAYS [☒] MONTHS

WEIGHT SCALE TYPE: PORT. WIM \_\_\_\_\_ PERM. WIM ☒ OTHER \_\_\_\_\_

EQUIPMENT MAKE/MODEL# IRD 1067

SENSOR TYPE piezo cable - loops

VEHICLE CLASSIFICATION METHOD:

7-card FHWA 13 bin in cols. 18-19 \_\_\_\_\_ 7-card FHWA 13 bin in cols. 22-23 \_\_\_\_\_

7-card 6 digit Truck Weight study \_\_\_\_\_ W-card ☒ OTHER \_\_\_\_\_

NAME OF AGENCY CLASSIFICATION SCHEME: F NO. OF BINS 13

NOTE: IF NOT PREVIOUSLY PROVIDED TO SHRP/LTPP, PLEASE ATTACH SHEET 6 DESCRIBING THE VEHICLE CLASSIFICATION CATEGORIES AND ALSO ATTACH SHEET 7 DESCRIBING HOW THE AGENCY WOULD CONVERT ITS CLASSIFICATION SCHEME TO THE FHWA 13 CLASS SYSTEM.

METHOD OF CALIBRATION AND FREQUENCY: Test Truck only  
performed annually or as needed.

COMMENTS \_\_\_\_\_

\_\_\_\_\_

\_\_\_\_\_

FILL OUT ONE TRANSMITTAL SHEET FOR EACH DATA FILE SUBMITTED.

NAME OF PREPARER <u>Darla Fischer</u>	PHONE <u>513 751 0842</u>
DATE PREPARED <u>1/22/01</u>	revised February 21, 2000

<p align="center"><b>SHEET 16</b>  <b>LTPP MONITORED TRAFFIC DATA</b>  <b>SITE CALIBRATION SUMMARY</b></p>	*STATE ASSIGNED ID	[0500]
	*STATE CODE	[29]
	*SHRP SECTION ID	[5473]

WB

SITE CALIBRATION INFORMATION

- \* DATE OF CALIBRATION (MONTH/DAY/YEAR) [12/27/2006]
- \* TYPE OF EQUIPMENT CALIBRATED ☐ WIM ☐ CLASSIFIER ☒ BOTH
- \* REASON FOR CALIBRATION  
☒ REGULARLY SCHEDULED SITE VISIT ☐ RESEARCH  
☐ EQUIPMENT REPLACEMENT ☐ TRAINING  
☐ DATA TRIGGERED SYSTEM REVISION ☐ NEW EQUIPMENT INSTALLATION  
☐ OTHER (SPECIFY) \_\_\_\_\_
- \* SENSORS INSTALLED IN LTPP LANE AT THIS SITE (CHECK ALL THAT APPLY):  
☒ BARE ROUND PIEZO CERAMIC ☐ BARE FLAT PIEZO ☐ BENDING PLATES  
☐ CHANNELIZED ROUND PIEZO ☐ LOAD CELLS ☐ QUARTZ PIEZO  
☐ CHANNELIZED FLAT PIEZO ☒ INDUCTANCE LOOPS ☐ CAPACITANCE PADS  
☐ OTHER (SPECIFY) \_\_\_\_\_
- EQUIPMENT MANUFACTURER IRD 1067

*Entered  
Mar 29/07  
RW*

WIM SYSTEM CALIBRATION SPECIFICS\*\*

- \*\*CALIBRATION TECHNIQUE USED:  
☐ TRAFFIC STREAM -- ☐ STATIC SCALE (Y/N) ☒ TEST TRUCKS  
☐ NUMBER OF TRUCKS COMPARED 10 NUMBER OF TEST TRUCKS USED  
☐ PASSES PER TRUCK  

TYPE PER FHWA 13 BIN SYSTEM	1	<u>9</u>	<u>2</u>
SUSPENSION: 1 - AIR; 2 - LEAF SPRING	2		
3 - OTHER (DESCRIBE)	3		
- SUMMARY CALIBRATION RESULTS (EXPRESSED AS A PERCENT)  
 MEAN DIFFERENCE BETWEEN --  
 DYNAMIC AND STATIC GVW 1.01 STANDARD DEVIATION \_\_\_\_\_  
 DYNAMIC AND STATIC SINGLE AXLES \_\_\_\_\_ STANDARD DEVIATION \_\_\_\_\_  
 DYNAMIC AND STATIC DOUBLE AXLES \_\_\_\_\_ STANDARD DEVIATION \_\_\_\_\_
- NUMBER OF SPEEDS AT WHICH CALIBRATION WAS PERFORMED \_\_\_\_\_
- DEFINE THE SPEED RANGES USED (MPH) 60-65
- CALIBRATION FACTOR (AT EXPECTED FREE FLOW SPEED) .71 *Lead*  
.80 *trail*
- \*\* IS AUTO-CALIBRATION USED AT THIS SITE? (Y/N) \_\_\_\_\_  
 IF YES, LIST AND DEFINE AUTO-CALIBRATION VALUE: \_\_\_\_\_

CLASSIFIER TEST SPECIFICS\*\*\*

- \*\*\* METHOD FOR COLLECTING INDEPENDENT VOLUME MEASUREMENT BY VEHICLE CLASS:  
☐ VIDEO ☒ MANUAL ☐ PARALLEL CLASSIFIERS
- METHOD TO DETERMINE LENGTH OF COUNT ☐ TIME ☐ NUMBER OF TRUCKS
- MEAN DIFFERENCE IN VOLUMES BY VEHICLES CLASSIFICATION:  
 \*\*\* FHWA CLASS 9 \_\_\_\_\_ FHWA CLASS \_\_\_\_\_  
 \*\*\* FHWA CLASS 8 \_\_\_\_\_ FHWA CLASS \_\_\_\_\_  
 \_\_\_\_\_ FHWA CLASS \_\_\_\_\_  
 \_\_\_\_\_ FHWA CLASS \_\_\_\_\_
- \*\*\* PERCENT "UNCLASSIFIED" VEHICLES: \_\_\_\_\_

PERSON LEADING CALIBRATION EFFORT: John Egan  
 CONTACT INFORMATION: \_\_\_\_\_ rev. November 9, 1999