

SHEET 10 LTPP TRAFFIC DATA TRAFFIC VOLUME AND LOAD ESTIMATE UPDATE-NO SITE COUNT	*STATE ASSIGNED ID [_ _ _ _] *STATE CODE [_31_] *SHRP SECTION ID [_3028_]
---	--

1. ANNUAL TRAFFIC ESTIMATES

*YEAR	ESTIMATED TOTAL VEHICLES AADT (TWO-WAY)	ESTIMATED TOTAL TRUCK AADT (TWO-WAY)	ESTIMATED TOTAL VEHICLES AADT LTPP LANE	*ESTIMATED TOTAL TRUCKS AADT LTPP LANE	*ESTIMATED ESAL=S/YR LTPP LANE (1000'S)
1997	10892	917	5446	459	251

2. METHOD FOR ESTIMATING TOTAL VEHICLE AADT (TWO-WAY)

- ☒ Growth factored last year=s estimate. (6)
☐ Estimated based on volume counts at nearby locations. (3)
☐ Used computerized network analyses. (4)
☐ Factored a single count taken this year at the LTPP site. (1)
☐ Average multiple counts taken this year at the LTPP site. (2)
☐ Average and factored multiple count taken this year at the LTPP site. (5)
☐ Used flow maps. (7)
☐ Other: (8) _____

3. METHOD FOR ESTIMATING TOTAL TRUCK AADT (TWO-WAY)

- ☐ Used system averages from counts taken this year. (6)
☐ Used count data from nearby sites. (3)
☐ Used count data from previous years at the LTPP site. (7)
☒ Used system averages from previous years. (8)
☐ Used computerized network analyses. (4)
☐ Used a single count taken this year at the LTPP site. (5)
☐ Factored a single count taken this year at the LTPP site. (1)
☐ Averaged multiple counts taken this year at the LTPP site. (2)
☐ Other: (9) _____

4. METHOD FOR ESTIMATING TOTAL VEHICLES LTPP LANE AADT

- ☐ System distribution factors. (2)
☐ Based on actual lane count data. (1)
☒ Other: (3) __ Growth Factor _____

***5. METHOD FOR ESTIMATING TOTAL TRUCKS, LTPP LANE, AADT**

- ☐ System distribution factors. (2)
☐ Based on actual lane data count. (1)
☒ Other: (3) __ Growth Factor _____

***6. METHOD FOR ESTIMATING ESAL/YEAR IN LTPP LANE**

- ☒ ESAL/Truck factor (1)
☐ ESAL/Vehicle class. (2) (No. of classes)
☐ ESAL/Axle(3) Sing. ____ Tand. ____ Tri. ____
☐ Other: (4) _____

7. ESAL ESTIMATES - SOURCE OF DATA

- ☐ Weight data collected at LTPP site prior years. (2)
☐ Weight data from system averages this year. (3)
☒ Weight data from system averages prior years. (4)
☐ Weight data from historic W-4 Tables used. (5)
☐ Other: (6) _____

8. WEIGHT SCALE TYPE

- ☐ WIM scale. (1)
☐ Static scale used for enforcement. (2)
☒ Static scale not used for enforcement. (3)
☐ Other: (4) _____

NAME OF PREPARER <u>Nancy Whiteford</u>	PHONE# _____	
DATE PREPARED <u>June 2009</u>	rev. March 12, 2001	

SHEET 10
LTPP TRAFFIC DATA

TRAFFIC VOLUME AND LOAD
ESTIMATE UPDATE-NO SITE COUNT

*STATE ASSIGNED ID

[]

*STATE CODE

31

*SHRP SECTION ID

3028

1. ANNUAL TRAFFIC ESTIMATES

*YEAR	ESTIMATED TOTAL VEHICLES AADT (TWO-WAY)	ESTIMATED TOTAL TRUCK AADT (TWO-WAY)	ESTIMATED TOTAL VEHICLES AADT LTPP LANE	*ESTIMATED TOTAL TRUCKS AADT LTPP LANE	*ESTIMATED ESAL=S/YR LTPP LANE (1000'S)
-------	--	---	--	---	--

See Attached Table

2. METHOD FOR ESTIMATING TOTAL VEHICLE
AADT (TWO-WAY)

- ☒ Growth factored last year=s estimate. (6)
☐ Estimated based on volume counts at nearby locations. (3)
☐ Used computerized network analyses. (4)
☐ Factored a single count taken this year at the LTPP site. (1)
☐ Average multiple counts taken this year at the LTPP site. (2)
☐ Average and factored multiple count taken this year at the LTPP site. (5)
☐ Used flow maps. (7)
☐ Other: (8)

3. METHOD FOR ESTIMATING TOTAL TRUCK
AADT (TWO-WAY)

- ☐ Used system averages from counts taken this year. (6)
☐ Used count data from nearby sites. (3)
☐ Used count data from previous years at the LTPP site. (7)
☒ Used system averages from previous years. (8)
☐ Used computerized network analyses. (4)
☐ Used a single count taken this year at the LTPP site. (5)
☐ Factored a single count taken this year at the LTPP site. (1)
☐ Averaged multiple counts taken this year at the LTPP site. (2)
☐ Other: (9)

4. METHOD FOR ESTIMATING TOTAL VEHICLES
LTPP LANE AADT

- ☐ System distribution factors. (2)
☐ Based on actual lane count data. (1)
☒ Other: (3) G.F.

*5. METHOD FOR ESTIMATING TOTAL TRUCKS,
LTPP LANE, AADT

- ☐ System distribution factors. (2)
☐ Based on actual lane data count. (1)
☒ Other: (3) G.F.

*6. METHOD FOR ESTIMATING ESAL//YEAR
IN LTPP LANE

- ☒ ESAL/Truck factor (1)
☐ ESAL/Vehicle class. (2) (No. of classes)
☐ ESAL/Axle(3) Sing. Tand. Tri.
☐ Other:(4)

7. ESAL ESTIMATES - SOURCE OF DATA

- ☐ Weight data collected at LTPP site prior years. (2)
☐ Weight data from system averages this year. (3)
☒ Weight data from system averages prior years. (4)
☐ Weight data from historic W-4 Tables used. (5)
☐ Other: (6)

8. WEIGHT SCALE TYPE

- ☐ WIM scale. (1)
☐ Static scale used for enforcement. (2)
☒ Static scale not used for enforcement. (3)
☐ Other: (4)

ENTERED JUL 16 2009

NAME OF PREPARER

N. Whiteford

PHONE#

DATE PREPARED

7/16/09

rev. March 12, 2001

SHEET 10
LTPP TRAFFIC DATA

State Code	SHRP ID	Year	Estimated Total Vehicles AADT (two-way)	Estimated Total TRUCK AADT (two-way)	Estimated Total Vehicles AADT LTPP LANE	Estimated Total TRUCK AADT LTPP LANE	Estimated ESAL's/YR LTPP LANE (X's 1000)
31	3028	1997	10892	917	5446	459	251
31	3028	1999	12383	1008	6192	504	276
31	3028	2001	13569	1082	6785	541	296
31	3028	2008	15583	1242	7791	621	340

SHEET 12

STATE ASSIGNED ID 356

TRAFFIC DATA

STATE CODE 31

COLLECTION SITE

SHRP SECTION ID 3028

HIGHWAY RT. NO. US - 77 SB MILEPOST NO. 54.92

LOCATION: 4.25 MILES SOUTH OF LINCOLN.

FILENAME: C313028.C17 DISK/TAPE ID 0297

BEGIN'G DATE 01/01/97 TIME 00:00:00 ENDING DATE 01/31/97 TIME 23:59:59

COUNT DURATION 31 [] HOURS [X] DAYS [] MONTHS

VEHICLE CLASSIFICATION METHOD: FHWA X OTHER #BINS

TYPE OF CLASSIFICATION EQUIPMENT: PORTABLE PERMANENT X

AVC EQUIPMENT MAKE / MODEL NO.: Diamond Traffic Product/Traffic Tally 2001

SENSOR TYPE: Piezo Cable.

WEIGHT SCALE TYPE: PORT. WIM X PERM. WIM OTHER

EQUIPMENT MAKE / MODEL NO. GOLDEN RIVER, WEIGHMAN

SENSOR TYPE: CAP MAT

METHOD OF CALIBRATION: STATIC SCALE

FREQUENCY OF CALIBRATION: ANNUAL

COMMENTS: The traffic was low on the 1st possible due to the New Years holiday traffic.

Traffic is low on the 26th possibly due to the Super Bowl.

NAME OF PREPARER: *Roger Pomaud* PHONE NO. (402) 479-4364

DATE PREPARED: 03/18/98

SHEET 12

STATE ASSIGNED ID 356

TRAFFIC DATA

STATE CODE 31

COLLECTION SITE

SHRP SECTION ID 3028

HIGHWAY RT. NO. US - 77 SB MILEPOST NO. 54.92

LOCATION: 4.25 MILES SOUTH OF LINCOLN.

FILENAME: C313028.D17 DISK/TAPE ID 0397

BEGIN'G DATE 02/01/97 TIME 00:00:00 ENDING DATE 02/28/97 TIME 23:59:59

COUNT DURATION 28 [] HOURS [X] DAYS [] MONTHS

VEHICLE CLASSIFICATION METHOD: FHWA X OTHER #BINS

TYPE OF CLASSIFICATION EQUIPMENT: PORTABLE PERMANENT X

AVC EQUIPMENT MAKE / MODEL NO.: Diamond Traffic Product/Traffic Tally 2001

SENSOR TYPE: Piezo Cable.

WEIGHT SCALE TYPE: PORT. WIM X PERM. WIM OTHER

EQUIPMENT MAKE / MODEL NO. GOLDEN RIVER, WEIGHMAN

SENSOR TYPE: CAP MAT

METHOD OF CALIBRATION: STATIC SCALE

FREQUENCY OF CALIBRATION: ANNUAL

COMMENTS:

NAME OF PREPARER: *Roger Pomaerd* PHONE NO. (402) 479-4364

DATE PREPARED: 03/18/98

SHEET 12 STATE ASSIGNED ID 356
TRAFFIC DATA STATE CODE 31
COLLECTION SITE SHRP SECTION ID 3028
HIGHWAY RT. NO. US - 77 SB MILEPOST NO. 54.92
LOCATION: 4.25 MILES SOUTH OF LINCOLN.
FILENAME: C313028.E17 DISK/TAPE ID 0497
BEGIN'G DATE 03/01/97 TIME 00:00:00 ENDING DATE 03/13/97 TIME 07:59:59
COUNT DURATION 13 [] HOURS [X] DAYS [] MONTHS
VEHICLE CLASSIFICATION METHOD: FHWA X OTHER #BINS
TYPE OF CLASSIFICATION EQUIPMENT: PORTABLE PERMANENT X
AVC EQUIPMENT MAKE / MODEL NO.: Diamond Traffic Product/Traffic Tally 2001
SENSOR TYPE: Piezo Cable.
WEIGHT SCALE TYPE: PORT. WIM X PERM. WIM OTHER
EQUIPMENT MAKE / MODEL NO. GOLDEN RIVER, WEIGHMAN
SENSOR TYPE: CAP MAT
METHOD OF CALIBRATION: STATIC SCALE
FREQUENCY OF CALIBRATION: ANNUAL
COMMENTS: A new computer chip was installed. The machine was out from 08:00 on the 13th
through the 17th at 11:00.
NAME OF PREPARER: *Roger Thomas* PHONE NO. (402) 479-4364
DATE PREPARED: 04/02/98

SHEET 12

STATE ASSIGNED ID 356

TRAFFIC DATA

STATE CODE 31

COLLECTION SITE

SHRP SECTION ID 3028

HIGHWAY RT. NO. US - 77 SB MILEPOST NO. 54.92

LOCATION: 4.25 MILES SOUTH OF LINCOLN.

FILENAME: C313028.E17 DISK/TAPE ID 0497

BEGIN'G DATE 03/17/97 TIME 11:00:00 ENDING DATE 03/26/97 TIME 23:59:59

COUNT DURATION 10 [] HOURS [X] DAYS [] MONTHS

VEHICLE CLASSIFICATION METHOD: FHWA X OTHER #BINS

TYPE OF CLASSIFICATION EQUIPMENT: PORTABLE PERMANENT X

AVC EQUIPMENT MAKE / MODEL NO.: Diamond Traffic Product/Traffic Tally 2001

SENSOR TYPE: Piezo Cable.

WEIGHT SCALE TYPE: PORT. WIM X PERM. WIM OTHER

EQUIPMENT MAKE / MODEL NO. GOLDEN RIVER, WEIGHMAN

SENSOR TYPE: CAP MAT

METHOD OF CALIBRATION: STATIC SCALE

FREQUENCY OF CALIBRATION: ANNUAL

COMMENTS: A new format is now implemented with no hourly totals in the text file. A single
hour was deleted through a programming error.

NAME OF PREPARER: *Roger Pomared* PHONE NO. (402) 479-4364

DATE PREPARED: 04/02/98

SHEET 12

STATE ASSIGNED ID 356

TRAFFIC DATA

STATE CODE 31

COLLECTION SITE

SHRP SECTION ID 3028

HIGHWAY RT. NO. US - 77 SB MILEPOST NO. 54.92

LOCATION: 4.25 MILES SOUTH OF LINCOLN.

FILENAME: C313028.F17 DISK/TAPE ID 0597

BEGIN'G DATE 04/01/97 TIME 00:00:00 ENDING DATE 04/30/97 TIME 23:59:59

COUNT DURATION 00 [] HOURS [X] DAYS [] MONTHS

VEHICLE CLASSIFICATION METHOD: FHWA X OTHER #BINS

TYPE OF CLASSIFICATION EQUIPMENT: PORTABLE PERMANENT X

AVC EQUIPMENT MAKE / MODEL NO.: Diamond Traffic Product/Traffic Tally 2001

SENSOR TYPE: Piezo Cable.

WEIGHT SCALE TYPE: PORT. WIM X PERM. WIM OTHER

EQUIPMENT MAKE / MODEL NO. GOLDEN RIVER, WEIGHMAN

SENSOR TYPE: CAP MAT

METHOD OF CALIBRATION: STATIC SCALE

FREQUENCY OF CALIBRATION: ANNUAL

COMMENTS: Hard drive crash caused loss of all data for entire month.

NAME OF PREPARER: *Rodger Norwood* PHONE NO. (402) 479-4364

DATE PREPARED: 03/18/98

SHEET 12 STATE ASSIGNED ID 356
TRAFFIC DATA STATE CODE 31
COLLECTION SITE SHRP SECTION ID 3028
HIGHWAY RT. NO. US - 77 SB MILEPOST NO. 54.92
LOCATION: 4.25 MILES SOUTH OF LINCOLN.
FILENAME: C313028.G17 DISK/TAPE ID 0697
BEGIN'G DATE 05/01/97 TIME 00:00:00 ENDING DATE 05/31/97 TIME 23:59:59
COUNT DURATION 00 [] HOURS [X] DAYS [] MONTHS
VEHICLE CLASSIFICATION METHOD: FHWA X OTHER #BINS
TYPE OF CLASSIFICATION EQUIPMENT: PORTABLE PERMANENT X
AVC EQUIPMENT MAKE / MODEL NO.: Diamond Traffic Product/Traffic Tally 2001
SENSOR TYPE: Piezo Cable.
WEIGHT SCALE TYPE: PORT. WIM X PERM. WIM OTHER
EQUIPMENT MAKE / MODEL NO. GOLDEN RIVER, WEIGHMAN
SENSOR TYPE: CAP MAT
METHOD OF CALIBRATION: STATIC SCALE
FREQUENCY OF CALIBRATION: ANNUAL
COMMENTS: Hard drive crash caused loss of all data for entire month.

NAME OF PREPARER: *Rodger Thomas* PHONE NO. (402) 479-4364
DATE PREPARED: 03/18/98

SHEET 12

STATE ASSIGNED ID 356

TRAFFIC DATA

STATE CODE 31

COLLECTION SITE

SHRP SECTION ID 3028

HIGHWAY RT. NO. US - 77 SB MILEPOST NO. 54.92

LOCATION: 4.25 MILES SOUTH OF LINCOLN.

FILENAME: C313028.H17 DISK/TAPE ID 0797

BEGIN'G DATE 06/01/97 TIME 00:00:00 ENDING DATE 06/11/97 TIME 23:59:59

COUNT DURATION 11 [] HOURS [X] DAYS [] MONTHS

VEHICLE CLASSIFICATION METHOD: FHWA X OTHER #BINS

TYPE OF CLASSIFICATION EQUIPMENT: PORTABLE PERMANENT X

AVC EQUIPMENT MAKE / MODEL NO.: Diamond Traffic Product/Traffic Tally 2001

SENSOR TYPE: Piezo Cable.

WEIGHT SCALE TYPE: PORT. WIM X PERM. WIM OTHER

EQUIPMENT MAKE / MODEL NO. GOLDEN RIVER, WEIGHMAN

SENSOR TYPE: CAP MAT

METHOD OF CALIBRATION: STATIC SCALE

FREQUENCY OF CALIBRATION: ANNUAL

COMMENTS: Data lost from the 12th to the 30th because of data maintenance error.

NAME OF PREPARER: *Roger Parnas* PHONE NO. (402) 479-4364

DATE PREPARED: 04/15/97

SHEET 12 STATE ASSIGNED ID 356
TRAFFIC DATA STATE CODE 31
COLLECTION SITE SHRP SECTION ID 3028
HIGHWAY RT. NO. US - 77 SB MILEPOST NO. 54.92
LOCATION: 4.25 MILES SOUTH OF LINCOLN.
FILENAME: C313028.I37 DISK/TAPE ID 0897
BEGIN'G DATE 07/03/97 TIME 00:00:00 ENDING DATE 07/03/97 TIME 23:59:59
COUNT DURATION 01 [] HOURS [X] DAYS [] MONTHS
VEHICLE CLASSIFICATION METHOD: FHWA X OTHER #BINS
TYPE OF CLASSIFICATION EQUIPMENT: PORTABLE PERMANENT X
AVC EQUIPMENT MAKE / MODEL NO.: Diamond Traffic Product/Traffic Tally 2001
SENSOR TYPE: Piezo Cable.
WEIGHT SCALE TYPE: PORT. WIM X PERM. WIM OTHER
EQUIPMENT MAKE / MODEL NO. GOLDEN RIVER, WEIGHMAN
SENSOR TYPE: CAP MAT
METHOD OF CALIBRATION: STATIC SCALE
FREQUENCY OF CALIBRATION: ANNUAL
COMMENTS: Data missing because of mismanagement of data files on the 1st, 2nd and 4th.

NAME OF PREPARER: *Roger Thomas* PHONE NO. (402) 479-4364
DATE PREPARED: 04/07/98

SHEET 12 STATE ASSIGNED ID 356
TRAFFIC DATA STATE CODE 31
COLLECTION SITE SHRP SECTION ID 3028
HIGHWAY RT. NO. US - 77 SB MILEPOST NO. 54.92
LOCATION: 4.25 MILES SOUTH OF LINCOLN.
FILENAME: C313028.I37 DISK/TAPE ID 0897
BEGIN'G DATE 07/05/97 TIME 00:00:00 ENDING DATE 07/05/97 TIME 23:59:59
COUNT DURATION 01 [] HOURS [X] DAYS [] MONTHS
VEHICLE CLASSIFICATION METHOD: FHWA X OTHER #BINS
TYPE OF CLASSIFICATION EQUIPMENT: PORTABLE PERMANENT X
AVC EQUIPMENT MAKE / MODEL NO.: Diamond Traffic Product/Traffic Tally 2001
SENSOR TYPE: Piezo Cable.
WEIGHT SCALE TYPE: PORT. WIM X PERM. WIM OTHER
EQUIPMENT MAKE / MODEL NO. GOLDEN RIVER, WEIGHMAN
SENSOR TYPE: CAP MAT
METHOD OF CALIBRATION: STATIC SCALE
FREQUENCY OF CALIBRATION: ANNUAL
COMMENTS: Data missing on the 6th because of mismanagement of data files.

NAME OF PREPARER: *Roger Thomas* PHONE NO. (402) 479-4364
DATE PREPARED: 04/07/98

SHEET 12 STATE ASSIGNED ID 356
TRAFFIC DATA STATE CODE 31
COLLECTION SITE SHRP SECTION ID 3028
HIGHWAY RT. NO. US - 77 SB MILEPOST NO. 54.92
LOCATION: 4.25 MILES SOUTH OF LINCOLN.
FILENAME: C313028.I37 DISK/TAPE ID 0897
BEGIN'G DATE 07/07/97 TIME 00:00:00 ENDING DATE 07/13/97 TIME 23:59:59
COUNT DURATION 07 [] HOURS [X] DAYS [] MONTHS
VEHICLE CLASSIFICATION METHOD: FHWA X OTHER #BINS
TYPE OF CLASSIFICATION EQUIPMENT: PORTABLE PERMANENT X
AVC EQUIPMENT MAKE / MODEL NO.: Diamond Traffic Product/Traffic Tally 2001
SENSOR TYPE: Piezo Cable.
WEIGHT SCALE TYPE: PORT. WIM X PERM. WIM OTHER
EQUIPMENT MAKE / MODEL NO. GOLDEN RIVER, WEIGHMAN
SENSOR TYPE: CAP MAT
METHOD OF CALIBRATION: STATIC SCALE
FREQUENCY OF CALIBRATION: ANNUAL
COMMENTS: Data missing on the 14th, 15th and 16th because of mismanagement of data files.

NAME OF PREPARER: *Roger Thomas* PHONE NO. (402) 479-4364
DATE PREPARED: 04/07/98

SHEET 12

STATE ASSIGNED ID 356

TRAFFIC DATA

STATE CODE 31

COLLECTION SITE

SHRP SECTION ID 3028

HIGHWAY RT. NO. US - 77 SB

MILEPOST NO. 54.92

LOCATION: 4.25 MILES SOUTH OF LINCOLN.

FILENAME: C313028.I37

DISK/TAPE ID 0897

BEGIN'G DATE 07/17/97

TIME 00:00:00

ENDING DATE 07/31/97

TIME 23:59:59

COUNT DURATION 15

[] HOURS

[X] DAYS

[] MONTHS

VEHICLE CLASSIFICATION METHOD:

FHWA

X

OTHER

#BINS

TYPE OF CLASSIFICATION EQUIPMENT: PORTABLE

PERMANENT X

AVC EQUIPMENT MAKE / MODEL NO.: Diamond Traffic Product/Traffic Tally 2001

SENSOR TYPE: Piezo Cable.

WEIGHT SCALE TYPE: PORT. WIM

X

PERM. WIM

OTHER

EQUIPMENT MAKE / MODEL NO. GOLDEN RIVER, WEIGHMAN

SENSOR TYPE: CAP MAT

METHOD OF CALIBRATION: STATIC SCALE

FREQUENCY OF CALIBRATION: ANNUAL

COMMENTS:

NAME OF PREPARER:

Roger Pomared

PHONE NO. (402) 479-4364

DATE PREPARED: 04/07/98

SHEET 12

STATE ASSIGNED ID 356

TRAFFIC DATA

STATE CODE 31

COLLECTION SITE

SHRP SECTION ID 3028

HIGHWAY RT. NO. US - 77 SB MILEPOST NO. 54.92

LOCATION: 4.25 MILES SOUTH OF LINCOLN.

FILENAME: C313028.K17 DISK/TAPE ID 1097

BEGIN'G DATE 09/01/97 TIME 00:00:00 ENDING DATE 09/30/97 TIME 23:59:59

COUNT DURATION 00 [] HOURS [X] DAYS [] MONTHS

VEHICLE CLASSIFICATION METHOD: FHWA X OTHER #BINS

TYPE OF CLASSIFICATION EQUIPMENT: PORTABLE PERMANENT X

AVC EQUIPMENT MAKE / MODEL NO.: Diamond Traffic Product/Traffic Tally 2001

SENSOR TYPE: Piezo Cable.

WEIGHT SCALE TYPE: PORT. WIM X PERM. WIM OTHER

EQUIPMENT MAKE / MODEL NO. GOLDEN RIVER, WEIGHMAN

SENSOR TYPE: CAP MAT

METHOD OF CALIBRATION: STATIC SCALE

FREQUENCY OF CALIBRATION: ANNUAL

COMMENTS: Data lost because of power failures following a blizzard on October 25, 1997.

NAME OF PREPARER: *Roger Pommard* PHONE NO. (402) 479-4364

DATE PREPARED: 04/27/98

SHEET 12 STATE ASSIGNED ID 356
TRAFFIC DATA STATE CODE 31
COLLECTION SITE SHRP SECTION ID 3028
HIGHWAY RT. NO. US - 77 SB MILEPOST NO. 54.92
LOCATION: 4.25 MILES SOUTH OF LINCOLN.
FILENAME: C313028.L17 DISK/TAPE ID 1197
BEGIN'G DATE 10/01/97 TIME 00:00:00 ENDING DATE 10/31/97 TIME 23:59:59
COUNT DURATION 00 [] HOURS [X] DAYS [] MONTHS
VEHICLE CLASSIFICATION METHOD: FHWA X OTHER #BINS
TYPE OF CLASSIFICATION EQUIPMENT: PORTABLE PERMANENT X
AVC EQUIPMENT MAKE / MODEL NO.: Diamond Traffic Product/Traffic Tally 2001
SENSOR TYPE: Piezo Cable.
WEIGHT SCALE TYPE: PORT. WIM X PERM. WIM OTHER
EQUIPMENT MAKE / MODEL NO. GOLDEN RIVER, WEIGHMAN
SENSOR TYPE: CAP MAT
METHOD OF CALIBRATION: STATIC SCALE
FREQUENCY OF CALIBRATION: ANNUAL
COMMENTS: Data missing because of blizzard on the 25th. Power outages caused data to be corrupt.

NAME OF PREPARER: *Roger Thomas* PHONE NO. (402) 479-4364
DATE PREPARED: 04/27/98

SHEET 12 STATE ASSIGNED ID 356
TRAFFIC DATA STATE CODE 31
COLLECTION SITE SHRP SECTION ID 3028
HIGHWAY RT. NO. US - 77 SB MILEPOST NO. 54.92
LOCATION: 4.25 MILES SOUTH OF LINCOLN.
FILENAME: C313028.M17 DISK/TAPE ID 1297
BEGIN'G DATE 11/01/97 TIME 00:00:00 ENDING DATE 11/30/97 TIME 23:59:59
COUNT DURATION 30 [] HOURS [X] DAYS [] MONTHS
VEHICLE CLASSIFICATION METHOD: FHWA X OTHER #BINS
TYPE OF CLASSIFICATION EQUIPMENT: PORTABLE PERMANENT X
AVC EQUIPMENT MAKE / MODEL NO.: Diamond Traffic Product/Traffic Tally 2001
SENSOR TYPE: Piezo Cable.
WEIGHT SCALE TYPE: PORT. WIM X PERM. WIM OTHER
EQUIPMENT MAKE / MODEL NO. GOLDEN RIVER, WEIGHMAN
SENSOR TYPE: CAP MAT
METHOD OF CALIBRATION: STATIC SCALE
FREQUENCY OF CALIBRATION: ANNUAL
COMMENTS: Total volume appears to be high on the 7th and the 26th possibly due to holiday traffic.

NAME OF PREPARER: *Roger Pomared* PHONE NO. (402) 479-4364
DATE PREPARED: 04/28/98

SHEET 12 STATE ASSIGNED ID 356
TRAFFIC DATA STATE CODE 31
COLLECTION SITE SHRP SECTION ID 3028
HIGHWAY RT. NO. US - 77 SB MILEPOST NO. 54.92
LOCATION: 4.25 MILES SOUTH OF LINCOLN.
FILENAME: C313028.N17 DISK/TAPE ID 0198
BEGIN'G DATE 12/01/97 TIME 00:00:00 ENDING DATE 12/31/97 TIME 23:59:59
COUNT DURATION 31 [] HOURS [X] DAYS [] MONTHS
VEHICLE CLASSIFICATION METHOD: FHWA X OTHER #BINS
TYPE OF CLASSIFICATION EQUIPMENT: PORTABLE PERMANENT X
AVC EQUIPMENT MAKE / MODEL NO.: Diamond Traffic Product/Traffic Tally 2001
SENSOR TYPE: Piezo Cable.
WEIGHT SCALE TYPE: PORT. WIM X PERM. WIM OTHER
EQUIPMENT MAKE / MODEL NO. GOLDEN RIVER, WEIGHMAN
SENSOR TYPE: CAP MAT
METHOD OF CALIBRATION: STATIC SCALE
FREQUENCY OF CALIBRATION: ANNUAL
COMMENTS: Total volume is abnormal on the 23rd and 24th probably due to holiday traffic patterns.

NAME OF PREPARER: *Roger Thomas* PHONE NO. (402) 479-4364
DATE PREPARED: 04/29/98