

ENTERED JAN 5 2000

<p align="center">SHEET 10 LTPP TRAFFIC DATA</p> <p align="center">TRAFFIC VOLUME AND LOAD ESTIMATE UPDATE-NO SITE COUNT</p>	*STATE ASSIGNED ID	[] [] [] []
	*STATE CODE	[31]
	*SHRP SECTION ID	[5052]

1. ANNUAL TRAFFIC ESTIMATES

*YEAR	ESTIMATED TOTAL VEHICLES AADT (TWO-WAY)	ESTIMATED TOTAL TRUCK AADT (TWO-WAY)	ESTIMATED TOTAL VEHICLES AADT LTPP LANE	*ESTIMATED TOTAL TRUCKS AADT LTPP LANE	*ESTIMATED ESAL=S/YR LTPP LANE (1000'S)
1996	55145	2680	21756	1280	607

2. METHOD FOR ESTIMATING TOTAL VEHICLE AADT (TWO-WAY)

- ☒ Growth factored last year=s estimate. (6)
- ☐ Estimated based on volume counts at nearby locations. (3)
- ☐ Used computerized network analyses. (4)
- ☐ Factored a single count taken this year at the LTPP site. (1)
- ☐ Average multiple counts taken this year at the LTPP site. (2)
- ☐ Average and factored multiple count taken this year at the LTPP site. (5)
- ☐ Used flow maps. (7)
- ☐ Other: (8)

3. METHOD FOR ESTIMATING TOTAL TRUCK AADT (TWO-WAY)

- ☐ Used system averages from counts taken this year. (6)
- ☐ Used count data from nearby sites. (3)
- ☐ Used count data from previous years at the LTPP site. (7)
- ☒ Used system averages from previous years. (8)
- ☐ Used computerized network analyses. (4)
- ☐ Used a single count taken this year at the LTPP site. (5)
- ☐ Factored a single count taken this year at the LTPP site. (1)
- ☐ Averaged multiple counts taken this year at the LTPP site. (2)
- ☐ Other: (9)

4. METHOD FOR ESTIMATING TOTAL VEHICLES LTPP LANE AADT

- ☐ System distribution factors. (2)
- ☐ Based on actual lane count data. (1)
- ☒ Other: (3) G.F.

*5. METHOD FOR ESTIMATING TOTAL TRUCKS, LTPP LANE, AADT

- ☐ System distribution factors. (2)
- ☐ Based on actual lane data count. (1)
- ☒ Other: (3) G.F.

*6. METHOD FOR ESTIMATING ESAL/YEAR IN LTPP LANE

- ☒ ESAL/Truck factor (1)
- ☐ ESAL/Vehicle class. (2) (No. of classes)
- ☐ ESAL/Axle(3) Sing. Tand. Tri.
- ☐ Other: (4)

7. ESAL ESTIMATES - SOURCE OF DATA

- ☐ Weight data collected at LTPP site prior years. (2)
- ☐ Weight data from system averages this year. (3)
- ☒ Weight data from system averages prior years. (4)
- ☐ Weight data from historic W-4 Tables used. (5)
- ☐ Other: (6)

8. WEIGHT SCALE TYPE

- ☐ WIM scale. (1)
- ☐ Static scale used for enforcement. (2)
- ☒ Static scale not used for enforcement. (3)
- ☐ Other: (4)

NAME OF PREPARER ABID IKRAM
DATE PREPARED JAN 05/09

PHONE#

rev. March 12, 2001

SHEET 12

STATE ASSIGNED ID 3 2 1

TRAFFIC DATA

STATE CODE 3 1

COLLECTION SITE

SHRP SECTION ID 5 0 5 2

HIGHWAY RT. NO. IH - 680 NB

MILEPOST NO. 5.28

LOCATION .75 MILE NORTH OF MAPLE STREET INTERCHANGE IN OMAHA.

FILENAME C315052.C16

DISK/TAPE ID 0296

BEGIN'G DATE 01/01/96 TIME 00:00:00 ENDING DATE 01/31/96 TIME 23:59:59

COUNT DURATION 31 [] HOURS [X] DAYS [] MONTHS

VEHICLE CLASSIFICATION METHOD: FHWA X OTHER #BINS

TYPE OF CLASSIFICATION EQUIPMENT: PORTABLE PERMANENT X

AVC EQUIPMENT MAKE / MODEL NO. Diamond Traffic Product/Traffic Tally 2001

SENSOR TYPE Piezo Cable.

WEIGHT SCALE TYPE: PORT. WIM X PERM. WIM OTHER

EQUIPMENT MAKE / MODEL NO. GOLDEN RIVER, WEIGHMAN

SENSOR TYPE CAP MAT

METHOD OF CALIBRATION: STATIC SCALE

FREQUENCY OF CALIBRATION: ANNUAL

COMMENTS: Blizzard like weather conditions reduced the traffic volumes
on the 17th thru the 18th.

NAME OF PREPARER

Rodger Tomasek

PHONE NO. (402) 479-4364

DATE PREPARED 04/03/96

SHEET 12

STATE ASSIGNED ID 3 2 1

TRAFFIC DATA

STATE CODE 3 1

COLLECTION SITE

SHRP SECTION ID 5 0 5 2

HIGHWAY RT. NO. IH - 680 NB

MILEPOST NO. 5.28

LOCATION .75 MILE NORTH OF MAPLE STREET INTERCHANGE IN OMAHA.

FILENAME C315052.D16

DISK/TAPE ID 0396

BEGIN'G DATE 02/01/96 TIME 00:00:00 ENDING DATE 02/29/96 TIME 23:59:59

COUNT DURATION 0 [] HOURS [X] DAYS [] MONTHS

VEHICLE CLASSIFICATION METHOD: FHWA X OTHER #BINS

TYPE OF CLASSIFICATION EQUIPMENT: PORTABLE PERMANENT X

AVC EQUIPMENT MAKE / MODEL NO. Diamond Traffic Product/Traffic Tally 2001

SENSOR TYPE Piezo Cable.

WEIGHT SCALE TYPE: PORT. WIM X PERM. WIM OTHER

EQUIPMENT MAKE / MODEL NO. GOLDEN RIVER, WEIGHMAN

SENSOR TYPE CAP MAT

METHOD OF CALIBRATION: STATIC SCALE

FREQUENCY OF CALIBRATION: ANNUAL

COMMENTS: The station was out of service for the entire month because of piezo problems.

NAME OF PREPARER

Rodger Tomasz

PHONE NO. (402) 479-4364

DATE PREPARED 04/03/96

SHEET 12

STATE ASSIGNED ID 3 2 1

TRAFFIC DATA

STATE CODE 3 1

COLLECTION SITE

SHRP SECTION ID 5 0 5 2

HIGHWAY RT. NO. IH - 680 NB

MILEPOST NO. 5.28

LOCATION .75 MILE NORTH OF MAPLE STREET INTERCHANGE IN OMAHA.

FILE NAME C315052.E16

DISK/TAPE ID 0496

BEGIN'G DATE 03/12/96 TIME 13:00:00 ENDING DATE 03/27/96 TIME 23:59:59

COUNT DURATION 15 [] HOURS [X] DAYS [] MONTHS

VEHICLE CLASSIFICATION METHOD: FHWA X OTHER #BINS

TYPE OF CLASSIFICATION EQUIPMENT: PORTABLE PERMANENT X

AVC EQUIPMENT MAKE / MODEL NO. Diamond Traffic Product/Traffic Tally 2001

SENSOR TYPE Piezo Cable.

WEIGHT SCALE TYPE: PORT. WIM X PERM. WIM OTHER

EQUIPMENT MAKE / MODEL NO. GOLDEN RIVER, WEIGHMAN

SENSOR TYPE CAP MAT

METHOD OF CALIBRATION: STATIC SCALE

FREQUENCY OF CALIBRATION: ANNUAL

COMMENTS: The station was out of service because of piezo problems.

The driving lane piezo was replaced on the 12th.

A blizzard caused lower volumes on the 23rd and 24th. Beginning on the 29th the machine was overcounting class 7 & 8. The data was not usable.

The machine needs adjusting.

NAME OF PREPARER

PHONE NO. (402) 479-4364

DATE PREPARED 04/04/97

SHEET 12

STATE ASSIGNED ID 3 2 1

TRAFFIC DATA

STATE CODE 3 1

COLLECTION SITE

SHRP SECTION ID 5 0 5 2

HIGHWAY RT. NO. IH - 680 NB

MILEPOST NO. 5.28

LOCATION .75 MILE NORTH OF MAPLE STREET INTERCHANGE IN OMAHA.

FILENAME C315052.F16

DISK/TAPE ID 0596

BEGIN'G DATE 04/01/96 TIME 11:00:00 ENDING DATE 04/30/96 TIME 23:59:59

COUNT DURATION 30 [] HOURS [X] DAYS [] MONTHS

VEHICLE CLASSIFICATION METHOD: FHWA X OTHER #BINS

TYPE OF CLASSIFICATION EQUIPMENT: PORTABLE PERMANENT X

AVC EQUIPMENT MAKE / MODEL NO. Diamond Traffic Product/Traffic Tally 2001

SENSOR TYPE Piezo Cable.

WEIGHT SCALE TYPE: PORT. WIM X PERM. WIM OTHER

EQUIPMENT MAKE / MODEL NO. GOLDEN RIVER, WEIGHMAN

SENSOR TYPE CAP MAT

METHOD OF CALIBRATION: STATIC SCALE

FREQUENCY OF CALIBRATION: ANNUAL

COMMENTS: Machine shut down for an unknown reason. Data not collected.

Daylight savings time was adjusted between 8 & 9 AM on the 8th of April.

NAME OF PREPARER

PHONE NO. (402) 479-4364

DATE PREPARED 12/06/96

SHEET 12

STATE ASSIGNED ID 3 2 1

TRAFFIC DATA

STATE CODE 3 1

COLLECTION SITE

SHRP SECTION ID 5 0 5 2

HIGHWAY RT. NO. IH - 680 NB

MILEPOST NO. 5.28

LOCATION .75 MILE NORTH OF MAPLE STREET INTERCHANGE IN OMAHA.

FILENAME C315052.G16

DISK/TAPE ID 0696

BEGIN'G DATE 05/01/96 TIME 00:00:00 ENDING DATE 05/19/96 TIME 23:59:59

COUNT DURATION 19 [] HOURS [X] DAYS [] MONTHS

VEHICLE CLASSIFICATION METHOD: FHWA X OTHER #BINS

TYPE OF CLASSIFICATION EQUIPMENT: PORTABLE PERMANENT X

AVC EQUIPMENT MAKE / MODEL NO. Diamond Traffic Product/Traffic Tally 2001

SENSOR TYPE Piezo Cable.

WEIGHT SCALE TYPE: PORT. WIM X PERM. WIM OTHER

EQUIPMENT MAKE / MODEL NO. GOLDEN RIVER, WEIGHMAN

SENSOR TYPE CAP MAT

METHOD OF CALIBRATION: STATIC SCALE

FREQUENCY OF CALIBRATION: ANNUAL

COMMENTS: Excessive errors made data unusable.

NAME OF PREPARER

Rodger Tomasek

PHONE NO. (402) 479-4364

DATE PREPARED 12/05/96

SHEET 12

TRAFFIC DATA

COLLECTION SITE

STATE ASSIGNED ID 3 2 1

STATE CODE 3 1

SHRP SECTION ID 5 0 5 2

HIGHWAY RT. NO. IH - 680 NB

MILEPOST NO. 5.28

LOCATION .75 MILE NORTH OF MAPLE STREET INTERCHANGE IN OMAHA.

FILENAME C315052.G16

DISK/TAPE ID 0696

BEGIN'G DATE 05/20/96 TIME 15:00:00 ENDING DATE 05/31/96 TIME 23:59:59

COUNT DURATION 12 [] HOURS [X] DAYS [] MONTHS

VEHICLE CLASSIFICATION METHOD: FHWA X OTHER #BINS

TYPE OF CLASSIFICATION EQUIPMENT: PORTABLE PERMANENT X

AVC EQUIPMENT MAKE / MODEL NO. Diamond Traffic Product/Traffic Tally 2001

SENSOR TYPE Piezo Cable.

WEIGHT SCALE TYPE: PORT. WIM X PERM. WIM OTHER

EQUIPMENT MAKE / MODEL NO. GOLDEN RIVER, WEIGHMAN

SENSOR TYPE CAP MAT

METHOD OF CALIBRATION: STATIC SCALE

FREQUENCY OF CALIBRATION: ANNUAL

COMMENTS: Excessive errors made data questionable from the 20th to the 24th. You might consider throwing this out.

NAME OF PREPARER

Rodger P. ...

PHONE NO. (402) 479-4364

DATE PREPARED 12/05/96

SHEET 12

TRAFFIC DATA

COLLECTION SITE

STATE ASSIGNED ID 3 2 1

STATE CODE 3 1

SHRP SECTION ID 5 0 5 2

HIGHWAY RT. NO. IH - 680 NB

MILEPOST NO. 5.28

LOCATION .75 MILE NORTH OF MAPLE STREET INTERCHANGE IN OMAHA.

FILENAME C315052.H16

DISK/TAPE ID 0796

BEGIN'G DATE 06\01\96 TIME 00:00:00 ENDING DATE 06\30\96 TIME 23:59:59

COUNT DURATION 30 [] HOURS [X] DAYS [] MONTHS

VEHICLE CLASSIFICATION METHOD: FHWA X OTHER #BINS

TYPE OF CLASSIFICATION EQUIPMENT: PORTABLE PERMANENT X

AVC EQUIPMENT MAKE / MODEL NO. Diamond Traffic Product/Traffic Tally 2001

SENSOR TYPE Piezo Cable.

WEIGHT SCALE TYPE: PORT. WIM X PERM. WIM OTHER

EQUIPMENT MAKE / MODEL NO. GOLDEN RIVER, WEIGHMAN

SENSOR TYPE CAP MAT

METHOD OF CALIBRATION: STATIC SCALE

FREQUENCY OF CALIBRATION: ANNUAL

COMMENTS:

NAME OF PREPARER

Rodger J. ...

PHONE NO. (402) 479-4364

DATE PREPARED 12\04\96

SHEET 12

TRAFFIC DATA

COLLECTION SITE

STATE ASSIGNED ID 3 2 1

STATE CODE 3 1

SHRP SECTION ID 5 0 5 2

HIGHWAY RT. NO. IH - 680 NB

MILEPOST NO. 5.28

LOCATION .75 MILE NORTH OF MAPLE STREET INTERCHANGE IN OMAHA.

FILENAME C315052.I16

DISK/TAPE ID 0896

BEGIN'G DATE 07/01/96 TIME 00:00:00 ENDING DATE 07/21/96 TIME 23:59:59

COUNT DURATION 22 [] HOURS [X] DAYS [] MONTHS

VEHICLE CLASSIFICATION METHOD: FHWA X OTHER #BINS

TYPE OF CLASSIFICATION EQUIPMENT: PORTABLE PERMANENT X

AVC EQUIPMENT MAKE / MODEL NO. Diamond Traffic Product/Traffic Tally 2001

SENSOR TYPE Piezo Cable.

WEIGHT SCALE TYPE: PORT. WIM X PERM. WIM OTHER

EQUIPMENT MAKE / MODEL NO. GOLDEN RIVER, WEIGHMAN

SENSOR TYPE CAP MAT

METHOD OF CALIBRATION: STATIC SCALE

FREQUENCY OF CALIBRATION: ANNUAL

COMMENTS: Data lost due to severe thunderstorm activity.

NAME OF PREPARER

Rodger Pomareh

PHONE NO. (402) 479-4364

DATE PREPARED 12/06/96

SHEET 12

STATE ASSIGNED ID 3 2 1

TRAFFIC DATA

STATE CODE 3 1

COLLECTION SITE

SHRP SECTION ID 5 0 5 2

HIGHWAY RT. NO. IH - 680 NB

MILEPOST NO. 5.28

LOCATION .75 MILE NORTH OF MAPLE STREET INTERCHANGE IN OMAHA.

FILENAME C315052.I16

DISK/TAPE ID 0896

BEGIN'G DATE 07/26/96 TIME 09:00:00 ENDING DATE 07/31/96 TIME 23:59:59

COUNT DURATION 06 [] HOURS [X] DAYS [] MONTHS

VEHICLE CLASSIFICATION METHOD: FHWA X OTHER #BINS

TYPE OF CLASSIFICATION EQUIPMENT: PORTABLE PERMANENT X

AVC EQUIPMENT MAKE / MODEL NO. Diamond Traffic Product/Traffic Tally 2001

SENSOR TYPE Piezo Cable.

WEIGHT SCALE TYPE: PORT. WIM X PERM. WIM OTHER

EQUIPMENT MAKE / MODEL NO. GOLDEN RIVER, WEIGHMAN

SENSOR TYPE CAP MAT

METHOD OF CALIBRATION: STATIC SCALE

FREQUENCY OF CALIBRATION: ANNUAL

COMMENTS:

NAME OF PREPARER

Rodger Tomassch

PHONE NO. (402) 479-4364

DATE PREPARED 12/06/96

SHEET 12

STATE ASSIGNED ID 3 2 1

TRAFFIC DATA

STATE CODE 3 1

COLLECTION SITE

SHRP SECTION ID 5 0 5 2

HIGHWAY RT. NO. IH - 680 NB

MILEPOST NO. 5.28

LOCATION .75 MILE NORTH OF MAPLE STREET INTERCHANGE IN OMAHA.

FILENAME C315052.J16

DISK/TAPE ID 0996

BEGIN'G DATE 08/01/96 TIME 00:00:00 ENDING DATE 08/08/96 TIME 07:59:59

COUNT DURATION 08 [] HOURS [X] DAYS [] MONTHS

VEHICLE CLASSIFICATION METHOD: FHWA X OTHER #BINS

TYPE OF CLASSIFICATION EQUIPMENT: PORTABLE PERMANENT X

AVC EQUIPMENT MAKE / MODEL NO. Diamond Traffic Product/Traffic Tally 2001

SENSOR TYPE Piezo Cable.

WEIGHT SCALE TYPE: PORT. WIM X PERM. WIM OTHER

EQUIPMENT MAKE / MODEL NO. GOLDEN RIVER, WEIGHMAN

SENSOR TYPE CAP MAT

METHOD OF CALIBRATION: STATIC SCALE

FREQUENCY OF CALIBRATION: ANNUAL

COMMENTS: Was not collecting data possibly due to heavy thunder storms.

NAME OF PREPARER

Rodger Pomark

PHONE NO. (402) 479-4364

DATE PREPARED 12/12/96

SHEET 12

STATE ASSIGNED ID 3 2 1

TRAFFIC DATA

STATE CODE 3 1

COLLECTION SITE

SHRP SECTION ID 5 0 5 2

HIGHWAY RT. NO. IH - 680 NB

MILEPOST NO. 5.28

LOCATION .75 MILE NORTH OF MAPLE STREET INTERCHANGE IN OMAHA.

FILENAME C315052.J16

DISK/TAPE ID 0996

BEGIN'G DATE 08/12/96 TIME 09:00:00 ENDING DATE 08/21/96 TIME 23:59:59

COUNT DURATION 10 [] HOURS [X] DAYS [] MONTHS

VEHICLE CLASSIFICATION METHOD: FHWA X OTHER #BINS

TYPE OF CLASSIFICATION EQUIPMENT: PORTABLE PERMANENT X

AVC EQUIPMENT MAKE / MODEL NO. Diamond Traffic Product/Traffic Tally 2001

SENSOR TYPE Piezo Cable.

WEIGHT SCALE TYPE: PORT. WIM X PERM. WIM OTHER

EQUIPMENT MAKE / MODEL NO. GOLDEN RIVER, WEIGHMAN

SENSOR TYPE CAP MAT

METHOD OF CALIBRATION: STATIC SCALE

FREQUENCY OF CALIBRATION: ANNUAL

COMMENTS: Was not collecting data possibly due to heavy thunder storms.

Changed machine.

NAME OF PREPARER

Rodger P. Jones

PHONE NO. (402) 479-4364

DATE PREPARED 12/12/96

SHEET 12

TRAFFIC DATA

COLLECTION SITE

STATE ASSIGNED ID 3 2 1

STATE CODE 3 1

SHRP SECTION ID 5 0 5 2

HIGHWAY RT. NO. IH - 680 NB

MILEPOST NO. 5.28

LOCATION .75 MILE NORTH OF MAPLE STREET INTERCHANGE IN OMAHA.

FILENAME C315052.J16

DISK/TAPE ID 0996

BEGIN'G DATE 08/26/96 TIME 09:00:00 ENDING DATE 08/28/96 TIME 13:59:59

COUNT DURATION 03 [] HOURS [X] DAYS [] MONTHS

VEHICLE CLASSIFICATION METHOD: FHWA X OTHER #BINS

TYPE OF CLASSIFICATION EQUIPMENT: PORTABLE PERMANENT X

AVC EQUIPMENT MAKE / MODEL NO. Diamond Traffic Product/Traffic Tally 2001

SENSOR TYPE Piezo Cable.

WEIGHT SCALE TYPE: PORT. WIM X PERM. WIM OTHER

EQUIPMENT MAKE / MODEL NO. GOLDEN RIVER, WEIGHMAN

SENSOR TYPE CAP MAT

METHOD OF CALIBRATION: STATIC SCALE

FREQUENCY OF CALIBRATION: ANNUAL

COMMENTS: Data missing. No known reason.

NAME OF PREPARER

Rodger P. ...

PHONE NO. (402) 479-4364

DATE PREPARED 12/12/96

SHEET 12

STATE ASSIGNED ID 3 2 1

TRAFFIC DATA

STATE CODE 3 1

COLLECTION SITE

SHRP SECTION ID 5 0 5 2

HIGHWAY RT. NO. IH - 680 NB

MILEPOST NO. 5.28

LOCATION .75 MILE NORTH OF MAPLE STREET INTERCHANGE IN OMAHA.

FILENAME C315052.J16

DISK/TAPE ID 0996

BEGIN'G DATE 08/29/96 TIME 15:00:00 ENDING DATE 08/31/96 TIME 23:59:59

COUNT DURATION 03 [] HOURS [X] DAYS [] MONTHS

VEHICLE CLASSIFICATION METHOD: FHWA X OTHER #BINS

TYPE OF CLASSIFICATION EQUIPMENT: PORTABLE PERMANENT X

AVC EQUIPMENT MAKE / MODEL NO. Diamond Traffic Product/Traffic Tally 2001

SENSOR TYPE Piezo Cable.

WEIGHT SCALE TYPE: PORT. WIM X PERM. WIM OTHER

EQUIPMENT MAKE / MODEL NO. GOLDEN RIVER, WEIGHMAN

SENSOR TYPE CAP MAT

METHOD OF CALIBRATION: STATIC SCALE

FREQUENCY OF CALIBRATION: ANNUAL

COMMENTS:

NAME OF PREPARER

Rodger J. [signature]

PHONE NO. (402) 479-4364

DATE PREPARED 12/12/96

SHEET 12

STATE ASSIGNED ID 3 2 1

TRAFFIC DATA

STATE CODE 3 1

COLLECTION SITE

SHRP SECTION ID 5 0 5 2

HIGHWAY RT. NO. IH - 680 NB

MILEPOST NO. 5.28

LOCATION .75 MILE NORTH OF MAPLE STREET INTERCHANGE IN OMAHA.

FILENAME C315052.K16

DISK/TAPE ID 1096

BEGIN'G DATE 09/01/96 TIME 00:00:00 ENDING DATE 09/30/96 TIME 23:59:59

COUNT DURATION 30 [] HOURS [X] DAYS [] MONTHS

VEHICLE CLASSIFICATION METHOD: FHWA X OTHER #BINS

TYPE OF CLASSIFICATION EQUIPMENT: PORTABLE PERMANENT X

AVC EQUIPMENT MAKE / MODEL NO. Diamond Traffic Product/Traffic Tally 2001

SENSOR TYPE Piezo Cable.

WEIGHT SCALE TYPE: PORT. WIM X PERM. WIM OTHER

EQUIPMENT MAKE / MODEL NO. GOLDEN RIVER, WEIGHMAN

SENSOR TYPE CAP MAT

METHOD OF CALIBRATION: STATIC SCALE

FREQUENCY OF CALIBRATION: ANNUAL

COMMENTS:

NAME OF PREPARER

Rodger Tomach

PHONE NO. (402) 479-4364

DATE PREPARED 12/18/96

SHEET 12

TRAFFIC DATA

COLLECTION SITE

STATE ASSIGNED ID 3 2 1

STATE CODE 3 1

SHRP SECTION ID 5 0 5 2

HIGHWAY RT. NO. IH - 680 NB

MILEPOST NO. 5.28

LOCATION .75 MILE NORTH OF MAPLE STREET INTERCHANGE IN OMAHA.

FILENAME C315052.L16

DISK/TAPE ID 1196

BEGIN'G DATE 10/01/96 TIME 00:00:00 ENDING DATE 10/31/96 TIME 23:59:59

COUNT DURATION 31 [] HOURS [X] DAYS [] MONTHS

VEHICLE CLASSIFICATION METHOD: FHWA X OTHER #BINS

TYPE OF CLASSIFICATION EQUIPMENT: PORTABLE PERMANENT X

AVC EQUIPMENT MAKE / MODEL NO. Diamond Traffic Product/Traffic Tally 2001

SENSOR TYPE Piezo Cable.

WEIGHT SCALE TYPE: PORT. WIM X PERM. WIM OTHER

EQUIPMENT MAKE / MODEL NO. GOLDEN RIVER, WEIGHMAN

SENSOR TYPE CAP MAT

METHOD OF CALIBRATION: STATIC SCALE

FREQUENCY OF CALIBRATION: ANNUAL

COMMENTS: Excessive errors for the entire month. Needs calibration.

NAME OF PREPARER

Rodger Ponsark

PHONE NO. (402) 479-4364

DATE PREPARED 12/31/96

SHEET 12

STATE ASSIGNED ID 3 2 1

TRAFFIC DATA

STATE CODE 3 1

COLLECTION SITE

SHRP SECTION ID 5 0 5 2

HIGHWAY RT. NO. IH - 680 NB

MILEPOST NO. 5.28

LOCATION .75 MILE NORTH OF MAPLE STREET INTERCHANGE IN OMAHA.

FILENAME C315052.M16

DISK/TAPE ID 1296

BEGIN'G DATE 11/01/96 TIME 00:00:00 ENDING DATE 11/30/96 TIME 23:59:59

COUNT DURATION 30 [] HOURS [X] DAYS [] MONTHS

VEHICLE CLASSIFICATION METHOD: FHWA X OTHER #BINS

TYPE OF CLASSIFICATION EQUIPMENT: PORTABLE PERMANENT X

AVC EQUIPMENT MAKE / MODEL NO. Diamond Traffic Product/Traffic Tally 2001

SENSOR TYPE Piezo Cable.

WEIGHT SCALE TYPE: PORT. WIM X PERM. WIM OTHER

EQUIPMENT MAKE / MODEL NO. GOLDEN RIVER, WEIGHMAN

SENSOR TYPE CAP MAT

METHOD OF CALIBRATION: STATIC SCALE

FREQUENCY OF CALIBRATION: ANNUAL

COMMENTS: Counts were low on the 4th, 10th, 16th and 17th due to weather related problems. Also the turkey effect seems to be in play again on the 28th with lower than normal traffic reporting.

NAME OF PREPARER

Rodger Tomack

PHONE NO. (402) 479-4364

DATE PREPARED 01/16/97

SHEET 12

STATE ASSIGNED ID 3 2 1

TRAFFIC DATA

STATE CODE 3 1

COLLECTION SITE

SHRP SECTION ID 5 0 5 2

HIGHWAY RT. NO. IH - 680 NB

MILEPOST NO. 5.28

LOCATION .75 MILE NORTH OF MAPLE STREET INTERCHANGE IN OMAHA.

FILENAME C315052.M16

DISK/TAPE ID 0197

BEGIN'G DATE 12/01/96 TIME 00:00:00 ENDING DATE 12/22/96 TIME 23:59:59

COUNT DURATION 22 [] HOURS [X] DAYS [] MONTHS

VEHICLE CLASSIFICATION METHOD: FHWA X OTHER #BINS

TYPE OF CLASSIFICATION EQUIPMENT: PORTABLE PERMANENT X

AVC EQUIPMENT MAKE / MODEL NO. Diamond Traffic Product/Traffic Tally 2001

SENSOR TYPE Piezo Cable.

WEIGHT SCALE TYPE: PORT. WIM X PERM. WIM OTHER

EQUIPMENT MAKE / MODEL NO. GOLDEN RIVER, WEIGHMAN

SENSOR TYPE CAP MAT

METHOD OF CALIBRATION: STATIC SCALE

FREQUENCY OF CALIBRATION: ANNUAL

COMMENTS: Classification out of adjustment on the 18th - 20th.

Christmas related travel caused high volumes on the 20th. The data was lost from the 23rd to the 25th because the machine went dead. It was restarted and adjusted for class 13 and 14.

NAME OF PREPARER

Rodger J. Jensen

PHONE NO. (402) 479-4364

DATE PREPARED 01/31/97

SHEET 12

STATE ASSIGNED ID 3 2 1

TRAFFIC DATA

STATE CODE 3 1

COLLECTION SITE

SHRP SECTION ID 5 0 5 2

HIGHWAY RT. NO. IH - 680 NB

MILEPOST NO. 5.28

LOCATION .75 MILE NORTH OF MAPLE STREET INTERCHANGE IN OMAHA.

FILENAME C315052.M16

DISK/TAPE ID 0197

BEGIN'G DATE 12/26/96 TIME 10:00:00 ENDING DATE 12/30/96 TIME 06:59:59

COUNT DURATION 05 [] HOURS [X] DAYS [] MONTHS

VEHICLE CLASSIFICATION METHOD: FHWA X OTHER #BINS

TYPE OF CLASSIFICATION EQUIPMENT: PORTABLE PERMANENT X

AVC EQUIPMENT MAKE / MODEL NO. Diamond Traffic Product/Traffic Tally 2001

SENSOR TYPE Piezo Cable.

WEIGHT SCALE TYPE: PORT. WIM X PERM. WIM OTHER

EQUIPMENT MAKE / MODEL NO. GOLDEN RIVER, WEIGHMAN

SENSOR TYPE CAP MAT

METHOD OF CALIBRATION: STATIC SCALE

FREQUENCY OF CALIBRATION: ANNUAL

COMMENTS: Classification out of adjustment on the 26th through the 29th.

Christmas related travel caused high volumes on the 27th. Christmas

day traffic volumes are expectedly lower than normal. Data lost on

the 30th because of piezo loop problems.

NAME OF PREPARER

Rodger Tomarch

PHONE NO. (402) 479-4364

DATE PREPARED 01/31/97

SHEET 12

STATE ASSIGNED ID 3 2 1

TRAFFIC DATA

STATE CODE 3 1

COLLECTION SITE

SHRP SECTION ID 5 0 5 2

HIGHWAY RT. NO. IH - 680 NB

MILEPOST NO. 5.28

LOCATION .75 MILE NORTH OF MAPLE STREET INTERCHANGE IN OMAHA.

FILENAME C315052.M16

DISK/TAPE ID 0197

BEGIN'G DATE 12/31/96 TIME 00:00:00 ENDING DATE 12/31/96 TIME 23:59:59

COUNT DURATION 01 [] HOURS [X] DAYS [] MONTHS

VEHICLE CLASSIFICATION METHOD: FHWA X OTHER #BINS

TYPE OF CLASSIFICATION EQUIPMENT: PORTABLE PERMANENT X

AVC EQUIPMENT MAKE / MODEL NO. Diamond Traffic Product/Traffic Tally 2001

SENSOR TYPE Piezo Cable.

WEIGHT SCALE TYPE: PORT. WIM X PERM. WIM OTHER

EQUIPMENT MAKE / MODEL NO. GOLDEN RIVER, WEIGHMAN

SENSOR TYPE CAP MAT

METHOD OF CALIBRATION: STATIC SCALE

FREQUENCY OF CALIBRATION: ANNUAL

COMMENTS:

NAME OF PREPARER

Rodger Tomash

PHONE NO. (402) 479-4364

DATE PREPARED 01/31/97