

<p align="center"><b>SHEET 10</b> <b>LTPP TRAFFIC DATA</b></p> <p align="center"><b>TRAFFIC VOLUME AND LOAD</b> <b>ESTIMATE UPDATE-NO SITE COUNT</b></p>	*STATE ASSIGNED ID	[ ] [ ] [ ] [ ]
	*STATE CODE	[ 31 ]
	*SHRP SECTION ID	[ 5052 ]

**1. ANNUAL TRAFFIC ESTIMATES**

*YEAR	ESTIMATED TOTAL VEHICLES AADT (TWO-WAY)	ESTIMATED TOTAL TRUCK AADT (TWO-WAY)	ESTIMATED TOTAL VEHICLES AADT LTPP LANE	*ESTIMATED TOTAL TRUCKS AADT LTPP LANE	*ESTIMATED ESAL=S/YR LTPP LANE (1000'S)
<u>1997</u>	<u>58573</u>	<u>2795</u>	<u>23278</u>	<u>1368</u>	<u>649</u>

**2. METHOD FOR ESTIMATING TOTAL VEHICLE AADT (TWO-WAY)**

- ☒ Growth factored last year=s estimate. (6)
- ☐ Estimated based on volume counts at nearby locations. (3)
- ☐ Used computerized network analyses. (4)
- ☐ Factored a single count taken this year at the LTPP site. (1)
- ☐ Average multiple counts taken this year at the LTPP site. (2)
- ☐ Average and factored multiple count taken this year at the LTPP site. (5)
- ☐ Used flow maps. (7)
- ☐ Other: (8) \_\_\_\_\_

**3. METHOD FOR ESTIMATING TOTAL TRUCK AADT (TWO-WAY)**

- ☐ Used system averages from counts taken this year. (6)
- ☐ Used count data from nearby sites. (3)
- ☐ Used count data from previous years at the LTPP site. (7)
- ☒ Used system averages from previous years. (8)
- ☐ Used computerized network analyses. (4)
- ☐ Used a single count taken this year at the LTPP site. (5)
- ☐ Factored a single count taken this year at the LTPP site. (1)
- ☐ Averaged multiple counts taken this year at the LTPP site. (2)
- ☐ Other: (9) \_\_\_\_\_

**4. METHOD FOR ESTIMATING TOTAL VEHICLES LTPP LANE AADT**

- ☐ System distribution factors. (2)
- ☐ Based on actual lane count data. (1)
- ☒ Other: (3) G.F.

**\*5. METHOD FOR ESTIMATING TOTAL TRUCKS, LTPP LANE, AADT**

- ☐ System distribution factors. (2)
- ☐ Based on actual lane data count. (1)
- ☒ Other: (3) G.F.

**\*6. METHOD FOR ESTIMATING ESAL/YEAR IN LTPP LANE**

- ☒ ESAL/Truck factor (1)
- ☐ ESAL/Vehicle class. (2) (No. of classes)
- ☐ ESAL/Axle(3) Sing. \_\_\_\_\_ Tand. \_\_\_\_\_ Tri. \_\_\_\_\_
- ☐ Other:(4) \_\_\_\_\_

**7. ESAL ESTIMATES - SOURCE OF DATA**

- ☐ Weight data collected at LTPP site prior years. (2)
- ☐ Weight data from system averages this year. (3)
- ☒ Weight data from system averages prior years. (4)
- ☐ Weight data from historic W-4 Tables used. (5)
- ☐ Other: (6) \_\_\_\_\_

**8. WEIGHT SCALE TYPE**

- ☐ WIM scale. (1)
- ☐ Static scale used for enforcement. (2)
- ☒ Static scale not used for enforcement. (3)
- ☐ Other: (4) \_\_\_\_\_

NAME OF PREPARER ABID IKRAM  
DATE PREPARED JAN 05/09

PHONE# \_\_\_\_\_

SHEET 12 STATE ASSIGNED ID 321  
TRAFFIC DATA STATE CODE 31  
COLLECTION SITE SHRP SECTION ID 5052  
HIGHWAY RT. NO. IH - 680 NB MILEPOST NO. 5.28  
LOCATION: .75 MILES NORTH OF MAPLE STREET INTERCHANGE IN OMAHA.  
FILENAME: C315052.C27 DISK/TAPE ID 0297  
BEGIN'G DATE 01/02/97 TIME 00:00:00 ENDING DATE 01/31/97 TIME 23:59:59  
COUNT DURATION 30 [ ] HOURS [X] DAYS [ ] MONTHS  
VEHICLE CLASSIFICATION METHOD: FHWA X OTHER #BINS  
TYPE OF CLASSIFICATION EQUIPMENT: PORTABLE PERMANENT X  
AVC EQUIPMENT MAKE / MODEL NO.: Diamond Traffic Product/Traffic Tally 2001  
SENSOR TYPE: Piezo Cable.  
WEIGHT SCALE TYPE: PORT. WIM X PERM. WIM OTHER  
EQUIPMENT MAKE / MODEL NO. GOLDEN RIVER, WEIGHMAN  
SENSOR TYPE: CAP MAT  
METHOD OF CALIBRATION: STATIC SCALE  
FREQUENCY OF CALIBRATION: ANNUAL  
COMMENTS: Piezo was out. It was repaired on the 2nd. There were some problems getting it  
it set up, but it was finally calibrated properly. Total traffic looked low on the 26th possibly due to  
Super Bowl.  
NAME OF PREPARER: *Roger Pomared* PHONE NO. (402) 479-4364  
DATE PREPARED: 03/18/98

SHEET 12 STATE ASSIGNED ID 321  
TRAFFIC DATA STATE CODE 31  
COLLECTION SITE SHRP SECTION ID 5052  
HIGHWAY RT. NO. IH - 680 NB MILEPOST NO. 5.28  
LOCATION: .75 MILES NORTH OF MAPLE STREET INTERCHANGE IN OMAHA.  
FILENAME: C315052.D17 DISK/TAPE ID 0397  
BEGIN'G DATE 02/01/97 TIME 00:00:00 ENDING DATE 02/28/97 TIME 23:59:59  
COUNT DURATION 28 [ ] HOURS [X] DAYS [ ] MONTHS  
VEHICLE CLASSIFICATION METHOD: FHWA X OTHER #BINS  
TYPE OF CLASSIFICATION EQUIPMENT: PORTABLE PERMANENT X  
AVC EQUIPMENT MAKE / MODEL NO.: Diamond Traffic Product/Traffic Tally 2001  
SENSOR TYPE: Piezo Cable.  
WEIGHT SCALE TYPE: PORT. WIM X PERM. WIM OTHER  
EQUIPMENT MAKE / MODEL NO. GOLDEN RIVER, WEIGHMAN  
SENSOR TYPE: CAP MAT  
METHOD OF CALIBRATION: STATIC SCALE  
FREQUENCY OF CALIBRATION: ANNUAL  
COMMENTS: Traffic seems heavy possibly due to the holiday.  
  
  
  
  
  
NAME OF PREPARER: *Roger Thomas* PHONE NO. (402) 479-4364  
DATE PREPARED: 03/18/98

SHEET 12 STATE ASSIGNED ID 321  
TRAFFIC DATA STATE CODE 31  
COLLECTION SITE SHRP SECTION ID 5052  
HIGHWAY RT. NO. IH - 680 NB MILEPOST NO. 5.28  
LOCATION: .75 MILES NORTH OF MAPLE STREET INTERCHANGE IN OMAHA.  
FILENAME: C315052.E17 DISK/TAPE ID 0497  
BEGIN'G DATE 03/01/97 TIME 00:00:00 ENDING DATE 03/06/97 TIME 08:59:59  
COUNT DURATION 08 [ ] HOURS [X] DAYS [ ] MONTHS  
VEHICLE CLASSIFICATION METHOD: FHWA X OTHER #BINS  
TYPE OF CLASSIFICATION EQUIPMENT: PORTABLE PERMANENT X  
AVC EQUIPMENT MAKE / MODEL NO.: Diamond Traffic Product/Traffic Tally 2001  
SENSOR TYPE: Piezo Cable.  
WEIGHT SCALE TYPE: PORT. WIM X PERM. WIM OTHER  
EQUIPMENT MAKE / MODEL NO. GOLDEN RIVER, WEIGHMAN  
SENSOR TYPE: CAP MAT  
METHOD OF CALIBRATION: STATIC SCALE  
FREQUENCY OF CALIBRATION: ANNUAL  
COMMENTS: A new computer chip was installed. The machine was out from 09:00 on the 6th  
through the 7th at 07:59.  
NAME OF PREPARER: *Roger Forness* PHONE NO. (402) 479-4364  
DATE PREPARED: 04/02/98

SHEET 12

STATE ASSIGNED ID 321

TRAFFIC DATA

STATE CODE 31

COLLECTION SITE

SHRP SECTION ID 5052

HIGHWAY RT. NO. IH - 680 NB MILEPOST NO. 5.28

LOCATION: .75 MILES NORTH OF MAPLE STREET INTERCHANGE IN OMAHA.

FILENAME: C315052.E17 DISK/TAPE ID 0497

BEGIN'G DATE 03/07/97 TIME 08:00:00 ENDING DATE 03/31/97 TIME 23:59:59

COUNT DURATION 25 [ ] HOURS [X] DAYS [ ] MONTHS

VEHICLE CLASSIFICATION METHOD: FHWA X OTHER        #BINS       

TYPE OF CLASSIFICATION EQUIPMENT: PORTABLE        PERMANENT X

AVC EQUIPMENT MAKE / MODEL NO.: Diamond Traffic Product/Traffic Tally 2001

SENSOR TYPE: Piezo Cable.

WEIGHT SCALE TYPE: PORT. WIM X PERM. WIM        OTHER       

EQUIPMENT MAKE / MODEL NO. GOLDEN RIVER, WEIGHMAN

SENSOR TYPE: CAP MAT

METHOD OF CALIBRATION: STATIC SCALE

FREQUENCY OF CALIBRATION: ANNUAL

COMMENTS: A new format is now implemented with no hourly totals in the text file.

      

      

      

      

NAME OF PREPARER: *Roger Pomaal* PHONE NO. (402) 479-4364

DATE PREPARED: 04/02/98

SHEET 12

STATE ASSIGNED ID 321

TRAFFIC DATA

STATE CODE 31

COLLECTION SITE

SHRP SECTION ID 5052

HIGHWAY RT. NO. IH - 680 NB MILEPOST NO. 5.28

LOCATION: .75 MILES NORTH OF MAPLE STREET INTERCHANGE IN OMAHA.

FILENAME: C315052.F17 DISK/TAPE ID 0597

BEGIN'G DATE 04/01/97 TIME 00:00:00 ENDING DATE 04/30/97 TIME 23:59:59

COUNT DURATION 00 [ ] HOURS [X] DAYS [ ] MONTHS

VEHICLE CLASSIFICATION METHOD: FHWA X OTHER        #BINS       

TYPE OF CLASSIFICATION EQUIPMENT: PORTABLE        PERMANENT X

AVC EQUIPMENT MAKE / MODEL NO.: Diamond Traffic Product/Traffic Tally 2001

SENSOR TYPE: Piezo Cable.

WEIGHT SCALE TYPE: PORT. WIM X PERM. WIM        OTHER       

EQUIPMENT MAKE / MODEL NO. GOLDEN RIVER, WEIGHMAN

SENSOR TYPE: CAP MAT

METHOD OF CALIBRATION: STATIC SCALE

FREQUENCY OF CALIBRATION: ANNUAL

COMMENTS: Hard drive crash caused loss of all data for entire month.

        
        
        
      

NAME OF PREPARER: *Roger Forness* PHONE NO. (402) 479-4364

DATE PREPARED: 03/18/98

SHEET 12 STATE ASSIGNED ID 321  
TRAFFIC DATA STATE CODE 31  
COLLECTION SITE SHRP SECTION ID 5052  
HIGHWAY RT. NO. IH - 680 NB MILEPOST NO. 5.28  
LOCATION: .75 MILES NORTH OF MAPLE STREET INTERCHANGE IN OMAHA.  
FILENAME: C315052.G17 DISK/TAPE ID 0697  
BEGIN'G DATE 05/01/97 TIME 00:00:00 ENDING DATE 05/31/97 TIME 23:59:59  
COUNT DURATION 00 [ ] HOURS [X] DAYS [ ] MONTHS  
VEHICLE CLASSIFICATION METHOD: FHWA X OTHER #BINS  
TYPE OF CLASSIFICATION EQUIPMENT: PORTABLE PERMANENT X  
AVC EQUIPMENT MAKE / MODEL NO.: Diamond Traffic Product/Traffic Tally 2001  
SENSOR TYPE: Piezo Cable.  
WEIGHT SCALE TYPE: PORT. WIM X PERM. WIM OTHER  
EQUIPMENT MAKE / MODEL NO. GOLDEN RIVER, WEIGHMAN  
SENSOR TYPE: CAP MAT  
METHOD OF CALIBRATION: STATIC SCALE  
FREQUENCY OF CALIBRATION: ANNUAL  
COMMENTS: Hard drive crash caused loss of all data for entire month.  
  
  
  
  
  
NAME OF PREPARER: *Debra Thomas* PHONE NO. (402) 479-4364  
DATE PREPARED: 03/18/98

SHEET 12

STATE ASSIGNED ID 321

TRAFFIC DATA

STATE CODE 31

COLLECTION SITE

SHRP SECTION ID 5052

HIGHWAY RT. NO. IH - 680 NB MILEPOST NO. 5.28

LOCATION: .75 MILES NORTH OF MAPLE STREET INTERCHANGE IN OMAHA.

FILENAME: C315052.H17 DISK/TAPE ID 0797

BEGIN'G DATE 06/01/97 TIME 00:00:00 ENDING DATE 06/11/97 TIME 23:59:59

COUNT DURATION 11 [ ] HOURS [X] DAYS [ ] MONTHS

VEHICLE CLASSIFICATION METHOD: FHWA X OTHER        #BINS       

TYPE OF CLASSIFICATION EQUIPMENT: PORTABLE        PERMANENT X

AVC EQUIPMENT MAKE / MODEL NO.: Diamond Traffic Product/Traffic Tally 2001

SENSOR TYPE: Piezo Cable.

WEIGHT SCALE TYPE: PORT. WIM X PERM. WIM        OTHER       

EQUIPMENT MAKE / MODEL NO. GOLDEN RIVER, WEIGHMAN

SENSOR TYPE: CAP MAT

METHOD OF CALIBRATION: STATIC SCALE

FREQUENCY OF CALIBRATION: ANNUAL

COMMENTS: Data lost from the 12th to the 30th because of data maintenance error.

        
        
        
      

NAME OF PREPARER: *Rodger Romard* PHONE NO. (402) 479-4364

DATE PREPARED: 04/15/97



SHEET 12 STATE ASSIGNED ID 321  
TRAFFIC DATA STATE CODE 31  
COLLECTION SITE SHRP SECTION ID 5052  
HIGHWAY RT. NO. IH - 680 NB MILEPOST NO. 5.28  
LOCATION: .75 MILES NORTH OF MAPLE STREET INTERCHANGE IN OMAHA.  
FILENAME: C315052.I37 DISK/TAPE ID 0897  
BEGIN'G DATE 07/03/97 TIME 00:00:00 ENDING DATE 07/03/97 TIME 23:59:59  
COUNT DURATION 01 [ ] HOURS [X] DAYS [ ] MONTHS  
VEHICLE CLASSIFICATION METHOD: FHWA X OTHER #BINS  
TYPE OF CLASSIFICATION EQUIPMENT: PORTABLE PERMANENT X  
AVC EQUIPMENT MAKE / MODEL NO.: Diamond Traffic Product/Traffic Tally 2001  
SENSOR TYPE: Piezo Cable.  
WEIGHT SCALE TYPE: PORT. WIM X PERM. WIM OTHER  
EQUIPMENT MAKE / MODEL NO. GOLDEN RIVER, WEIGHMAN  
SENSOR TYPE: CAP MAT  
METHOD OF CALIBRATION: STATIC SCALE  
FREQUENCY OF CALIBRATION: ANNUAL  
COMMENTS: Data missing because of mismanagement of data files on the 1st, 2nd and 4th.  
  
  
  
  
  
NAME OF PREPARER: *Roger Tomasz* PHONE NO. (402) 479-4364  
DATE PREPARED: 04/07/98

SHEET 12

STATE ASSIGNED ID 321

TRAFFIC DATA

STATE CODE 31

COLLECTION SITE

SHRP SECTION ID 5052

HIGHWAY RT. NO. IH - 680 NB MILEPOST NO. 5.28

LOCATION: .75 MILES NORTH OF MAPLE STREET INTERCHANGE IN OMAHA.

FILENAME: C315052.I37 DISK/TAPE ID 0897

BEGIN'G DATE 07/05/97 TIME 00:00:00 ENDING DATE 07/05/97 TIME 23:59:59

COUNT DURATION 01 [ ] HOURS [X] DAYS [ ] MONTHS

VEHICLE CLASSIFICATION METHOD: FHWA X OTHER        #BINS       

TYPE OF CLASSIFICATION EQUIPMENT: PORTABLE        PERMANENT X

AVC EQUIPMENT MAKE / MODEL NO.: Diamond Traffic Product/Traffic Tally 2001

SENSOR TYPE: Piezo Cable.

WEIGHT SCALE TYPE: PORT. WIM X PERM. WIM        OTHER       

EQUIPMENT MAKE / MODEL NO. GOLDEN RIVER, WEIGHMAN

SENSOR TYPE: CAP MAT

METHOD OF CALIBRATION: STATIC SCALE

FREQUENCY OF CALIBRATION: ANNUAL

COMMENTS: Data missing on the 6th because of mismanagement of data files.

\_\_\_\_\_

\_\_\_\_\_

\_\_\_\_\_

\_\_\_\_\_

NAME OF PREPARER: *Roger Romasch* PHONE NO. (402) 479-4364

DATE PREPARED: 04/07/98

SHEET 12 STATE ASSIGNED ID 321  
TRAFFIC DATA STATE CODE 31  
COLLECTION SITE SHRP SECTION ID 5052  
HIGHWAY RT. NO. IH - 680 NB MILEPOST NO. 5.28  
LOCATION: .75 MILES NORTH OF MAPLE STREET INTERCHANGE IN OMAHA.  
FILENAME: C315052.I37 DISK/TAPE ID 0897  
BEGIN'G DATE 07/07/97 TIME 00:00:00 ENDING DATE 07/13/97 TIME 23:59:59  
COUNT DURATION 07 [ ] HOURS [X] DAYS [ ] MONTHS  
VEHICLE CLASSIFICATION METHOD: FHWA X OTHER #BINS  
TYPE OF CLASSIFICATION EQUIPMENT: PORTABLE PERMANENT X  
AVC EQUIPMENT MAKE / MODEL NO.: Diamond Traffic Product/Traffic Tally 2001  
SENSOR TYPE: Piezo Cable.  
WEIGHT SCALE TYPE: PORT. WIM X PERM. WIM OTHER  
EQUIPMENT MAKE / MODEL NO. GOLDEN RIVER, WEIGHMAN  
SENSOR TYPE: CAP MAT  
METHOD OF CALIBRATION: STATIC SCALE  
FREQUENCY OF CALIBRATION: ANNUAL  
COMMENTS: Data missing on the 14th, 15th and 16th because of mismanagement of data files.  
  
  
  
  
  
NAME OF PREPARER: *Gregory P. Parnell* PHONE NO. (402) 479-4364  
DATE PREPARED: 04/07/98

SHEET 12 STATE ASSIGNED ID 321  
TRAFFIC DATA STATE CODE 31  
COLLECTION SITE SHRP SECTION ID 5052  
HIGHWAY RT. NO. IH - 680 NB MILEPOST NO. 5.28  
LOCATION: .75 MILES NORTH OF MAPLE STREET INTERCHANGE IN OMAHA.  
FILENAME: C315052.I37 DISK/TAPE ID 0897  
BEGIN'G DATE 07/17/97 TIME 00:00:00 ENDING DATE 07/31/97 TIME 23:59:59  
COUNT DURATION 15 [ ] HOURS [X] DAYS [ ] MONTHS  
VEHICLE CLASSIFICATION METHOD: FHWA X OTHER #BINS  
TYPE OF CLASSIFICATION EQUIPMENT: PORTABLE PERMANENT X  
AVC EQUIPMENT MAKE / MODEL NO.: Diamond Traffic Product/Traffic Tally 2001  
SENSOR TYPE: Piezo Cable.  
WEIGHT SCALE TYPE: PORT. WIM X PERM. WIM OTHER  
EQUIPMENT MAKE / MODEL NO. GOLDEN RIVER, WEIGHMAN  
SENSOR TYPE: CAP MAT  
METHOD OF CALIBRATION: STATIC SCALE  
FREQUENCY OF CALIBRATION: ANNUAL  
COMMENTS:  
  
  
  
  
  
NAME OF PREPARER: *Roger Tomasz* PHONE NO. (402) 479-4364  
DATE PREPARED: 04/07/98

SHEET 12 STATE ASSIGNED ID 321  
TRAFFIC DATA STATE CODE 31  
COLLECTION SITE SHRP SECTION ID 5052  
HIGHWAY RT. NO. IH - 680 NB MILEPOST NO. 5.28  
LOCATION: .75 MILES NORTH OF MAPLE STREET INTERCHANGE IN OMAHA.  
FILENAME: C315052.K17 DISK/TAPE ID 1097  
BEGIN'G DATE 09/01/97 TIME 00:00:00 ENDING DATE 09/30/97 TIME 23:59:59  
COUNT DURATION 00 [ ] HOURS [X] DAYS [ ] MONTHS  
VEHICLE CLASSIFICATION METHOD: FHWA X OTHER #BINS  
TYPE OF CLASSIFICATION EQUIPMENT: PORTABLE PERMANENT X  
AVC EQUIPMENT MAKE / MODEL NO.: Diamond Traffic Product/Traffic Tally 2001  
SENSOR TYPE: Piezo Cable.  
WEIGHT SCALE TYPE: PORT. WIM X PERM. WIM OTHER  
EQUIPMENT MAKE / MODEL NO. GOLDEN RIVER, WEIGHMAN  
SENSOR TYPE: CAP MAT  
METHOD OF CALIBRATION: STATIC SCALE  
FREQUENCY OF CALIBRATION: ANNUAL  
COMMENTS: Data lost because of power failures following a blizzard on October 25, 1997.  
  
  
  
  
  
NAME OF PREPARER: Roger Romasch PHONE NO. (402) 479-4364  
DATE PREPARED: 04/27/98

SHEET 12

STATE ASSIGNED ID 321

TRAFFIC DATA

STATE CODE 31

COLLECTION SITE

SHRP SECTION ID 5052

HIGHWAY RT. NO. IH - 680 NB MILEPOST NO. 5.28

LOCATION: .75 MILES NORTH OF MAPLE STREET INTERCHANGE IN OMAHA.

FILENAME: C315052.L17 DISK/TAPE ID 1197

BEGIN'G DATE 10/01/97 TIME 00:00:00 ENDING DATE 10/31/97 TIME 23:59:59

COUNT DURATION 00 [ ] HOURS [X] DAYS [ ] MONTHS

VEHICLE CLASSIFICATION METHOD: FHWA X OTHER        #BINS       

TYPE OF CLASSIFICATION EQUIPMENT: PORTABLE        PERMANENT X

AVC EQUIPMENT MAKE / MODEL NO.: Diamond Traffic Product/Traffic Tally 2001

SENSOR TYPE: Piezo Cable.

WEIGHT SCALE TYPE: PORT. WIM X PERM. WIM        OTHER       

EQUIPMENT MAKE / MODEL NO. GOLDEN RIVER, WEIGHMAN

SENSOR TYPE: CAP MAT

METHOD OF CALIBRATION: STATIC SCALE

FREQUENCY OF CALIBRATION: ANNUAL

COMMENTS: Data missing because of blizzard on the 25th. Power outages caused data to be corrupt.

        
        
        
      

NAME OF PREPARER: *Roger Romand* PHONE NO. (402) 479-4364

DATE PREPARED: 04/27/98

SHEET 12 STATE ASSIGNED ID 321  
TRAFFIC DATA STATE CODE 31  
COLLECTION SITE SHRP SECTION ID 5052  
HIGHWAY RT. NO. IH - 680 NB MILEPOST NO. 5.28  
LOCATION: .75 MILES NORTH OF MAPLE STREET INTERCHANGE IN OMAHA.  
FILENAME: C315052.M17 DISK/TAPE ID 1297  
BEGIN'G DATE 11/01/97 TIME 00:00:00 ENDING DATE 11/30/97 TIME 23:59:59  
COUNT DURATION 30 [ ] HOURS [X] DAYS [ ] MONTHS  
VEHICLE CLASSIFICATION METHOD: FHWA X OTHER #BINS  
TYPE OF CLASSIFICATION EQUIPMENT: PORTABLE PERMANENT X  
AVC EQUIPMENT MAKE / MODEL NO.: Diamond Traffic Product/Traffic Tally 2001  
SENSOR TYPE: Piezo Cable.  
WEIGHT SCALE TYPE: PORT. WIM X PERM. WIM OTHER  
EQUIPMENT MAKE / MODEL NO. GOLDEN RIVER, WEIGHMAN  
SENSOR TYPE: CAP MAT  
METHOD OF CALIBRATION: STATIC SCALE  
FREQUENCY OF CALIBRATION: ANNUAL  
COMMENTS: Data was missing for two hours from 1000 to 1259 on the 14th. No reason was given.  
Total volume appears to be high on the 26th possibly due to holiday traffic.  
NAME OF PREPARER: Roger Pomaruk PHONE NO. (402) 479-4364  
DATE PREPARED: 04/28/98

SHEET 12 STATE ASSIGNED ID 321  
TRAFFIC DATA STATE CODE 31  
COLLECTION SITE SHRP SECTION ID 5052  
HIGHWAY RT. NO. IH - 680 NB MILEPOST NO. 5.28  
LOCATION: .75 MILES NORTH OF MAPLE STREET INTERCHANGE IN OMAHA.  
FILENAME: C315052.N17 DISK/TAPE ID 0198  
BEGIN'G DATE 12/01/97 TIME 00:00:00 ENDING DATE 12/31/97 TIME 23:59:59  
COUNT DURATION 31 [ ] HOURS [X] DAYS [ ] MONTHS  
VEHICLE CLASSIFICATION METHOD: FHWA X OTHER #BINS  
TYPE OF CLASSIFICATION EQUIPMENT: PORTABLE PERMANENT X  
AVC EQUIPMENT MAKE / MODEL NO.: Diamond Traffic Product/Traffic Tally 2001  
SENSOR TYPE: Piezo Cable.  
WEIGHT SCALE TYPE: PORT. WIM X PERM. WIM OTHER  
EQUIPMENT MAKE / MODEL NO. GOLDEN RIVER, WEIGHMAN  
SENSOR TYPE: CAP MAT  
METHOD OF CALIBRATION: STATIC SCALE  
FREQUENCY OF CALIBRATION: ANNUAL  
COMMENTS:  
  
  
  
  
  
NAME OF PREPARER: Roger Pomauch PHONE NO. (402) 479-4364  
DATE PREPARED: 04/29/98