

SHEET 12 LTPP TRAFFIC DATA CLASSIFICATION DATA TRANSMITTAL FORM	*STATE ASSIGNED ID	[I-195]
	*STATE CODE	[3 4]
	*SHRP SECTION ID	[0 5 0 0]

HIGHWAY RT. NO. (THIS COUNT): ***I-195 WB***

MILEPOST NO. OR LOCATION (THIS COUNT): ***MP 9.50; Upper Freehold Township, 1.7 miles East of Route Co. 539.***

FILENAME: C340500.C10 ✓

DISK ID:

BEGINNING DATE: ***01-01-2014***

BEGINNING TIME: ***00:00***

ENDING DATE: ***01-31-2014***

ENDING TIME: ***24:00***

COUNT DURATION: ***1*** [] HOURS [] DAYS [X] MONTHS

VEHICLE CLASSIFICATION METHOD: FHWA ***X*** OTHER

NAME OF AGENCY CLASSIFICATION SCHEME: ***N/A*** NO. OF BINS: ***N/A***

NOTE: IF NOT PREVIOUSLY PROVIDED TO SHRP/LTPP, PLEASE ATTACH SHEET 6 DESCRIBING THE VEHICLE CLASSIFICATION CATEGORIES AND ALSO ATTACH SHEET 7 DESCRIBING HOW THE AGENCY WOULD CONVERT ITS CLASSIFICATION SCHEME TO THE FHWA 13 BIN SYSTEM.

TYPE OF AVC EQUIPMENT: PORTABLE PERMANENT ***X***

EQUIPMENT MAKE/MODEL#: ***International Road Dynamics' Piezo WIM System.***

SENSOR TYPE: ***Each lane has two (2) loops and 5.74 feet of KISTLER QUARTZ WIM sensor at the left side and 5.74 feet of KISTLER QUARTZ WIM sensor at the right side .***

ADJUSTMENT FACTORS FOR ESTIMATING AVERAGE ANNUAL VOLUMES BY CLASSIFICATION:

GENERAL FACTORS:

CLASS SPECIFIC FACTORS (PROVIDE BY CLASS OF CLASS GROUPS):

COMMENTS: ***NO CLASS DATA ON JANUARY 3, 21-22 DUE TO SYSTEM PROBLEM.***

NAME OF PREPARER: <i>Eric M. Oberle</i>	PHONE: <i>(609)-530-2667</i>
DATE PREPARED: <i>February 24, 2014</i>	

SHEET 12 LTPP TRAFFIC DATA CLASSIFICATION DATA TRANSMITTAL FORM	*STATE ASSIGNED ID	[I-195]
	*STATE CODE	[3 4]
	*SHRP SECTION ID	[0 5 0 0]

HIGHWAY RT. NO. (THIS COUNT): *I-195 WB*

MILEPOST NO. OR LOCATION (THIS COUNT): *MP 9.50; Upper Freehold Township, 1.7 miles East of Route Co. 539.*

FILENAME: C340500.D10 ✓

DISK ID:

BEGINNING DATE: *02-01-2014*

BEGINNING TIME: *00:00*

ENDING DATE: *02-28-2014*

ENDING TIME: *24:00*

COUNT DURATION: *1* [] HOURS [] DAYS [X] MONTHS

VEHICLE CLASSIFICATION METHOD: FHWA *X* OTHER

NAME OF AGENCY CLASSIFICATION SCHEME: *N/A* NO. OF BINS: *N/A*

NOTE: IF NOT PREVIOUSLY PROVIDED TO SHRP/LTPP, PLEASE ATTACH SHEET 6 DESCRIBING THE VEHICLE CLASSIFICATION CATEGORIES AND ALSO ATTACH SHEET 7 DESCRIBING HOW THE AGENCY WOULD CONVERT ITS CLASSIFICATION SCHEME TO THE FHWA 13 BIN SYSTEM.

TYPE OF AVC EQUIPMENT: PORTABLE PERMANENT *X*

EQUIPMENT MAKE/MODEL#: *International Road Dynamics' Piezo WIM System.*

SENSOR TYPE: *Each lane has two (2) loops and 5.74 feet of KISTLER QUARTZ WIM sensor at the left side and 5.74 feet of KISTLER QUARTZ WIM sensor at the right side.*

ADJUSTMENT FACTORS FOR ESTIMATING AVERAGE ANNUAL VOLUMES BY CLASSIFICATION:

GENERAL FACTORS:

CLASS SPECIFIC FACTORS (PROVIDE BY CLASS OF CLASS GROUPS):

COMMENTS: ~~NO CLASS DATA ON FEBRUARY 3, 5, 13, 15, 24 DUE TO SYSTEM PROBLEM.~~

NAME OF PREPARER: <i>Eric M. Oberle</i>	PHONE: <i>(609)-530-2667</i>
DATE PREPARED: <i>March 14, 2014</i>	

SHEET 12 LTTP TRAFFIC DATA CLASSIFICATION DATA TRANSMITTAL FORM	*STATE ASSIGNED ID	[I-195]
	*STATE CODE	[3 4]
	*SHRP SECTION ID	[0 5 0 0]

HIGHWAY RT. NO. (THIS COUNT): *I-195 WB*

MILEPOST NO. OR LOCATION (THIS COUNT): *MP 9.50; Upper Freehold Township, 1.7 miles East of Route Co. 539.*

FILENAME: C340500.E10

DISK ID:

BEGINNING DATE: *03-01-2014*

BEGINNING TIME: *00:00*

ENDING DATE: *03-31-2014*

ENDING TIME: *24:00*

COUNT DURATION: *1* [] HOURS [] DAYS [X] MONTHS

VEHICLE CLASSIFICATION METHOD: FHWA *X* OTHER

NAME OF AGENCY CLASSIFICATION SCHEME: *N/A* NO. OF BINS: *N/A*

NOTE: IF NOT PREVIOUSLY PROVIDED TO SHRP/LTPP, PLEASE ATTACH SHEET 6 DESCRIBING THE VEHICLE CLASSIFICATION CATEGORIES AND ALSO ATTACH SHEET 7 DESCRIBING HOW THE AGENCY WOULD CONVERT ITS CLASSIFICATION SCHEME TO THE FHWA 13 BIN SYSTEM.

TYPE OF AVC EQUIPMENT: PORTABLE PERMANENT *X*

EQUIPMENT MAKE/MODEL#: *International Road Dynamics' Piezo WIM System.*

SENSOR TYPE: *Each lane has two (2) loops and 5.74 feet of KISTLER QUARTZ WIM sensor at the left side and 5.74 feet of KISTLER QUARTZ WIM sensor at the right side .*

ADJUSTMENT FACTORS FOR ESTIMATING AVERAGE ANNUAL VOLUMES BY CLASSIFICATION:

GENERAL FACTORS:

CLASS SPECIFIC FACTORS (PROVIDE BY CLASS OF CLASS GROUPS):

COMMENTS: *NO CLASS DATA ON MARCH 3, 17 DUE TO SYSTEM PROBLEM.*

NAME OF PREPARER: <i>Eric M. Oberle</i>	PHONE: <i>(609)-530-2667</i>
DATE PREPARED: <i>April 14, 2014</i>	

SHEET 12 LTPP TRAFFIC DATA CLASSIFICATION DATA TRANSMITTAL FORM	*STATE ASSIGNED ID	[I-195]
	*STATE CODE	[3 4]
	*SHRP SECTION ID	[0 5 0 0]

HIGHWAY RT. NO. (THIS COUNT): ***I-195 WB***

MILEPOST NO. OR LOCATION (THIS COUNT): ***MP 9.50; Upper Freehold Township, 1.7 miles East of Route Co. 539.***

FILENAME: C340500.F10 ✓

DISK ID:

BEGINNING DATE: ***04-01-2014***

BEGINNING TIME: ***00:00***

ENDING DATE: ***04-30-2014***

ENDING TIME: ***24:00***

COUNT DURATION: ***1*** [] HOURS [] DAYS [X] MONTHS

VEHICLE CLASSIFICATION METHOD: FHWA ***X*** OTHER

NAME OF AGENCY CLASSIFICATION SCHEME: ***N/A*** NO. OF BINS: ***N/A***

NOTE: IF NOT PREVIOUSLY PROVIDED TO SHRP/LTPP, PLEASE ATTACH SHEET 6 DESCRIBING THE VEHICLE CLASSIFICATION CATEGORIES AND ALSO ATTACH SHEET 7 DESCRIBING HOW THE AGENCY WOULD CONVERT ITS CLASSIFICATION SCHEME TO THE FHWA 13 BIN SYSTEM.

TYPE OF AVC EQUIPMENT: PORTABLE PERMANENT ***X***

EQUIPMENT MAKE/MODEL#: ***International Road Dynamics' Piezo WIM System.***

SENSOR TYPE: ***Each lane has two (2) loops and 5.74 feet of KISTLER QUARTZ WIM sensor at the left side and 5.74 feet of KISTLER QUARTZ WIM sensor at the right side.***

ADJUSTMENT FACTORS FOR ESTIMATING AVERAGE ANNUAL VOLUMES BY CLASSIFICATION:

GENERAL FACTORS:

CLASS SPECIFIC FACTORS (PROVIDE BY CLASS OF CLASS GROUPS):

COMMENTS:

NAME OF PREPARER: <i>Eric M. Oberle</i>	PHONE: <i>(609)-530-2667</i>
DATE PREPARED: <i>June 17, 2014</i>	

SHEET 12 LTTP TRAFFIC DATA CLASSIFICATION DATA TRANSMITTAL FORM	*STATE ASSIGNED ID	[I-195]
	*STATE CODE	[3 4]
	*SHRP SECTION ID	[0 5 0 0]

HIGHWAY RT. NO. (THIS COUNT): **I-195 WB**

MILEPOST NO. OR LOCATION (THIS COUNT): **MP 9.50; Upper Freehold Township, 1.7 miles East of Route Co. 539.**

FILENAME: C340500.G10 ✓

DISK ID:

BEGINNING DATE: **05-01-2014**

BEGINNING TIME: **00:00**

ENDING DATE: **05-31-2014**

ENDING TIME: **24:00**

COUNT DURATION: **1** [] HOURS [] DAYS [X] MONTHS

VEHICLE CLASSIFICATION METHOD: FHWA **X** OTHER

NAME OF AGENCY CLASSIFICATION SCHEME: **N/A** NO. OF BINS: **N/A**

NOTE: IF NOT PREVIOUSLY PROVIDED TO SHRP/LTPP, PLEASE ATTACH SHEET 6 DESCRIBING THE VEHICLE CLASSIFICATION CATEGORIES AND ALSO ATTACH SHEET 7 DESCRIBING HOW THE AGENCY WOULD CONVERT ITS CLASSIFICATION SCHEME TO THE FHWA 13 BIN SYSTEM.

TYPE OF AVC EQUIPMENT: PORTABLE PERMANENT **X**

EQUIPMENT MAKE/MODEL#: **International Road Dynamics' Piezo WIM System.**

SENSOR TYPE: **Each lane has two (2) loops and 5.74 feet of KISTLER QUARTZ WIM sensor at the left side and 5.74 feet of KISTLER QUARTZ WIM sensor at the right side .**

ADJUSTMENT FACTORS FOR ESTIMATING AVERAGE ANNUAL VOLUMES BY CLASSIFICATION:

GENERAL FACTORS:

CLASS SPECIFIC FACTORS (PROVIDE BY CLASS OF CLASS GROUPS):

COMMENTS:

NAME OF PREPARER: Eric M. Oberle	PHONE: (609)-530-2667
DATE PREPARED: July 2, 2014	

SHEET 12 LTPP TRAFFIC DATA CLASSIFICATION DATA TRANSMITTAL FORM	*STATE ASSIGNED ID	[I-195]
	*STATE CODE	[3 4]
	*SHRP SECTION ID	[0 5 0 0]

HIGHWAY RT. NO. (THIS COUNT): *I-195 WB*

MILEPOST NO. OR LOCATION (THIS COUNT): *MP 9.50; Upper Freehold Township, 1.7 miles East of Route Co. 539.*

FILENAME: C340500.H10 ✓

DISK ID:

BEGINNING DATE: *06-01-2014*

BEGINNING TIME: *00:00*

ENDING DATE: *06-30-2014*

ENDING TIME: *24:00*

COUNT DURATION: *1* [] HOURS [] DAYS [X] MONTHS

VEHICLE CLASSIFICATION METHOD: FHWA *X* OTHER

NAME OF AGENCY CLASSIFICATION SCHEME: *N/A* NO. OF BINS: *N/A*

NOTE: IF NOT PREVIOUSLY PROVIDED TO SHRP/LTPP, PLEASE ATTACH SHEET 6 DESCRIBING THE VEHICLE CLASSIFICATION CATEGORIES AND ALSO ATTACH SHEET 7 DESCRIBING HOW THE AGENCY WOULD CONVERT ITS CLASSIFICATION SCHEME TO THE FHWA 13 BIN SYSTEM.

TYPE OF AVC EQUIPMENT: PORTABLE PERMANENT *X*

EQUIPMENT MAKE/MODEL#: *International Road Dynamics' Piezo WIM System.*

SENSOR TYPE: *Each lane has two (2) loops and 5.74 feet of KISTLER QUARTZ WIM sensor at the left side and 5.74 feet of KISTLER QUARTZ WIM sensor at the right side .*

ADJUSTMENT FACTORS FOR ESTIMATING AVERAGE ANNUAL VOLUMES BY CLASSIFICATION:

GENERAL FACTORS:

CLASS SPECIFIC FACTORS (PROVIDE BY CLASS OF CLASS GROUPS):

COMMENTS:

NAME OF PREPARER: <i>Eric M. Oberle</i>	PHONE: <i>(609)-530-2667</i>
DATE PREPARED: <i>July 14, 2014</i>	

SHEET 12 LTTP TRAFFIC DATA CLASSIFICATION DATA TRANSMITTAL FORM	*STATE ASSIGNED ID	[I-195]
	*STATE CODE	[3 4]
	*SHRP SECTION ID	[0 5 0 0]

HIGHWAY RT. NO. (THIS COUNT): ***I-195 WB***

MILEPOST NO. OR LOCATION (THIS COUNT): ***MP 9.50; Upper Freehold Township, 1.7 miles East of Route Co. 539.***

FILENAME: C340500.I10 ✓

DISK ID:

BEGINNING DATE: ***07-01-2014***

BEGINNING TIME: ***00:00***

ENDING DATE: ***07-31-2014***

ENDING TIME: ***24:00***

COUNT DURATION: ***1*** [] HOURS [] DAYS [X] MONTHS

VEHICLE CLASSIFICATION METHOD: FHWA ***X*** OTHER

NAME OF AGENCY CLASSIFICATION SCHEME: ***N/A*** NO. OF BINS: ***N/A***

NOTE: IF NOT PREVIOUSLY PROVIDED TO SHRP/LTPP, PLEASE ATTACH SHEET 6 DESCRIBING THE VEHICLE CLASSIFICATION CATEGORIES AND ALSO ATTACH SHEET 7 DESCRIBING HOW THE AGENCY WOULD CONVERT ITS CLASSIFICATION SCHEME TO THE FHWA 13 BIN SYSTEM.

TYPE OF AVC EQUIPMENT: PORTABLE PERMANENT ***X***

EQUIPMENT MAKE/MODEL#: ***International Road Dynamics' Piezo WIM System.***

SENSOR TYPE: ***Each lane has two (2) loops and 5.74 feet of KISTLER QUARTZ WIM sensor at the left side and 5.74 feet of KISTLER QUARTZ WIM sensor at the right side .***

ADJUSTMENT FACTORS FOR ESTIMATING AVERAGE ANNUAL VOLUMES BY CLASSIFICATION:

GENERAL FACTORS:

CLASS SPECIFIC FACTORS (PROVIDE BY CLASS OF CLASS GROUPS):

COMMENTS:

NAME OF PREPARER: <i>Eric M. Oberle</i>	PHONE: <i>(609)-530-2667</i>
DATE PREPARED: <i>September 4, 2014</i>	

SHEET 12 LTPP TRAFFIC DATA CLASSIFICATION DATA TRANSMITTAL FORM	*STATE ASSIGNED ID	[I-195]
	*STATE CODE	[3 4]
	*SHRP SECTION ID	[0 5 0 0]

HIGHWAY RT. NO. (THIS COUNT): ***I-195 WB***

MILEPOST NO. OR LOCATION (THIS COUNT): ***MP 9.50; Upper Freehold Township, 1.7 miles East of Route Co. 539.***

FILENAME: C340500.J10 ✓

DISK ID:

BEGINNING DATE: ***08-01-2014***

BEGINNING TIME: ***00:00***

ENDING DATE: ***08-31-2014***

ENDING TIME: ***24:00***

COUNT DURATION: ***1*** [] HOURS [] DAYS [X] MONTHS

VEHICLE CLASSIFICATION METHOD: FHWA ***X*** OTHER

NAME OF AGENCY CLASSIFICATION SCHEME: ***N/A*** NO. OF BINS: ***N/A***

NOTE: IF NOT PREVIOUSLY PROVIDED TO SHRP/LTPP, PLEASE ATTACH SHEET 6 DESCRIBING THE VEHICLE CLASSIFICATION CATEGORIES AND ALSO ATTACH SHEET 7 DESCRIBING HOW THE AGENCY WOULD CONVERT ITS CLASSIFICATION SCHEME TO THE FHWA 13 BIN SYSTEM.

TYPE OF AVC EQUIPMENT: PORTABLE PERMANENT ***X***

EQUIPMENT MAKE/MODEL#: ***International Road Dynamics' Piezo WIM System.***

SENSOR TYPE: ***Each lane has two (2) loops and 5.74 feet of KISTLER QUARTZ WIM sensor at the left side and 5.74 feet of KISTLER QUARTZ WIM sensor at the right side .***

ADJUSTMENT FACTORS FOR ESTIMATING AVERAGE ANNUAL VOLUMES BY CLASSIFICATION:

GENERAL FACTORS:

CLASS SPECIFIC FACTORS (PROVIDE BY CLASS OF CLASS GROUPS):

COMMENTS:

NAME OF PREPARER: <i>Eric M. Oberle</i>	PHONE: <i>(609)-530-2667</i>
DATE PREPARED: <i>September 23, 2014</i>	

SHEET 12 LTPP TRAFFIC DATA CLASSIFICATION DATA TRANSMITTAL FORM	*STATE ASSIGNED ID	[I-195]
	*STATE CODE	[3 4]
	*SHRP SECTION ID	[0 5 0 0]

HIGHWAY RT. NO. (THIS COUNT): *I-195 WB*

MILEPOST NO. OR LOCATION (THIS COUNT): *MP 9.50; Upper Freehold Township, 1.7 miles East of Route Co. 539.*

FILENAME: C340500.K10 ✓

DISK ID:

BEGINNING DATE: *09-01-2014*

BEGINNING TIME: *00:00*

ENDING DATE: *09-30-2014*

ENDING TIME: *24:00*

COUNT DURATION: *1* [] HOURS [] DAYS [X] MONTHS

VEHICLE CLASSIFICATION METHOD: FHWA *X* OTHER

NAME OF AGENCY CLASSIFICATION SCHEME: *N/A* NO. OF BINS: *N/A*

NOTE: IF NOT PREVIOUSLY PROVIDED TO SHRP/LTPP, PLEASE ATTACH SHEET 6 DESCRIBING THE VEHICLE CLASSIFICATION CATEGORIES AND ALSO ATTACH SHEET 7 DESCRIBING HOW THE AGENCY WOULD CONVERT ITS CLASSIFICATION SCHEME TO THE FHWA 13 BIN SYSTEM.

TYPE OF AVC EQUIPMENT: PORTABLE PERMANENT *X*

EQUIPMENT MAKE/MODEL#: *International Road Dynamics' Piezo WIM System.*

SENSOR TYPE: *Each lane has two (2) loops and 5.74 feet of KISTLER QUARTZ WIM sensor at the left side and 5.74 feet of KISTLER QUARTZ WIM sensor at the right side .*

ADJUSTMENT FACTORS FOR ESTIMATING AVERAGE ANNUAL VOLUMES BY CLASSIFICATION:

GENERAL FACTORS:

CLASS SPECIFIC FACTORS (PROVIDE BY CLASS OF CLASS GROUPS):

COMMENTS:

NAME OF PREPARER: <i>Eric M. Oberle</i>	PHONE: <i>(609)-530-2667</i>
DATE PREPARED: <i>October 17, 2014</i>	

SHEET 12 LTPP TRAFFIC DATA CLASSIFICATION DATA TRANSMITTAL FORM	*STATE ASSIGNED ID	[I-195]
	*STATE CODE	[3 4]
	*SHRP SECTION ID	[0 5 0 0]

HIGHWAY RT. NO. (THIS COUNT): *I-195 WB*

MILEPOST NO. OR LOCATION (THIS COUNT): *MP 9.50; Upper Freehold Township, 1.7 miles East of Route Co. 539.*

FILENAME: C340500.L10 ✓

DISK ID:

BEGINNING DATE: *10-01-2014*

BEGINNING TIME: *00:00*

ENDING DATE: *11-31-2014*

ENDING TIME: *24:00*

COUNT DURATION: *1* [] HOURS [] DAYS [X] MONTHS

VEHICLE CLASSIFICATION METHOD: FHWA *X* OTHER

NAME OF AGENCY CLASSIFICATION SCHEME: *N/A* NO. OF BINS: *N/A*

NOTE: IF NOT PREVIOUSLY PROVIDED TO SHRP/LTPP, PLEASE ATTACH SHEET 6 DESCRIBING THE VEHICLE CLASSIFICATION CATEGORIES AND ALSO ATTACH SHEET 7 DESCRIBING HOW THE AGENCY WOULD CONVERT ITS CLASSIFICATION SCHEME TO THE FHWA 13 BIN SYSTEM.

TYPE OF AVC EQUIPMENT: PORTABLE PERMANENT *X*

EQUIPMENT MAKE/MODEL#: *International Road Dynamics' Piezo WIM System.*

SENSOR TYPE: *Each lane has two (2) loops and 5.74 feet of KISTLER QUARTZ WIM sensor at the left side and 5.74 feet of KISTLER QUARTZ WIM sensor at the right side .*

ADJUSTMENT FACTORS FOR ESTIMATING AVERAGE ANNUAL VOLUMES BY CLASSIFICATION:

GENERAL FACTORS:

CLASS SPECIFIC FACTORS (PROVIDE BY CLASS OF CLASS GROUPS):

COMMENTS: *No data on October 10 and 13*

NAME OF PREPARER: <i>M. Afrina Khandakar</i>	PHONE: <i>(609)-530-3508</i>
DATE PREPARED: <i>December 23, 2014</i>	

SHEET 12 LTPP TRAFFIC DATA CLASSIFICATION DATA TRANSMITTAL FORM	*STATE ASSIGNED ID	[I-195]
	*STATE CODE	[3 4]
	*SHRP SECTION ID	[0 5 0 0]

HIGHWAY RT. NO. (THIS COUNT): *I-195 WB*

MILEPOST NO. OR LOCATION (THIS COUNT): *MP 9.50; Upper Freehold Township, 1.7 miles East of Route Co. 539.*

FILENAME: C340500.M10

DISK ID:

BEGINNING DATE: *11-01-2014*

BEGINNING TIME: *00:00*

ENDING DATE: *11-30-2014*

ENDING TIME: *24:00*

COUNT DURATION: *1* [] HOURS [] DAYS [X] MONTHS

VEHICLE CLASSIFICATION METHOD: FHWA *X* OTHER

NAME OF AGENCY CLASSIFICATION SCHEME: *N/A* NO. OF BINS: *N/A*

NOTE: IF NOT PREVIOUSLY PROVIDED TO SHRP/LTPP, PLEASE ATTACH SHEET 6 DESCRIBING THE VEHICLE CLASSIFICATION CATEGORIES AND ALSO ATTACH SHEET 7 DESCRIBING HOW THE AGENCY WOULD CONVERT ITS CLASSIFICATION SCHEME TO THE FHWA 13 BIN SYSTEM.

TYPE OF AVC EQUIPMENT: PORTABLE PERMANENT *X*

EQUIPMENT MAKE/MODEL#: *International Road Dynamics' Piezo WIM System.*

SENSOR TYPE: *Each lane has two (2) loops and 5.74 feet of KISTLER QUARTZ WIM sensor at the left side and 5.74 feet of KISTLER QUARTZ WIM sensor at the right side .*

ADJUSTMENT FACTORS FOR ESTIMATING AVERAGE ANNUAL VOLUMES BY CLASSIFICATION:

GENERAL FACTORS:

CLASS SPECIFIC FACTORS (PROVIDE BY CLASS OF CLASS GROUPS):

COMMENTS:

NAME OF PREPARER: <i>M. Afrina Khandakar</i>	PHONE: <i>(609)-530-3508</i>
DATE PREPARED: <i>January 5, 2015</i>	

SHEET 12 LTTP TRAFFIC DATA CLASSIFICATION DATA TRANSMITTAL FORM	*STATE ASSIGNED ID	[I-195]
	*STATE CODE	[3 4]
	*SHRP SECTION ID	[0 5 0 0]

HIGHWAY RT. NO. (THIS COUNT): *I-195 WB*

MILEPOST NO. OR LOCATION (THIS COUNT): *MP 9.50; Upper Freehold Township, 1.7 miles East of Route Co. 539.*

FILENAME: C340500.N10 ✓

DISK ID:

BEGINNING DATE: *12-01-2014*

BEGINNING TIME: *00:00*

ENDING DATE: *12-31-2014*

ENDING TIME: *24:00*

COUNT DURATION: *1* [] HOURS [] DAYS [X] MONTHS

VEHICLE CLASSIFICATION METHOD: FHWA *X* OTHER

NAME OF AGENCY CLASSIFICATION SCHEME: *N/A* NO. OF BINS: *N/A*

NOTE: IF NOT PREVIOUSLY PROVIDED TO SHRP/LTPP, PLEASE ATTACH SHEET 6 DESCRIBING THE VEHICLE CLASSIFICATION CATEGORIES AND ALSO ATTACH SHEET 7 DESCRIBING HOW THE AGENCY WOULD CONVERT ITS CLASSIFICATION SCHEME TO THE FHWA 13 BIN SYSTEM.

TYPE OF AVC EQUIPMENT: PORTABLE PERMANENT *X*

EQUIPMENT MAKE/MODEL#: *International Road Dynamics' Piezo WIM System.*

SENSOR TYPE: *Each lane has two (2) loops and 5.74 feet of KISTLER QUARTZ WIM sensor at the left side and 5.74 feet of KISTLER QUARTZ WIM sensor at the right side .*

ADJUSTMENT FACTORS FOR ESTIMATING AVERAGE ANNUAL VOLUMES BY CLASSIFICATION:

GENERAL FACTORS:

CLASS SPECIFIC FACTORS (PROVIDE BY CLASS OF CLASS GROUPS):

COMMENTS:

NAME OF PREPARER: <i>M. Afrina Khandakar</i>	PHONE: <i>(609)-530-3508</i>
DATE PREPARED: <i>January 26, 2015</i>	

SHEET 13 LTPP TRAFFIC DATA VEHICLE WEIGHT DATA TRANSMITTAL FORM	*STATE ASSIGNED ID	[I-195]
	*STATE CODE	[3 4]
	*SHRP SECTION ID	[0 5 0 0]

HIGHWAY RT. NO. (THIS SESSION) **I-195 WB**

MILEPOST NO. OR LOCATION (THIS SESSION) **MP 9.50; Upper Freehold Township, 1.7 miles East of Route Co. 539.**

FILENAME: W340500.C10 ✓
V340500.C10

BEGINNING DATE: **01-01-2014**

BEGINNING TIME: **00:00**

ENDING DATE: **01-31-2014**

ENDING TIME: **24:00**

COUNT DURATION: 1 [] HOURS [] DAYS [X] MONTHS

WEIGHT SCALE TYPE: PORT. WIM PERM. WIM **X** OTHER

EQUIPMENT MAKE/MODEL# **International Road Dynamics Piezo WIM System**

SENSOR TYPE: **Each lane has two (2) loops and 5.74 feet of KISTLER QUARTZ WIM sensor at the left side and 5.74 feet of KISTLER QUARTZ WIM sensor at the right side .**

VEHICLE CLASSIFICATION METHOD:

7-card FHWA 13 bin in cols. 18-19
7-card 6 digit Truck Weight study

7-card FHWA 13 bin in cols. 22-23
W-card **X** OTHER

NAME OF AGENCY CLASSIFICATION SCHEME:

NO. OF BINS

NOTE: IF NOT PREVIOUSLY PROVIDED TO SHRP/LTPP, PLEASE ATTACH SHEET 6 DESCRIBING THE VEHICLE CLASSIFICATION CATEGORIES AND ALSO ATTACH SHEET 7 DESCRIBING HOW THE AGENCY WOULD CONVERT ITS CLASSIFICATION SCHEME TO THE FHWA 13 CLASS SYSTEM.

METHOD OF CALIBRATION AND FREQUENCY: **Calibration is field validated on each site once a year using one 3S2 vehicle loaded and statically weighed at about 70,000 to 80,000 pounds. A minimum of 20 passes is made per lane at highway speeds or until a consistent calibration tolerance of ± 5 percent of the gross test vehicle weight is achieved. The initial run consists of about 10 or more passes of the calibration vehicles and the weights recorded are averaged using only the consistently measured GVW. Another 10 or more passes are then made after inputting the new changes to confirm the calibration tolerances. The process is repeated until the required tolerance is satisfied.**

COMMENTS: **NO WEIGHT OR VOLUME DATA ON JANUARY 3, 21-22 DUE TO SYSTEM PROBLEM.**

NAME OF PREPARER: **Eric M. Oberle**
DATE PREPARED: **February 24, 2014**

PHONE: **(609)-530-2667**

SHEET 13 LTPP TRAFFIC DATA VEHICLE WEIGHT DATA TRANSMITTAL FORM	*STATE ASSIGNED ID	[I-195]
	*STATE CODE	[3 4]
	*SHRP SECTION ID	[0 5 0 0]

HIGHWAY RT. NO. (THIS SESSION) ***I-195 WB***

MILEPOST NO. OR LOCATION (THIS SESSION) ***MP 9.50; Upper Freehold Township, 1.7 miles East of Route Co. 539.***

FILENAME: W340500.D1O ✓
V340500.D1O

BEGINNING DATE: ***02-01-2014***

BEGINNING TIME: ***00:00***

ENDING DATE: ***02-28-2014***

ENDING TIME: ***24:00***

COUNT DURATION: 1 [] HOURS [] DAYS [X] MONTHS

WEIGHT SCALE TYPE: PORT. WIM PERM. WIM ***X*** OTHER

EQUIPMENT MAKE/MODEL# ***International Road Dynamics Piezo WIM System***

SENSOR TYPE: ***Each lane has two (2) loops and 5.74 feet of KISTLER QUARTZ WIM sensor at the left side and 5.74 feet of KISTLER QUARTZ WIM sensor at the right side .***

VEHICLE CLASSIFICATION METHOD:

7-card FHWA 13 bin in cols. 18-19
7-card 6 digit Truck Weight study

7-card FHWA 13 bin in cols. 22-23
W-card ***X*** OTHER

NAME OF AGENCY CLASSIFICATION SCHEME:

NO. OF BINS

NOTE: IF NOT PREVIOUSLY PROVIDED TO SHRP/LTPP, PLEASE ATTACH SHEET 6 DESCRIBING THE VEHICLE CLASSIFICATION CATEGORIES AND ALSO ATTACH SHEET 7 DESCRIBING HOW THE AGENCY WOULD CONVERT ITS CLASSIFICATION SCHEME TO THE FHWA 13 CLASS SYSTEM.

METHOD OF CALIBRATION AND FREQUENCY: ***Calibration is field validated on each site once a year using one 3S2 vehicle loaded and statically weighed at about 70,000 to 80,000 pounds. A minimum of 20 passes is made per lane at highway speeds or until a consistent calibration tolerance of ± 5 percent of the gross test vehicle weight is achieved. The initial run consists of about 10 or more passes of the calibration vehicles and the weights recorded are averaged using only the consistently measured GVW. Another 10 or more passes are then made after inputting the new changes to confirm the calibration tolerances. The process is repeated until the required tolerance is satisfied.***

COMMENTS: NO WEIGHT OR VOLUME DATA ON FEBRUARY 3, 5, 13, 15, 24 DUE TO SYSTEM PROBLEM.

NAME OF PREPARER: <i>Eric M. Oberle</i>	PHONE: <i>(609)-530-2667</i>
DATE PREPARED: <i>March 14, 2014</i>	

SHEET 13 LTPP TRAFFIC DATA VEHICLE WEIGHT DATA TRANSMITTAL FORM	*STATE ASSIGNED ID	[I-195]
	*STATE CODE	[3 4]
	*SHRP SECTION ID	[0 5 0 0]

HIGHWAY RT. NO. (THIS SESSION) *I-195 WB*

MILEPOST NO. OR LOCATION (THIS SESSION) *MP 9.50; Upper Freehold Township, 1.7 miles East of Route Co. 539.*

FILENAME: W340500.E1O ✓
V340500.E1O

BEGINNING DATE: *03-01-2014*

BEGINNING TIME: *00:00*

ENDING DATE: *03-31-2014*

ENDING TIME: *24:00*

COUNT DURATION: 1 [] HOURS [] DAYS [X] MONTHS

WEIGHT SCALE TYPE: PORT. WIM PERM. WIM *X* OTHER

EQUIPMENT MAKE/MODEL# *International Road Dynamics Piezo WIM System*

SENSOR TYPE: *Each lane has two (2) loops and 5.74 feet of KISTLER QUARTZ WIM sensor at the left side and 5.74 feet of KISTLER QUARTZ WIM sensor at the right side.*

VEHICLE CLASSIFICATION METHOD:

7-card FHWA 13 bin in cols. 18-19

7-card FHWA 13 bin in cols. 22-23

7-card 6 digit Truck Weight study

W-card *X*

OTHER

NAME OF AGENCY CLASSIFICATION SCHEME:

NO. OF BINS

NOTE: IF NOT PREVIOUSLY PROVIDED TO SHRP/LTPP, PLEASE ATTACH SHEET 6 DESCRIBING THE VEHICLE CLASSIFICATION CATEGORIES AND ALSO ATTACH SHEET 7 DESCRIBING HOW THE AGENCY WOULD CONVERT ITS CLASSIFICATION SCHEME TO THE FHWA 13 CLASS SYSTEM.

METHOD OF CALIBRATION AND FREQUENCY: *Calibration is field validated on each site once a year using one 3S2 vehicle loaded and statically weighed at about 70,000 to 80,000 pounds. A minimum of 20 passes is made per lane at highway speeds or until a consistent calibration tolerance of ± 5 percent of the gross test vehicle weight is achieved. The initial run consists of about 10 or more passes of the calibration vehicles and the weights recorded are averaged using only the consistently measured GVW. Another 10 or more passes are then made after inputting the new changes to confirm the calibration tolerances. The process is repeated until the required tolerance is satisfied.*

COMMENTS: NO WEIGHT OR VOLUME DATA ON MARCH 3, 17 DUE TO SYSTEM PROBLEM.

NAME OF PREPARER: <i>Eric M. Oberle</i>	PHONE: <i>(609)-530-2667</i>
DATE PREPARED: <i>April 14, 2014</i>	

SHEET 13 LTPP TRAFFIC DATA VEHICLE WEIGHT DATA TRANSMITTAL FORM	*STATE ASSIGNED ID	[I-195]
	*STATE CODE	[3 4]
	*SHRP SECTION ID	[0 5 0 0]

HIGHWAY RT. NO. (THIS SESSION) *I-195 WB*

MILEPOST NO. OR LOCATION (THIS SESSION) *MP 9.50; Upper Freehold Township, 1.7 miles East of Route Co. 539.*

FILENAME: W340500.F10 ✓
V340500.F10

BEGINNING DATE: *04-01-2014*

BEGINNING TIME: *00:00*

ENDING DATE: *04-30-2014*

ENDING TIME: *24:00*

COUNT DURATION: 1 [] HOURS [] DAYS [X] MONTHS

WEIGHT SCALE TYPE: PORT. WIM PERM. WIM *X* OTHER

EQUIPMENT MAKE/MODEL# *International Road Dynamics Piezo WIM System*

SENSOR TYPE: *Each lane has two (2) loops and 5.74 feet of KISTLER QUARTZ WIM sensor at the left side and 5.74 feet of KISTLER QUARTZ WIM sensor at the right side.*

VEHICLE CLASSIFICATION METHOD:

7-card FHWA 13 bin in cols. 18-19
7-card 6 digit Truck Weight study

7-card FHWA 13 bin in cols. 22-23
W-card *X* OTHER

NAME OF AGENCY CLASSIFICATION SCHEME:

NO. OF BINS

NOTE: IF NOT PREVIOUSLY PROVIDED TO SHRP/LTPP, PLEASE ATTACH SHEET 6 DESCRIBING THE VEHICLE CLASSIFICATION CATEGORIES AND ALSO ATTACH SHEET 7 DESCRIBING HOW THE AGENCY WOULD CONVERT ITS CLASSIFICATION SCHEME TO THE FHWA 13 CLASS SYSTEM.

METHOD OF CALIBRATION AND FREQUENCY: *Calibration is field validated on each site once a year using one 3S2 vehicle loaded and statically weighed at about 70,000 to 80,000 pounds. A minimum of 20 passes is made per lane at highway speeds or until a consistent calibration tolerance of ± 5 percent of the gross test vehicle weight is achieved. The initial run consists of about 10 or more passes of the calibration vehicles and the weights recorded are averaged using only the consistently measured GVW. Another 10 or more passes are then made after inputting the new changes to confirm the calibration tolerances. The process is repeated until the required tolerance is satisfied.*

COMMENTS:

NAME OF PREPARER: <i>Eric M. Oberle</i>	PHONE: <i>(609)-530-2667</i>
DATE PREPARED: <i>June 17, 2014</i>	

SHEET 13 LTPP TRAFFIC DATA VEHICLE WEIGHT DATA TRANSMITTAL FORM	*STATE ASSIGNED ID	[I-195]
	*STATE CODE	[3 4]
	*SHRP SECTION ID	[0 5 0 0]

HIGHWAY RT. NO. (THIS SESSION) *I-195 WB*

MILEPOST NO. OR LOCATION (THIS SESSION) *MP 9.50; Upper Freehold Township, 1.7 miles East of Route Co. 539.*

FILENAME: W340500.G10 ✓
V340500.G10

BEGINNING DATE: *05-01-2014*

BEGINNING TIME: *00:00*

ENDING DATE: *05-31-2014*

ENDING TIME: *24:00*

COUNT DURATION: 1 [] HOURS [] DAYS [X] MONTHS

WEIGHT SCALE TYPE: PORT. WIM PERM. WIM *X* OTHER

EQUIPMENT MAKE/MODEL# *International Road Dynamics Piezo WIM System*

SENSOR TYPE: *Each lane has two (2) loops and 5.74 feet of KISTLER QUARTZ WIM sensor at the left side and 5.74 feet of KISTLER QUARTZ WIM sensor at the right side .*

VEHICLE CLASSIFICATION METHOD:

7-card FHWA 13 bin in cols. 18-19

7-card FHWA 13 bin in cols. 22-23

7-card 6 digit Truck Weight study

W-card *X*

OTHER

NAME OF AGENCY CLASSIFICATION SCHEME:

NO. OF BINS

NOTE: IF NOT PREVIOUSLY PROVIDED TO SHRP/LTPP, PLEASE ATTACH SHEET 6 DESCRIBING THE VEHICLE CLASSIFICATION CATEGORIES AND ALSO ATTACH SHEET 7 DESCRIBING HOW THE AGENCY WOULD CONVERT ITS CLASSIFICATION SCHEME TO THE FHWA 13 CLASS SYSTEM.

METHOD OF CALIBRATION AND FREQUENCY: *Calibration is field validated on each site once a year using one 3S2 vehicle loaded and statically weighed at about 70,000 to 80,000 pounds. A minimum of 20 passes is made per lane at highway speeds or until a consistent calibration tolerance of ± 5 percent of the gross test vehicle weight is achieved. The initial run consists of about 10 or more passes of the calibration vehicles and the weights recorded are averaged using only the consistently measured GVW. Another 10 or more passes are then made after inputting the new changes to confirm the calibration tolerances. The process is repeated until the required tolerance is satisfied.*

COMMENTS:

NAME OF PREPARER: <i>Eric M. Oberle</i>	PHONE: <i>(609)-530-2667</i>
DATE PREPARED: <i>July 2, 2014</i>	

SHEET 13 LTPP TRAFFIC DATA VEHICLE WEIGHT DATA TRANSMITTAL FORM	*STATE ASSIGNED ID	[I-195]
	*STATE CODE	[3 4]
	*SHRP SECTION ID	[0 5 0 0]

HIGHWAY RT. NO. (THIS SESSION) **I-195 WB**

MILEPOST NO. OR LOCATION (THIS SESSION) **MP 9.50; Upper Freehold Township, 1.7 miles East of Route Co. 539.**

FILENAME: W340500.H10 ✓
V340500.H10

BEGINNING DATE: **06-01-2014**

BEGINNING TIME: **00:00**

ENDING DATE: **06-30-2014**

ENDING TIME: **24:00**

COUNT DURATION: 1 [] HOURS [] DAYS [X] MONTHS

WEIGHT SCALE TYPE: PORT. WIM PERM. WIM **X** OTHER

EQUIPMENT MAKE/MODEL# **International Road Dynamics Piezo WIM System**

SENSOR TYPE: **Each lane has two (2) loops and 5.74 feet of KISTLER QUARTZ WIM sensor at the left side and 5.74 feet of KISTLER QUARTZ WIM sensor at the right side .**

VEHICLE CLASSIFICATION METHOD:

7-card FHWA 13 bin in cols. 18-19
7-card 6 digit Truck Weight study

7-card FHWA 13 bin in cols. 22-23
W-card **X** OTHER

NAME OF AGENCY CLASSIFICATION SCHEME:

NO. OF BINS

NOTE: IF NOT PREVIOUSLY PROVIDED TO SHRP/LTPP, PLEASE ATTACH SHEET 6 DESCRIBING THE VEHICLE CLASSIFICATION CATEGORIES AND ALSO ATTACH SHEET 7 DESCRIBING HOW THE AGENCY WOULD CONVERT ITS CLASSIFICATION SCHEME TO THE FHWA 13 CLASS SYSTEM.

METHOD OF CALIBRATION AND FREQUENCY: **Calibration is field validated on each site once a year using one 3S2 vehicle loaded and statically weighed at about 70,000 to 80,000 pounds. A minimum of 20 passes is made per lane at highway speeds or until a consistent calibration tolerance of ± 5 percent of the gross test vehicle weight is achieved. The initial run consists of about 10 or more passes of the calibration vehicles and the weights recorded are averaged using only the consistently measured GVW. Another 10 or more passes are then made after inputting the new changes to confirm the calibration tolerances. The process is repeated until the required tolerance is satisfied.**

COMMENTS:

NAME OF PREPARER: Eric M. Oberle	PHONE: (609)-530-2667
DATE PREPARED: July 14, 2014	

SHEET 13 LTPP TRAFFIC DATA VEHICLE WEIGHT DATA TRANSMITTAL FORM	*STATE ASSIGNED ID	[I-195]
	*STATE CODE	[3 4]
	*SHRP SECTION ID	[0 5 0 0]

HIGHWAY RT. NO. (THIS SESSION) **I-195 WB**

MILEPOST NO. OR LOCATION (THIS SESSION) **MP 9.50; Upper Freehold Township, 1.7 miles East of Route Co. 539.**

FILENAME: W340500.I1O ✓
V340500.I1O

BEGINNING DATE: **07-01-2014**

BEGINNING TIME: **00:00**

ENDING DATE: **07-31-2014**

ENDING TIME: **24:00**

COUNT DURATION: 1 [] HOURS [] DAYS [X] MONTHS

WEIGHT SCALE TYPE: PORT. WIM PERM. WIM **X** OTHER

EQUIPMENT MAKE/MODEL# **International Road Dynamics Piezo WIM System**

SENSOR TYPE: **Each lane has two (2) loops and 5.74 feet of KISTLER QUARTZ WIM sensor at the left side and 5.74 feet of KISTLER QUARTZ WIM sensor at the right side .**

VEHICLE CLASSIFICATION METHOD:

7-card FHWA 13 bin in cols. 18-19
7-card 6 digit Truck Weight study

7-card FHWA 13 bin in cols. 22-23
W-card **X** OTHER

NAME OF AGENCY CLASSIFICATION SCHEME:

NO. OF BINS

NOTE: IF NOT PREVIOUSLY PROVIDED TO SHRP/LTPP, PLEASE ATTACH SHEET 6 DESCRIBING THE VEHICLE CLASSIFICATION CATEGORIES AND ALSO ATTACH SHEET 7 DESCRIBING HOW THE AGENCY WOULD CONVERT ITS CLASSIFICATION SCHEME TO THE FHWA 13 CLASS SYSTEM.

METHOD OF CALIBRATION AND FREQUENCY: **Calibration is field validated on each site once a year using one 3S2 vehicle loaded and statically weighed at about 70,000 to 80,000 pounds. A minimum of 20 passes is made per lane at highway speeds or until a consistent calibration tolerance of ± 5 percent of the gross test vehicle weight is achieved. The initial run consists of about 10 or more passes of the calibration vehicles and the weights recorded are averaged using only the consistently measured GVW. Another 10 or more passes are then made after inputting the new changes to confirm the calibration tolerances. The process is repeated until the required tolerance is satisfied.**

COMMENTS:

NAME OF PREPARER: Eric M. Oberle	PHONE: (609)-530-2667
DATE PREPARED: September 4, 2014	

SHEET 13 LTPP TRAFFIC DATA VEHICLE WEIGHT DATA TRANSMITTAL FORM	*STATE ASSIGNED ID	[I-195]
	*STATE CODE	[3 4]
	*SHRP SECTION ID	[0 5 0 0]

HIGHWAY RT. NO. (THIS SESSION) ***I-195 WB***

MILEPOST NO. OR LOCATION (THIS SESSION) ***MP 9.50; Upper Freehold Township, 1.7 miles East of Route Co. 539.***

FILENAME: W340500.J10 ✓
V340500.J10

BEGINNING DATE: ***08-01-2014***

BEGINNING TIME: ***00:00***

ENDING DATE: ***08-31-2014***

ENDING TIME: ***24:00***

COUNT DURATION: 1 [] HOURS [] DAYS [X] MONTHS

WEIGHT SCALE TYPE: PORT. WIM PERM. WIM ***X*** OTHER

EQUIPMENT MAKE/MODEL# ***International Road Dynamics Piezo WIM System***

SENSOR TYPE: ***Each lane has two (2) loops and 5.74 feet of KISTLER QUARTZ WIM sensor at the left side and 5.74 feet of KISTLER QUARTZ WIM sensor at the right side.***

VEHICLE CLASSIFICATION METHOD:

7-card FHWA 13 bin in cols. 18-19
7-card 6 digit Truck Weight study

7-card FHWA 13 bin in cols. 22-23
W-card ***X*** OTHER

NAME OF AGENCY CLASSIFICATION SCHEME:

NO. OF BINS

NOTE: IF NOT PREVIOUSLY PROVIDED TO SHRP/LTPP, PLEASE ATTACH SHEET 6 DESCRIBING THE VEHICLE CLASSIFICATION CATEGORIES AND ALSO ATTACH SHEET 7 DESCRIBING HOW THE AGENCY WOULD CONVERT ITS CLASSIFICATION SCHEME TO THE FHWA 13 CLASS SYSTEM.

METHOD OF CALIBRATION AND FREQUENCY: ***Calibration is field validated on each site once a year using one 3S2 vehicle loaded and statically weighed at about 70,000 to 80,000 pounds. A minimum of 20 passes is made per lane at highway speeds or until a consistent calibration tolerance of ± 5 percent of the gross test vehicle weight is achieved. The initial run consists of about 10 or more passes of the calibration vehicles and the weights recorded are averaged using only the consistently measured GVW. Another 10 or more passes are then made after inputting the new changes to confirm the calibration tolerances. The process is repeated until the required tolerance is satisfied.***

COMMENTS:

NAME OF PREPARER: ***Eric M. Oberle***
DATE PREPARED: ***September 23, 2014***

PHONE: ***(609)-530-2667***

SHEET 13 LTPP TRAFFIC DATA VEHICLE WEIGHT DATA TRANSMITTAL FORM	*STATE ASSIGNED ID	[I-195]
	*STATE CODE	[3 4]
	*SHRP SECTION ID	[0 5 0 0]

HIGHWAY RT. NO. (THIS SESSION) *I-195 WB*

MILEPOST NO. OR LOCATION (THIS SESSION) *MP 9.50; Upper Freehold Township, 1.7 miles East of Route Co. 539.*

FILENAME: W340500.K10 ✓
V340500.K10

BEGINNING DATE: *09-01-2014*

BEGINNING TIME: *00:00*

ENDING DATE: *09-30-2014*

ENDING TIME: *24:00*

COUNT DURATION: 1 [] HOURS [] DAYS [X] MONTHS

WEIGHT SCALE TYPE: PORT. WIM PERM. WIM *X* OTHER

EQUIPMENT MAKE/MODEL# *International Road Dynamics Piezo WIM System*

SENSOR TYPE: *Each lane has two (2) loops and 5.74 feet of KISTLER QUARTZ WIM sensor at the left side and 5.74 feet of KISTLER QUARTZ WIM sensor at the right side.*

VEHICLE CLASSIFICATION METHOD:

7-card FHWA 13 bin in cols. 18-19

7-card FHWA 13 bin in cols. 22-23

7-card 6 digit Truck Weight study

W-card *X*

OTHER

NAME OF AGENCY CLASSIFICATION SCHEME:

NO. OF BINS

NOTE: IF NOT PREVIOUSLY PROVIDED TO SHRP/LTPP, PLEASE ATTACH SHEET 6 DESCRIBING THE VEHICLE CLASSIFICATION CATEGORIES AND ALSO ATTACH SHEET 7 DESCRIBING HOW THE AGENCY WOULD CONVERT ITS CLASSIFICATION SCHEME TO THE FHWA 13 CLASS SYSTEM.

METHOD OF CALIBRATION AND FREQUENCY: *Calibration is field validated on each site once a year using one 3S2 vehicle loaded and statically weighed at about 70,000 to 80,000 pounds. A minimum of 20 passes is made per lane at highway speeds or until a consistent calibration tolerance of ± 5 percent of the gross test vehicle weight is achieved. The initial run consists of about 10 or more passes of the calibration vehicles and the weights recorded are averaged using only the consistently measured GVW. Another 10 or more passes are then made after inputting the new changes to confirm the calibration tolerances. The process is repeated until the required tolerance is satisfied.*

COMMENTS:

NAME OF PREPARER: <i>Eric M. Oberle</i>	PHONE: <i>(609)-530-2667</i>
DATE PREPARED: <i>October 17, 2014</i>	

SHEET 13 LTPP TRAFFIC DATA VEHICLE WEIGHT DATA TRANSMITTAL FORM	*STATE ASSIGNED ID	[I-195]
	*STATE CODE	[3 4]
	*SHRP SECTION ID	[0 5 0 0]

HIGHWAY RT. NO. (THIS SESSION) *I-195 WB*

MILEPOST NO. OR LOCATION (THIS SESSION) *MP 9.50; Upper Freehold Township, 1.7 miles East of Route Co. 539.*

FILENAME: W340500.L1O ✓
V340500.L1O

BEGINNING DATE: *10-01-2014*

BEGINNING TIME: *00:00*

ENDING DATE: *10-31-2014*

ENDING TIME: *24:00*

COUNT DURATION: 1 [] HOURS [] DAYS [X] MONTHS

WEIGHT SCALE TYPE: PORT. WIM PERM. WIM *X* OTHER

EQUIPMENT MAKE/MODEL# *International Road Dynamics Piezo WIM System*

SENSOR TYPE: *Each lane has two (2) loops and 5.74 feet of KISTLER QUARTZ WIM sensor at the left side and 5.74 feet of KISTLER QUARTZ WIM sensor at the right side.*

VEHICLE CLASSIFICATION METHOD:

7-card FHWA 13 bin in cols. 18-19

7-card FHWA 13 bin in cols. 22-23

7-card 6 digit Truck Weight study

W-card *X*

OTHER

NAME OF AGENCY CLASSIFICATION SCHEME:

NO. OF BINS

NOTE: IF NOT PREVIOUSLY PROVIDED TO SHRP/LTPP, PLEASE ATTACH SHEET 6 DESCRIBING THE VEHICLE CLASSIFICATION CATEGORIES AND ALSO ATTACH SHEET 7 DESCRIBING HOW THE AGENCY WOULD CONVERT ITS CLASSIFICATION SCHEME TO THE FHWA 13 CLASS SYSTEM.

METHOD OF CALIBRATION AND FREQUENCY: *Calibration is field validated on each site once a year using one 3S2 vehicle loaded and statically weighed at about 70,000 to 80,000 pounds. A minimum of 20 passes is made per lane at highway speeds or until a consistent calibration tolerance of ± 5 percent of the gross test vehicle weight is achieved. The initial run consists of about 10 or more passes of the calibration vehicles and the weights recorded are averaged using only the consistently measured GVW. Another 10 or more passes are then made after inputting the new changes to confirm the calibration tolerances. The process is repeated until the required tolerance is satisfied.*

COMMENTS: No data on 10 and 13

NAME OF PREPARER: M.Afrina Khandakar	PHONE: (609)-530-3508
DATE PREPARED: <i>December 23, 2014</i>	

SHEET 13 LTPP TRAFFIC DATA VEHICLE WEIGHT DATA TRANSMITTAL FORM	*STATE ASSIGNED ID	[I-195]
	*STATE CODE	[3 4]
	*SHRP SECTION ID	[0 5 0 0]

HIGHWAY RT. NO. (THIS SESSION) *I-195 WB*

MILEPOST NO. OR LOCATION (THIS SESSION) *MP 9.50; Upper Freehold Township, 1.7 miles East of Route Co. 539.*

FILENAME: W340500.M1O
V340500.M1O

BEGINNING DATE: *11-01-2014*

BEGINNING TIME: *00:00*

ENDING DATE: *11-30-2014*

ENDING TIME: *24:00*

COUNT DURATION: 1 [] HOURS [] DAYS [X] MONTHS

WEIGHT SCALE TYPE: PORT. WIM PERM. WIM *X* OTHER

EQUIPMENT MAKE/MODEL# *International Road Dynamics Piezo WIM System*

SENSOR TYPE: *Each lane has two (2) loops and 5.74 feet of KISTLER QUARTZ WIM sensor at the left side and 5.74 feet of KISTLER QUARTZ WIM sensor at the right side.*

VEHICLE CLASSIFICATION METHOD:

7-card FHWA 13 bin in cols. 18-19
7-card 6 digit Truck Weight study

7-card FHWA 13 bin in cols. 22-23
W-card *X* OTHER

NAME OF AGENCY CLASSIFICATION SCHEME:

NO. OF BINS

NOTE: IF NOT PREVIOUSLY PROVIDED TO SHRP/LTPP, PLEASE ATTACH SHEET 6 DESCRIBING THE VEHICLE CLASSIFICATION CATEGORIES AND ALSO ATTACH SHEET 7 DESCRIBING HOW THE AGENCY WOULD CONVERT ITS CLASSIFICATION SCHEME TO THE FHWA 13 CLASS SYSTEM.

METHOD OF CALIBRATION AND FREQUENCY: *Calibration is field validated on each site once a year using one 3S2 vehicle loaded and statically weighed at about 70,000 to 80,000 pounds. A minimum of 20 passes is made per lane at highway speeds or until a consistent calibration tolerance of ± 5 percent of the gross test vehicle weight is achieved. The initial run consists of about 10 or more passes of the calibration vehicles and the weights recorded are averaged using only the consistently measured GVW. Another 10 or more passes are then made after inputting the new changes to confirm the calibration tolerances. The process is repeated until the required tolerance is satisfied.*

COMMENTS:

NAME OF PREPARER: M.Afrina Khandakar
DATE PREPARED: *January 5, 2015*

PHONE: *(609)-530-3508*

SHEET 13 LTPP TRAFFIC DATA VEHICLE WEIGHT DATA TRANSMITTAL FORM	*STATE ASSIGNED ID	[I-195]
	*STATE CODE	[3 4]
	*SHRP SECTION ID	[0 5 0 0]

HIGHWAY RT. NO. (THIS SESSION) *I-195 WB*

MILEPOST NO. OR LOCATION (THIS SESSION) *MP 9.50; Upper Freehold Township, 1.7 miles East of Route Co. 539.*

FILENAME: W340500.N10
V340500.N10

BEGINNING DATE: *12-01-2014*

BEGINNING TIME: *00:00*

ENDING DATE: *12-31-2014*

ENDING TIME: *24:00*

COUNT DURATION: 1 [] HOURS [] DAYS [X] MONTHS

WEIGHT SCALE TYPE: PORT. WIM PERM. WIM *X* OTHER

EQUIPMENT MAKE/MODEL# *International Road Dynamics Piezo WIM System*

SENSOR TYPE: *Each lane has two (2) loops and 5.74 feet of KISTLER QUARTZ WIM sensor at the left side and 5.74 feet of KISTLER QUARTZ WIM sensor at the right side .*

VEHICLE CLASSIFICATION METHOD:

7-card FHWA 13 bin in cols. 18-19
7-card 6 digit Truck Weight study

7-card FHWA 13 bin in cols. 22-23
W-card *X* OTHER

NAME OF AGENCY CLASSIFICATION SCHEME:

NO. OF BINS

NOTE: IF NOT PREVIOUSLY PROVIDED TO SHRP/LTPP, PLEASE ATTACH SHEET 6 DESCRIBING THE VEHICLE CLASSIFICATION CATEGORIES AND ALSO ATTACH SHEET 7 DESCRIBING HOW THE AGENCY WOULD CONVERT ITS CLASSIFICATION SCHEME TO THE FHWA 13 CLASS SYSTEM.

METHOD OF CALIBRATION AND FREQUENCY: *Calibration is field validated on each site once a year using one 3S2 vehicle loaded and statically weighed at about 70,000 to 80,000 pounds. A minimum of 20 passes is made per lane at highway speeds or until a consistent calibration tolerance of ± 5 percent of the gross test vehicle weight is achieved. The initial run consists of about 10 or more passes of the calibration vehicles and the weights recorded are averaged using only the consistently measured GVW. Another 10 or more passes are then made after inputting the new changes to confirm the calibration tolerances. The process is repeated until the required tolerance is satisfied.*

COMMENTS:

NAME OF PREPARER: M.Afrina Khandakar	PHONE: (609)-530-3508
DATE PREPARED: <i>January 26, 2015</i>	