

| | | |
|--|--------------------|-----------|
| SHEET 12 LTPP TRAFFIC DATA CLASSIFICATION DATA TRANSMITTAL FORM | *STATE ASSIGNED ID | [NJ-15] |
| | *STATE CODE | [3 4] |
| | *SHRP SECTION ID | [1 0 0 3] |

HIGHWAY RT. NO. (THIS COUNT): *NJ - 15*

MILEPOST NO. OR LOCATION (THIS COUNT): *MP 7.30 , Jefferson Township, 2.2 miles South of Route Co. 517*

FILENAME: C341003.C1J ✓

DISK ID:

BEGINNING DATE: *01-01-2009*

BEGINNING TIME: *00:00*

ENDING DATE: *01-31-2009*

ENDING TIME: *24:00*

COUNT DURATION: *1* [] HOURS [] DAYS [X] MONTHS

VEHICLE CLASSIFICATION METHOD: FHWA *X* OTHER

NAME OF AGENCY CLASSIFICATION SCHEME: *N/A* NO. OF BINS: *N/A*

NOTE: IF NOT PREVIOUSLY PROVIDED TO SHRP/LTPP, PLEASE ATTACH SHEET 6 DESCRIBING THE VEHICLE CLASSIFICATION CATEGORIES AND ALSO ATTACH SHEET 7 DESCRIBING HOW THE AGENCY WOULD CONVERT ITS CLASSIFICATION SCHEME TO THE FHWA 13 BIN SYSTEM.

TYPE OF AVC EQUIPMENT: PORTABLE PERMANENT *X*

EQUIPMENT MAKE/MODEL#: *International Road Dynamics' Piezo WIM System.*

SENSOR TYPE: *Each lane has a single upstream loop and two (2) class I piezoelectric WIM sensors.*

ADJUSTMENT FACTORS FOR ESTIMATING AVERAGE ANNUAL VOLUMES BY CLASSIFICATION:

GENERAL FACTORS:

CLASS SPECIFIC FACTORS (PROVIDE BY CLASS OF CLASS GROUPS):

COMMENTS: NO DATA ON JANUARY 10-17 AND 28 DUE TO SYSTEM PROBLEMS

| | |
|---|------------------------------|
| NAME OF PREPARER: <i>Mahmood Afrina Khandakar</i> | PHONE: <i>(609)-530-4553</i> |
| DATE PREPARED: <i>February 24, 2009</i> | |

| | | |
|--|--------------------|-----------|
| SHEET 12 LTPP TRAFFIC DATA CLASSIFICATION DATA TRANSMITTAL FORM | *STATE ASSIGNED ID | [NJ-15] |
| | *STATE CODE | [3 4] |
| | *SHRP SECTION ID | [1 0 0 3] |

HIGHWAY RT. NO. (THIS COUNT): *NJ - 15*

MILEPOST NO. OR LOCATION (THIS COUNT): *MP 7.30 , Jefferson Township, 2.2 miles South of Route Co. 517*

FILENAME: C341003.D1J ✓

DISK ID:

BEGINNING DATE: *02-01-2009*

BEGINNING TIME: *00:00*

ENDING DATE: *02-28-2009*

ENDING TIME: *24:00*

COUNT DURATION: *1* [] HOURS [] DAYS [X] MONTHS

VEHICLE CLASSIFICATION METHOD: FHWA *X* OTHER

NAME OF AGENCY CLASSIFICATION SCHEME: *N/A* NO. OF BINS: *N/A*

NOTE: IF NOT PREVIOUSLY PROVIDED TO SHRP/LTPP, PLEASE ATTACH SHEET 6 DESCRIBING THE VEHICLE CLASSIFICATION CATEGORIES AND ALSO ATTACH SHEET 7 DESCRIBING HOW THE AGENCY WOULD CONVERT ITS CLASSIFICATION SCHEME TO THE FHWA 13 BIN SYSTEM.

TYPE OF AVC EQUIPMENT: PORTABLE PERMANENT *X*

EQUIPMENT MAKE/MODEL#: *International Road Dynamics' 1060 Piezo WIM System.*

SENSOR TYPE: *Each lane has a single upstream loop and two (2) class I piezoelectric WIM sensors.*

ADJUSTMENT FACTORS FOR ESTIMATING AVERAGE ANNUAL VOLUMES BY CLASSIFICATION:

GENERAL FACTORS:

CLASS SPECIFIC FACTORS (PROVIDE BY CLASS OF CLASS GROUPS):

COMMENTS:

| | |
|---|------------------------------|
| NAME OF PREPARER: <i>Mahmood Afrina Khandakar</i> | PHONE: <i>(609)-530-4553</i> |
| DATE PREPARED: <i>March 17, 2009</i> | |

| | | |
|--|--------------------|-----------|
| SHEET 12 LTPP TRAFFIC DATA CLASSIFICATION DATA TRANSMITTAL FORM | *STATE ASSIGNED ID | [NJ-15] |
| | *STATE CODE | [3 4] |
| | *SHRP SECTION ID | [1 0 0 3] |

HIGHWAY RT. NO. (THIS COUNT): *NJ - 15*

MILEPOST NO. OR LOCATION (THIS COUNT): *MP 7.30 , Jefferson Township, 2.2 miles South of Route Co. 517*

FILENAME: C341003.E1J ✓

DISK ID:

BEGINNING DATE: *03-01-2009*

BEGINNING TIME: *00:00*

ENDING DATE: *03-31-2009*

ENDING TIME: *24:00*

COUNT DURATION: *1* [] HOURS [] DAYS [X] MONTHS

VEHICLE CLASSIFICATION METHOD: FHWA *X* OTHER

NAME OF AGENCY CLASSIFICATION SCHEME: *N/A* NO. OF BINS: *N/A*

NOTE: IF NOT PREVIOUSLY PROVIDED TO SHRP/LTPP, PLEASE ATTACH SHEET 6 DESCRIBING THE VEHICLE CLASSIFICATION CATEGORIES AND ALSO ATTACH SHEET 7 DESCRIBING HOW THE AGENCY WOULD CONVERT ITS CLASSIFICATION SCHEME TO THE FHWA 13 BIN SYSTEM.

TYPE OF AVC EQUIPMENT: PORTABLE PERMANENT *X*

EQUIPMENT MAKE/MODEL#: *International Road Dynamics' 1060 Piezo WIM System.*

SENSOR TYPE: *Each lane has a single upstream loop and two (2) class I piezoelectric WIM sensors.*

ADJUSTMENT FACTORS FOR ESTIMATING AVERAGE ANNUAL VOLUMES BY CLASSIFICATION:

GENERAL FACTORS:

CLASS SPECIFIC FACTORS (PROVIDE BY CLASS OF CLASS GROUPS):

COMMENTS: NO DATA ON MARCH SECOND DUE TO HEAVY SNOW. ALSO NO DATA ON MARCH EIGHT AND NINE DUE TO SYSTEM PROBLEMS.

| | |
|---|------------------------------|
| NAME OF PREPARER: <i>Mahmood Afrina Khandakar</i> | PHONE: <i>(609)-530-4553</i> |
| DATE PREPARED: <i>April 8, 2009</i> | |

| | | |
|--|--------------------|-----------|
| SHEET 12 LTPP TRAFFIC DATA CLASSIFICATION DATA TRANSMITTAL FORM | *STATE ASSIGNED ID | [NJ-15] |
| | *STATE CODE | [3 4] |
| | *SHRP SECTION ID | [1 0 0 3] |

HIGHWAY RT. NO. (THIS COUNT): *NJ - 15*

MILEPOST NO. OR LOCATION (THIS COUNT): *MP 7.30 , Jefferson Township, 2.2 miles South of Route Co. 517*

FILENAME: C341003.G1J ✓

DISK ID:

BEGINNING DATE: *05-01-2009*

BEGINNING TIME: *00:00*

ENDING DATE: *05-31-2009*

ENDING TIME: *24:00*

COUNT DURATION: *1* [] HOURS [] DAYS [X] MONTHS

VEHICLE CLASSIFICATION METHOD: FHWA *X* OTHER

NAME OF AGENCY CLASSIFICATION SCHEME: *N/A* NO. OF BINS: *N/A*

NOTE: IF NOT PREVIOUSLY PROVIDED TO SHRP/LTPP, PLEASE ATTACH SHEET 6 DESCRIBING THE VEHICLE CLASSIFICATION CATEGORIES AND ALSO ATTACH SHEET 7 DESCRIBING HOW THE AGENCY WOULD CONVERT ITS CLASSIFICATION SCHEME TO THE FHWA 13 BIN SYSTEM.

TYPE OF AVC EQUIPMENT: PORTABLE PERMANENT *X*

EQUIPMENT MAKE/MODEL#: *International Road Dynamics' 1060 Piezo WIM System.*

SENSOR TYPE: *Each lane has a single upstream loop and two (2) class I piezoelectric WIM sensors.*

ADJUSTMENT FACTORS FOR ESTIMATING AVERAGE ANNUAL VOLUMES BY CLASSIFICATION:

GENERAL FACTORS:

CLASS SPECIFIC FACTORS (PROVIDE BY CLASS OF CLASS GROUPS):

COMMENTS:

| | |
|---|------------------------------|
| NAME OF PREPARER: <i>Mahmood Afrina Khandakar</i> | PHONE: <i>(609)-530-3508</i> |
| DATE PREPARED: <i>June 8, 2009</i> | |

| | | |
|--|--------------------|-----------|
| SHEET 12 LTTP TRAFFIC DATA CLASSIFICATION DATA TRANSMITTAL FORM | *STATE ASSIGNED ID | [NJ-15] |
| | *STATE CODE | [3 4] |
| | *SHRP SECTION ID | [1 0 0 3] |

HIGHWAY RT. NO. (THIS COUNT): *NJ - 15*

MILEPOST NO. OR LOCATION (THIS COUNT): *MP 7.30 , Jefferson Township, 2.2 miles South of Route Co. 517*

FILENAME: C341003.H1J ✓

DISK ID:

BEGINNING DATE: *06-01-2009*

BEGINNING TIME: *00:00*

ENDING DATE: *06-30-2009*

ENDING TIME: *24:00*

COUNT DURATION: *1* [] HOURS [] DAYS [X] MONTHS

VEHICLE CLASSIFICATION METHOD: FHWA *X* OTHER

NAME OF AGENCY CLASSIFICATION SCHEME: *N/A* NO. OF BINS: *N/A*

NOTE: IF NOT PREVIOUSLY PROVIDED TO SHRP/LTPP, PLEASE ATTACH SHEET 6 DESCRIBING THE VEHICLE CLASSIFICATION CATEGORIES AND ALSO ATTACH SHEET 7 DESCRIBING HOW THE AGENCY WOULD CONVERT ITS CLASSIFICATION SCHEME TO THE FHWA 13 BIN SYSTEM.

TYPE OF AVC EQUIPMENT: PORTABLE PERMANENT *X*

EQUIPMENT MAKE/MODEL#: *International Road Dynamics' 1060 Piezo WIM System.*

SENSOR TYPE: *Each lane has a single upstream loop and two (2) class I piezoelectric WIM sensors.*

ADJUSTMENT FACTORS FOR ESTIMATING AVERAGE ANNUAL VOLUMES BY CLASSIFICATION:

GENERAL FACTORS:

CLASS SPECIFIC FACTORS (PROVIDE BY CLASS OF CLASS GROUPS):

COMMENTS:

| | |
|---|------------------------------|
| NAME OF PREPARER: <i>Mahmood Afrina Khandakar</i> | PHONE: <i>(609)-530-3508</i> |
| DATE PREPARED: <i>August 4, 2009</i> | |

| | | |
|--|--------------------|-----------|
| SHEET 12 LTPP TRAFFIC DATA CLASSIFICATION DATA TRANSMITTAL FORM | *STATE ASSIGNED ID | [NJ-15] |
| | *STATE CODE | [3 4] |
| | *SHRP SECTION ID | [1 0 0 3] |

HIGHWAY RT. NO. (THIS COUNT): *NJ - 15*

MILEPOST NO. OR LOCATION (THIS COUNT): *MP 7.30 , Jefferson Township, 2.2 miles South of Route Co. 517*

FILENAME: C341003.I1J ✓

DISK ID:

BEGINNING DATE: *07-01-2009*

BEGINNING TIME: *00:00*

ENDING DATE: *07-31-2009*

ENDING TIME: *24:00*

COUNT DURATION: *1* [] HOURS [] DAYS [X] MONTHS

VEHICLE CLASSIFICATION METHOD: FHWA *X* OTHER

NAME OF AGENCY CLASSIFICATION SCHEME: *N/A* NO. OF BINS: *N/A*

NOTE: IF NOT PREVIOUSLY PROVIDED TO SHRP/LTPP, PLEASE ATTACH SHEET 6 DESCRIBING THE VEHICLE CLASSIFICATION CATEGORIES AND ALSO ATTACH SHEET 7 DESCRIBING HOW THE AGENCY WOULD CONVERT ITS CLASSIFICATION SCHEME TO THE FHWA 13 BIN SYSTEM.

TYPE OF AVC EQUIPMENT: PORTABLE PERMANENT *X*

EQUIPMENT MAKE/MODEL#: *International Road Dynamics' 1060 Piezo WIM System.*

SENSOR TYPE: *Each lane has a single upstream loop and two (2) class I piezoelectric WIM sensors.*

ADJUSTMENT FACTORS FOR ESTIMATING AVERAGE ANNUAL VOLUMES BY CLASSIFICATION:

GENERAL FACTORS:

CLASS SPECIFIC FACTORS (PROVIDE BY CLASS OF CLASS GROUPS):

COMMENTS:

| | |
|---|------------------------------|
| NAME OF PREPARER: <i>Mahmood Afrina Khandakar</i> | PHONE: <i>(609)-530-3508</i> |
| DATE PREPARED: <i>August 10, 2009</i> | |

| | | |
|--|--------------------|-----------|
| SHEET 12 LTPP TRAFFIC DATA CLASSIFICATION DATA TRANSMITTAL FORM | *STATE ASSIGNED ID | [NJ-15] |
| | *STATE CODE | [3 4] |
| | *SHRP SECTION ID | [1 0 0 3] |

HIGHWAY RT. NO. (THIS COUNT): *NJ - 15*

MILEPOST NO. OR LOCATION (THIS COUNT): *MP 7.30 , Jefferson Township, 2.2 miles South of Route Co. 517*

FILENAME: C341003.J1J ✓

DISK ID:

BEGINNING DATE: *08-01-2009*

BEGINNING TIME: *00:00*

ENDING DATE: *08-31-2009*

ENDING TIME: *24:00*

COUNT DURATION: *1* [] HOURS [] DAYS [X] MONTHS

VEHICLE CLASSIFICATION METHOD: FHWA *X* OTHER

NAME OF AGENCY CLASSIFICATION SCHEME: *N/A* NO. OF BINS: *N/A*

NOTE: IF NOT PREVIOUSLY PROVIDED TO SHRP/LTPP, PLEASE ATTACH SHEET 6 DESCRIBING THE VEHICLE CLASSIFICATION CATEGORIES AND ALSO ATTACH SHEET 7 DESCRIBING HOW THE AGENCY WOULD CONVERT ITS CLASSIFICATION SCHEME TO THE FHWA 13 BIN SYSTEM.

TYPE OF AVC EQUIPMENT: PORTABLE PERMANENT *X*

EQUIPMENT MAKE/MODEL#: *International Road Dynamics' 1060 Piezo WIM System.*

SENSOR TYPE: *Each lane has a single upstream loop and two (2) class I piezoelectric WIM sensors.*

ADJUSTMENT FACTORS FOR ESTIMATING AVERAGE ANNUAL VOLUMES BY CLASSIFICATION:

GENERAL FACTORS:

CLASS SPECIFIC FACTORS (PROVIDE BY CLASS OF CLASS GROUPS):

COMMENTS:

| | |
|---|------------------------------|
| NAME OF PREPARER: <i>Mahmood Afrina Khandakar</i> | PHONE: <i>(609)-530-3508</i> |
| DATE PREPARED: <i>September 9, 2009</i> | |

| | | |
|--|--------------------|-----------|
| SHEET 12 LTPP TRAFFIC DATA CLASSIFICATION DATA TRANSMITTAL FORM | *STATE ASSIGNED ID | [NJ-15] |
| | *STATE CODE | [3 4] |
| | *SHRP SECTION ID | [1 0 0 3] |

HIGHWAY RT. NO. (THIS COUNT): *NJ - 15*

MILEPOST NO. OR LOCATION (THIS COUNT): *MP 7.30 , Jefferson Township, 2.2 miles South of Route Co. 517*

FILENAME: C341003.K1J ✓

DISK ID:

BEGINNING DATE: *09-01-2009*

BEGINNING TIME: *00:00*

ENDING DATE: *09-30-2009*

ENDING TIME: *24:00*

COUNT DURATION: *1* [] HOURS [] DAYS [X] MONTHS

VEHICLE CLASSIFICATION METHOD: FHWA *X* OTHER

NAME OF AGENCY CLASSIFICATION SCHEME: *N/A* NO. OF BINS: *N/A*

NOTE: IF NOT PREVIOUSLY PROVIDED TO SHRP/LTPP, PLEASE ATTACH SHEET 6 DESCRIBING THE VEHICLE CLASSIFICATION CATEGORIES AND ALSO ATTACH SHEET 7 DESCRIBING HOW THE AGENCY WOULD CONVERT ITS CLASSIFICATION SCHEME TO THE FHWA 13 BIN SYSTEM.

TYPE OF AVC EQUIPMENT: PORTABLE PERMANENT *X*

EQUIPMENT MAKE/MODEL#: *International Road Dynamics' 1060 Piezo WIM System.*

SENSOR TYPE: *Each lane has a single upstream loop and two (2) class I piezoelectric WIM sensors.*

ADJUSTMENT FACTORS FOR ESTIMATING AVERAGE ANNUAL VOLUMES BY CLASSIFICATION:

GENERAL FACTORS:

CLASS SPECIFIC FACTORS (PROVIDE BY CLASS OF CLASS GROUPS):

COMMENTS: NO DATA ON SEPTEMBER 14 DUE TO SYSTEM PROBLEMS.

| | |
|---|------------------------------|
| NAME OF PREPARER: <i>Mahmood Afrina Khandakar</i> | PHONE: <i>(609)-530-3508</i> |
| DATE PREPARED: <i>October 13, 2009</i> | |

| | | |
|--|--------------------|-----------|
| SHEET 12 LTPP TRAFFIC DATA CLASSIFICATION DATA TRANSMITTAL FORM | *STATE ASSIGNED ID | [NJ-15] |
| | *STATE CODE | [3 4] |
| | *SHRP SECTION ID | [1 0 0 3] |

HIGHWAY RT. NO. (THIS COUNT): *NJ - 15*

MILEPOST NO. OR LOCATION (THIS COUNT): *MP 7.30 , Jefferson Township, 2.2 miles South of Route Co. 517*

FILENAME: C341003.L1J ✓

DISK ID:

BEGINNING DATE: *10-01-2009*

BEGINNING TIME: *00:00*

ENDING DATE: *10-31-2009*

ENDING TIME: *24:00*

COUNT DURATION: *1* [] HOURS [] DAYS [X] MONTHS

VEHICLE CLASSIFICATION METHOD: FHWA *X* OTHER

NAME OF AGENCY CLASSIFICATION SCHEME: *N/A* NO. OF BINS: *N/A*

NOTE: IF NOT PREVIOUSLY PROVIDED TO SHRP/LTPP, PLEASE ATTACH SHEET 6 DESCRIBING THE VEHICLE CLASSIFICATION CATEGORIES AND ALSO ATTACH SHEET 7 DESCRIBING HOW THE AGENCY WOULD CONVERT ITS CLASSIFICATION SCHEME TO THE FHWA 13 BIN SYSTEM.

TYPE OF AVC EQUIPMENT: PORTABLE PERMANENT *X*

EQUIPMENT MAKE/MODEL#: *International Road Dynamics' 1060 Piezo WIM System.*

SENSOR TYPE: *Each lane has a single upstream loop and two (2) class I piezoelectric WIM sensors.*

ADJUSTMENT FACTORS FOR ESTIMATING AVERAGE ANNUAL VOLUMES BY CLASSIFICATION:

GENERAL FACTORS:

CLASS SPECIFIC FACTORS (PROVIDE BY CLASS OF CLASS GROUPS):

COMMENTS:

| | |
|---|------------------------------|
| NAME OF PREPARER: <i>Mahmood Afrina Khandakar</i> | PHONE: <i>(609)-530-3508</i> |
| DATE PREPARED: <i>November 17, 2009</i> | |

| | | |
|--|--------------------|-----------|
| SHEET 12 LTTP TRAFFIC DATA CLASSIFICATION DATA TRANSMITTAL FORM | *STATE ASSIGNED ID | [NJ-15] |
| | *STATE CODE | [3 4] |
| | *SHRP SECTION ID | [1 0 0 3] |

HIGHWAY RT. NO. (THIS COUNT): *NJ - 15*

MILEPOST NO. OR LOCATION (THIS COUNT): *MP 7.30 , Jefferson Township, 2.2 miles South of Route Co. 517*

FILENAME: C341003.M2J ✓

DISK ID:

BEGINNING DATE: *11-02-2009*

BEGINNING TIME: *00:00*

ENDING DATE: *11-30-2009*

ENDING TIME: *24:00*

COUNT DURATION: *1* [] HOURS [] DAYS [X] MONTHS

VEHICLE CLASSIFICATION METHOD: FHWA *X* OTHER

NAME OF AGENCY CLASSIFICATION SCHEME: *N/A* NO. OF BINS: *N/A*

NOTE: IF NOT PREVIOUSLY PROVIDED TO SHRP/LTPP, PLEASE ATTACH SHEET 6 DESCRIBING THE VEHICLE CLASSIFICATION CATEGORIES AND ALSO ATTACH SHEET 7 DESCRIBING HOW THE AGENCY WOULD CONVERT ITS CLASSIFICATION SCHEME TO THE FHWA 13 BIN SYSTEM.

TYPE OF AVC EQUIPMENT: PORTABLE PERMANENT *X*

EQUIPMENT MAKE/MODEL#: *International Road Dynamics' 1060 Piezo WIM System.*

SENSOR TYPE: *Each lane has a single upstream loop and two (2) class I piezoelectric WIM sensors.*

ADJUSTMENT FACTORS FOR ESTIMATING AVERAGE ANNUAL VOLUMES BY CLASSIFICATION:

GENERAL FACTORS:

CLASS SPECIFIC FACTORS (PROVIDE BY CLASS OF CLASS GROUPS):

COMMENTS: *NO DATA ON NOVEMBER FIRST , DUE TO SYSTEM PROBLEMS.*

| | |
|---|------------------------------|
| NAME OF PREPARER: <i>Mahmood Afrina Khandakar</i> | PHONE: <i>(609)-530-3508</i> |
| DATE PREPARED: <i>December 7, 2009</i> | |

| | | |
|--|--------------------|-----------|
| SHEET 12 LTTP TRAFFIC DATA CLASSIFICATION DATA TRANSMITTAL FORM | *STATE ASSIGNED ID | [NJ-15] |
| | *STATE CODE | [3 4] |
| | *SHRP SECTION ID | [1 0 0 3] |

HIGHWAY RT. NO. (THIS COUNT): *NJ - 15*

MILEPOST NO. OR LOCATION (THIS COUNT): *MP 7.30 , Jefferson Township, 2.2 miles South of Route Co. 517*

FILENAME: C341003.N1J ✓

DISK ID:

BEGINNING DATE: *12-01-2009*

BEGINNING TIME: *00:00*

ENDING DATE: *12-18-2009*

ENDING TIME: *24:00*

COUNT DURATION: *1* [] HOURS [] DAYS [X] MONTHS

VEHICLE CLASSIFICATION METHOD: FHWA *X* OTHER

NAME OF AGENCY CLASSIFICATION SCHEME: *N/A* NO. OF BINS: *N/A*

NOTE: IF NOT PREVIOUSLY PROVIDED TO SHRP/LTPP, PLEASE ATTACH SHEET 6 DESCRIBING THE VEHICLE CLASSIFICATION CATEGORIES AND ALSO ATTACH SHEET 7 DESCRIBING HOW THE AGENCY WOULD CONVERT ITS CLASSIFICATION SCHEME TO THE FHWA 13 BIN SYSTEM.

TYPE OF AVC EQUIPMENT: PORTABLE PERMANENT *X*

EQUIPMENT MAKE/MODEL#: *International Road Dynamics' 1060 Piezo WIM System.*

SENSOR TYPE: *Each lane has a single upstream loop and two (2) class I piezoelectric WIM sensors.*

ADJUSTMENT FACTORS FOR ESTIMATING AVERAGE ANNUAL VOLUMES BY CLASSIFICATION:

GENERAL FACTORS:

CLASS SPECIFIC FACTORS (PROVIDE BY CLASS OF CLASS GROUPS):

COMMENTS:

| | |
|---|------------------------------|
| NAME OF PREPARER: <i>Mahmood Afrina Khandakar</i> | PHONE: <i>(609)-530-3508</i> |
| DATE PREPARED: <i>January 4, 2010</i> | |

| | |
|--|----------------------------|
| SHEET 13 LTPP TRAFFIC DATA VEHICLE WEIGHT DATA TRANSMITTAL FORM | *STATE ASSIGNED ID [NJ-15] |
| | *STATE CODE [3 4] |
| | *SHRP SECTION ID [1 0 0 3] |

HIGHWAY REF. NO. (THIS SESSION): **NJ - 15**

MILEPOST NO. OR LOCATION (THIS SESSION): **MP 7.30, Jefferson Township, 2.2 miles South of Route Co. 517.**

FILENAME: W341003.C1J ✓
V341003.C1J

DISK ID:

BEGINNING DATE: **01-01-2009**

BEGINNING TIME: **00:00**

ENDING DATE: **01-31-2009**

ENDING TIME: **24:00**

COUNT DURATION: 1 [] HOURS [] DAYS [X] MONTHS

WEIGHT SCALE TYPE: PORT. WIM PERM. WIM **X** OTHER

EQUIPMENT MAKE/MODEL: **International Road Dynamics Piezo WIM System**

SENSOR TYPE: **Each lane has a single upstream loop and two (2) class I piezoelectric WIM sensors.**

VEHICLE CLASSIFICATION METHOD:

7-card FHWA 13 bin in cols. 18-19

7-card FHWA 13 bin in cols. 22-23

7-card 6 digit Truck Weight study

W-card **X**

OTHER

NAME OF AGENCY CLASSIFICATION SCHEME:

NO. OF BINS

NOTE: IF NOT PREVIOUSLY PROVIDED TO SHRP/LTPP, PLEASE ATTACH SHEET 6 DESCRIBING THE VEHICLE CLASSIFICATION CATEGORIES. ALSO ATTACH SHEET 7 DESCRIBING HOW THE AGENCY WOULD CONVERT ITS CLASSIFICATION SCHEME TO THE FHWA 13 CLASS SYSTEM.

METHOD OF CALIBRATION AND FREQUENCY: **Calibration is field validated on each site once a year using one 352 vehicle loaded and statically weighed at about 70,000 to 80,000 pounds. A minimum of 20 passes is made per lane at highway speeds or until a consistent calibration tolerance of ± 5 percent of the gross test vehicle weight is achieved. The initial run consists of about 20 more passes of the calibration vehicles and the weights recorded are averaged using only the consistently measured GVW. Another 10 or more passes are then made after inputting the new changes to the calibration tolerances. The process is repeated until the required tolerance is satisfied.**

COMMENTS: NO DATA ON JANUARY 10-17 AND 28 DUE TO SYSTEM PROBLEMS

NAME OF PREPARER: **Mahmood Afrina Khandakar**
DATE PREPARED: **February 24, 2009**

PHONE: **(609)-530-4553**

| | | |
|--|--------------------|-----------|
| SHEET 13 LTPP TRAFFIC DATA VEHICLE WEIGHT DATA TRANSMITTAL FORM | *STATE ASSIGNED ID | [NJ-15] |
| | *STATE CODE | [3 4] |
| | *SHRP SECTION ID | [1 0 0 3] |

HIGHWAY RT. NO. (THIS SESSION): *NJ - 15*

MILEPOST NO. OR LOCATION (THIS SESSION): *MP 7.30, Jefferson Township, 2.2 miles South of Route Co. 517.*

FILENAME : W341003. D1J ✓
V341003. D1J

DISK ID:

BEGINNING DATE: *02-01-2009*

BEGINNING TIME: *00:00*

ENDING DATE: *02-28-2009*

ENDING TIME: *24:00*

COUNT DURATION: 1 [] HOURS [] DAYS [X] MONTHS

WEIGHT SCALE TYPE: PORT. WIM PERM. WIM *X* OTHER

EQUIPMENT MAKE/MODEL# *International Road Dynamics 1060 Piezo WIM System*

SENSOR TYPE: *Each lane has a single upstream loop and two (2) class I piezoelectric WIM sensors.*

VEHICLE CLASSIFICATION METHOD:

7-card FHWA 13 bin in cols. 18-19

7-card FHWA 13 bin in cols. 22-23

7-card 6 digit Truck Weight study

W-card *X*

OTHER

NAME OF AGENCY CLASSIFICATION SCHEME:

NO. OF BINS

NOTE: IF NOT PREVIOUSLY PROVIDED TO SHRP/LTPP, PLEASE ATTACH SHEET 6 DESCRIBING THE VEHICLE CLASSIFICATION CATEGORIES AND ALSO ATTACH SHEET 7 DESCRIBING HOW THE AGENCY WOULD CONVERT ITS CLASSIFICATION SCHEME TO THE FHWA 13 CLASS SYSTEM.

METHOD OF CALIBRATION AND FREQUENCY: *Calibration is field validated on each site once a year using one 3S2 vehicle loaded and statically weighed at about 70,000 to 80,000 pounds. A minimum of 20 passes is made per lane at highway speeds or until a consistent calibration tolerance of ± 5 percent of the gross test vehicle weight is achieved. The initial run consists of about 10 or more passes of the calibration vehicles and the weights recorded are averaged using only the consistently measured GVW. Another 10 or more passes are then made after inputting the new changes to confirm the calibration tolerances. The process is repeated until the required tolerance is satisfied.*

COMMENTS:

| | |
|---|------------------------------|
| NAME OF PREPARER: <i>Mahmood Afrina Khandakar</i> | PHONE: <i>(609)-530-4553</i> |
| DATE PREPARED: <i>March 17, 2009</i> | |

| | | |
|--|--------------------|-----------|
| SHEET 13 LTPP TRAFFIC DATA VEHICLE WEIGHT DATA TRANSMITTAL FORM | *STATE ASSIGNED ID | [NJ-15] |
| | *STATE CODE | [3 4] |
| | *SHRP SECTION ID | [1 0 0 3] |

HIGHWAY RT. NO. (THIS SESSION): *NJ - 15*

MILEPOST NO. OR LOCATION (THIS SESSION): *MP 7.30, Jefferson Township, 2.2 miles South of Route Co. 517.*

FILENAME : W341003. E1J ✓
V341003. E1J

DISK ID:

BEGINNING DATE: *03-01-2009*

BEGINNING TIME: *00:00*

ENDING DATE: *03-31-2009*

ENDING TIME: *24:00*

COUNT DURATION: 1 [] HOURS [] DAYS [X] MONTHS

WEIGHT SCALE TYPE: PORT. WIM PERM. WIM *X* OTHER

EQUIPMENT MAKE/MODEL# *International Road Dynamics 1060 Piezo WIM System*

SENSOR TYPE: *Each lane has a single upstream loop and two (2) class I piezoelectric WIM sensors.*

VEHICLE CLASSIFICATION METHOD:

7-card FHWA 13 bin in cols. 18-19

7-card FHWA 13 bin in cols. 22-23

7-card 6 digit Truck Weight study

W-card *X*

OTHER

NAME OF AGENCY CLASSIFICATION SCHEME:

NO. OF BINS

NOTE: IF NOT PREVIOUSLY PROVIDED TO SHRP/LTPP, PLEASE ATTACH SHEET 6 DESCRIBING THE VEHICLE CLASSIFICATION CATEGORIES AND ALSO ATTACH SHEET 7 DESCRIBING HOW THE AGENCY WOULD CONVERT ITS CLASSIFICATION SCHEME TO THE FHWA 13 CLASS SYSTEM.

METHOD OF CALIBRATION AND FREQUENCY: *Calibration is field validated on each site once a year using one 3S2 vehicle loaded and statically weighed at about 70,000 to 80,000 pounds. A minimum of 20 passes is made per lane at highway speeds or until a consistent calibration tolerance of ± 5 percent of the gross test vehicle weight is achieved. The initial run consists of about 10 or more passes of the calibration vehicles and the weights recorded are averaged using only the consistently measured GVW. Another 10 or more passes are then made after inputting the new changes to confirm the calibration tolerances. The process is repeated until the required tolerance is satisfied.*

COMMENTS: NO DATA ON MARCH SECOND DUE TO HEAVY SNOW. ALSO NO DATA ON MARCH EIGHT AND NINE DUE TO SYSTEM PROBLEMS.

NAME OF PREPARER: *Mahmood Afrina Khandakar*
DATE PREPARED: *April 8, 2009*

PHONE: *(609)-530-4553*

| | | |
|--|--------------------|-----------|
| SHEET 13 LTTP TRAFFIC DATA VEHICLE WEIGHT DATA TRANSMITTAL FORM | *STATE ASSIGNED ID | [NJ-15] |
| | *STATE CODE | [3 4] |
| | *SHRP SECTION ID | [1 0 0 3] |

HIGHWAY RT. NO. (THIS SESSION): *NJ - 15*

MILEPOST NO. OR LOCATION (THIS SESSION): *MP 7.30, Jefferson Township, 2.2 miles South of Route Co. 517.*

FILENAME : W341003. F1J ✓
V341003. F1J

DISK ID:

BEGINNING DATE: *04-01-2009*

BEGINNING TIME: *00:00*

ENDING DATE: *04-30-2009*

ENDING TIME: *24:00*

COUNT DURATION: 1 [] HOURS [] DAYS [X] MONTHS

WEIGHT SCALE TYPE: PORT. WIM PERM. WIM *X* OTHER

EQUIPMENT MAKE/MODEL# *International Road Dynamics 1060 Piezo WIM System*

SENSOR TYPE: *Each lane has a single upstream loop and two (2) class I piezoelectric WIM sensors.*

VEHICLE CLASSIFICATION METHOD:

7-card FHWA 13 bin in cols. 18-19

7-card FHWA 13 bin in cols. 22-23

7-card 6 digit Truck Weight study

W-card *X*

OTHER

NAME OF AGENCY CLASSIFICATION SCHEME:

NO. OF BINS

NOTE: IF NOT PREVIOUSLY PROVIDED TO SHRP/LTPP, PLEASE ATTACH SHEET 6 DESCRIBING THE VEHICLE CLASSIFICATION CATEGORIES AND ALSO ATTACH SHEET 7 DESCRIBING HOW THE AGENCY WOULD CONVERT ITS CLASSIFICATION SCHEME TO THE FHWA 13 CLASS SYSTEM.

METHOD OF CALIBRATION AND FREQUENCY: *Calibration is field validated on each site once a year using one 3S2 vehicle loaded and statically weighed at about 70,000 to 80,000 pounds. A minimum of 20 passes is made per lane at highway speeds or until a consistent calibration tolerance of ± 5 percent of the gross test vehicle weight is achieved. The initial run consists of about 10 or more passes of the calibration vehicles and the weights recorded are averaged using only the consistently measured GVW. Another 10 or more passes are then made after inputting the new changes to confirm the calibration tolerances. The process is repeated until the required tolerance is satisfied.*

COMMENTS:

| | |
|---|------------------------------|
| NAME OF PREPARER: <i>Mahmood Afrina Khandakar</i> | PHONE: <i>(609)-530-3508</i> |
| DATE PREPARED: <i>May 26, 2009</i> | |

| | | |
|--|--------------------|-----------|
| SHEET 13 LTTP TRAFFIC DATA VEHICLE WEIGHT DATA TRANSMITTAL FORM | *STATE ASSIGNED ID | [NJ-15] |
| | *STATE CODE | [3 4] |
| | *SHRP SECTION ID | [1 0 0 3] |

HIGHWAY RT. NO. (THIS SESSION): *NJ - 15*

MILEPOST NO. OR LOCATION (THIS SESSION): *MP 7.30, Jefferson Township, 2.2 miles South of Route Co. 517.*

FILENAME : W341003. G1J ✓
V341003. G1J

DISK ID:

BEGINNING DATE: *05-01-2009*

BEGINNING TIME: *00:00*

ENDING DATE: *05-31-2009*

ENDING TIME: *24:00*

COUNT DURATION: 1 [] HOURS [] DAYS [X] MONTHS

WEIGHT SCALE TYPE: PORT. WIM PERM. WIM *X* OTHER

EQUIPMENT MAKE/MODEL# *International Road Dynamics 1060 Piezo WIM System*

SENSOR TYPE: *Each lane has a single upstream loop and two (2) class I piezoelectric WIM sensors.*

VEHICLE CLASSIFICATION METHOD:

7-card FHWA 13 bin in cols. 18-19

7-card FHWA 13 bin in cols. 22-23

7-card 6 digit Truck Weight study

W-card *X*

OTHER

NAME OF AGENCY CLASSIFICATION SCHEME:

NO. OF BINS

NOTE: IF NOT PREVIOUSLY PROVIDED TO SHRP/LTPP, PLEASE ATTACH SHEET 6 DESCRIBING THE VEHICLE CLASSIFICATION CATEGORIES AND ALSO ATTACH SHEET 7 DESCRIBING HOW THE AGENCY WOULD CONVERT ITS CLASSIFICATION SCHEME TO THE FHWA 13 CLASS SYSTEM.

METHOD OF CALIBRATION AND FREQUENCY: *Calibration is field validated on each site once a year using one 3S2 vehicle loaded and statically weighed at about 70,000 to 80,000 pounds. A minimum of 20 passes is made per lane at highway speeds or until a consistent calibration tolerance of ± 5 percent of the gross test vehicle weight is achieved. The initial run consists of about 10 or more passes of the calibration vehicles and the weights recorded are averaged using only the consistently measured GVW. Another 10 or more passes are then made after inputting the new changes to confirm the calibration tolerances. The process is repeated until the required tolerance is satisfied.*

COMMENTS:

| | |
|---|------------------------------|
| NAME OF PREPARER: <i>Mahmood Afrina Khandakar</i> | PHONE: <i>(609)-530-3501</i> |
| DATE PREPARED: <i>June 8, 2009</i> | |

| | | |
|--|--------------------|-----------|
| SHEET 13 LTPP TRAFFIC DATA VEHICLE WEIGHT DATA TRANSMITTAL FORM | *STATE ASSIGNED ID | [NJ-15] |
| | *STATE CODE | [3 4] |
| | *SHRP SECTION ID | [1 0 0 3] |

HIGHWAY RT. NO. (THIS SESSION): *NJ - 15*

MILEPOST NO. OR LOCATION (THIS SESSION): *MP 7.30, Jefferson Township, 2.2 miles South of Route Co. 517.*

FILENAME : W341003. H1J ✓
V341003. H1J

DISK ID:

BEGINNING DATE: *06-01-2009*

BEGINNING TIME: *00:00*

ENDING DATE: *06-30-2009*

ENDING TIME: *24:00*

COUNT DURATION: 1 [] HOURS [] DAYS [X] MONTHS

WEIGHT SCALE TYPE: PORT. WIM PERM. WIM *X* OTHER

EQUIPMENT MAKE/MODEL# *International Road Dynamics 1060 Piezo WIM System*

SENSOR TYPE: *Each lane has a single upstream loop and two (2) class I piezoelectric WIM sensors.*

VEHICLE CLASSIFICATION METHOD:

7-card FHWA 13 bin in cols. 18-19

7-card FHWA 13 bin in cols. 22-23

7-card 6 digit Truck Weight study

W-card *X*

OTHER

NAME OF AGENCY CLASSIFICATION SCHEME:

NO. OF BINS

NOTE: IF NOT PREVIOUSLY PROVIDED TO SHRP/LTPP, PLEASE ATTACH SHEET 6 DESCRIBING THE VEHICLE CLASSIFICATION CATEGORIES AND ALSO ATTACH SHEET 7 DESCRIBING HOW THE AGENCY WOULD CONVERT ITS CLASSIFICATION SCHEME TO THE FHWA 13 CLASS SYSTEM.

METHOD OF CALIBRATION AND FREQUENCY: *Calibration is field validated on each site once a year using one 3S2 vehicle loaded and statically weighed at about 70,000 to 80,000 pounds. A minimum of 20 passes is made per lane at highway speeds or until a consistent calibration tolerance of ± 5 percent of the gross test vehicle weight is achieved. The initial run consists of about 10 or more passes of the calibration vehicles and the weights recorded are averaged using only the consistently measured GVW. Another 10 or more passes are then made after inputting the new changes to confirm the calibration tolerances. The process is repeated until the required tolerance is satisfied.*

COMMENTS:

NAME OF PREPARER: *Mahmood Afrina Khandakar*
DATE PREPARED: *August 4, 2009*

PHONE: *(609)-530-3501*

| | | |
|--|--------------------|-----------|
| SHEET 13 LTPP TRAFFIC DATA VEHICLE WEIGHT DATA TRANSMITTAL FORM | *STATE ASSIGNED ID | [NJ-15] |
| | *STATE CODE | [3 4] |
| | *SHRP SECTION ID | [1 0 0 3] |

HIGHWAY RT. NO. (THIS SESSION): *NJ - 15*

MILEPOST NO. OR LOCATION (THIS SESSION): *MP 7.30, Jefferson Township, 2.2 miles South of Route Co. 517.*

FILENAME : W341003.11J
V341003.11J

DISK ID:

BEGINNING DATE: *07-01-2009*

BEGINNING TIME: *00:00*

ENDING DATE: *07-31-2009*

ENDING TIME: *24:00*

COUNT DURATION: 1 [] HOURS [] DAYS [X] MONTHS

WEIGHT SCALE TYPE: PORT. WIM PERM. WIM *X* OTHER

EQUIPMENT MAKE/MODEL# *International Road Dynamics 1060 Piezo WIM System*

SENSOR TYPE: *Each lane has a single upstream loop and two (2) class I piezoelectric WIM sensors.*

VEHICLE CLASSIFICATION METHOD:

7-card FHWA 13 bin in cols. 18-19

7-card FHWA 13 bin in cols. 22-23

7-card 6 digit Truck Weight study

W-card *X*

OTHER

NAME OF AGENCY CLASSIFICATION SCHEME:

NO. OF BINS

NOTE: IF NOT PREVIOUSLY PROVIDED TO SHRP/LTPP, PLEASE ATTACH SHEET 6 DESCRIBING THE VEHICLE CLASSIFICATION CATEGORIES AND ALSO ATTACH SHEET 7 DESCRIBING HOW THE AGENCY WOULD CONVERT ITS CLASSIFICATION SCHEME TO THE FHWA 13 CLASS SYSTEM.

METHOD OF CALIBRATION AND FREQUENCY: *Calibration is field validated on each site once a year using one 3S2 vehicle loaded and statically weighed at about 70,000 to 80,000 pounds. A minimum of 20 passes is made per lane at highway speeds or until a consistent calibration tolerance of ± 5 percent of the gross test vehicle weight is achieved. The initial run consists of about 10 or more passes of the calibration vehicles and the weights recorded are averaged using only the consistently measured GVW. Another 10 or more passes are then made after inputting the new changes to confirm the calibration tolerances. The process is repeated until the required tolerance is satisfied.*

COMMENTS:

NAME OF PREPARER: *Mahmood Afrina Khandakar*
DATE PREPARED: *August 10, 2009*

PHONE: *(609)-530-3501*

| | | |
|--|--------------------|-----------|
| SHEET 13 LTPP TRAFFIC DATA VEHICLE WEIGHT DATA TRANSMITTAL FORM | *STATE ASSIGNED ID | [NJ-15] |
| | *STATE CODE | [3 4] |
| | *SHRP SECTION ID | [1 0 0 3] |

HIGHWAY RT. NO. (THIS SESSION): *NJ - 15*

MILEPOST NO. OR LOCATION (THIS SESSION): *MP 7.30, Jefferson Township, 2.2 miles South of Route Co. 517.*

FILENAME : W341003. J1J ✓
V341003. J1J

DISK ID:

BEGINNING DATE: *08-01-2009*

BEGINNING TIME: *00:00*

ENDING DATE: *08-31-2009*

ENDING TIME: *24:00*

COUNT DURATION: 1 [] HOURS [] DAYS [X] MONTHS

WEIGHT SCALE TYPE: PORT. WIM PERM. WIM *X* OTHER

EQUIPMENT MAKE/MODEL# *International Road Dynamics 1060 Piezo WIM System*

SENSOR TYPE: *Each lane has a single upstream loop and two (2) class I piezoelectric WIM sensors.*

VEHICLE CLASSIFICATION METHOD:

7-card FHWA 13 bin in cols. 18-19

7-card FHWA 13 bin in cols. 22-23

7-card 6 digit Truck Weight study

W-card *X*

OTHER

NAME OF AGENCY CLASSIFICATION SCHEME:

NO. OF BINS

NOTE: IF NOT PREVIOUSLY PROVIDED TO SHRP/LTPP, PLEASE ATTACH SHEET 6 DESCRIBING THE VEHICLE CLASSIFICATION CATEGORIES AND ALSO ATTACH SHEET 7 DESCRIBING HOW THE AGENCY WOULD CONVERT ITS CLASSIFICATION SCHEME TO THE FHWA 13 CLASS SYSTEM.

METHOD OF CALIBRATION AND FREQUENCY: *Calibration is field validated on each site once a year using one 3S2 vehicle loaded and statically weighed at about 70,000 to 80,000 pounds. A minimum of 20 passes is made per lane at highway speeds or until a consistent calibration tolerance of ± 5 percent of the gross test vehicle weight is achieved. The initial run consists of about 10 or more passes of the calibration vehicles and the weights recorded are averaged using only the consistently measured GVW. Another 10 or more passes are then made after inputting the new changes to confirm the calibration tolerances. The process is repeated until the required tolerance is satisfied.*

COMMENTS:

NAME OF PREPARER: *Mahmood Afrina Khandakar*
DATE PREPARED: *September 9, 2009*

PHONE: *(609)-530-3501*

| | | |
|--|--------------------|-----------|
| SHEET 13 LTPP TRAFFIC DATA VEHICLE WEIGHT DATA TRANSMITTAL FORM | *STATE ASSIGNED ID | [NJ-15] |
| | *STATE CODE | [3 4] |
| | *SHRP SECTION ID | [1 0 0 3] |

HIGHWAY RT. NO. (THIS SESSION): *NJ - 15*

MILEPOST NO. OR LOCATION (THIS SESSION): *MP 7.30, Jefferson Township, 2.2 miles South of Route Co. 517.*

FILENAME : W341003. K1J ✓
V341003. K1J

DISK ID:

BEGINNING DATE: *09-01-2009*

BEGINNING TIME: *00:00*

ENDING DATE: *09-31-2009*

ENDING TIME: *24:00*

COUNT DURATION: 1 [] HOURS [] DAYS [X] MONTHS

WEIGHT SCALE TYPE: PORT. WIM PERM. WIM *X* OTHER

EQUIPMENT MAKE/MODEL# *International Road Dynamics 1060 Piezo WIM System*

SENSOR TYPE: *Each lane has a single upstream loop and two (2) class I piezoelectric WIM sensors.*

VEHICLE CLASSIFICATION METHOD:

7-card FHWA 13 bin in cols. 18-19

7-card FHWA 13 bin in cols. 22-23

7-card 6 digit Truck Weight study

W-card *X*

OTHER

NAME OF AGENCY CLASSIFICATION SCHEME:

NO. OF BINS

NOTE: IF NOT PREVIOUSLY PROVIDED TO SHRP/LTPP, PLEASE ATTACH SHEET 6 DESCRIBING THE VEHICLE CLASSIFICATION CATEGORIES AND ALSO ATTACH SHEET 7 DESCRIBING HOW THE AGENCY WOULD CONVERT ITS CLASSIFICATION SCHEME TO THE FHWA 13 CLASS SYSTEM.

METHOD OF CALIBRATION AND FREQUENCY: *Calibration is field validated on each site once a year using one 3S2 vehicle loaded and statically weighed at about 70,000 to 80,000 pounds. A minimum of 20 passes is made per lane at highway speeds or until a consistent calibration tolerance of ± 5 percent of the gross test vehicle weight is achieved. The initial run consists of about 10 or more passes of the calibration vehicles and the weights recorded are averaged using only the consistently measured GVW. Another 10 or more passes are then made after inputting the new changes to confirm the calibration tolerances. The process is repeated until the required tolerance is satisfied.*

COMMENTS: NO DATA ON SEPTEMBER 14 DUE TO SYSTEM PROBLEMS.

| | |
|---|------------------------------|
| NAME OF PREPARER: <i>Mahmood Afrina Khandakar</i> | PHONE: <i>(609)-530-3508</i> |
| DATE PREPARED: <i>October 13, 2009</i> | |

| | | |
|--|--------------------|-----------|
| SHEET 13 LTPP TRAFFIC DATA VEHICLE WEIGHT DATA TRANSMITTAL FORM | *STATE ASSIGNED ID | [NJ-15] |
| | *STATE CODE | [3 4] |
| | *SHRP SECTION ID | [1 0 0 3] |

HIGHWAY RT. NO. (THIS SESSION): *NJ - 15*

MILEPOST NO. OR LOCATION (THIS SESSION): *MP 7.30, Jefferson Township, 2.2 miles South of Route Co. 517.*

FILENAME : W341003. L1J ✓
V341003. L1J

DISK ID:

BEGINNING DATE: *10-01-2009*

BEGINNING TIME: *00:00*

ENDING DATE: *10-31-2009*

ENDING TIME: *24:00*

COUNT DURATION: 1 [] HOURS [] DAYS [X] MONTHS

WEIGHT SCALE TYPE: PORT. WIM PERM. WIM *X* OTHER

EQUIPMENT MAKE/MODEL# *International Road Dynamics 1060 Piezo WIM System*

SENSOR TYPE: *Each lane has a single upstream loop and two (2) class I piezoelectric WIM sensors.*

VEHICLE CLASSIFICATION METHOD:

7-card FHWA 13 bin in cols. 18-19

7-card FHWA 13 bin in cols. 22-23

7-card 6 digit Truck Weight study

W-card *X*

OTHER

NAME OF AGENCY CLASSIFICATION SCHEME:

NO. OF BINS

NOTE: IF NOT PREVIOUSLY PROVIDED TO SHRP/LTPP, PLEASE ATTACH SHEET 6 DESCRIBING THE VEHICLE CLASSIFICATION CATEGORIES AND ALSO ATTACH SHEET 7 DESCRIBING HOW THE AGENCY WOULD CONVERT ITS CLASSIFICATION SCHEME TO THE FHWA 13 CLASS SYSTEM.

METHOD OF CALIBRATION AND FREQUENCY: *Calibration is field validated on each site once a year using one 3S2 vehicle loaded and statically weighed at about 70,000 to 80,000 pounds. A minimum of 20 passes is made per lane at highway speeds or until a consistent calibration tolerance of ± 5 percent of the gross test vehicle weight is achieved. The initial run consists of about 10 or more passes of the calibration vehicles and the weights recorded are averaged using only the consistently measured GVW. Another 10 or more passes are then made after inputting the new changes to confirm the calibration tolerances. The process is repeated until the required tolerance is satisfied.*

COMMENTS:

NAME OF PREPARER: *Mahmood Afrina Khandakar*
DATE PREPARED: *November 17, 2009*

PHONE: *(609)-530-3508*

| | | |
|--|--------------------|-----------|
| SHEET 13 LTPP TRAFFIC DATA VEHICLE WEIGHT DATA TRANSMITTAL FORM | *STATE ASSIGNED ID | [NJ-15] |
| | *STATE CODE | [3 4] |
| | *SHRP SECTION ID | [1 0 0 3] |

HIGHWAY RT. NO. (THIS SESSION): *NJ - 15*

MILEPOST NO. OR LOCATION (THIS SESSION): *MP 7.30, Jefferson Township, 2.2 miles South of Route Co. 517.*

FILENAME : W341003. M2J ✓
V341003. M2J

DISK ID:

BEGINNING DATE: *11-02-2009*

BEGINNING TIME: *00:00*

ENDING DATE: *11-30-2009*

ENDING TIME: *24:00*

COUNT DURATION: 1 [] HOURS [] DAYS [X] MONTHS

WEIGHT SCALE TYPE: PORT. WIM PERM. WIM *X* OTHER

EQUIPMENT MAKE/MODEL# *International Road Dynamics 1060 Piezo WIM System*

SENSOR TYPE: *Each lane has a single upstream loop and two (2) class I piezoelectric WIM sensors.*

VEHICLE CLASSIFICATION METHOD:

7-card FHWA 13 bin in cols. 18-19

7-card FHWA 13 bin in cols. 22-23

7-card 6 digit Truck Weight study

W-card *X*

OTHER

NAME OF AGENCY CLASSIFICATION SCHEME:

NO. OF BINS

NOTE: IF NOT PREVIOUSLY PROVIDED TO SHRP/LTPP, PLEASE ATTACH SHEET 6 DESCRIBING THE VEHICLE CLASSIFICATION CATEGORIES AND ALSO ATTACH SHEET 7 DESCRIBING HOW THE AGENCY WOULD CONVERT ITS CLASSIFICATION SCHEME TO THE FHWA 13 CLASS SYSTEM.

METHOD OF CALIBRATION AND FREQUENCY: *Calibration is field validated on each site once a year using one 3S2 vehicle loaded and statically weighed at about 70,000 to 80,000 pounds. A minimum of 20 passes is made per lane at highway speeds or until a consistent calibration tolerance of ± 5 percent of the gross test vehicle weight is achieved. The initial run consists of about 10 or more passes of the calibration vehicles and the weights recorded are averaged using only the consistently measured GVW. Another 10 or more passes are then made after inputting the new changes to confirm the calibration tolerances. The process is repeated until the required tolerance is satisfied.*

COMMENTS: *NO DATA ON NOVEMBER FIRST, DUE TO SYSTEM PROBLEMS.*

| | |
|---|------------------------------|
| NAME OF PREPARER: <i>Mahmood Afrina Khandakar</i> | PHONE: <i>(609)-530-3508</i> |
| DATE PREPARED: <i>December 7, 2009</i> | |

| | | |
|--|--------------------|-----------|
| SHEET 13 LTPP TRAFFIC DATA VEHICLE WEIGHT DATA TRANSMITTAL FORM | *STATE ASSIGNED ID | [NJ-15] |
| | *STATE CODE | [3 4] |
| | *SHRP SECTION ID | [1 0 0 3] |

HIGHWAY RT. NO. (THIS SESSION): *NJ - 15*

MILEPOST NO. OR LOCATION (THIS SESSION): *MP 7.30, Jefferson Township, 2.2 miles South of Route Co. 517.*

FILENAME : W341003. N1J ✓
V341003. N1J

DISK ID:

BEGINNING DATE: *12-01-2009*

BEGINNING TIME: *00:00*

ENDING DATE: *12-18-2009*

ENDING TIME: *24:00*

COUNT DURATION: 1 [] HOURS [] DAYS [X] MONTHS

WEIGHT SCALE TYPE: PORT. WIM PERM. WIM *X* OTHER

EQUIPMENT MAKE/MODEL# *International Road Dynamics 1060 Piezo WIM System*

SENSOR TYPE: *Each lane has a single upstream loop and two (2) class I piezoelectric WIM sensors.*

VEHICLE CLASSIFICATION METHOD:

7-card FHWA 13 bin in cols. 18-19

7-card FHWA 13 bin in cols. 22-23

7-card 6 digit Truck Weight study

W-card *X*

OTHER

NAME OF AGENCY CLASSIFICATION SCHEME:

NO. OF BINS

NOTE: IF NOT PREVIOUSLY PROVIDED TO SHRP/LTPP, PLEASE ATTACH SHEET 6 DESCRIBING THE VEHICLE CLASSIFICATION CATEGORIES AND ALSO ATTACH SHEET 7 DESCRIBING HOW THE AGENCY WOULD CONVERT ITS CLASSIFICATION SCHEME TO THE FHWA 13 CLASS SYSTEM.

METHOD OF CALIBRATION AND FREQUENCY: *Calibration is field validated on each site once a year using one 3S2 vehicle loaded and statically weighed at about 70,000 to 80,000 pounds. A minimum of 20 passes is made per lane at highway speeds or until a consistent calibration tolerance of ± 5 percent of the gross test vehicle weight is achieved. The initial run consists of about 10 or more passes of the calibration vehicles and the weights recorded are averaged using only the consistently measured GVW. Another 10 or more passes are then made after inputting the new changes to confirm the calibration tolerances. The process is repeated until the required tolerance is satisfied.*

COMMENTS:

NAME OF PREPARER: *Mahmood Afrina Khandakar*
DATE PREPARED: *January 4, 2010*

PHONE: *(609)-530-3508*