

SHEET 12 LTTP TRAFFIC DATA CLASSIFICATION DATA TRANSMITTAL FORM	*STATE ASSIGNED ID	[NJ-15]
	*STATE CODE	[3 4]
	*SHRP SECTION ID	[1 0 0 3]

HIGHWAY RT. NO. (THIS COUNT): *NJ - 15*

MILEPOST NO. OR LOCATION (THIS COUNT): *MP 7.30 , Jefferson Township, 2.2 miles South of Route Co. 517*

FILENAME: C341003.C2K

DISK ID:

BEGINNING DATE: *01-02-2010*

BEGINNING TIME: *00:00*

ENDING DATE: *01-31-2010*

ENDING TIME: *24:00*

COUNT DURATION: *1* [] HOURS [] DAYS [X] MONTHS

VEHICLE CLASSIFICATION METHOD: FHWA *X* OTHER

NAME OF AGENCY CLASSIFICATION SCHEME: *N/A* NO. OF BINS: *N/A*

NOTE: IF NOT PREVIOUSLY PROVIDED TO SHRP/LTPP, PLEASE ATTACH SHEET 6 DESCRIBING THE VEHICLE CLASSIFICATION CATEGORIES AND ALSO ATTACH SHEET 7 DESCRIBING HOW THE AGENCY WOULD CONVERT ITS CLASSIFICATION SCHEME TO THE FHWA 13 BIN SYSTEM.

TYPE OF AVC EQUIPMENT: PORTABLE PERMANENT *X*

EQUIPMENT MAKE/MODEL#: *International Road Dynamics' 1060 Piezo WIM System.*

SENSOR TYPE: *Each lane has a single upstream loop and two (2) class I piezoelectric WIM sensors.*

ADJUSTMENT FACTORS FOR ESTIMATING AVERAGE ANNUAL VOLUMES BY CLASSIFICATION:

GENERAL FACTORS:

CLASS SPECIFIC FACTORS (PROVIDE BY CLASS OF CLASS GROUPS):

COMMENTS: *NO DATA ON JANUARY ONE, DUE TO SYSTEM PROBLEMS.*

NAME OF PREPARER: <i>Mahmood Afrina Khandakar</i>	PHONE: <i>(609)-530-3508</i>
DATE PREPARED: <i>February 18, 2010</i>	

SHEET 12 LTTP TRAFFIC DATA CLASSIFICATION DATA TRANSMITTAL FORM	*STATE ASSIGNED ID	[NJ-15]
	*STATE CODE	[3 4]
	*SHRP SECTION ID	[1 0 0 3]

HIGHWAY RT. NO. (THIS COUNT): *NJ - 15*

MILEPOST NO. OR LOCATION (THIS COUNT): *MP 7.30 , Jefferson Township, 2.2 miles South of Route Co. 517*

FILENAME: C341003.D1K ✓

DISK ID:

BEGINNING DATE: *02-01-2010*

BEGINNING TIME: *00:00*

ENDING DATE: *02-28-2010*

ENDING TIME: *24:00*

COUNT DURATION: *1* [] HOURS [] DAYS [X] MONTHS

VEHICLE CLASSIFICATION METHOD: FHWA *X* OTHER

NAME OF AGENCY CLASSIFICATION SCHEME: *N/A* NO. OF BINS: *N/A*

NOTE: IF NOT PREVIOUSLY PROVIDED TO SHRP/LTPP, PLEASE ATTACH SHEET 6 DESCRIBING THE VEHICLE CLASSIFICATION CATEGORIES AND ALSO ATTACH SHEET 7 DESCRIBING HOW THE AGENCY WOULD CONVERT ITS CLASSIFICATION SCHEME TO THE FHWA 13 BIN SYSTEM.

TYPE OF AVC EQUIPMENT: PORTABLE PERMANENT *X*

EQUIPMENT MAKE/MODEL#: *International Road Dynamics' 1060 Piezo WIM System.*

SENSOR TYPE: *Each lane has a single upstream loop and two (2) class I piezoelectric WIM sensors.*

ADJUSTMENT FACTORS FOR ESTIMATING AVERAGE ANNUAL VOLUMES BY CLASSIFICATION:

GENERAL FACTORS:

CLASS SPECIFIC FACTORS (PROVIDE BY CLASS OF CLASS GROUPS):

COMMENTS: NO DATA ON JANUARY 6, 10, 11, 25, AND 26 , DUE TO SYSTEM PROBLEMS.

NAME OF PREPARER: <i>Mahmood Afrina Khandakar</i>	PHONE: <i>(609)-530-3508</i>
DATE PREPARED: <i>March 17, 2010</i>	

SHEET 12 LTPP TRAFFIC DATA CLASSIFICATION DATA TRANSMITTAL FORM	*STATE ASSIGNED ID	[NJ-15]
	*STATE CODE	[3 4]
	*SHRP SECTION ID	[1 0 0 3]

HIGHWAY RT. NO. (THIS COUNT): *NJ - 15*

MILEPOST NO. OR LOCATION (THIS COUNT): *MP 7.30 , Jefferson Township, 2.2 miles South of Route Co. 517*

FILENAME: C341003.E1K ✓

DISK ID:

BEGINNING DATE: *03-01-2010*

BEGINNING TIME: *00:00*

ENDING DATE: *03-31-2010*

ENDING TIME: *24:00*

COUNT DURATION: *1* [] HOURS [] DAYS [X] MONTHS

VEHICLE CLASSIFICATION METHOD: FHWA *X* OTHER

NAME OF AGENCY CLASSIFICATION SCHEME: *N/A* NO. OF BINS: *N/A*

NOTE: IF NOT PREVIOUSLY PROVIDED TO SHRP/LTPP, PLEASE ATTACH SHEET 6 DESCRIBING THE VEHICLE CLASSIFICATION CATEGORIES AND ALSO ATTACH SHEET 7 DESCRIBING HOW THE AGENCY WOULD CONVERT ITS CLASSIFICATION SCHEME TO THE FHWA 13 BIN SYSTEM.

TYPE OF AVC EQUIPMENT: PORTABLE PERMANENT *X*

EQUIPMENT MAKE/MODEL#: *International Road Dynamics' 1060 Piezo WIM System.*

SENSOR TYPE: *Each lane has a single upstream loop and two (2) class I piezoelectric WIM sensors.*

ADJUSTMENT FACTORS FOR ESTIMATING AVERAGE ANNUAL VOLUMES BY CLASSIFICATION:

GENERAL FACTORS:

CLASS SPECIFIC FACTORS (PROVIDE BY CLASS OF CLASS GROUPS):

COMMENTS: NO DATA ON MARCH 13,14,AND15, DUE TO SYSTEM PROBLEMS.

NAME OF PREPARER: <i>Mahmood Afrina Khandakar</i>	PHONE: <i>(609)-530-3508</i>
DATE PREPARED: <i>April 7, 2010</i>	

SHEET 12 LTTP TRAFFIC DATA CLASSIFICATION DATA TRANSMITTAL FORM	*STATE ASSIGNED ID	[NJ-15]
	*STATE CODE	[3 4]
	*SHRP SECTION ID	[1 0 0 3]

HIGHWAY RT. NO. (THIS COUNT): *NJ - 15*

MILEPOST NO. OR LOCATION (THIS COUNT): *MP 7.30 , Jefferson Township, 2.2 miles South of Route Co. 517*

FILENAME: C341003.F1K ✓

DISK ID:

BEGINNING DATE: *04-01-2010*

BEGINNING TIME: *00:00*

ENDING DATE: *04-30-2010*

ENDING TIME: *24:00*

COUNT DURATION: *1* [] HOURS [] DAYS [X] MONTHS

VEHICLE CLASSIFICATION METHOD: FHWA *X* OTHER

NAME OF AGENCY CLASSIFICATION SCHEME: *N/A* NO. OF BINS: *N/A*

NOTE: IF NOT PREVIOUSLY PROVIDED TO SHRP/LTPP, PLEASE ATTACH SHEET 6 DESCRIBING THE VEHICLE CLASSIFICATION CATEGORIES AND ALSO ATTACH SHEET 7 DESCRIBING HOW THE AGENCY WOULD CONVERT ITS CLASSIFICATION SCHEME TO THE FHWA 13 BIN SYSTEM.

TYPE OF AVC EQUIPMENT: PORTABLE PERMANENT *X*

EQUIPMENT MAKE/MODEL#: *International Road Dynamics' 1060 Piezo WIM System.*

SENSOR TYPE: *Each lane has a single upstream loop and two (2) class I piezoelectric WIM sensors.*

ADJUSTMENT FACTORS FOR ESTIMATING AVERAGE ANNUAL VOLUMES BY CLASSIFICATION:

GENERAL FACTORS:

CLASS SPECIFIC FACTORS (PROVIDE BY CLASS OF CLASS GROUPS):

COMMENTS: NO DATA ON APRIL 10, DUE TO SYSTEM PROBLEMS.

NAME OF PREPARER: <i>Mahmood Afrina Khandakar</i>	PHONE: <i>(609)-530-3508</i>
DATE PREPARED: <i>May 17, 2010</i>	

SHEET 12 LTPP TRAFFIC DATA CLASSIFICATION DATA TRANSMITTAL FORM	*STATE ASSIGNED ID	[NJ-15]
	*STATE CODE	[3 4]
	*SHRP SECTION ID	[1 0 0 3]

HIGHWAY RT. NO. (THIS COUNT): *NJ - 15*

MILEPOST NO. OR LOCATION (THIS COUNT): *MP 7.30 , Jefferson Township, 2.2 miles South of Route Co. 517*

FILENAME: C341003.G1K ✓

DISK ID:

BEGINNING DATE: *05-01-2010*

BEGINNING TIME: *00:00*

ENDING DATE: *05-31-2010*

ENDING TIME: *24:00*

COUNT DURATION: *1* [] HOURS [] DAYS [X] MONTHS

VEHICLE CLASSIFICATION METHOD: FHWA *X* OTHER

NAME OF AGENCY CLASSIFICATION SCHEME: *N/A* NO. OF BINS: *N/A*

NOTE: IF NOT PREVIOUSLY PROVIDED TO SHRP/LTPP, PLEASE ATTACH SHEET 6 DESCRIBING THE VEHICLE CLASSIFICATION CATEGORIES AND ALSO ATTACH SHEET 7 DESCRIBING HOW THE AGENCY WOULD CONVERT ITS CLASSIFICATION SCHEME TO THE FHWA 13 BIN SYSTEM.

TYPE OF AVC EQUIPMENT: PORTABLE PERMANENT *X*

EQUIPMENT MAKE/MODEL#: *International Road Dynamics' 1060 Piezo WIM System.*

SENSOR TYPE: *Each lane has a single upstream loop and two (2) class I piezoelectric WIM sensors.*

ADJUSTMENT FACTORS FOR ESTIMATING AVERAGE ANNUAL VOLUMES BY CLASSIFICATION:

GENERAL FACTORS:

CLASS SPECIFIC FACTORS (PROVIDE BY CLASS OF CLASS GROUPS):

COMMENTS:

NAME OF PREPARER: <i>Mahmood Afrina Khandakar</i>	PHONE: <i>(609)-530-3508</i>
DATE PREPARED: <i>June 14, 2010</i>	

SHEET 12 LTPP TRAFFIC DATA CLASSIFICATION DATA TRANSMITTAL FORM	*STATE ASSIGNED ID	[NJ-15]
	*STATE CODE	[3 4]
	*SHRP SECTION ID	[1 0 0 3]

HIGHWAY RT. NO. (THIS COUNT): *NJ - 15*

MILEPOST NO. OR LOCATION (THIS COUNT): *MP 7.30 , Jefferson Township, 2.2 miles South of Route Co. 517*

FILENAME: C341003.H1K ✓

DISK ID:

BEGINNING DATE: *06-01-2010*

BEGINNING TIME: *00:00*

ENDING DATE: *06-30-2010*

ENDING TIME: *24:00*

COUNT DURATION: *1* [] HOURS [] DAYS [X] MONTHS

VEHICLE CLASSIFICATION METHOD: FHWA ☒ OTHER

NAME OF AGENCY CLASSIFICATION SCHEME: *N/A* NO. OF BINS: *N/A*

NOTE: IF NOT PREVIOUSLY PROVIDED TO SHRP/LTPP, PLEASE ATTACH SHEET 6 DESCRIBING THE VEHICLE CLASSIFICATION CATEGORIES AND ALSO ATTACH SHEET 7 DESCRIBING HOW THE AGENCY WOULD CONVERT ITS CLASSIFICATION SCHEME TO THE FHWA 13 BIN SYSTEM.

TYPE OF AVC EQUIPMENT: PORTABLE PERMANENT ☒

EQUIPMENT MAKE/MODEL#: *International Road Dynamics' 1060 Piezo WIM System.*

SENSOR TYPE: *Each lane has a single upstream loop and two (2) class I piezoelectric WIM sensors.*

ADJUSTMENT FACTORS FOR ESTIMATING AVERAGE ANNUAL VOLUMES BY CLASSIFICATION:

GENERAL FACTORS:

CLASS SPECIFIC FACTORS (PROVIDE BY CLASS OF CLASS GROUPS):

COMMENTS:

NAME OF PREPARER: <i>Mahmood Afrina Khandakar</i>	PHONE: <i>(609)-530-3508</i>
DATE PREPARED: <i>July 28, 2010</i>	

SHEET 12 LTPP TRAFFIC DATA CLASSIFICATION DATA TRANSMITTAL FORM	*STATE ASSIGNED ID	[NJ-15]
	*STATE CODE	[3 4]
	*SHRP SECTION ID	[1 0 0 3]

HIGHWAY RT. NO. (THIS COUNT): *NJ - 15*

MILEPOST NO. OR LOCATION (THIS COUNT): *MP 7.30 , Jefferson Township, 2.2 miles South of Route Co. 517*

FILENAME: C341003.I1K ✓

DISK ID:

BEGINNING DATE: *07-01-2010*

BEGINNING TIME: *00:00*

ENDING DATE: *07-31-2010*

ENDING TIME: *24:00*

COUNT DURATION: *1* [] HOURS [] DAYS [X] MONTHS

VEHICLE CLASSIFICATION METHOD: FHWA *X* OTHER

NAME OF AGENCY CLASSIFICATION SCHEME: *N/A* NO. OF BINS: *N/A*

NOTE: IF NOT PREVIOUSLY PROVIDED TO SHRP/LTPP, PLEASE ATTACH SHEET 6 DESCRIBING THE VEHICLE CLASSIFICATION CATEGORIES AND ALSO ATTACH SHEET 7 DESCRIBING HOW THE AGENCY WOULD CONVERT ITS CLASSIFICATION SCHEME TO THE FHWA 13 BIN SYSTEM.

TYPE OF AVC EQUIPMENT: PORTABLE PERMANENT *X*

EQUIPMENT MAKE/MODEL#: *International Road Dynamics' 1060 Piezo WIM System.*

SENSOR TYPE: *Each lane has a single upstream loop and two (2) class I piezoelectric WIM sensors.*

ADJUSTMENT FACTORS FOR ESTIMATING AVERAGE ANNUAL VOLUMES BY CLASSIFICATION:

GENERAL FACTORS:

CLASS SPECIFIC FACTORS (PROVIDE BY CLASS OF CLASS GROUPS):

COMMENTS: NO CLASS DATA FOR SB_PASS , DUE TO SYSTEM PROBLEM.

NAME OF PREPARER: <i>Mahmood Afrina Khandakar</i>	PHONE: <i>(609)-530-3508</i>
DATE PREPARED: <i>August 12, 2010</i>	

SHEET 12 LTTP TRAFFIC DATA CLASSIFICATION DATA TRANSMITTAL FORM	*STATE ASSIGNED ID	[NJ-15]
	*STATE CODE	[3 4]
	*SHRP SECTION ID	[1 0 0 3]

HIGHWAY RT. NO. (THIS COUNT): *NJ - 15*

MILEPOST NO. OR LOCATION (THIS COUNT): *MP 7.30 , Jefferson Township, 2.2 miles South of Route Co. 517*

FILENAME: C341003.J1K ✓

DISK ID:

BEGINNING DATE: *08-01-2010*

BEGINNING TIME: *00:00*

ENDING DATE: *08-31-2010*

ENDING TIME: *24:00*

COUNT DURATION: *1* [] HOURS [] DAYS [X] MONTHS

VEHICLE CLASSIFICATION METHOD: FHWA *X* OTHER

NAME OF AGENCY CLASSIFICATION SCHEME: *N/A* NO. OF BINS: *N/A*

NOTE: IF NOT PREVIOUSLY PROVIDED TO SHRP/LTPP, PLEASE ATTACH SHEET 6 DESCRIBING THE VEHICLE CLASSIFICATION CATEGORIES AND ALSO ATTACH SHEET 7 DESCRIBING HOW THE AGENCY WOULD CONVERT ITS CLASSIFICATION SCHEME TO THE FHWA 13 BIN SYSTEM.

TYPE OF AVC EQUIPMENT: PORTABLE PERMANENT *X*

EQUIPMENT MAKE/MODEL#: *International Road Dynamics' 1060 Piezo WIM System.*

SENSOR TYPE: *Each lane has a single upstream loop and two (2) class I piezoelectric WIM sensors.*

ADJUSTMENT FACTORS FOR ESTIMATING AVERAGE ANNUAL VOLUMES BY CLASSIFICATION:

GENERAL FACTORS:

CLASS SPECIFIC FACTORS (PROVIDE BY CLASS OF CLASS GROUPS):

COMMENTS:

NAME OF PREPARER: <i>Tina L. Ambrosio</i>	PHONE: <i>(609)-530-3508</i>
DATE PREPARED: <i>September 30, 2010</i>	

SHEET 12 LTTP TRAFFIC DATA CLASSIFICATION DATA TRANSMITTAL FORM	*STATE ASSIGNED ID	[NJ-15]
	*STATE CODE	[3 4]
	*SHRP SECTION ID	[1 0 0 3]

HIGHWAY RT. NO. (THIS COUNT): *NJ - 15*

MILEPOST NO. OR LOCATION (THIS COUNT): *MP 7.30 , Jefferson Township, 2.2 miles South of Route Co. 517*

FILENAME: C341003.K1K ✓

DISK ID:

BEGINNING DATE: *09-01-2010*

BEGINNING TIME: *00:00*

ENDING DATE: *09-30-2010*

ENDING TIME: *24:00*

COUNT DURATION: *1* [] HOURS [] DAYS [X] MONTHS

VEHICLE CLASSIFICATION METHOD: FHWA *X* OTHER

NAME OF AGENCY CLASSIFICATION SCHEME: *N/A* NO. OF BINS: *N/A*

NOTE: IF NOT PREVIOUSLY PROVIDED TO SHRP/LTPP, PLEASE ATTACH SHEET 6 DESCRIBING THE VEHICLE CLASSIFICATION CATEGORIES AND ALSO ATTACH SHEET 7 DESCRIBING HOW THE AGENCY WOULD CONVERT ITS CLASSIFICATION SCHEME TO THE FHWA 13 BIN SYSTEM.

TYPE OF AVC EQUIPMENT: PORTABLE PERMANENT *X*

EQUIPMENT MAKE/MODEL#: *International Road Dynamics' 1060 Piezo WIM System.*

SENSOR TYPE: *Each lane has a single upstream loop and two (2) class I piezoelectric WIM sensors.*

ADJUSTMENT FACTORS FOR ESTIMATING AVERAGE ANNUAL VOLUMES BY CLASSIFICATION:

GENERAL FACTORS:

CLASS SPECIFIC FACTORS (PROVIDE BY CLASS OF CLASS GROUPS):

COMMENTS:

NAME OF PREPARER: <i>Tina L. Ambrosio</i>	PHONE: <i>(609)-530-3508</i>
DATE PREPARED: <i>November 4, 2010</i>	

SHEET 12 LTPP TRAFFIC DATA CLASSIFICATION DATA TRANSMITTAL FORM	*STATE ASSIGNED ID	[NJ-15]
	*STATE CODE	[3 4]
	*SHRP SECTION ID	[1 0 0 3]

HIGHWAY RT. NO. (THIS COUNT): *NJ - 15*

MILEPOST NO. OR LOCATION (THIS COUNT): *MP 7.30, Jefferson Township, 2.2 miles South of Route Co. 517*

FILENAME: C341003.L1K ✓

DISK ID:

BEGINNING DATE: *10-01-2010* ✓

BEGINNING TIME: *00:00*

ENDING DATE: *10-31-2010* ✓

ENDING TIME: *24:00*

COUNT DURATION: *1*

[] HOURS

[] DAYS

[X] MONTHS

VEHICLE CLASSIFICATION METHOD: FHWA *X*

OTHER

NAME OF AGENCY CLASSIFICATION SCHEME: *N/A*

NO. OF BINS: *N/A*

NOTE: IF NOT PREVIOUSLY PROVIDED TO SHRP/LTPP, PLEASE ATTACH SHEET 6 DESCRIBING THE VEHICLE CLASSIFICATION CATEGORIES AND ALSO ATTACH SHEET 7 DESCRIBING HOW THE AGENCY WOULD CONVERT ITS CLASSIFICATION SCHEME TO THE FHWA 13 BIN SYSTEM.

TYPE OF AVC EQUIPMENT:

PORTABLE

PERMANENT *X*

EQUIPMENT MAKE/MODEL#: *International Road Dynamics' 1060 Piezo WIM System.*

SENSOR TYPE: *Each lane has a single upstream loop and two (2) class I piezoelectric WIM sensors.*

ADJUSTMENT FACTORS FOR ESTIMATING AVERAGE ANNUAL VOLUMES BY CLASSIFICATION:

GENERAL FACTORS:

CLASS SPECIFIC FACTORS (PROVIDE BY CLASS OF CLASS GROUPS):

COMMENTS:

NAME OF PREPARER: <i>Tina L. Ambrosio</i>	PHONE: <i>(609)-530-3508</i>
DATE PREPARED: <i>January 10, 2011</i>	

SHEET 12 LTPP TRAFFIC DATA CLASSIFICATION DATA TRANSMITTAL FORM	*STATE ASSIGNED ID	[NJ-15]
	*STATE CODE	[3 4]
	*SHRP SECTION ID	[1 0 0 3]

HIGHWAY RT. NO. (THIS COUNT): *NJ - 15*

MILEPOST NO. OR LOCATION (THIS COUNT): *MP 7.30, Jefferson Township, 2.2 miles South of Route Co. 517*

FILENAME: C341003.M1K ✓

DISK ID:

BEGINNING DATE: *11-01-2010*

BEGINNING TIME: *00:00*

ENDING DATE: *11-30-2010*

ENDING TIME: *24:00*

COUNT DURATION: *1* ☐ HOURS ☐ DAYS ☒ MONTHS

VEHICLE CLASSIFICATION METHOD: FHWA *X* OTHER

NAME OF AGENCY CLASSIFICATION SCHEME: *N/A* NO. OF BINS: *N/A*

NOTE: IF NOT PREVIOUSLY PROVIDED TO SHRP/LTPP, PLEASE ATTACH SHEET 6 DESCRIBING THE VEHICLE CLASSIFICATION CATEGORIES AND ALSO ATTACH SHEET 7 DESCRIBING HOW THE AGENCY WOULD CONVERT ITS CLASSIFICATION SCHEME TO THE FHWA 13 BIN SYSTEM.

TYPE OF AVC EQUIPMENT: PORTABLE PERMANENT *X*

EQUIPMENT MAKE/MODEL#: *International Road Dynamics' 1060 Piezo WIM System.*

SENSOR TYPE: *Each lane has a single upstream loop and two (2) class I piezoelectric WIM sensors.*

ADJUSTMENT FACTORS FOR ESTIMATING AVERAGE ANNUAL VOLUMES BY CLASSIFICATION:

GENERAL FACTORS:

CLASS SPECIFIC FACTORS (PROVIDE BY CLASS OF CLASS GROUPS):

COMMENTS: NO DATA FOR NOVEMBER 7TH DUE TO END OF DAYLIGHT SAVINGS TIME.

NAME OF PREPARER: <i>Tina L. Ambrosio</i>	PHONE: <i>(609)-530-3508</i>
DATE PREPARED: <i>January 10, 2011</i>	

SHEET 12 LTPP TRAFFIC DATA CLASSIFICATION DATA TRANSMITTAL FORM	*STATE ASSIGNED ID	[NJ-15]
	*STATE CODE	[3 4]
	*SHRP SECTION ID	[1 0 0 3]

HIGHWAY RT. NO. (THIS COUNT): *NJ - 15*

MILEPOST NO. OR LOCATION (THIS COUNT): *MP 7.30 , Jefferson Township, 2.2 miles South of Route Co. 517*

FILENAME: C341003.N1K ✓

DISK ID:

BEGINNING DATE: *12-01-2010*

BEGINNING TIME: *00:00*

ENDING DATE: *12-31-2010*

ENDING TIME: *24:00*

COUNT DURATION: *1* [] HOURS [] DAYS [X] MONTHS

VEHICLE CLASSIFICATION METHOD: FHWA *X* OTHER

NAME OF AGENCY CLASSIFICATION SCHEME: *N/A* NO. OF BINS: *N/A*

NOTE: IF NOT PREVIOUSLY PROVIDED TO SHRP/LTPP, PLEASE ATTACH SHEET 6 DESCRIBING THE VEHICLE CLASSIFICATION CATEGORIES AND ALSO ATTACH SHEET 7 DESCRIBING HOW THE AGENCY WOULD CONVERT ITS CLASSIFICATION SCHEME TO THE FHWA 13 BIN SYSTEM.

TYPE OF AVC EQUIPMENT: PORTABLE PERMANENT *X*

EQUIPMENT MAKE/MODEL#: *International Road Dynamics' 1060 Piezo WIM System.*

SENSOR TYPE: *Each lane has a single upstream loop and two (2) class I piezoelectric WIM sensors.*

ADJUSTMENT FACTORS FOR ESTIMATING AVERAGE ANNUAL VOLUMES BY CLASSIFICATION:

GENERAL FACTORS:

CLASS SPECIFIC FACTORS (PROVIDE BY CLASS OF CLASS GROUPS):

COMMENTS: NO DATA FOR DECEMBER 27th.

NAME OF PREPARER: <i>Tina L. Ambrosio</i>	PHONE: <i>(609)-530-3508</i>
DATE PREPARED: <i>January 31, 2011</i>	

SHEET 13 LTPP TRAFFIC DATA VEHICLE WEIGHT DATA TRANSMITTAL FORM	*STATE ASSIGNED ID	[NJ-15]
	*STATE CODE	[3 4]
	*SHRP SECTION ID	[1 0 0 3]

HIGHWAY RT. NO. (THIS SESSION): *NJ - 15*

MILEPOST NO. OR LOCATION (THIS SESSION): *MP 7.30, Jefferson Township, 2.2 miles South of Route Co. 517.*

FILENAME : W341003. C2K
V341003. C2K

DISK ID:

BEGINNING DATE: *01-02-2010*

BEGINNING TIME: *00:00*

ENDING DATE: *01-31-2010*

ENDING TIME: *24:00*

COUNT DURATION: 1 [] HOURS [] DAYS [X] MONTHS

WEIGHT SCALE TYPE: PORT. WIM PERM. WIM *X* OTHER

EQUIPMENT MAKE/MODEL# *International Road Dynamics 1060 Piezo WIM System*

SENSOR TYPE: *Each lane has a single upstream loop and two (2) class I piezoelectric WIM sensors.*

VEHICLE CLASSIFICATION METHOD:

7-card FHWA 13 bin in cols. 18-19

7-card FHWA 13 bin in cols. 22-23

7-card 6 digit Truck Weight study

W-card *X*

OTHER

NAME OF AGENCY CLASSIFICATION SCHEME:

NO. OF BINS

NOTE: IF NOT PREVIOUSLY PROVIDED TO SHRP/LTPP, PLEASE ATTACH SHEET 6 DESCRIBING THE VEHICLE CLASSIFICATION CATEGORIES AND ALSO ATTACH SHEET 7 DESCRIBING HOW THE AGENCY WOULD CONVERT ITS CLASSIFICATION SCHEME TO THE FHWA 13 CLASS SYSTEM.

METHOD OF CALIBRATION AND FREQUENCY: *Calibration is field validated on each site once a year using one 3S2 vehicle loaded and statically weighed at about 70,000 to 80,000 pounds. A minimum of 20 passes is made per lane at highway speeds or until a consistent calibration tolerance of ± 5 percent of the gross test vehicle weight is achieved. The initial run consists of about 10 or more passes of the calibration vehicles and the weights recorded are averaged using only the consistently measured GVW. Another 10 or more passes are then made after inputting the new changes to confirm the calibration tolerances. The process is repeated until the required tolerance is satisfied.*

COMMENTS: NO DATA ON JANUARY ONE,DUE TO SYSTEM PROBLEMS.

NAME OF PREPARER: <i>Mahmood Afrina Khandakar</i>	PHONE: <i>(609)-530-3501</i>
DATE PREPARED: <i>February 18, 2010</i>	

SHEET 13 LTPP TRAFFIC DATA VEHICLE WEIGHT DATA TRANSMITTAL FORM	*STATE ASSIGNED ID	[NJ-15]
	*STATE CODE	[3 4]
	*SHRP SECTION ID	[1 0 0 3]

HIGHWAY RT. NO. (THIS SESSION): *NJ - 15*

MILEPOST NO. OR LOCATION (THIS SESSION): *MP 7.30, Jefferson Township, 2.2 miles South of Route Co. 517.*

FILENAME : W341003.D1K ✓
V341003.D1K

DISK ID:

BEGINNING DATE: *02-01-2010*

BEGINNING TIME: *00:00*

ENDING DATE: *02-28-2010*

ENDING TIME: *24:00*

COUNT DURATION: 1 [] HOURS [] DAYS [X] MONTHS

WEIGHT SCALE TYPE: PORT. WIM PERM. WIM *X* OTHER

EQUIPMENT MAKE/MODEL# *International Road Dynamics 1060 Piezo WIM System*

SENSOR TYPE: *Each lane has a single upstream loop and two (2) class I piezoelectric WIM sensors.*

VEHICLE CLASSIFICATION METHOD:

7-card FHWA 13 bin in cols. 18-19

7-card FHWA 13 bin in cols. 22-23

7-card 6 digit Truck Weight study

W-card *X*

OTHER

NAME OF AGENCY CLASSIFICATION SCHEME:

NO. OF BINS

NOTE: IF NOT PREVIOUSLY PROVIDED TO SHRP/LTPP, PLEASE ATTACH SHEET 6 DESCRIBING THE VEHICLE CLASSIFICATION CATEGORIES AND ALSO ATTACH SHEET 7 DESCRIBING HOW THE AGENCY WOULD CONVERT ITS CLASSIFICATION SCHEME TO THE FHWA 13 CLASS SYSTEM.

METHOD OF CALIBRATION AND FREQUENCY: *Calibration is field validated on each site once a year using one 3S2 vehicle loaded and statically weighed at about 70,000 to 80,000 pounds. A minimum of 20 passes is made per lane at highway speeds or until a consistent calibration tolerance of ± 5 percent of the gross test vehicle weight is achieved. The initial run consists of about 10 or more passes of the calibration vehicles and the weights recorded are averaged using only the consistently measured GVW. Another 10 or more passes are then made after inputting the new changes to confirm the calibration tolerances. The process is repeated until the required tolerance is satisfied.*

COMMENTS: NO DATA ON FEBRUARY 6,10,11,25 AND 26, DUE TO SYSTEM PROBLEMS.

NAME OF PREPARER: <i>Mahmood Afrina Khandakar</i>	PHONE: <i>(609)-530-3501</i>
DATE PREPARED: <i>March 17, 2010</i>	

SHEET 13 LTPP TRAFFIC DATA VEHICLE WEIGHT DATA TRANSMITTAL FORM	*STATE ASSIGNED ID	[NJ-15]
	*STATE CODE	[3 4]
	*SHRP SECTION ID	[1 0 0 3]

HIGHWAY RT. NO. (THIS SESSION): *NJ - 15*

MILEPOST NO. OR LOCATION (THIS SESSION): *MP 7.30, Jefferson Township, 2.2 miles South of Route Co. 517.*

FILENAME : W341003. E1K ✓
V341003. E1K

DISK ID:

BEGINNING DATE: *03-01-2010*

BEGINNING TIME: *00:00*

ENDING DATE: *03-31-2010*

ENDING TIME: *24:00*

COUNT DURATION: 1 [] HOURS [] DAYS [X] MONTHS

WEIGHT SCALE TYPE: PORT. WIM PERM. WIM *X* OTHER

EQUIPMENT MAKE/MODEL# *International Road Dynamics 1060 Piezo WIM System*

SENSOR TYPE: *Each lane has a single upstream loop and two (2) class I piezoelectric WIM sensors.*

VEHICLE CLASSIFICATION METHOD:

7-card FHWA 13 bin in cols. 18-19

7-card FHWA 13 bin in cols. 22-23

7-card 6 digit Truck Weight study

W-card *X*

OTHER

NAME OF AGENCY CLASSIFICATION SCHEME:

NO. OF BINS

NOTE: IF NOT PREVIOUSLY PROVIDED TO SHRP/LTPP, PLEASE ATTACH SHEET 6 DESCRIBING THE VEHICLE CLASSIFICATION CATEGORIES AND ALSO ATTACH SHEET 7 DESCRIBING HOW THE AGENCY WOULD CONVERT ITS CLASSIFICATION SCHEME TO THE FHWA 13 CLASS SYSTEM.

METHOD OF CALIBRATION AND FREQUENCY: *Calibration is field validated on each site once a year using one 3S2 vehicle loaded and statically weighed at about 70,000 to 80,000 pounds. A minimum of 20 passes is made per lane at highway speeds or until a consistent calibration tolerance of ± 5 percent of the gross test vehicle weight is achieved. The initial run consists of about 10 or more passes of the calibration vehicles and the weights recorded are averaged using only the consistently measured GVW. Another 10 or more passes are then made after inputting the new changes to confirm the calibration tolerances. The process is repeated until the required tolerance is satisfied.*

COMMENTS: NO DATA ON MARCH 13,14 AND 15,DUE TO SYSTEM PROBLEMS.

NAME OF PREPARER: <i>Mahmood Afrina Khandakar</i>	PHONE: <i>(609)-530-3501</i>
DATE PREPARED: <i>April 7, 2010</i>	

SHEET 13 LTTP TRAFFIC DATA VEHICLE WEIGHT DATA TRANSMITTAL FORM	*STATE ASSIGNED ID	[NJ-15]
	*STATE CODE	[3 4]
	*SHRP SECTION ID	[1 0 0 3]

HIGHWAY RT. NO. (THIS SESSION): *NJ - 15*

MILEPOST NO. OR LOCATION (THIS SESSION): *MP 7.30, Jefferson Township, 2.2 miles South of Route Co. 517.*

FILENAME : W341003.F1K✓
V341003.F1K

DISK ID:

BEGINNING DATE: *04-01-2010*

BEGINNING TIME: *00:00*

ENDING DATE: *04-30-2010*

ENDING TIME: *24:00*

COUNT DURATION: 1 [] HOURS [] DAYS [X] MONTHS

WEIGHT SCALE TYPE: PORT. WIM PERM. WIM *X* OTHER

EQUIPMENT MAKE/MODEL# *International Road Dynamics 1060 Piezo WIM System*

SENSOR TYPE: *Each lane has a single upstream loop and two (2) class I piezoelectric WIM sensors.*

VEHICLE CLASSIFICATION METHOD:

7-card FHWA 13 bin in cols. 18-19

7-card FHWA 13 bin in cols. 22-23

7-card 6 digit Truck Weight study

W-card *X*

OTHER

NAME OF AGENCY CLASSIFICATION SCHEME:

NO. OF BINS

NOTE: IF NOT PREVIOUSLY PROVIDED TO SHRP/LTPP, PLEASE ATTACH SHEET 6 DESCRIBING THE VEHICLE CLASSIFICATION CATEGORIES AND ALSO ATTACH SHEET 7 DESCRIBING HOW THE AGENCY WOULD CONVERT ITS CLASSIFICATION SCHEME TO THE FHWA 13 CLASS SYSTEM.

METHOD OF CALIBRATION AND FREQUENCY: *Calibration is field validated on each site once a year using one 3S2 vehicle loaded and statically weighed at about 70,000 to 80,000 pounds. A minimum of 20 passes is made per lane at highway speeds or until a consistent calibration tolerance of ± 5 percent of the gross test vehicle weight is achieved. The initial run consists of about 10 or more passes of the calibration vehicles and the weights recorded are averaged using only the consistently measured GVW. Another 10 or more passes are then made after inputting the new changes to confirm the calibration tolerances. The process is repeated until the required tolerance is satisfied.*

COMMENTS: NO DATA ON APRIL 10,DUE TO SYSTEM PROBLEMS.

NAME OF PREPARER: <i>Mahmood Afrina Khandakar</i>	PHONE: <i>(609)-530-3501</i>
DATE PREPARED: <i>May 17, 2010</i>	

ENTERED MAY 17 2010

SHEET 16 LTPP MONITORED TRAFFIC DATA SITE CALIBRATION SUMMARY	*STATE ASSIGNED ID	[NJ-15]
	*STATE CODE	[34]
	*SHRP SECTION ID	[1003]

SITE CALIBRATION INFORMATION

- * DATE OF CALIBRATION (MONTH/DAY/YEAR) [04 / 10 /2010]
- * TYPE OF EQUIPMENT CALIBRATED ☒ WIM ☐ CLASSIFIER ☐ BOTH
- * REASON FOR CALIBRATION
☒ REGULARLY SCHEDULED SITE VISIT ☐ RESEARCH
☐ EQUIPMENT REPLACEMENT ☐ TRAINING
☐ DATA TRIGGERED SYSTEM REVISION ☐ NEW EQUIPMENT INSTALLATION
☐ OTHER (SPECIFY) _____
- * SENSORS INSTALLED IN LTPP LANE AT THIS SITE (CHECK ALL THAT APPLY):
☐ BARE ROUND PIEZO CERAMIC ☐ BARE FLAT PIEZO ☐ BENDING PLATES
☐ CHANNELIZED ROUND PIEZO ☐ LOAD CELLS ☐ QUARTZ PIEZO
☒ CHANNELIZED FLAT PIEZO ☒ INDUCTANCE LOOPS ☐ CAPACITANCE PADS
☐ OTHER (SPECIFY) _____
- EQUIPMENT MANUFACTURER ☐ IRD

WIM SYSTEM CALIBRATION SPECIFICS**

6.**CALIBRATION TECHNIQUE USED:

☒ TRAFFIC STREAM -- ☐ STATIC SCALE (Y/N) ☒ TEST TRUCKS
☐ 1 NUMBER OF TRUCKS COMPARED ☐ 1 NUMBER OF TEST TRUCKS USED

☐ 10 PASSES PER TRUCK
 TRUCK TYPE SUSPENSION

TYPE PER FHWA 13 BIN SYSTEM

SUSPENSION: 1 - AIR; 2 - LEAF SPRING

1 Class 9 2

2

3 - OTHER (DESCRIBE)

3

- SUMMARY CALIBRATION RESULTS (EXPRESSED AS A PERCENT)
 MEAN DIFFERENCE BETWEEN ---

STATIC GVW (S)68.02

STANDARD DEVIATION BY LANE:

LANE 1 sensor 1: 1.48 sensor 2: 1.56

LANE 2 sensor 1: 1.95 sensor 2: .52

LANE 3 sensor 1: 1.44 sensor 2: .83

→ LANE 4 sensor 1: 2.55 sensor 2: 1.77

*Please see accomp. data file:

CDS_NJ15_1003.xls

- ☐ 1 NUMBER OF SPEEDS AT WHICH CALIBRATION WAS PERFORMED

- DEFINE THE SPEED RANGES USED (MPH) 55-60

- CALIBRATION FACTOR (AT EXPECTED FREE FLOW SPEED) _____

SB_SLOW (LANE 1) sensor 1: 8200 sensor 2: 8300

SB_PASS (LANE 2) sensor 1: 3540 sensor 2: 4540

NB_PASS (LANE 3) sensor 1: 10300 sensor 2: 9400

NB_SLOW (LANE 4) sensor 1: 9630 sensor 2: 7700

- ** IS AUTO-CALIBRATION USED AT THIS SITE? (Y/N) ☒ Y

IF YES, LIST AND DEFINE AUTO-CALIBRATION VALUE: The auto-calibration is defined in 24 hours intervals. The method is set to *adjust after 50 trucks*, the number of auto-calibration class 9 trucks for the interval and the sum of front axle weights for the period are calculated and added to a running totals read from the ASCII file. If the number of trucks is less than 50 *trucks required before adjust*, then the new count and sum are stored in the file. If the number of accumulated trucks is greater than the user entered, then, as above, the error between the calculated mean front axle weight and the user entered Population Mean is determined. Temperature sensor is another factor that has an influence on auto-calibration process.

IF YES, LIST AND DEFINE AUTO-CALIBRATION VALUE ☐ please see the auto calib file

CLASSIFIER TEST SPECIFICS***

- *** METHOD FOR COLLECTING INDEPENDENT VOLUME MEASUREMENT BY VEHICLE CLASS:
☐ VIDEO ☐ MANUAL ☐ PARALLEL CLASSIFIERS

Calibration Data(iSINC)

April 10, 2010

NJ-15, MP 7.1**SHRP ID: 341003**

South Bound

Calib. Truck:	Static Weight (KIPS):	GVW:	68.02
Class 9 Vehicle		Front:	10.12

Lane 1 (SB-S)

Sensor #1	Sensor #2
(Ch.0)	(Ch.1)

Lane 2 (SB-P)

Sensor #1	Sensor #2
(Ch.2)	(Ch.0)

Old Cal. Factors:	8,200	8,300	4,000	6,000
--------------------------	--------------	--------------	--------------	--------------

Meas. GVW	66.1	68.3	71.4	77.2
	65.7	67.7	71.0	81.2
	66.8	65.5	72.5	76.5
	64.2	67.9	74.3	81.5
	61.7	61.3	76.0	84.1

Adj. Cal. Factors:	8,200	8,300	3,730	5,100
---------------------------	--------------	--------------	--------------	--------------

Meas. GVW	65.5	65.8	70.0	75.0
	63.4	63.6	70.8	76.1
			74.1	78.6

Adj. Cal. Factors:	8,200	8,300	3,540	4,540
---------------------------	--------------	--------------	--------------	--------------

68.0	72.7
71.1	71.8
67.5	72.7

Standard Deviation:	1.48	1.56	1.95	0.52
----------------------------	-------------	-------------	-------------	-------------

Final Cal. Factors:	8,200	8,300	3,540	4,540
----------------------------	--------------	--------------	--------------	--------------

NJ-15, MP 7.1**SHRP ID: 341003**

North Bound

Calib. Truck:	Static Weight (KIPS):	GVW:	68.02
Class 9 Vehicle		Front:	10.12

Lane 3 (NB-P)

Sensor #1	Sensor #2
(Ch.0)	(Ch.1)

Lane 4 (NB-S)

Sensor #1	Sensor #2
(Ch.2)	(Ch.3)

Old Cal. Factors:	14,500	13,200	11,000	8,500
--------------------------	---------------	---------------	---------------	--------------

78.9	84.6	75.5	72.1
76.8	79.2	79.1	74.9
82.0	88.4	78.1	75.0
87.0	91.8	79.4	76.2
90.3	92.1	76.4	77.1

Adj. Cal. Factors:	11,870	10,300	9,630	7,700
---------------------------	---------------	---------------	--------------	--------------

Meas. GVW	76.0	71.8	66.0	68.0
	77.4	77.0	70.8	70.2
	81.2	75.9	66.9	71.5

Adj. Cal. Factors:	10,300	9,400	9,630	7,700
---------------------------	---------------	--------------	--------------	--------------

69.8	68.1
72.5	68.5
72.0	69.7

Standard Deviation:	1.44	0.83	2.55	1.77
----------------------------	-------------	-------------	-------------	-------------

Final Cal. Factors:	10,300	9,400	9,630	7,700
----------------------------	---------------	--------------	--------------	--------------

SHEET 13 LTPP TRAFFIC DATA VEHICLE WEIGHT DATA TRANSMITTAL FORM	*STATE ASSIGNED ID	[NJ-15]
	*STATE CODE	[3 4]
	*SHRP SECTION ID	[1 0 0 3]

HIGHWAY RT. NO. (THIS SESSION): *NJ - 15*

MILEPOST NO. OR LOCATION (THIS SESSION): *MP 7.30, Jefferson Township, 2.2 miles South of Route Co. 517.*

FILENAME : W341003. G1K ✓
V341003. G1K

DISK ID:

BEGINNING DATE: *05-01-2010*

BEGINNING TIME: *00:00*

ENDING DATE: *05-31-2010*

ENDING TIME: *24:00*

COUNT DURATION: 1 [] HOURS [] DAYS [X] MONTHS

WEIGHT SCALE TYPE: PORT. WIM PERM. WIM *X* OTHER

EQUIPMENT MAKE/MODEL# *International Road Dynamics 1060 Piezo WIM System*

SENSOR TYPE: *Each lane has a single upstream loop and two (2) class I piezoelectric WIM sensors.*

VEHICLE CLASSIFICATION METHOD:

7-card FHWA 13 bin in cols. 18-19

7-card FHWA 13 bin in cols. 22-23

7-card 6 digit Truck Weight study

W-card *X*

OTHER

NAME OF AGENCY CLASSIFICATION SCHEME:

NO. OF BINS

NOTE: IF NOT PREVIOUSLY PROVIDED TO SHRP/LTPP, PLEASE ATTACH SHEET 6 DESCRIBING THE VEHICLE CLASSIFICATION CATEGORIES AND ALSO ATTACH SHEET 7 DESCRIBING HOW THE AGENCY WOULD CONVERT ITS CLASSIFICATION SCHEME TO THE FHWA 13 CLASS SYSTEM.

METHOD OF CALIBRATION AND FREQUENCY: *Calibration is field validated on each site once a year using one 3S2 vehicle loaded and statically weighed at about 70,000 to 80,000 pounds. A minimum of 20 passes is made per lane at highway speeds or until a consistent calibration tolerance of ± 5 percent of the gross test vehicle weight is achieved. The initial run consists of about 10 or more passes of the calibration vehicles and the weights recorded are averaged using only the consistently measured GVW. Another 10 or more passes are then made after inputting the new changes to confirm the calibration tolerances. The process is repeated until the required tolerance is satisfied.*

COMMENTS:

NAME OF PREPARER: <i>Mahmood Afrina Khandakar</i>	PHONE: <i>(609)-530-3501</i>
DATE PREPARED: <i>June 14, 2010</i>	

SHEET 13 LTPP TRAFFIC DATA VEHICLE WEIGHT DATA TRANSMITTAL FORM	*STATE ASSIGNED ID	[NJ-15]
	*STATE CODE	[3 4]
	*SHRP SECTION ID	[1 0 0 3]

HIGHWAY RT. NO. (THIS SESSION): *NJ - 15*

MILEPOST NO. OR LOCATION (THIS SESSION): *MP 7.30, Jefferson Township, 2.2 miles South of Route Co. 517.*

FILENAME : W341003. H1K ✓
V341003. H1K

DISK ID:

BEGINNING DATE: *06-01-2010*

BEGINNING TIME: *00:00*

ENDING DATE: *05-30-2010*

ENDING TIME: *24:00*

COUNT DURATION: 1 [] HOURS [] DAYS [X] MONTHS

WEIGHT SCALE TYPE: PORT. WIM PERM. WIM *X* OTHER

EQUIPMENT MAKE/MODEL# *International Road Dynamics 1060 Piezo WIM System*

SENSOR TYPE: *Each lane has a single upstream loop and two (2) class I piezoelectric WIM sensors.*

VEHICLE CLASSIFICATION METHOD:

7-card FHWA 13 bin in cols. 18-19

7-card FHWA 13 bin in cols. 22-23

7-card 6 digit Truck Weight study

W-card *X*

OTHER

NAME OF AGENCY CLASSIFICATION SCHEME:

NO. OF BINS

NOTE: IF NOT PREVIOUSLY PROVIDED TO SHRP/LTPP, PLEASE ATTACH SHEET 6 DESCRIBING THE VEHICLE CLASSIFICATION CATEGORIES AND ALSO ATTACH SHEET 7 DESCRIBING HOW THE AGENCY WOULD CONVERT ITS CLASSIFICATION SCHEME TO THE FHWA 13 CLASS SYSTEM.

METHOD OF CALIBRATION AND FREQUENCY: *Calibration is field validated on each site once a year using one 3S2 vehicle loaded and statically weighed at about 70,000 to 80,000 pounds. A minimum of 20 passes is made per lane at highway speeds or until a consistent calibration tolerance of ± 5 percent of the gross test vehicle weight is achieved. The initial run consists of about 10 or more passes of the calibration vehicles and the weights recorded are averaged using only the consistently measured GVW. Another 10 or more passes are then made after inputting the new changes to confirm the calibration tolerances. The process is repeated until the required tolerance is satisfied.*

COMMENTS:

NAME OF PREPARER: <i>Mahmood Afrina Khandakar</i>	PHONE: <i>(609)-530-3501</i>
DATE PREPARED: <i>July 28, 2010</i>	

SHEET 13 LTPP TRAFFIC DATA VEHICLE WEIGHT DATA TRANSMITTAL FORM	*STATE ASSIGNED ID	[NJ-15]
	*STATE CODE	[3 4]
	*SHRP SECTION ID	[1 0 0 3]

HIGHWAY RT. NO. (THIS SESSION): *NJ - 15*

MILEPOST NO. OR LOCATION (THIS SESSION): *MP 7.30, Jefferson Township, 2.2 miles South of Route Co. 517.*

FILENAME : W341003.11K ✓
V341003.11K

DISK ID:

BEGINNING DATE: *07-01-2010*

BEGINNING TIME: *00:00*

ENDING DATE: *07-31-2010*

ENDING TIME: *24:00*

COUNT DURATION: 1 [] HOURS [] DAYS [X] MONTHS

WEIGHT SCALE TYPE: PORT. WIM PERM. WIM *X* OTHER

EQUIPMENT MAKE/MODEL# *International Road Dynamics 1060 Piezo WIM System*

SENSOR TYPE: *Each lane has a single upstream loop and two (2) class I piezoelectric WIM sensors.*

VEHICLE CLASSIFICATION METHOD:

7-card FHWA 13 bin in cols. 18-19

7-card FHWA 13 bin in cols. 22-23

7-card 6 digit Truck Weight study

W-card *X*

OTHER

NAME OF AGENCY CLASSIFICATION SCHEME:

NO. OF BINS

NOTE: IF NOT PREVIOUSLY PROVIDED TO SHRP/LTPP, PLEASE ATTACH SHEET 6 DESCRIBING THE VEHICLE CLASSIFICATION CATEGORIES AND ALSO ATTACH SHEET 7 DESCRIBING HOW THE AGENCY WOULD CONVERT ITS CLASSIFICATION SCHEME TO THE FHWA 13 CLASS SYSTEM.

METHOD OF CALIBRATION AND FREQUENCY: *Calibration is field validated on each site once a year using one 3S2 vehicle loaded and statically weighed at about 70,000 to 80,000 pounds. A minimum of 20 passes is made per lane at highway speeds or until a consistent calibration tolerance of ± 5 percent of the gross test vehicle weight is achieved. The initial run consists of about 10 or more passes of the calibration vehicles and the weights recorded are averaged using only the consistently measured GVW. Another 10 or more passes are then made after inputting the new changes to confirm the calibration tolerances. The process is repeated until the required tolerance is satisfied.*

COMMENTS: NO WEIGHT DATA FOR SB_PASS , DUE TO SYSTEM PROBLEMS.

NAME OF PREPARER: *Mahmood Afrina Khandakar*
DATE PREPARED: *August 12, 2010*

PHONE: *(609)-530-3501*

SHEET 13 LTPP TRAFFIC DATA VEHICLE WEIGHT DATA TRANSMITTAL FORM	*STATE ASSIGNED ID	[NJ-15]
	*STATE CODE	[3 4]
	*SHRP SECTION ID	[1 0 0 3]

HIGHWAY RT. NO. (THIS SESSION): *NJ - 15*

MILEPOST NO. OR LOCATION (THIS SESSION): *MP 7.30, Jefferson Township, 2.2 miles South of Route Co. 517.*

FILENAME : W341003. J1K ✓
V341003. J1K

DISK ID:

BEGINNING DATE: *08-01-2010*

BEGINNING TIME: *00:00*

ENDING DATE: *08-31-2010*

ENDING TIME: *24:00*

COUNT DURATION: 1 [] HOURS [] DAYS [X] MONTHS

WEIGHT SCALE TYPE: PORT. WIM PERM. WIM *X* OTHER

EQUIPMENT MAKE/MODEL# *International Road Dynamics 1060 Piezo WIM System*

SENSOR TYPE: *Each lane has a single upstream loop and two (2) class I piezoelectric WIM sensors.*

VEHICLE CLASSIFICATION METHOD:

7-card FHWA 13 bin in cols. 18-19

7-card FHWA 13 bin in cols. 22-23

7-card 6 digit Truck Weight study

W-card *X*

OTHER

NAME OF AGENCY CLASSIFICATION SCHEME:

NO. OF BINS

NOTE: IF NOT PREVIOUSLY PROVIDED TO SHRP/LTPP, PLEASE ATTACH SHEET 6 DESCRIBING THE VEHICLE CLASSIFICATION CATEGORIES AND ALSO ATTACH SHEET 7 DESCRIBING HOW THE AGENCY WOULD CONVERT ITS CLASSIFICATION SCHEME TO THE FHWA 13 CLASS SYSTEM.

METHOD OF CALIBRATION AND FREQUENCY: *Calibration is field validated on each site once a year using one 3S2 vehicle loaded and statically weighed at about 70,000 to 80,000 pounds. A minimum of 20 passes is made per lane at highway speeds or until a consistent calibration tolerance of ± 5 percent of the gross test vehicle weight is achieved. The initial run consists of about 10 or more passes of the calibration vehicles and the weights recorded are averaged using only the consistently measured GVW. Another 10 or more passes are then made after inputting the new changes to confirm the calibration tolerances. The process is repeated until the required tolerance is satisfied.*

COMMENTS:

NAME OF PREPARER: <i>Tina L. Ambrosio</i>	PHONE: <i>(609)-530-3501</i>
DATE PREPARED: <i>September 30, 2010</i>	

SHEET 13 LTPP TRAFFIC DATA VEHICLE WEIGHT DATA TRANSMITTAL FORM	*STATE ASSIGNED ID	[NJ-15]
	*STATE CODE	[3 4]
	*SHRP SECTION ID	[1 0 0 3]

HIGHWAY RT. NO. (THIS SESSION): *NJ - 15*

MILEPOST NO. OR LOCATION (THIS SESSION): *MP 7.30, Jefferson Township, 2.2 miles South of Route Co. 517.*

FILENAME : W341003. K1K ✓
V341003. K1K

DISK ID:

BEGINNING DATE: *09-01-2010*

BEGINNING TIME: *00:00*

ENDING DATE: *09-30-2010*

ENDING TIME: *24:00*

COUNT DURATION: 1 [] HOURS [] DAYS [X] MONTHS

WEIGHT SCALE TYPE: PORT. WIM PERM. WIM *X* OTHER

EQUIPMENT MAKE/MODEL# *International Road Dynamics 1060 Piezo WIM System*

SENSOR TYPE: *Each lane has a single upstream loop and two (2) class I piezoelectric WIM sensors.*

VEHICLE CLASSIFICATION METHOD:

7-card FHWA 13 bin in cols. 18-19

7-card FHWA 13 bin in cols. 22-23

7-card 6 digit Truck Weight study

W-card *X*

OTHER

NAME OF AGENCY CLASSIFICATION SCHEME:

NO. OF BINS

NOTE: IF NOT PREVIOUSLY PROVIDED TO SHRP/LTPP, PLEASE ATTACH SHEET 6 DESCRIBING THE VEHICLE CLASSIFICATION CATEGORIES AND ALSO ATTACH SHEET 7 DESCRIBING HOW THE AGENCY WOULD CONVERT ITS CLASSIFICATION SCHEME TO THE FHWA 13 CLASS SYSTEM.

METHOD OF CALIBRATION AND FREQUENCY: *Calibration is field validated on each site once a year using one 3S2 vehicle loaded and statically weighed at about 70,000 to 80,000 pounds. A minimum of 20 passes is made per lane at highway speeds or until a consistent calibration tolerance of ± 5 percent of the gross test vehicle weight is achieved. The initial run consists of about 10 or more passes of the calibration vehicles and the weights recorded are averaged using only the consistently measured GVW. Another 10 or more passes are then made after inputting the new changes to confirm the calibration tolerances. The process is repeated until the required tolerance is satisfied.*

COMMENTS:

NAME OF PREPARER: <i>Tina L. Ambrosio</i>	PHONE: <i>(609)-530-3501</i>
DATE PREPARED: <i>November 4, 2010</i>	

SHEET 13 LTPP TRAFFIC DATA VEHICLE WEIGHT DATA TRANSMITTAL FORM	*STATE ASSIGNED ID	[NJ-15]
	*STATE CODE	[3 4]
	*SHRP SECTION ID	[1 0 0 3]

HIGHWAY RT. NO. (THIS SESSION): *NJ - 15*

MILEPOST NO. OR LOCATION (THIS SESSION): *MP 7.30, Jefferson Township, 2.2 miles South of Route Co. 517.*

FILENAME : W341003.L1K ✓
V341003.L1K

DISK ID:

BEGINNING DATE: *10-01-2010*

BEGINNING TIME: *00:00*

ENDING DATE: *10-31-2010*

ENDING TIME: *24:00*

COUNT DURATION: 1 [] HOURS [] DAYS [X] MONTHS

WEIGHT SCALE TYPE: PORT. WIM PERM. WIM *X* OTHER

EQUIPMENT MAKE/MODEL# *International Road Dynamics 1060 Piezo WIM System*

SENSOR TYPE: *Each lane has a single upstream loop and two (2) class I piezoelectric WIM sensors.*

VEHICLE CLASSIFICATION METHOD:

7-card FHWA 13 bin in cols. 18-19

7-card FHWA 13 bin in cols. 22-23

7-card 6 digit Truck Weight study

W-card *X*

OTHER

NAME OF AGENCY CLASSIFICATION SCHEME:

NO. OF BINS

NOTE: IF NOT PREVIOUSLY PROVIDED TO SHRP/LTPP, PLEASE ATTACH SHEET 6 DESCRIBING THE VEHICLE CLASSIFICATION CATEGORIES AND ALSO ATTACH SHEET 7 DESCRIBING HOW THE AGENCY WOULD CONVERT ITS CLASSIFICATION SCHEME TO THE FHWA 13 CLASS SYSTEM.

METHOD OF CALIBRATION AND FREQUENCY: *Calibration is field validated on each site once a year using one 3S2 vehicle loaded and statically weighed at about 70,000 to 80,000 pounds. A minimum of 20 passes is made per lane at highway speeds or until a consistent calibration tolerance of ± 5 percent of the gross test vehicle weight is achieved. The initial run consists of about 10 or more passes of the calibration vehicles and the weights recorded are averaged using only the consistently measured GVW. Another 10 or more passes are then made after inputting the new changes to confirm the calibration tolerances. The process is repeated until the required tolerance is satisfied.*

COMMENTS:

NAME OF PREPARER: *Tina L. Ambrosio*
DATE PREPARED: *January 10, 2011*

PHONE: *(609)-530-3501*

SHEET 13 LTTP TRAFFIC DATA VEHICLE WEIGHT DATA TRANSMITTAL FORM	*STATE ASSIGNED ID	[NJ-15]
	*STATE CODE	[3 4]
	*SHRP SECTION ID	[1 0 0 3]

HIGHWAY RT. NO. (THIS SESSION): *NJ - 15*

MILEPOST NO. OR LOCATION (THIS SESSION): *MP 7.30, Jefferson Township, 2.2 miles South of Route Co. 517.*

FILENAME : W341003. M1K ✓
V341003. M1K

DISK ID:

BEGINNING DATE: *11-01-2010*

BEGINNING TIME: *00:00*

ENDING DATE: *11-30-2010*

ENDING TIME: *24:00*

COUNT DURATION: 1 [] HOURS [] DAYS [X] MONTHS

WEIGHT SCALE TYPE: PORT. WIM PERM. WIM *X* OTHER

EQUIPMENT MAKE/MODEL# *International Road Dynamics 1060 Piezo WIM System*

SENSOR TYPE: *Each lane has a single upstream loop and two (2) class I piezoelectric WIM sensors.*

VEHICLE CLASSIFICATION METHOD:

7-card FHWA 13 bin in cols. 18-19

7-card FHWA 13 bin in cols. 22-23

7-card 6 digit Truck Weight study

W-card *X*

OTHER

NAME OF AGENCY CLASSIFICATION SCHEME:

NO. OF BINS

NOTE: IF NOT PREVIOUSLY PROVIDED TO SHRP/LTPP, PLEASE ATTACH SHEET 6 DESCRIBING THE VEHICLE CLASSIFICATION CATEGORIES AND ALSO ATTACH SHEET 7 DESCRIBING HOW THE AGENCY WOULD CONVERT ITS CLASSIFICATION SCHEME TO THE FHWA 13 CLASS SYSTEM.

METHOD OF CALIBRATION AND FREQUENCY: *Calibration is field validated on each site once a year using one 3S2 vehicle loaded and statically weighed at about 70,000 to 80,000 pounds. A minimum of 20 passes is made per lane at highway speeds or until a consistent calibration tolerance of ± 5 percent of the gross test vehicle weight is achieved. The initial run consists of about 10 or more passes of the calibration vehicles and the weights recorded are averaged using only the consistently measured GVW. Another 10 or more passes are then made after inputting the new changes to confirm the calibration tolerances. The process is repeated until the required tolerance is satisfied.*

COMMENTS: NO DATA FOR NOVEMBER 7TH DUE TO END OF DAYLIGHT SAVINGS TIME.

NAME OF PREPARER: <i>Tina L. Ambrosio</i>	PHONE: <i>(609)-530-3501</i>
DATE PREPARED: <i>January 10, 2011</i>	

SHEET 13 LTPP TRAFFIC DATA VEHICLE WEIGHT DATA TRANSMITTAL FORM	*STATE ASSIGNED ID	[NJ-15]
	*STATE CODE	[3 4]
	*SHRP SECTION ID	[1 0 0 3]

HIGHWAY RT. NO. (THIS SESSION): *NJ - 15*

MILEPOST NO. OR LOCATION (THIS SESSION): *MP 7.30, Jefferson Township, 2.2 miles South of Route Co. 517.*

FILENAME : W341003.N1K ✓
V341003.N1K

DISK ID:

BEGINNING DATE: *12-01-2010*

BEGINNING TIME: *00:00*

ENDING DATE: *12-31-2010*

ENDING TIME: *24:00*

COUNT DURATION: 1 [] HOURS [] DAYS [X] MONTHS

WEIGHT SCALE TYPE: PORT. WIM PERM. WIM *X* OTHER

EQUIPMENT MAKE/MODEL# *International Road Dynamics 1060 Piezo WIM System*

SENSOR TYPE: *Each lane has a single upstream loop and two (2) class I piezoelectric WIM sensors.*

VEHICLE CLASSIFICATION METHOD:

7-card FHWA 13 bin in cols. 18-19

7-card FHWA 13 bin in cols. 22-23

7-card 6 digit Truck Weight study

W-card *X*

OTHER

NAME OF AGENCY CLASSIFICATION SCHEME:

NO. OF BINS

NOTE: IF NOT PREVIOUSLY PROVIDED TO SHRP/LTPP, PLEASE ATTACH SHEET 6 DESCRIBING THE VEHICLE CLASSIFICATION CATEGORIES AND ALSO ATTACH SHEET 7 DESCRIBING HOW THE AGENCY WOULD CONVERT ITS CLASSIFICATION SCHEME TO THE FHWA 13 CLASS SYSTEM.

METHOD OF CALIBRATION AND FREQUENCY: *Calibration is field validated on each site once a year using one 3S2 vehicle loaded and statically weighed at about 70,000 to 80,000 pounds. A minimum of 20 passes is made per lane at highway speeds or until a consistent calibration tolerance of ± 5 percent of the gross test vehicle weight is achieved. The initial run consists of about 10 or more passes of the calibration vehicles and the weights recorded are averaged using only the consistently measured GVW. Another 10 or more passes are then made after inputting the new changes to confirm the calibration tolerances. The process is repeated until the required tolerance is satisfied.*

COMMENTS: NO DATA FOR DECEMBER 27th.

NAME OF PREPARER: <i>Tina L. Ambrosio</i>	PHONE: <i>(609)-530-3501</i>
DATE PREPARED: <i>January 31, 2011</i>	