

SHEET 12 LTTP TRAFFIC DATA CLASSIFICATION DATA TRANSMITTAL FORM	*STATE ASSIGNED ID	[I-195]
	*STATE CODE	[3 4]
	*SHRP SECTION ID	[1 0 1 1]

HIGHWAY RT. NO. (THIS COUNT): ***I-195 EB***

MILEPOST NO. OR LOCATION (THIS COUNT): ***MP 9.50; Upper Freehold Township, 1.7 miles East of Route Co. 539.***

FILENAME: NONE

DISK ID:

BEGINNING DATE:

BEGINNING TIME: ***00:00***

ENDING DATE:

ENDING TIME: ***24:00***

COUNT DURATION: ***1***

[] HOURS

[] DAYS

[X] MONTHS

VEHICLE CLASSIFICATION METHOD: FHWA ***X***

OTHER

NAME OF AGENCY CLASSIFICATION SCHEME: ***N/A***

NO. OF BINS: ***N/A***

NOTE: IF NOT PREVIOUSLY PROVIDED TO SHRP/LTPP, PLEASE ATTACH SHEET 6 DESCRIBING THE VEHICLE CLASSIFICATION CATEGORIES AND ALSO ATTACH SHEET 7 DESCRIBING HOW THE AGENCY WOULD CONVERT ITS CLASSIFICATION SCHEME TO THE FHWA 13 BIN SYSTEM.

TYPE OF AVC EQUIPMENT:

PORTABLE

PERMANENT ***X***

EQUIPMENT MAKE/MODEL#: ***International Road Dynamics Piezo WIM System***

SENSOR TYPE: ***Each lane has a single upstream loop and two (2) class I piezoelectric WIM sensors.***

ADJUSTMENT FACTORS FOR ESTIMATING AVERAGE ANNUAL VOLUMES BY CLASSIFICATION:

GENERAL FACTORS:

CLASS SPECIFIC FACTORS (PROVIDE BY CLASS OF CLASS GROUPS):

COMMENTS: ***NO DATA ON EAST BOUND DUE TO SYSTEM PROBLEMS***

NAME OF PREPARER: ***Mahmood Afrina Khandakar***
DATE PREPARED: ***August 10, 2009***

PHONE: ***(609)-530-3508***

SHEET 12 LTPP TRAFFIC DATA CLASSIFICATION DATA TRANSMITTAL FORM	*STATE ASSIGNED ID	[I-195]
	*STATE CODE	[3 4]
	*SHRP SECTION ID	[1 0 1 1]

HIGHWAY RT. NO. (THIS COUNT): ***I-195 EB***

MILEPOST NO. OR LOCATION (THIS COUNT): ***MP 9.50; Upper Freehold Township, 1.7 miles East of Route Co. 539.***

FILENAME: C341011.K7J ✓

DISK ID:

BEGINNING DATE: ***09-07-2009***

BEGINNING TIME: ***00:00***

ENDING DATE: ***05-30-2009***

ENDING TIME: ***24:00***

COUNT DURATION: ***1*** [] HOURS [] DAYS [X] MONTHS

VEHICLE CLASSIFICATION METHOD: FHWA ***X*** OTHER

NAME OF AGENCY CLASSIFICATION SCHEME: ***N/A*** NO. OF BINS: ***N/A***

NOTE: IF NOT PREVIOUSLY PROVIDED TO SHRP/LTPP, PLEASE ATTACH SHEET 6 DESCRIBING THE VEHICLE CLASSIFICATION CATEGORIES AND ALSO ATTACH SHEET 7 DESCRIBING HOW THE AGENCY WOULD CONVERT ITS CLASSIFICATION SCHEME TO THE FHWA 13 BIN SYSTEM.

TYPE OF AVC EQUIPMENT: PORTABLE PERMANENT ***X***

EQUIPMENT MAKE/MODEL#: ***International Road Dynamics Piezo WIM System***

SENSOR TYPE: ***Each lane has a single upstream loop and two (2) class I piezoelectric WIM sensors.***

ADJUSTMENT FACTORS FOR ESTIMATING AVERAGE ANNUAL VOLUMES BY CLASSIFICATION:

GENERAL FACTORS:

CLASS SPECIFIC FACTORS (PROVIDE BY CLASS OF CLASS GROUPS):

COMMENTS: NO DATA ON SEPTEMBER ONE TO SIX AND 13 TO 14 DUE TO SYSTEM PROBLEM.

NAME OF PREPARER: <i>M.AFRINA KHANDAKAR</i>	PHONE: <i>(609)-530-3508</i>
DATE PREPARED: <i>October 13, 2009</i>	

SHEET 12 LTTP TRAFFIC DATA CLASSIFICATION DATA TRANSMITTAL FORM	*STATE ASSIGNED ID	[I-195]
	*STATE CODE	[3 4]
	*SHRP SECTION ID	[1 0 1 1]

➤ HIGHWAY RT. NO. (THIS COUNT): *I-195 EB*

MILEPOST NO. OR LOCATION (THIS COUNT): *MP 9.50; Upper Freehold Township, 1.7 miles East of Route Co. 539.*

FILENAME: C341011.L1J ✓

DISK ID:

BEGINNING DATE: *10-01-2009*

BEGINNING TIME: *00:00*

ENDING DATE: *10-31-2009*

ENDING TIME: *24:00*

COUNT DURATION: *1* [] HOURS [] DAYS [X] MONTHS

VEHICLE CLASSIFICATION METHOD: FHWA *X* OTHER

NAME OF AGENCY CLASSIFICATION SCHEME: *N/A* NO. OF BINS: *N/A*

NOTE: IF NOT PREVIOUSLY PROVIDED TO SHRP/LTPP, PLEASE ATTACH SHEET 6 DESCRIBING THE VEHICLE CLASSIFICATION CATEGORIES AND ALSO ATTACH SHEET 7 DESCRIBING HOW THE AGENCY WOULD CONVERT ITS CLASSIFICATION SCHEME TO THE FHWA 13 BIN SYSTEM.

TYPE OF AVC EQUIPMENT: PORTABLE PERMANENT *X*

EQUIPMENT MAKE/MODEL#: *International Road Dynamics Piezo WIM System*

SENSOR TYPE: *Each lane has a single upstream loop and two (2) class I piezoelectric WIM sensors.*

ADJUSTMENT FACTORS FOR ESTIMATING AVERAGE ANNUAL VOLUMES BY CLASSIFICATION:

GENERAL FACTORS:

CLASS SPECIFIC FACTORS (PROVIDE BY CLASS OF CLASS GROUPS):

COMMENTS:

NAME OF PREPARER: <i>M.AFRINA KHANDAKAR</i>	PHONE: <i>(609)-530-3508</i>
DATE PREPARED: <i>November 17, 2009</i>	

SHEET 12 LTPP TRAFFIC DATA CLASSIFICATION DATA TRANSMITTAL FORM	*STATE ASSIGNED ID	[I-195]
	*STATE CODE	[3 4]
	*SHRP SECTION ID	[1 0 1 1]

HIGHWAY RT. NO. (THIS COUNT): ***I-195 EB***

MILEPOST NO. OR LOCATION (THIS COUNT): ***MP 9.50; Upper Freehold Township, 1.7 miles East of Route Co. 539.***

FILENAME: C341011.M2J ✓

DISK ID:

BEGINNING DATE: ***11-02-2009***

BEGINNING TIME: ***00:00***

ENDING DATE: ***11-30-2009***

ENDING TIME: ***24:00***

COUNT DURATION: ***1*** [] HOURS [] DAYS [X] MONTHS

VEHICLE CLASSIFICATION METHOD: FHWA ***X*** OTHER

NAME OF AGENCY CLASSIFICATION SCHEME: ***N/A*** NO. OF BINS: ***N/A***

NOTE: IF NOT PREVIOUSLY PROVIDED TO SHRP/LTPP, PLEASE ATTACH SHEET 6 DESCRIBING THE VEHICLE CLASSIFICATION CATEGORIES AND ALSO ATTACH SHEET 7 DESCRIBING HOW THE AGENCY WOULD CONVERT ITS CLASSIFICATION SCHEME TO THE FHWA 13 BIN SYSTEM.

TYPE OF AVC EQUIPMENT: PORTABLE PERMANENT ***X***

EQUIPMENT MAKE/MODEL#: ***International Road Dynamics Piezo WIM System***

SENSOR TYPE: ***Each lane has a single upstream loop and two (2) class I piezoelectric WIM sensors.***

ADJUSTMENT FACTORS FOR ESTIMATING AVERAGE ANNUAL VOLUMES BY CLASSIFICATION:

GENERAL FACTORS:

CLASS SPECIFIC FACTORS (PROVIDE BY CLASS OF CLASS GROUPS):

COMMENTS: ***NO DATA ON NOVEMBER FIRST AND NOVEMBER 20, DUE TO SYSTEM PROBLEMS.***

NAME OF PREPARER: <i>Mahmood Afrina Khandakar</i>	PHONE: <i>(609)-530-3508</i>
DATE PREPARED: <i>December 7, 2009</i>	

SHEET 12 LTTP TRAFFIC DATA CLASSIFICATION DATA TRANSMITTAL FORM	*STATE ASSIGNED ID	[I-195]
	*STATE CODE	[3 4]
	*SHRP SECTION ID	[1 0 1 1]

HIGHWAY RT. NO. (THIS COUNT): ***I-195 EB***

MILEPOST NO. OR LOCATION (THIS COUNT): ***MP 9.50; Upper Freehold Township, 1.7 miles East of Route Co. 539.***

FILENAME: C341011.N2J ✓

DISK ID:

BEGINNING DATE: ***12-02-2009***

BEGINNING TIME: ***00:00***

ENDING DATE: ***12-16-2009***

ENDING TIME: ***24:00***

COUNT DURATION: ***1*** [] HOURS [] DAYS [X] MONTHS

VEHICLE CLASSIFICATION METHOD: FHWA ***X*** OTHER

NAME OF AGENCY CLASSIFICATION SCHEME: ***N/A*** NO. OF BINS: ***N/A***

NOTE: IF NOT PREVIOUSLY PROVIDED TO SHRP/LTPP, PLEASE ATTACH SHEET 6 DESCRIBING THE VEHICLE CLASSIFICATION CATEGORIES AND ALSO ATTACH SHEET 7 DESCRIBING HOW THE AGENCY WOULD CONVERT ITS CLASSIFICATION SCHEME TO THE FHWA 13 BIN SYSTEM.

TYPE OF AVC EQUIPMENT: PORTABLE PERMANENT ***X***

EQUIPMENT MAKE/MODEL#: ***International Road Dynamics Piezo WIM System***

SENSOR TYPE: ***Each lane has a single upstream loop and two (2) class I piezoelectric WIM sensors.***

ADJUSTMENT FACTORS FOR ESTIMATING AVERAGE ANNUAL VOLUMES BY CLASSIFICATION:

GENERAL FACTORS:

CLASS SPECIFIC FACTORS (PROVIDE BY CLASS OF CLASS GROUPS):

COMMENTS: ***NO DATA ON DECEMBER ONE AND DECEMBER 11, DUE TO SYSTEM PROBLEMS.***

NAME OF PREPARER: <i>M.AFRINA KHANDAKAR</i>	PHONE: <i>(609)-530-3508</i>
DATE PREPARED: <i>January 4, 2010</i>	

SHEET 13 LTTP TRAFFIC DATA VEHICLE WEIGHT DATA TRANSMITTAL FORM	*STATE ASSIGNED ID	[I-195]
	*STATE CODE	[3 4]
	*SHRP SECTION ID	[1 0 1 1]

HIGHWAY RT. NO. (THIS SESSION): ***I-195 EB***

MILEPOST NO. OR LOCATION (THIS SESSION): ***MP 9.50; Upper Freehold Township, 1.7 miles East of Route Co. 539.***

FILENAME: NONE

DISK ID:

BEGINNING DATE:

BEGINNING TIME: ***00:00***

ENDING DATE:

ENDING TIME: ***24:00***

COUNT DURATION: 1 [] HOURS [] DAYS [X] MONTHS

WEIGHT SCALE TYPE: PORT. WIM PERM. WIM ***X*** OTHER

EQUIPMENT MAKE/MODEL# ***International Road Dynamics Piezo WIM System***

SENSOR TYPE: ***Each lane has a single upstream loop and two (2) class I piezoelectric WIM sensors.***

VEHICLE CLASSIFICATION METHOD:

7-card FHWA 13 bin in cols. 18-19

7-card FHWA 13 bin in cols. 22-23

7-card 6 digit Truck Weight study

W-card ***X***

OTHER

NAME OF AGENCY CLASSIFICATION SCHEME:

NO. OF BINS

NOTE: IF NOT PREVIOUSLY PROVIDED TO SHRP/LTPP, PLEASE ATTACH SHEET 6 DESCRIBING THE VEHICLE CLASSIFICATION CATEGORIES AND ALSO ATTACH SHEET 7 DESCRIBING HOW THE AGENCY WOULD CONVERT ITS CLASSIFICATION SCHEME TO THE FHWA 13 CLASS SYSTEM.

METHOD OF CALIBRATION AND FREQUENCY: ***Calibration is field validated on each site once a year using one 3S2 vehicle loaded and statically weighed at about 70,000 to 80,000 pounds. A minimum of 20 passes is made per lane at highway speeds or until a consistent calibration tolerance of ± 5 percent of the gross test vehicle weight is achieved. The initial run consists of about 10 or more passes of the calibration vehicles and the weights recorded are averaged using only the consistently measured GVW. Another 10 or more passes are then made after inputting the new changes to confirm the calibration tolerances. The process is repeated until the required tolerance is satisfied.***

COMMENTS: ***NO DATA ON EAST BOUND DUE TO SYSTEM PROBLEMS.***

NAME OF PREPARER: ***Mahmood Afrina Khandakar***

PHONE: ***(609)-530-3508***

DATE PREPARED: ***August 10, 2009***

SHEET 13 LTPP TRAFFIC DATA VEHICLE WEIGHT DATA TRANSMITTAL FORM	*STATE ASSIGNED ID	[I-195]
	*STATE CODE	[3 4]
	*SHRP SECTION ID	[1 0 1 1]

HIGHWAY RT. NO. (THIS SESSION): ***I-195 EB***

MILEPOST NO. OR LOCATION (THIS SESSION): ***MP 9.50; Upper Freehold Township, 1.7 miles East of Route Co. 539.***

FILENAME: NO DATA

DISK ID:

BEGINNING DATE: ***04-04-2009***

BEGINNING TIME: ***00:00***

ENDING DATE: ***04-18-2009***

ENDING TIME: ***24:00***

COUNT DURATION: 1 [] HOURS [] DAYS [X] MONTHS

WEIGHT SCALE TYPE: PORT. WIM PERM. WIM ***X*** OTHER

EQUIPMENT MAKE/MODEL# ***International Road Dynamics Piezo WIM System***

SENSOR TYPE: ***Each lane has a single upstream loop and two (2) class I piezoelectric WIM sensors.***

VEHICLE CLASSIFICATION METHOD:

7-card FHWA 13 bin in cols. 18-19

7-card FHWA 13 bin in cols. 22-23

7-card 6 digit Truck Weight study

W-card ***X***

OTHER

NAME OF AGENCY CLASSIFICATION SCHEME:

NO. OF BINS

NOTE: IF NOT PREVIOUSLY PROVIDED TO SHRP/LTPP, PLEASE ATTACH SHEET 6 DESCRIBING THE VEHICLE CLASSIFICATION CATEGORIES AND ALSO ATTACH SHEET 7 DESCRIBING HOW THE AGENCY WOULD CONVERT ITS CLASSIFICATION SCHEME TO THE FHWA 13 CLASS SYSTEM.

METHOD OF CALIBRATION AND FREQUENCY: ***Calibration is field validated on each site once a year using one 3S2 vehicle loaded and statically weighed at about 70,000 to 80,000 pounds. A minimum of 20 passes is made per lane at highway speeds or until a consistent calibration tolerance of ± 5 percent of the gross test vehicle weight is achieved. The initial run consists of about 10 or more passes of the calibration vehicles and the weights recorded are averaged using only the consistently measured GVW. Another 10 or more passes are then made after inputting the new changes to confirm the calibration tolerances. The process is repeated until the required tolerance is satisfied.***

COMMENTS: ***NO DATA DUE TO SYSTEM PROBLEMS.***

NAME OF PREPARER: ***Mahmood Afrina Khandakar***
DATE PREPARED: ***May 26, 2009***

PHONE: ***(609)-530-3508***

SHEET 13 LTPP TRAFFIC DATA VEHICLE WEIGHT DATA TRANSMITTAL FORM	*STATE ASSIGNED ID	[I-195]
	*STATE CODE	[3 4]
	*SHRP SECTION ID	[1 0 1 1]

HIGHWAY RT. NO. (THIS SESSION): **I-195 EB**

MILEPOST NO. OR LOCATION (THIS SESSION): **MP 9.50; Upper Freehold Township, 1.7 miles East of Route Co. 539.**

FILENAME: W341011.K7J ✓
V341011.K7J

DISK ID:

BEGINNING DATE: **09-07-2009**

BEGINNING TIME: **00:00**

ENDING DATE: **09-30-2009**

ENDING TIME: **24:00**

COUNT DURATION: 1 [] HOURS [] DAYS [X] MONTHS

WEIGHT SCALE TYPE: PORT. WIM PERM. WIM **X** OTHER

EQUIPMENT MAKE/MODEL# **International Road Dynamics Piezo WIM System**

SENSOR TYPE: **Each lane has a single upstream loop and two (2) class I piezoelectric WIM sensors.**

VEHICLE CLASSIFICATION METHOD:

7-card FHWA 13 bin in cols. 18-19

7-card FHWA 13 bin in cols. 22-23

7-card 6 digit Truck Weight study

W-card **X**

OTHER

NAME OF AGENCY CLASSIFICATION SCHEME:

NO. OF BINS

NOTE: IF NOT PREVIOUSLY PROVIDED TO SHRP/LTPP, PLEASE ATTACH SHEET 6 DESCRIBING THE VEHICLE CLASSIFICATION CATEGORIES AND ALSO ATTACH SHEET 7 DESCRIBING HOW THE AGENCY WOULD CONVERT ITS CLASSIFICATION SCHEME TO THE FHWA 13 CLASS SYSTEM.

METHOD OF CALIBRATION AND FREQUENCY: **Calibration is field validated on each site once a year using one 3S2 vehicle loaded and statically weighed at about 70,000 to 80,000 pounds. A minimum of 20 passes is made per lane at highway speeds or until a consistent calibration tolerance of ± 5 percent of the gross test vehicle weight is achieved. The initial run consists of about 10 or more passes of the calibration vehicles and the weights recorded are averaged using only the consistently measured GVW. Another 10 or more passes are then made after inputting the new changes to confirm the calibration tolerances. The process is repeated until the required tolerance is satisfied.**

COMMENTS: NO DATA ON SEPTEMBER ONE TO SIX AND 13 TO 14 DUE TO SYSTEM PROBLEM.

NAME OF PREPARER: M. AFRINA KHANDAKAR	PHONE: (609)-530-3508
DATE PREPARED: October 13, 2009	

SHEET 13 LTPP TRAFFIC DATA VEHICLE WEIGHT DATA TRANSMITTAL FORM	*STATE ASSIGNED ID	[I-195]
	*STATE CODE	[3 4]
	*SHRP SECTION ID	[1 0 1 1]

HIGHWAY RT. NO. (THIS SESSION): ***I-195 EB***

MILEPOST NO. OR LOCATION (THIS SESSION): ***MP 9.50; Upper Freehold Township, 1.7 miles East of Route Co. 539.***

FILENAME: W341011.L1J ✓
V341011.L1J

DISK ID:

BEGINNING DATE: ***10-01-2009***

BEGINNING TIME: ***00:00***

ENDING DATE: ***10-31-2009***

ENDING TIME: ***24:00***

COUNT DURATION: 1 [] HOURS [] DAYS [X] MONTHS

WEIGHT SCALE TYPE: PORT. WIM PERM. WIM ***X*** OTHER

EQUIPMENT MAKE/MODEL# ***International Road Dynamics Piezo WIM System***

SENSOR TYPE: ***Each lane has a single upstream loop and two (2) class I piezoelectric WIM sensors.***

VEHICLE CLASSIFICATION METHOD:

7-card FHWA 13 bin in cols. 18-19

7-card FHWA 13 bin in cols. 22-23

7-card 6 digit Truck Weight study

W-card ***X***

OTHER

NAME OF AGENCY CLASSIFICATION SCHEME:

NO. OF BINS

NOTE: IF NOT PREVIOUSLY PROVIDED TO SHRP/LTPP, PLEASE ATTACH SHEET 6 DESCRIBING THE VEHICLE CLASSIFICATION CATEGORIES AND ALSO ATTACH SHEET 7 DESCRIBING HOW THE AGENCY WOULD CONVERT ITS CLASSIFICATION SCHEME TO THE FHWA 13 CLASS SYSTEM.

METHOD OF CALIBRATION AND FREQUENCY: ***Calibration is field validated on each site once a year using one 3S2 vehicle loaded and statically weighed at about 70,000 to 80,000 pounds. A minimum of 20 passes is made per lane at highway speeds or until a consistent calibration tolerance of ± 5 percent of the gross test vehicle weight is achieved. The initial run consists of about 10 or more passes of the calibration vehicles and the weights recorded are averaged using only the consistently measured GVW. Another 10 or more passes are then made after inputting the new changes to confirm the calibration tolerances. The process is repeated until the required tolerance is satisfied.***

COMMENTS:

NAME OF PREPARER: <i>M. AFRINA KHANDAKAR</i>	PHONE: <i>(609)-530-3508</i>
DATE PREPARED: <i>November 17, 2009</i>	

SHEET 13 LTPP TRAFFIC DATA VEHICLE WEIGHT DATA TRANSMITTAL FORM	*STATE ASSIGNED ID	[I-195]
	*STATE CODE	[3 4]
	*SHRP SECTION ID	[1 0 1 1]

HIGHWAY RT. NO. (THIS SESSION): **I-195 EB**

MILEPOST NO. OR LOCATION (THIS SESSION): **MP 9.50; Upper Freehold Township, 1.7 miles East of Route Co. 539.**

FILENAME: W341011.M2J ✓
V341011.M2J

DISK ID:

BEGINNING DATE: **11-02-2009**

BEGINNING TIME: **00:00**

ENDING DATE: **11-30-2009**

ENDING TIME: **24:00**

COUNT DURATION: 1 [] HOURS [] DAYS [X] MONTHS

WEIGHT SCALE TYPE: PORT. WIM PERM. WIM **X** OTHER

EQUIPMENT MAKE/MODEL# **International Road Dynamics Piezo WIM System**

SENSOR TYPE: **Each lane has a single upstream loop and two (2) class I piezoelectric WIM sensors.**

VEHICLE CLASSIFICATION METHOD:

7-card FHWA 13 bin in cols. 18-19

7-card FHWA 13 bin in cols. 22-23

7-card 6 digit Truck Weight study

W-card **X**

OTHER

NAME OF AGENCY CLASSIFICATION SCHEME:

NO. OF BINS

NOTE: IF NOT PREVIOUSLY PROVIDED TO SHRP/LTPP, PLEASE ATTACH SHEET 6 DESCRIBING THE VEHICLE CLASSIFICATION CATEGORIES AND ALSO ATTACH SHEET 7 DESCRIBING HOW THE AGENCY WOULD CONVERT ITS CLASSIFICATION SCHEME TO THE FHWA 13 CLASS SYSTEM.

METHOD OF CALIBRATION AND FREQUENCY: **Calibration is field validated on each site once a year using one 3S2 vehicle loaded and statically weighed at about 70,000 to 80,000 pounds. A minimum of 20 passes is made per lane at highway speeds or until a consistent calibration tolerance of ± 5 percent of the gross test vehicle weight is achieved. The initial run consists of about 10 or more passes of the calibration vehicles and the weights recorded are averaged using only the consistently measured GVW. Another 10 or more passes are then made after inputting the new changes to confirm the calibration tolerances. The process is repeated until the required tolerance is satisfied.**

COMMENTS: **NO DATA ON NOVEMBER FIRST AND NOVEMBER 20, DUE TO SYSTEM PROBLEMS.**

NAME OF PREPARER: **Mahmood Afrina Khandakar**
DATE PREPARED: **December 7, 2009**

PHONE: **(609)-530-3508**

SHEET 13 LTTP TRAFFIC DATA VEHICLE WEIGHT DATA TRANSMITTAL FORM	*STATE ASSIGNED ID	[I-195]
	*STATE CODE	[3 4]
	*SHRP SECTION ID	[1 0 1 1]

HIGHWAY RT. NO. (THIS SESSION): **I-195 EB**

MILEPOST NO. OR LOCATION (THIS SESSION): **MP 9.50; Upper Freehold Township, 1.7 miles East of Route Co. 539.**

FILENAME: W341011.N2J ✓
V341011.N2J

DISK ID:

BEGINNING DATE: **12-02-2009**

BEGINNING TIME: **00:00**

ENDING DATE: **12-16-2009**

ENDING TIME: **24:00**

COUNT DURATION: 1 [] HOURS [] DAYS [X] MONTHS

WEIGHT SCALE TYPE: PORT. WIM PERM. WIM **X** OTHER

EQUIPMENT MAKE/MODEL# **International Road Dynamics Piezo WIM System**

SENSOR TYPE: **Each lane has a single upstream loop and two (2) class I piezoelectric WIM sensors.**

VEHICLE CLASSIFICATION METHOD:

7-card FHWA 13 bin in cols. 18-19

7-card FHWA 13 bin in cols. 22-23

7-card 6 digit Truck Weight study

W-card **X**

OTHER

NAME OF AGENCY CLASSIFICATION SCHEME:

NO. OF BINS

NOTE: IF NOT PREVIOUSLY PROVIDED TO SHRP/LTPP, PLEASE ATTACH SHEET 6 DESCRIBING THE VEHICLE CLASSIFICATION CATEGORIES AND ALSO ATTACH SHEET 7 DESCRIBING HOW THE AGENCY WOULD CONVERT ITS CLASSIFICATION SCHEME TO THE FHWA 13 CLASS SYSTEM.

METHOD OF CALIBRATION AND FREQUENCY: **Calibration is field validated on each site once a year using one 3S2 vehicle loaded and statically weighed at about 70,000 to 80,000 pounds. A minimum of 20 passes is made per lane at highway speeds or until a consistent calibration tolerance of ± 5 percent of the gross test vehicle weight is achieved. The initial run consists of about 10 or more passes of the calibration vehicles and the weights recorded are averaged using only the consistently measured GVW. Another 10 or more passes are then made after inputting the new changes to confirm the calibration tolerances. The process is repeated until the required tolerance is satisfied.**

COMMENTS: **NO DATA ON DECEMBER ONE AND DECEMBER 11, DUE TO SYSTEM PROBLEM.**

NAME OF PREPARER: **M. AFRINA KHANDAKAR**

PHONE: **(609)-530-3508**

DATE PREPARED: **January 4, 2010**