

SHEET 12 LTTP TRAFFIC DATA CLASSIFICATION DATA TRANSMITTAL FORM	*STATE ASSIGNED ID	[1-195]
	*STATE CODE	[3 4]
	*SHRP SECTION ID	[1 0 1 1]

HIGHWAY RT. NO. (THIS COUNT): **I-195 EB**

MILEPOST NO. OR LOCATION (THIS COUNT): **MP 9.50; Upper Freehold Township, 1.7 miles East of Route Co. 539.**

FILENAME: C341011.E7L ✓

DISK ID:

BEGINNING DATE: **03-07-2011**

BEGINNING TIME: **00:00**

ENDING DATE: **03-31-2011**

ENDING TIME: **24:00**

COUNT DURATION: **1** [] HOURS [] DAYS [X] MONTHS

VEHICLE CLASSIFICATION METHOD: FHWA **X** OTHER

NAME OF AGENCY CLASSIFICATION SCHEME: **N/A** NO. OF BINS: **N/A**

NOTE: IF NOT PREVIOUSLY PROVIDED TO SHRP/LTPP, PLEASE ATTACH SHEET 6 DESCRIBING THE VEHICLE CLASSIFICATION CATEGORIES AND ALSO ATTACH SHEET 7 DESCRIBING HOW THE AGENCY WOULD CONVERT ITS CLASSIFICATION SCHEME TO THE FHWA 13 BIN SYSTEM.

TYPE OF AVC EQUIPMENT: PORTABLE PERMANENT **X**

EQUIPMENT MAKE/MODEL#: **International Road Dynamics Piezo WIM System**

SENSOR TYPE: **Each lane has two (2) loops and 5.74 feet of KISTLER QUARTZ WIM sensor at the left side and 5.74 feet of KISTLER QUARTZ WIM sensor at the right side .**

ADJUSTMENT FACTORS FOR ESTIMATING AVERAGE ANNUAL VOLUMES BY CLASSIFICATION:

GENERAL FACTORS:

CLASS SPECIFIC FACTORS (PROVIDE BY CLASS OF CLASS GROUPS):

COMMENTS: **NO DATA ON MARCH ONE TO SIXTH, DUE TO SYSTEM PROBLEMS.**

NAME OF PREPARER: Tina L. Ambrosio	PHONE: (609)-530-3508
DATE PREPARED: April 20, 2011	

SHEET 12 LTTP TRAFFIC DATA CLASSIFICATION DATA TRANSMITTAL FORM	*STATE ASSIGNED ID	[1-195]
	*STATE CODE	[3 4]
	*SHRP SECTION ID	[1 0 1 1]

HIGHWAY RT. NO. (THIS COUNT): ***I-195 EB***

MILEPOST NO. OR LOCATION (THIS COUNT): ***MP 9.50; Upper Freehold Township, 1.7 miles East of Route Co. 539.***

FILENAME: C341011.F6L ✓

DISK ID:

BEGINNING DATE: ***04-06-2011***

BEGINNING TIME: ***00:00***

ENDING DATE: ***04-30-2011***

ENDING TIME: ***24:00***

COUNT DURATION: ***1*** [] HOURS [] DAYS [X] MONTHS

VEHICLE CLASSIFICATION METHOD: FHWA ***X*** OTHER

NAME OF AGENCY CLASSIFICATION SCHEME: ***N/A*** NO. OF BINS: ***N/A***

NOTE: IF NOT PREVIOUSLY PROVIDED TO SHRP/LTPP, PLEASE ATTACH SHEET 6 DESCRIBING THE VEHICLE CLASSIFICATION CATEGORIES AND ALSO ATTACH SHEET 7 DESCRIBING HOW THE AGENCY WOULD CONVERT ITS CLASSIFICATION SCHEME TO THE FHWA 13 BIN SYSTEM.

TYPE OF AVC EQUIPMENT: PORTABLE PERMANENT ***X***

EQUIPMENT MAKE/MODEL#: ***International Road Dynamics Piezo WIM System***

SENSOR TYPE: ***Each lane has two (2) loops and 5.74 feet of KISTLER QUARTZ WIM sensor at the left side and 5.74 feet of KISTLER QUARTZ WIM sensor at the right side .***

ADJUSTMENT FACTORS FOR ESTIMATING AVERAGE ANNUAL VOLUMES BY CLASSIFICATION:

GENERAL FACTORS:

CLASS SPECIFIC FACTORS (PROVIDE BY CLASS OF CLASS GROUPS):

COMMENTS: NO DATA ON APRIL ONE TO FIFTH, DUE TO SYSTEM PROBLEMS.

NAME OF PREPARER: <i>Mahmood Afrina Khandakar</i>	PHONE: <i>(609)-530-3508</i>
DATE PREPARED: <i>May 24, 2011</i>	

SHEET 12 LTPP TRAFFIC DATA CLASSIFICATION DATA TRANSMITTAL FORM	*STATE ASSIGNED ID	[1-195]
	*STATE CODE	[3 4]
	*SHRP SECTION ID	[1 0 1 1]

HIGHWAY RT. NO. (THIS COUNT): ***I-195 EB***

MILEPOST NO. OR LOCATION (THIS COUNT): ***MP 9.50; Upper Freehold Township, 1.7 miles East of Route Co. 539.***

FILENAME: C341011.G1L ✓

DISK ID:

BEGINNING DATE: ***05-01-2011***

BEGINNING TIME: ***00:00***

ENDING DATE: ***05-31-2011***

ENDING TIME: ***24:00***

COUNT DURATION: ***1*** [] HOURS [] DAYS [X] MONTHS

VEHICLE CLASSIFICATION METHOD: FHWA ***X*** OTHER

NAME OF AGENCY CLASSIFICATION SCHEME: ***N/A*** NO. OF BINS: ***N/A***

NOTE: IF NOT PREVIOUSLY PROVIDED TO SHRP/LTPP, PLEASE ATTACH SHEET 6 DESCRIBING THE VEHICLE CLASSIFICATION CATEGORIES AND ALSO ATTACH SHEET 7 DESCRIBING HOW THE AGENCY WOULD CONVERT ITS CLASSIFICATION SCHEME TO THE FHWA 13 BIN SYSTEM.

TYPE OF AVC EQUIPMENT: PORTABLE PERMANENT ***X***

EQUIPMENT MAKE/MODEL#: ***International Road Dynamics Piezo WIM System***

SENSOR TYPE: ***Each lane has two (2) loops and 5.74 feet of KISTLER QUARTZ WIM sensor at the left side and 5.74 feet of KISTLER QUARTZ WIM sensor at the right side .***

ADJUSTMENT FACTORS FOR ESTIMATING AVERAGE ANNUAL VOLUMES BY CLASSIFICATION:

GENERAL FACTORS:

CLASS SPECIFIC FACTORS (PROVIDE BY CLASS OF CLASS GROUPS):

COMMENTS: ***NO DATA ON APRIL ONE TO FIFTH, DUE TO SYSTEM PROBLEMS.***

NAME OF PREPARER: ***Mahmood Afrina Khandakar***
DATE PREPARED: ***June 13, 2011***

PHONE: ***(609)-530-3508***

SHEET 12 LTPP TRAFFIC DATA CLASSIFICATION DATA TRANSMITTAL FORM	*STATE ASSIGNED ID	[I-195]
	*STATE CODE	[3 4]
	*SHRP SECTION ID	[1 0 1 1]

HIGHWAY RT. NO. (THIS COUNT): ***I-195 EB***

MILEPOST NO. OR LOCATION (THIS COUNT): ***MP 9.50; Upper Freehold Township, 1.7 miles East of Route Co. 539.***

FILENAME: C341011.H1L

DISK ID:

BEGINNING DATE: ***06-01-2011***

BEGINNING TIME: ***00:00***

ENDING DATE: ***06-30-2011***

ENDING TIME: ***24:00***

COUNT DURATION: ***1*** [] HOURS [] DAYS [X] MONTHS

VEHICLE CLASSIFICATION METHOD: FHWA ***X*** OTHER

NAME OF AGENCY CLASSIFICATION SCHEME: ***N/A*** NO. OF BINS: ***N/A***

NOTE: IF NOT PREVIOUSLY PROVIDED TO SHRP/LTPP, PLEASE ATTACH SHEET 6 DESCRIBING THE VEHICLE CLASSIFICATION CATEGORIES AND ALSO ATTACH SHEET 7 DESCRIBING HOW THE AGENCY WOULD CONVERT ITS CLASSIFICATION SCHEME TO THE FHWA 13 BIN SYSTEM.

TYPE OF AVC EQUIPMENT: PORTABLE PERMANENT ***X***

EQUIPMENT MAKE/MODEL#: ***International Road Dynamics Piezo WIM System***

SENSOR TYPE: ***Each lane has two (2) loops and 5.74 feet of KISTLER QUARTZ WIM sensor at the left side and 5.74 feet of KISTLER QUARTZ WIM sensor at the right side .***

ADJUSTMENT FACTORS FOR ESTIMATING AVERAGE ANNUAL VOLUMES BY CLASSIFICATION:

GENERAL FACTORS:

CLASS SPECIFIC FACTORS (PROVIDE BY CLASS OF CLASS GROUPS):

COMMENTS:

NAME OF PREPARER: <i>Mahmood Afrina Khandakar</i>	PHONE: <i>(609)-530-3508</i>
DATE PREPARED: <i>July 28, 2011</i>	

SHEET 12 LTTP TRAFFIC DATA CLASSIFICATION DATA TRANSMITTAL FORM	*STATE ASSIGNED ID	[1-195]
	*STATE CODE	[3 4]
	*SHRP SECTION ID	[1 0 1 1]

HIGHWAY RT. NO. (THIS COUNT): ***I-195 EB***

MILEPOST NO. OR LOCATION (THIS COUNT): ***MP 9.50; Upper Freehold Township, 1.7 miles East of Route Co. 539.***

FILENAME: C341011.IIL

DISK ID:

BEGINNING DATE: ***07-01-2011***

BEGINNING TIME: ***00:00***

ENDING DATE: ***07-31-2011***

ENDING TIME: ***24:00***

COUNT DURATION: ***1*** [] HOURS [] DAYS [X] MONTHS

VEHICLE CLASSIFICATION METHOD: FHWA ***X*** OTHER

NAME OF AGENCY CLASSIFICATION SCHEME: ***N/A*** NO. OF BINS: ***N/A***

NOTE: IF NOT PREVIOUSLY PROVIDED TO SHRP/LTPP, PLEASE ATTACH SHEET 6 DESCRIBING THE VEHICLE CLASSIFICATION CATEGORIES AND ALSO ATTACH SHEET 7 DESCRIBING HOW THE AGENCY WOULD CONVERT ITS CLASSIFICATION SCHEME TO THE FHWA 13 BIN SYSTEM.

TYPE OF AVC EQUIPMENT: PORTABLE PERMANENT ***X***

EQUIPMENT MAKE/MODEL#: ***International Road Dynamics Piezo WIM System***

SENSOR TYPE: ***Each lane has two (2) loops and 5.74 feet of KISTLER QUARTZ WIM sensor at the left side and 5.74 feet of KISTLER QUARTZ WIM sensor at the right side .***

ADJUSTMENT FACTORS FOR ESTIMATING AVERAGE ANNUAL VOLUMES BY CLASSIFICATION:

GENERAL FACTORS:

CLASS SPECIFIC FACTORS (PROVIDE BY CLASS OF CLASS GROUPS):

COMMENTS: NO DATA ON JULY SEVENTH.

NAME OF PREPARER: <i>Mahmood Afrina Khandakar</i>	PHONE: <i>(609)-530-3508</i>
DATE PREPARED: <i>August 19, 2011</i>	

SHEET 12 LTPP TRAFFIC DATA CLASSIFICATION DATA TRANSMITTAL FORM	*STATE ASSIGNED ID	[I-195]
	*STATE CODE	[3 4]
	*SHRP SECTION ID	[1 0 1 1]

HIGHWAY RT. NO. (THIS COUNT): ***I-195 EB***

MILEPOST NO. OR LOCATION (THIS COUNT): ***MP 9.50; Upper Freehold Township, 1.7 miles East of Route Co. 539.***

FILENAME: C341011.J1L ✓

DISK ID:

BEGINNING DATE: ***08-01-2011***

BEGINNING TIME: ***00:00***

ENDING DATE: ***08-31-2011***

ENDING TIME: ***24:00***

COUNT DURATION: ***1*** [] HOURS [] DAYS [X] MONTHS

VEHICLE CLASSIFICATION METHOD: FHWA ***X*** OTHER

NAME OF AGENCY CLASSIFICATION SCHEME: ***N/A*** NO. OF BINS: ***N/A***

NOTE: IF NOT PREVIOUSLY PROVIDED TO SHRP/LTPP, PLEASE ATTACH SHEET 6 DESCRIBING THE VEHICLE CLASSIFICATION CATEGORIES AND ALSO ATTACH SHEET 7 DESCRIBING HOW THE AGENCY WOULD CONVERT ITS CLASSIFICATION SCHEME TO THE FHWA 13 BIN SYSTEM.

TYPE OF AVC EQUIPMENT: PORTABLE PERMANENT ***X***

EQUIPMENT MAKE/MODEL#: ***International Road Dynamics Piezo WIM System***

SENSOR TYPE: ***Each lane has two (2) loops and 5.74 feet of KISTLER QUARTZ WIM sensor at the left side and 5.74 feet of KISTLER QUARTZ WIM sensor at the right side .***

ADJUSTMENT FACTORS FOR ESTIMATING AVERAGE ANNUAL VOLUMES BY CLASSIFICATION:

GENERAL FACTORS:

CLASS SPECIFIC FACTORS (PROVIDE BY CLASS OF CLASS GROUPS):

COMMENTS:

NAME OF PREPARER: <i>Mahmood Afrina Khandakar</i>	PHONE: <i>(609)-530-3508</i>
DATE PREPARED: <i>September 27, 2011</i>	

SHEET 12 LTPP TRAFFIC DATA CLASSIFICATION DATA TRANSMITTAL FORM	*STATE ASSIGNED ID	[I-195]
	*STATE CODE	[3 4]
	*SHRP SECTION ID	[1 0 1 1]

HIGHWAY RT. NO. (THIS COUNT): ***I-195 EB***

MILEPOST NO. OR LOCATION (THIS COUNT): ***MP 9.50; Upper Freehold Township, 1.7 miles East of Route Co. 539.***

FILENAME: C341011.K1L ✓

DISK ID:

BEGINNING DATE: ***09-01-2011***

BEGINNING TIME: ***00:00***

ENDING DATE: ***09-30-2011***

ENDING TIME: ***24:00***

COUNT DURATION: ***1*** [] HOURS [] DAYS [X] MONTHS

VEHICLE CLASSIFICATION METHOD: FHWA ***X*** OTHER

NAME OF AGENCY CLASSIFICATION SCHEME: ***N/A*** NO. OF BINS: ***N/A***

NOTE: IF NOT PREVIOUSLY PROVIDED TO SHRP/LTPP, PLEASE ATTACH SHEET 6 DESCRIBING THE VEHICLE CLASSIFICATION CATEGORIES AND ALSO ATTACH SHEET 7 DESCRIBING HOW THE AGENCY WOULD CONVERT ITS CLASSIFICATION SCHEME TO THE FHWA 13 BIN SYSTEM.

TYPE OF AVC EQUIPMENT: PORTABLE PERMANENT ***X***

EQUIPMENT MAKE/MODEL#: ***International Road Dynamics Piezo WIM System***

SENSOR TYPE: ***Each lane has two (2) loops and 5.74 feet of KISTLER QUARTZ WIM sensor at the left side and 5.74 feet of KISTLER QUARTZ WIM sensor at the right side .***

ADJUSTMENT FACTORS FOR ESTIMATING AVERAGE ANNUAL VOLUMES BY CLASSIFICATION:

GENERAL FACTORS:

CLASS SPECIFIC FACTORS (PROVIDE BY CLASS OF CLASS GROUPS):

COMMENTS:

NAME OF PREPARER: <i>Mahmood Afrina Khandakar</i>	PHONE: <i>(609)-530-3508</i>
DATE PREPARED: <i>October 25, 2011</i>	

SHEET 12 LTPP TRAFFIC DATA CLASSIFICATION DATA TRANSMITTAL FORM	*STATE ASSIGNED ID	[I-195]
	*STATE CODE	[3 4]
	*SHRP SECTION ID	[1 0 1 1]

HIGHWAY RT. NO. (THIS COUNT): **I-195 EB**

MILEPOST NO. OR LOCATION (THIS COUNT): **MP 9.50; Upper Freehold Township, 1.7 miles East of Route Co. 539.**

FILENAME: C341011.K1L

DISK ID:

BEGINNING DATE: **09-01-2011**

BEGINNING TIME: **00:00**

ENDING DATE: **09-30-2011**

ENDING TIME: **24:00**

COUNT DURATION: **1** [] HOURS [] DAYS [X] MONTHS

VEHICLE CLASSIFICATION METHOD: FHWA **X** OTHER

NAME OF AGENCY CLASSIFICATION SCHEME: **N/A** NO. OF BINS: **N/A**

NOTE: IF NOT PREVIOUSLY PROVIDED TO SHRP/LTPP, PLEASE ATTACH SHEET 6 DESCRIBING THE VEHICLE CLASSIFICATION CATEGORIES AND ALSO ATTACH SHEET 7 DESCRIBING HOW THE AGENCY WOULD CONVERT ITS CLASSIFICATION SCHEME TO THE FHWA 13 BIN SYSTEM.

TYPE OF AVC EQUIPMENT: PORTABLE PERMANENT **X**

EQUIPMENT MAKE/MODEL#: **International Road Dynamics Piezo WIM System**

SENSOR TYPE: **Each lane has two (2) loops and 5.74 feet of KISTLER QUARTZ WIM sensor at the left side and 5.74 feet of KISTLER QUARTZ WIM sensor at the right side .**

ADJUSTMENT FACTORS FOR ESTIMATING AVERAGE ANNUAL VOLUMES BY CLASSIFICATION:

GENERAL FACTORS:

CLASS SPECIFIC FACTORS (PROVIDE BY CLASS OF CLASS GROUPS):

COMMENTS:

NAME OF PREPARER: Mahmood Afrina Khandakar	PHONE: (609)-530-3508
DATE PREPARED: November 16, 2011	

SHEET 12 LTPP TRAFFIC DATA CLASSIFICATION DATA TRANSMITTAL FORM	*STATE ASSIGNED ID	[I-195]
	*STATE CODE	[3 4]
	*SHRP SECTION ID	[1 0 1 1]

HIGHWAY RT. NO. (THIS COUNT): ***I-195 EB***

MILEPOST NO. OR LOCATION (THIS COUNT): ***MP 9.50; Upper Freehold Township, 1.7 miles East of Route Co. 539.***

FILENAME: C341011.M1L ✓	DISK ID:
BEGINNING DATE: <i>11-01-2011</i>	BEGINNING TIME: <i>00:00</i>
ENDING DATE: <i>11-30-2011</i>	ENDING TIME: <i>24:00</i>
COUNT DURATION: <i>1</i>	[] HOURS [] DAYS [X] MONTHS
VEHICLE CLASSIFICATION METHOD: FHWA <i>X</i>	OTHER
NAME OF AGENCY CLASSIFICATION SCHEME: <i>N/A</i>	NO. OF BINS: <i>N/A</i>

NOTE: IF NOT PREVIOUSLY PROVIDED TO SHRP/LTPP, PLEASE ATTACH SHEET 6 DESCRIBING THE VEHICLE CLASSIFICATION CATEGORIES AND ALSO ATTACH SHEET 7 DESCRIBING HOW THE AGENCY WOULD CONVERT ITS CLASSIFICATION SCHEME TO THE FHWA 13 BIN SYSTEM.

TYPE OF AVC EQUIPMENT:	PORTABLE	PERMANENT <i>X</i>
EQUIPMENT MAKE/MODEL#: <i>International Road Dynamics Piezo WIM System</i>		
SENSOR TYPE: <i>Each lane has two (2) loops and 5.74 feet of KISTLER QUARTZ WIM sensor at the left side and 5.74 feet of KISTLER QUARTZ WIM sensor at the right side .</i>		

ADJUSTMENT FACTORS FOR ESTIMATING AVERAGE ANNUAL VOLUMES BY CLASSIFICATION:

GENERAL FACTORS:

CLASS SPECIFIC FACTORS (PROVIDE BY CLASS OF CLASS GROUPS):

COMMENTS:

NAME OF PREPARER: <i>Mahmood Afrina Khandakar</i>	PHONE: <i>(609)-530-3508</i>
DATE PREPARED: <i>December 20, 2011</i>	

SHEET 12 LTTP TRAFFIC DATA CLASSIFICATION DATA TRANSMITTAL FORM	*STATE ASSIGNED ID	[I-195]
	*STATE CODE	[3 4]
	*SHRP SECTION ID	[1 0 1 1]

HIGHWAY RT. NO. (THIS COUNT): ***I-195 EB***

MILEPOST NO. OR LOCATION (THIS COUNT): ***MP 9.50; Upper Freehold Township, 1.7 miles East of Route Co. 539.***

FILENAME: C341011.N1L ✓

DISK ID:

BEGINNING DATE: ***12-01-2011***

BEGINNING TIME: ***00:00***

ENDING DATE: ***12-31-2011***

ENDING TIME: ***24:00***

COUNT DURATION: ***1*** [] HOURS [] DAYS [X] MONTHS

VEHICLE CLASSIFICATION METHOD: FHWA ***X*** OTHER

NAME OF AGENCY CLASSIFICATION SCHEME: ***N/A*** NO. OF BINS: ***N/A***

NOTE: IF NOT PREVIOUSLY PROVIDED TO SHRP/LTPP, PLEASE ATTACH SHEET 6 DESCRIBING THE VEHICLE CLASSIFICATION CATEGORIES AND ALSO ATTACH SHEET 7 DESCRIBING HOW THE AGENCY WOULD CONVERT ITS CLASSIFICATION SCHEME TO THE FHWA 13 BIN SYSTEM.

TYPE OF AVC EQUIPMENT: PORTABLE PERMANENT ***X***

EQUIPMENT MAKE/MODEL#: ***International Road Dynamics Piezo WIM System***

SENSOR TYPE: ***Each lane has two (2) loops and 5.74 feet of KISTLER QUARTZ WIM sensor at the left side and 5.74 feet of KISTLER QUARTZ WIM sensor at the right side .***

ADJUSTMENT FACTORS FOR ESTIMATING AVERAGE ANNUAL VOLUMES BY CLASSIFICATION:

GENERAL FACTORS:

CLASS SPECIFIC FACTORS (PROVIDE BY CLASS OF CLASS GROUPS):

COMMENTS:

NAME OF PREPARER: <i>Mahmood Afrina Khandakar</i>	PHONE: <i>(609)-530-3508</i>
DATE PREPARED: <i>January 13, 2012</i>	

SHEET 13 LTTP TRAFFIC DATA VEHICLE WEIGHT DATA TRANSMITTAL FORM	*STATE ASSIGNED ID	[I-195]
	*STATE CODE	[3 4]
	*SHRP SECTION ID	[1 0 1 1]

HIGHWAY RT. NO. (THIS SESSION): **I-195 EB**

MILEPOST NO. OR LOCATION (THIS SESSION): **MP 9.50; Upper Freehold Township, 1.7 miles East of Route Co. 539.**

FILENAME: W341011.E7L ✓ DISK ID:
V341011.E7L

BEGINNING DATE: **03-07-2011** BEGINNING TIME: **00:00**

ENDING DATE: **03-31-2011** ENDING TIME: **24:00**

COUNT DURATION: 1 [] HOURS [] DAYS [X] MONTHS

WEIGHT SCALE TYPE: PORT. WIM PERM. WIM **X** OTHER

EQUIPMENT MAKE/MODEL# **International Road Dynamics Piezo WIM System**

SENSOR TYPE: **Each lane has two (2) loops and 5.74 feet of KISTLER QUARTZ WIM sensor at the left side and 5.74 feet of KISTLER QUARTZ WIM sensor at the right side .**

VEHICLE CLASSIFICATION METHOD:

7-card FHWA 13 bin in cols. 18-19
7-card 6 digit Truck Weight study

7-card FHWA 13 bin in cols. 22-23
W-card **X** OTHER

NAME OF AGENCY CLASSIFICATION SCHEME: NO. OF BINS

NOTE: IF NOT PREVIOUSLY PROVIDED TO SHRP/LTPP, PLEASE ATTACH SHEET 6 DESCRIBING THE VEHICLE CLASSIFICATION CATEGORIES AND ALSO ATTACH SHEET 7 DESCRIBING HOW THE AGENCY WOULD CONVERT ITS CLASSIFICATION SCHEME TO THE FHWA 13 CLASS SYSTEM.

METHOD OF CALIBRATION AND FREQUENCY: **Calibration is field validated on each site once a year using one 3S2 vehicle loaded and statically weighed at about 70,000 to 80,000 pounds. A minimum of 20 passes is made per lane at highway speeds or until a consistent calibration tolerance of ± 5 percent of the gross test vehicle weight is achieved. The initial run consists of about 10 or more passes of the calibration vehicles and the weights recorded are averaged using only the consistently measured GVW. Another 10 or more passes are then made after inputting the new changes to confirm the calibration tolerances. The process is repeated until the required tolerance is satisfied.**

COMMENTS: **NO DATA ON MARCH ONE TO SIXTH, DUE TO SYSTEM PROBLEMS.**

NAME OF PREPARER: Tina L. Ambrosio	PHONE: (609)-530-3508
DATE PREPARED: April 20, 2011	

SHEET 13 LTPP TRAFFIC DATA VEHICLE WEIGHT DATA TRANSMITTAL FORM	*STATE ASSIGNED ID [I-195]
	*STATE CODE [3 4]
	*SHRP SECTION ID [1 0 1 1]

HIGHWAY RT. NO. (THIS SESSION): **I-195 EB**

MILEPOST NO. OR LOCATION (THIS SESSION): **MP 9.50; Upper Freehold Township, 1.7 miles East of Route Co. 539.**

FILENAME: W341011.F6L ✓
V341011.F6L

DISK ID:

BEGINNING DATE: **04-06-2011**

BEGINNING TIME: **00:00**

ENDING DATE: **04-30-2011**

ENDING TIME: **24:00**

COUNT DURATION: 1 [] HOURS [] DAYS [X] MONTHS

WEIGHT SCALE TYPE: PORT. WIM PERM. WIM **X** OTHER

EQUIPMENT MAKE/MODEL# **International Road Dynamics Piezo WIM System**

SENSOR TYPE: **Each lane has two (2) loops and 5.74 feet of KISTLER QUARTZ WIM sensor at the left side and 5.74 feet of KISTLER QUARTZ WIM sensor at the right side .**

VEHICLE CLASSIFICATION METHOD:

7-card FHWA 13 bin in cols. 18-19

7-card FHWA 13 bin in cols. 22-23

7-card 6 digit Truck Weight study

W-card **X**

OTHER

NAME OF AGENCY CLASSIFICATION SCHEME:

NO. OF BINS

NOTE: IF NOT PREVIOUSLY PROVIDED TO SHRP/LTPP, PLEASE ATTACH SHEET 6 DESCRIBING THE VEHICLE CLASSIFICATION CATEGORIES AND ALSO ATTACH SHEET 7 DESCRIBING HOW THE AGENCY WOULD CONVERT ITS CLASSIFICATION SCHEME TO THE FHWA 13 CLASS SYSTEM.

METHOD OF CALIBRATION AND FREQUENCY: **Calibration is field validated on each site once a year using one 3S2 vehicle loaded and statically weighed at about 70,000 to 80,000 pounds. A minimum of 20 passes is made per lane at highway speeds or until a consistent calibration tolerance of ± 5 percent of the gross test vehicle weight is achieved. The initial run consists of about 10 or more passes of the calibration vehicles and the weights recorded are averaged using only the consistently measured GVW. Another 10 or more passes are then made after inputting the new changes to confirm the calibration tolerances. The process is repeated until the required tolerance is satisfied.**

COMMENTS: NO DATA ON APRIL ONE TO FIFTH, DUE TO SYSTEM PROBLEMS.

NAME OF PREPARER: Mahmood Afrina Khandakar	PHONE: (609)-530-3508
DATE PREPARED: May 24, 2011	

SHEET 13 LTPP TRAFFIC DATA VEHICLE WEIGHT DATA TRANSMITTAL FORM	*STATE ASSIGNED ID	[1-195]
	*STATE CODE	[3 4]
	*SHRP SECTION ID	[1 0 1 1]

HIGHWAY RT. NO. (THIS SESSION): ***I-195 EB***

MILEPOST NO. OR LOCATION (THIS SESSION): ***MP 9.50; Upper Freehold Township, 1.7 miles East of Route Co. 539.***

FILENAME: W341011.GIL ✓
V341011.GIL

DISK ID:

BEGINNING DATE: ***05-01-2011***

BEGINNING TIME: ***00:00***

ENDING DATE: ***05-31-2011***

ENDING TIME: ***24:00***

COUNT DURATION: 1 [] HOURS [] DAYS [X] MONTHS

WEIGHT SCALE TYPE: PORT. WIM PERM. WIM ***X*** OTHER

EQUIPMENT MAKE/MODEL# ***International Road Dynamics Piezo WIM System***

SENSOR TYPE: ***Each lane has two (2) loops and 5.74 feet of KISTLER QUARTZ WIM sensor at the left side and 5.74 feet of KISTLER QUARTZ WIM sensor at the right side .***

VEHICLE CLASSIFICATION METHOD:

7-card FHWA 13 bin in cols. 18-19

7-card 6 digit Truck Weight study

7-card FHWA 13 bin in cols. 22-23

W-card ***X***

OTHER

NAME OF AGENCY CLASSIFICATION SCHEME:

NO. OF BINS

NOTE: IF NOT PREVIOUSLY PROVIDED TO SHRP/LTPP, PLEASE ATTACH SHEET 6 DESCRIBING THE VEHICLE CLASSIFICATION CATEGORIES AND ALSO ATTACH SHEET 7 DESCRIBING HOW THE AGENCY WOULD CONVERT ITS CLASSIFICATION SCHEME TO THE FHWA 13 CLASS SYSTEM.

METHOD OF CALIBRATION AND FREQUENCY: ***Calibration is field validated on each site once a year using one 3S2 vehicle loaded and statically weighed at about 70,000 to 80,000 pounds. A minimum of 20 passes is made per lane at highway speeds or until a consistent calibration tolerance of ± 5 percent of the gross test vehicle weight is achieved. The initial run consists of about 10 or more passes of the calibration vehicles and the weights recorded are averaged using only the consistently measured GVW. Another 10 or more passes are then made after inputting the new changes to confirm the calibration tolerances. The process is repeated until the required tolerance is satisfied.***

COMMENTS:

NAME OF PREPARER: <i>Mahmood Afrina Khandakar</i>	PHONE: <i>(609)-530-3508</i>
DATE PREPARED: <i>June 13, 2011</i>	

SHEET 13 LTPP TRAFFIC DATA VEHICLE WEIGHT DATA TRANSMITTAL FORM	*STATE ASSIGNED ID	[I-195]
	*STATE CODE	[3 4]
	*SHRP SECTION ID	[1 0 1 1]

HIGHWAY RT. NO. (THIS SESSION): ***I-195 EB***

MILEPOST NO. OR LOCATION (THIS SESSION): ***MP 9.50; Upper Freehold Township, 1.7 miles East of Route Co. 539.***

FILENAME: W341011.H1L DISK ID:
V341011.H1L

BEGINNING DATE: ***06-01-2011*** BEGINNING TIME: ***00:00***

ENDING DATE: ***06-30-2011*** ENDING TIME: ***24:00***

COUNT DURATION: 1 ☐ HOURS ☐ DAYS ☒ MONTHS

WEIGHT SCALE TYPE: PORT. WIM PERM. WIM ***X*** OTHER

EQUIPMENT MAKE/MODEL# ***International Road Dynamics Piezo WIM System***

SENSOR TYPE: ***Each lane has two (2) loops and 5.74 feet of KISTLER QUARTZ WIM sensor at the left side and 5.74 feet of KISTLER QUARTZ WIM sensor at the right side.***

VEHICLE CLASSIFICATION METHOD:

7-card FHWA 13 bin in cols. 18-19
7-card 6 digit Truck Weight study

7-card FHWA 13 bin in cols. 22-23
W-card ***X*** OTHER

NAME OF AGENCY CLASSIFICATION SCHEME: NO. OF BINS

NOTE: IF NOT PREVIOUSLY PROVIDED TO SHRP/LTPP, PLEASE ATTACH SHEET 6 DESCRIBING THE VEHICLE CLASSIFICATION CATEGORIES AND ALSO ATTACH SHEET 7 DESCRIBING HOW THE AGENCY WOULD CONVERT ITS CLASSIFICATION SCHEME TO THE FHWA 13 CLASS SYSTEM.

METHOD OF CALIBRATION AND FREQUENCY: ***Calibration is field validated on each site once a year using one 3S2 vehicle loaded and statically weighed at about 70,000 to 80,000 pounds. A minimum of 20 passes is made per lane at highway speeds or until a consistent calibration tolerance of ± 5 percent of the gross test vehicle weight is achieved. The initial run consists of about 10 or more passes of the calibration vehicles and the weights recorded are averaged using only the consistently measured GVW. Another 10 or more passes are then made after inputting the new changes to confirm the calibration tolerances. The process is repeated until the required tolerance is satisfied.***

COMMENTS:

NAME OF PREPARER: <i>Mahmood Afrina Khandakar</i>	PHONE: <i>(609)-530-3508</i>
DATE PREPARED: <i>July 28, 2011</i>	

SHEET 13 LTPP TRAFFIC DATA VEHICLE WEIGHT DATA TRANSMITTAL FORM	*STATE ASSIGNED ID [I-195]
	*STATE CODE [3 4]
	*SHRP SECTION ID [1 0 1 1]

HIGHWAY RT. NO. (THIS SESSION): ***I-195 EB***

MILEPOST NO. OR LOCATION (THIS SESSION): ***MP 9.50; Upper Freehold Township, 1.7 miles East of Route Co. 539.***

FILENAME: W341011.I1L DISK ID:
V341011.I1L

BEGINNING DATE: ***07-01-2011*** BEGINNING TIME: ***00:00***

ENDING DATE: ***07-31-2011*** ENDING TIME: ***24:00***

COUNT DURATION: 1 [] HOURS [] DAYS [X] MONTHS

WEIGHT SCALE TYPE: PORT. WIM PERM. WIM ***X*** OTHER

EQUIPMENT MAKE/MODEL# ***International Road Dynamics Piezo WIM System***

SENSOR TYPE: ***Each lane has two (2) loops and 5.74 feet of KISTLER QUARTZ WIM sensor at the left side and 5.74 feet of KISTLER QUARTZ WIM sensor at the right side.***

VEHICLE CLASSIFICATION METHOD:

7-card FHWA 13 bin in cols. 18-19
7-card 6 digit Truck Weight study

7-card FHWA 13 bin in cols. 22-23
W-card ***X*** OTHER

NAME OF AGENCY CLASSIFICATION SCHEME: NO. OF BINS

NOTE: IF NOT PREVIOUSLY PROVIDED TO SHRP/LTPP, PLEASE ATTACH SHEET 6 DESCRIBING THE VEHICLE CLASSIFICATION CATEGORIES AND ALSO ATTACH SHEET 7 DESCRIBING HOW THE AGENCY WOULD CONVERT ITS CLASSIFICATION SCHEME TO THE FHWA 13 CLASS SYSTEM.

METHOD OF CALIBRATION AND FREQUENCY: ***Calibration is field validated on each site once a year using one 3S2 vehicle loaded and statically weighed at about 70,000 to 80,000 pounds. A minimum of 20 passes is made per lane at highway speeds or until a consistent calibration tolerance of ± 5 percent of the gross test vehicle weight is achieved. The initial run consists of about 10 or more passes of the calibration vehicles and the weights recorded are averaged using only the consistently measured GVW. Another 10 or more passes are then made after inputting the new changes to confirm the calibration tolerances. The process is repeated until the required tolerance is satisfied.***

COMMENTS: NO DATA ON JULY SEVENTH.

NAME OF PREPARER: <i>Mahmood Afrina Khandakar</i>	PHONE: <i>(609)-530-3508</i>
DATE PREPARED: <i>August 19, 2011</i>	

SHEET 13 LTPP TRAFFIC DATA VEHICLE WEIGHT DATA TRANSMITTAL FORM	*STATE ASSIGNED ID	[I-195]
	*STATE CODE	[3 4]
	*SHRP SECTION ID	[1 0 1 1]

HIGHWAY RT. NO. (THIS SESSION): **I-195 EB**

MILEPOST NO. OR LOCATION (THIS SESSION): **MP 9.50; Upper Freehold Township, 1.7 miles East of Route Co. 539.**

FILENAME: W341011.J1L ✓ DISK ID:
V341011.J1L

BEGINNING DATE: **08-01-2011** BEGINNING TIME: **00:00**

ENDING DATE: **08-31-2011** ENDING TIME: **24:00**

COUNT DURATION: 1 [] HOURS [] DAYS [X] MONTHS

WEIGHT SCALE TYPE: PORT. WIM PERM. WIM **X** OTHER

EQUIPMENT MAKE/MODEL# **International Road Dynamics Piezo WIM System**

SENSOR TYPE: **Each lane has two (2) loops and 5.74 feet of KISTLER QUARTZ WIM sensor at the left side and 5.74 feet of KISTLER QUARTZ WIM sensor at the right side .**

VEHICLE CLASSIFICATION METHOD:

7-card FHWA 13 bin in cols. 18-19

7-card FHWA 13 bin in cols. 22-23

7-card 6 digit Truck Weight study

W-card **X**

OTHER

NAME OF AGENCY CLASSIFICATION SCHEME:

NO. OF BINS

NOTE: IF NOT PREVIOUSLY PROVIDED TO SHRP/LTPP, PLEASE ATTACH SHEET 6 DESCRIBING THE VEHICLE CLASSIFICATION CATEGORIES AND ALSO ATTACH SHEET 7 DESCRIBING HOW THE AGENCY WOULD CONVERT ITS CLASSIFICATION SCHEME TO THE FHWA 13 CLASS SYSTEM.

METHOD OF CALIBRATION AND FREQUENCY: **Calibration is field validated on each site once a year using one 3S2 vehicle loaded and statically weighed at about 70,000 to 80,000 pounds. A minimum of 20 passes is made per lane at highway speeds or until a consistent calibration tolerance of ± 5 percent of the gross test vehicle weight is achieved. The initial run consists of about 10 or more passes of the calibration vehicles and the weights recorded are averaged using only the consistently measured GVW. Another 10 or more passes are then made after inputting the new changes to confirm the calibration tolerances. The process is repeated until the required tolerance is satisfied.**

COMMENTS:

NAME OF PREPARER: Mahmood Afrina Khandakar	PHONE: (609)-530-3508
DATE PREPARED: September 27, 2011	

SHEET 13 LTPP TRAFFIC DATA VEHICLE WEIGHT DATA TRANSMITTAL FORM	*STATE ASSIGNED ID	[I-195]
	*STATE CODE	[3 4]
	*SHRP SECTION ID	[1 0 1 1]

HIGHWAY RT. NO. (THIS SESSION): ***I-195 EB***

MILEPOST NO. OR LOCATION (THIS SESSION): ***MP 9.50; Upper Freehold Township, 1.7 miles East of Route Co. 539.***

FILENAME: W341011.K1L ✓
V341011.K1L

DISK ID:

BEGINNING DATE: ***09-01-2011***

BEGINNING TIME: ***00:00***

ENDING DATE: ***09-30-2011***

ENDING TIME: ***24:00***

COUNT DURATION: 1 [] HOURS [] DAYS [X] MONTHS

WEIGHT SCALE TYPE: PORT. WIM PERM. WIM ***X*** OTHER

EQUIPMENT MAKE/MODEL# ***International Road Dynamics Piezo WIM System***

SENSOR TYPE: ***Each lane has two (2) loops and 5.74 feet of KISTLER QUARTZ WIM sensor at the left side and 5.74 feet of KISTLER QUARTZ WIM sensor at the right side .***

VEHICLE CLASSIFICATION METHOD:

7-card FHWA 13 bin in cols. 18-19
7-card 6 digit Truck Weight study

7-card FHWA 13 bin in cols. 22-23
W-card ***X*** OTHER

NAME OF AGENCY CLASSIFICATION SCHEME:

NO. OF BINS

NOTE: IF NOT PREVIOUSLY PROVIDED TO SHRP/LTPP, PLEASE ATTACH SHEET 6 DESCRIBING THE VEHICLE CLASSIFICATION CATEGORIES AND ALSO ATTACH SHEET 7 DESCRIBING HOW THE AGENCY WOULD CONVERT ITS CLASSIFICATION SCHEME TO THE FHWA 13 CLASS SYSTEM.

METHOD OF CALIBRATION AND FREQUENCY: ***Calibration is field validated on each site once a year using one 3S2 vehicle loaded and statically weighed at about 70,000 to 80,000 pounds. A minimum of 20 passes is made per lane at highway speeds or until a consistent calibration tolerance of ± 5 percent of the gross test vehicle weight is achieved. The initial run consists of about 10 or more passes of the calibration vehicles and the weights recorded are averaged using only the consistently measured GVW. Another 10 or more passes are then made after inputting the new changes to confirm the calibration tolerances. The process is repeated until the required tolerance is satisfied.***

COMMENTS:

NAME OF PREPARER: <i>Mahmood Afrina Khandakar</i>	PHONE: <i>(609)-530-3508</i>
DATE PREPARED: <i>October 25, 2011</i>	

SHEET 13 LTPP TRAFFIC DATA VEHICLE WEIGHT DATA TRANSMITTAL FORM	*STATE ASSIGNED ID [I-195]
	*STATE CODE [3 4]
	*SHRP SECTION ID [1 0 1 1]

HIGHWAY RT. NO. (THIS SESSION): ***I-195 EB***

MILEPOST NO. OR LOCATION (THIS SESSION): ***MP 9.50; Upper Freehold Township, 1.7 miles East of Route Co. 539.***

FILENAME: W341011.L1L ✓
V341011.L1L

DISK ID:

BEGINNING DATE: ***10-01-2011***

BEGINNING TIME: ***00:00***

ENDING DATE: ***10-31-2011***

ENDING TIME: ***24:00***

COUNT DURATION: 1 [] HOURS [] DAYS [X] MONTHS

WEIGHT SCALE TYPE: PORT. WIM PERM. WIM ***X*** OTHER

EQUIPMENT MAKE/MODEL# ***International Road Dynamics Piezo WIM System***

SENSOR TYPE: ***Each lane has two (2) loops and 5.74 feet of KISTLER QUARTZ WIM sensor at the left side and 5.74 feet of KISTLER QUARTZ WIM sensor at the right side.***

VEHICLE CLASSIFICATION METHOD:

7-card FHWA 13 bin in cols. 18-19

7-card FHWA 13 bin in cols. 22-23

7-card 6 digit Truck Weight study

W-card ***X***

OTHER

NAME OF AGENCY CLASSIFICATION SCHEME:

NO. OF BINS

NOTE: IF NOT PREVIOUSLY PROVIDED TO SHRP/LTPP, PLEASE ATTACH SHEET 6 DESCRIBING THE VEHICLE CLASSIFICATION CATEGORIES AND ALSO ATTACH SHEET 7 DESCRIBING HOW THE AGENCY WOULD CONVERT ITS CLASSIFICATION SCHEME TO THE FHWA 13 CLASS SYSTEM.

METHOD OF CALIBRATION AND FREQUENCY: ***Calibration is field validated on each site once a year using one 3S2 vehicle loaded and statically weighed at about 70,000 to 80,000 pounds. A minimum of 20 passes is made per lane at highway speeds or until a consistent calibration tolerance of ± 5 percent of the gross test vehicle weight is achieved. The initial run consists of about 10 or more passes of the calibration vehicles and the weights recorded are averaged using only the consistently measured GVW. Another 10 or more passes are then made after inputting the new changes to confirm the calibration tolerances. The process is repeated until the required tolerance is satisfied.***

COMMENTS:

NAME OF PREPARER: ***Mahmood Afrina Khandakar***

PHONE: ***(609)-530-3508***

DATE PREPARED: ***November 16, 2011***

VEHICLE WEIGHT DATA
TRANSMITTAL FORM

*STATE CODE

[3 4]

*SHRP SECTION ID

[1 0 1 1]

HIGHWAY RT. NO. (THIS SESSION): ***I-195 EB***MILEPOST NO. OR LOCATION (THIS SESSION): ***MP 9.50; Upper Freehold Township, 1.7 miles East of Route Co. 539.***FILENAME: W341011.MIL ✓
V341011.MIL

DISK ID:

BEGINNING DATE: ***11-01-2011***BEGINNING TIME: ***00:00***ENDING DATE: ***11-30-2011***ENDING TIME: ***24:00***

COUNT DURATION: 1

[] HOURS

[] DAYS

[X] MONTHS

WEIGHT SCALE TYPE:

PORT. WIM

PERM. WIM X

OTHER

EQUIPMENT MAKE/MODEL# ***International Road Dynamics Piezo WIM System***SENSOR TYPE: ***Each lane has two (2) loops and 5.74 feet of KISTLER QUARTZ WIM sensor at the left side and 5.74 feet of KISTLER QUARTZ WIM sensor at the right side.***

VEHICLE CLASSIFICATION METHOD:

7-card FHWA 13 bin in cols. 18-19

7-card 6 digit Truck Weight study

7-card FHWA 13 bin in cols. 22-23

W-card X

OTHER

NAME OF AGENCY CLASSIFICATION SCHEME:

NO. OF BINS

NOTE: IF NOT PREVIOUSLY PROVIDED TO SHRP/LTPP, PLEASE ATTACH SHEET 6 DESCRIBING THE VEHICLE CLASSIFICATION CATEGORIES AND ALSO ATTACH SHEET 7 DESCRIBING HOW THE AGENCY WOULD CONVERT ITS CLASSIFICATION SCHEME TO THE FHWA 13 CLASS SYSTEM.

METHOD OF CALIBRATION AND FREQUENCY: ***Calibration is field validated on each site once a year using one 3S2 vehicle loaded and statically weighed at about 70,000 to 80,000 pounds. A minimum of 20 passes is made per lane at highway speeds or until a consistent calibration tolerance of ± 5 percent of the gross test vehicle weight is achieved. The initial run consists of about 10 or more passes of the calibration vehicles and the weights recorded are averaged using only the consistently measured GVW. Another 10 or more passes are then made after inputting the new changes to confirm the calibration tolerances. The process is repeated until the required tolerance is satisfied.***

COMMENTS:

SHEET 13
LTPP TRAFFIC DATA

VEHICLE WEIGHT DATA
TRANSMITTAL FORM

*STATE ASSIGNED ID [1-195]
*STATE CODE [3 4]
*SHRP SECTION ID [1 0 1 1]

HIGHWAY RT. NO. (THIS SESSION): *I-195 EB*

MILEPOST NO. OR LOCATION (THIS SESSION): *MP 9.50; Upper Freehold Township, 1.7 miles East of Route Co. 539.*

FILENAME: W341011.NIL ✓ DISK ID:
V341011.NIL

BEGINNING DATE: *12-01-2011* BEGINNING TIME: *00:00*

ENDING DATE: *12-31-2011* ENDING TIME: *24:00*

COUNT DURATION: 1 [] HOURS [] DAYS [X] MONTHS

WEIGHT SCALE TYPE: PORT. WIM PERM. WIM X OTHER

EQUIPMENT MAKE/MODEL# *International Road Dynamics Piezo WIM System*

SENSOR TYPE: *Each lane has two (2) loops and 5.74 feet of KISTLER QUARTZ WIM sensor at the left side and 5.74 feet of KISTLER QUARTZ WIM sensor at the right side.*

VEHICLE CLASSIFICATION METHOD:

7-card FHWA 13 bin in cols. 18-19
7-card 6 digit Truck Weight study

7-card FHWA 13 bin in cols. 22-23
W-card X OTHER

NAME OF AGENCY CLASSIFICATION SCHEME: NO. OF BINS

NOTE: IF NOT PREVIOUSLY PROVIDED TO SHRP/LTPP, PLEASE ATTACH SHEET 6 DESCRIBING THE VEHICLE CLASSIFICATION CATEGORIES AND ALSO ATTACH SHEET 7 DESCRIBING HOW THE AGENCY WOULD CONVERT ITS CLASSIFICATION SCHEME TO THE FHWA 13 CLASS SYSTEM.

METHOD OF CALIBRATION AND FREQUENCY: *Calibration is field validated on each site once a year using one 3S2 vehicle loaded and statically weighed at about 70,000 to 80,000 pounds. A minimum of 20 passes is made per lane at highway speeds or until a consistent calibration tolerance of ± 5 percent of the gross test vehicle weight is achieved. The initial run consists of about 10 or more passes of the calibration vehicles and the weights recorded are averaged using only the consistently measured GVW. Another 10 or more passes are then made after inputting the new changes to confirm the calibration tolerances. The process is repeated until the required tolerance is satisfied.*

COMMENTS: