

SHEET 12 LTPP TRAFFIC DATA CLASSIFICATION DATA TRANSMITTAL FORM	*STATE ASSIGNED ID	[NJ-295]
	*STATE CODE	[3 4]
	*SHRP SECTION ID	[4 0 4 2]

HIGHWAY RT. NO. (THIS COUNT): **I-295**

MILEPOST NO. OR LOCATION (THIS COUNT): **MP 39.6, Mount Laurel Township, 2 miles South of Route NJ-38.**

BEGINNING DATE: **01-01-2003**

BEGINNING TIME: **00:00**

ENDING DATE: **01-31-2003**

ENDING TIME: **24:00**

COUNT DURATION: **1** [] HOURS [] DAYS [X] MONTHS

VEHICLE CLASSIFICATION METHOD: FHWA **X** OTHER

NAME OF AGENCY CLASSIFICATION SCHEME: **N/A** NO. OF BINS: **N/A**

NOTE: IF NOT PREVIOUSLY PROVIDED TO SHRP/LTPP, PLEASE ATTACH SHEET 6 DESCRIBING THE VEHICLE CLASSIFICATION CATEGORIES AND ALSO ATTACH SHEET 7 DESCRIBING HOW THE AGENCY WOULD CONVERT ITS CLASSIFICATION SCHEME TO THE FHWA 13 BIN SYSTEM.

TYPE OF AVC EQUIPMENT: PORTABLE PERMANENT **X**

EQUIPMENT MAKE/MODEL#: **International Road Dynamics' Piezo WIM System.**

SENSOR TYPE: **Each lane has a single upstream loop and two (2) class 1 piezoelectric WIM sensors.**

ADJUSTMENT FACTORS FOR ESTIMATING AVERAGE ANNUAL VOLUMES BY CLASSIFICATION:

GENERAL FACTORS:

CLASS SPECIFIC FACTORS (PROVIDE BY CLASS OF CLASS GROUPS):

COMMENTS:

NAME OF PREPARER: Christopher Zajac	PHONE: (609)-530-4548
DATE PREPARED: April 1, 2003	

SHEET 12 LTPP TRAFFIC DATA CLASSIFICATION DATA TRANSMITTAL FORM	*STATE ASSIGNED ID	[NJ-295]
	*STATE CODE	[3 4]
	*SHRP SECTION ID	[4 0 4 2]

HIGHWAY RT. NO. (THIS COUNT) : *I-295*

MILEPOST NO. OR LOCATION (THIS COUNT): *MP 39.6, Mount Laurel Township, 2 miles South of Route NJ-38.*

BEGINNING DATE: *02-01-2003*

BEGINNING TIME: *00:00*

ENDING DATE: *02-28-2003*

ENDING TIME: *24:00*

COUNT DURATION: *1* [] HOURS [] DAYS [X] MONTHS

VEHICLE CLASSIFICATION METHOD: FHWA *X* OTHER

NAME OF AGENCY CLASSIFICATION SCHEME: *N/A* NO. OF BINS: *N/A*

NOTE: IF NOT PREVIOUSLY PROVIDED TO SHRP/LTPP, PLEASE ATTACH SHEET 6 DESCRIBING THE VEHICLE CLASSIFICATION CATEGORIES AND ALSO ATTACH SHEET 7 DESCRIBING HOW THE AGENCY WOULD CONVERT ITS CLASSIFICATION SCHEME TO THE FHWA 13 BIN SYSTEM.

TYPE OF AVC EQUIPMENT: PORTABLE PERMANENT *X*

EQUIPMENT MAKE/MODEL#: *International Road Dynamics' Piezo WIM System.*

SENSOR TYPE: *Each lane has a single upstream loop and two (2) class I piezoelectric WIM sensors.*

ADJUSTMENT FACTORS FOR ESTIMATING AVERAGE ANNUAL VOLUMES BY CLASSIFICATION:

GENERAL FACTORS:

CLASS SPECIFIC FACTORS (PROVIDE BY CLASS OF CLASS GROUPS):

COMMENTS:

NAME OF PREPARER: <i>Zoltan Zeisky</i>	PHONE: <i>(609)-530-2992</i>
DATE PREPARED: <i>April 8, 2003</i>	

SHEET 12 LTPP TRAFFIC DATA CLASSIFICATION DATA TRANSMITTAL FORM	*STATE ASSIGNED ID	[NJ-295]
	*STATE CODE	[3 4]
	*SHRP SECTION ID	[4 0 4 2]

HIGHWAY RT. NO. (THIS COUNT) : *I-295*

MILEPOST NO. OR LOCATION (THIS COUNT): *MP 39.6, Mount Laurel Township, 2 miles South of Route NJ-38.*

BEGINNING DATE: *03-01-2003*

BEGINNING TIME: *00:00*

ENDING DATE: *03-31-2003*

ENDING TIME: *24:00*

COUNT DURATION: *1* [] HOURS [] DAYS [X] MONTHS

VEHICLE CLASSIFICATION METHOD: FHWA *X* OTHER

NAME OF AGENCY CLASSIFICATION SCHEME: *N/A* NO. OF BINS: *N/A*

NOTE: IF NOT PREVIOUSLY PROVIDED TO SHRP/LTPP, PLEASE ATTACH SHEET 6 DESCRIBING THE VEHICLE CLASSIFICATION CATEGORIES AND ALSO ATTACH SHEET 7 DESCRIBING HOW THE AGENCY WOULD CONVERT ITS CLASSIFICATION SCHEME TO THE FHWA 13 BIN SYSTEM.

TYPE OF AVC EQUIPMENT: PORTABLE PERMANENT *X*

EQUIPMENT MAKE/MODEL#: *International Road Dynamics' Piezo WIM System.*

SENSOR TYPE: *Each lane has a single upstream loop and two (2) class I piezoelectric WIM sensors.*

ADJUSTMENT FACTORS FOR ESTIMATING AVERAGE ANNUAL VOLUMES BY CLASSIFICATION:

GENERAL FACTORS:

CLASS SPECIFIC FACTORS (PROVIDE BY CLASS OF CLASS GROUPS):

COMMENTS:

NAME OF PREPARER: <i>Zoltan Zeisky</i>	PHONE: <i>(609)-530-2992</i>
DATE PREPARED: <i>April 14, 2003</i>	

SHEET 12 LTPP TRAFFIC DATA CLASSIFICATION DATA TRANSMITTAL FORM	*STATE ASSIGNED ID	[NJ-295]
	*STATE CODE	[3 4]
	*SHRP SECTION ID	[4 0 4 2]

HIGHWAY RT. NO. (THIS COUNT): ***I-295***

MILEPOST NO. OR LOCATION (THIS COUNT): ***MP 39.6, Mount Laurel Township, 2 miles South of Route NJ-38.***

BEGINNING DATE: ***04-01-2003***

BEGINNING TIME: ***00:00***

ENDING DATE: ***04-30-2003***

ENDING TIME: ***24:00***

COUNT DURATION: ***1*** ☐ HOURS ☐ DAYS ☒ MONTHS

VEHICLE CLASSIFICATION METHOD: FHWA ☒ OTHER

NAME OF AGENCY CLASSIFICATION SCHEME: ***N/A*** NO. OF BINS: ***N/A***

NOTE: IF NOT PREVIOUSLY PROVIDED TO SHRP/LTPP, PLEASE ATTACH SHEET 6 DESCRIBING THE VEHICLE CLASSIFICATION CATEGORIES AND ALSO ATTACH SHEET 7 DESCRIBING HOW THE AGENCY WOULD CONVERT ITS CLASSIFICATION SCHEME TO THE FHWA 13 BIN SYSTEM.

TYPE OF AVC EQUIPMENT: PORTABLE PERMANENT ☒

EQUIPMENT MAKE/MODEL#: ***International Road Dynamics' Piezo WIM System.***

SENSOR TYPE: ***Each lane has a single upstream loop and two (2) class 1 piezoelectric WIM sensors.***

ADJUSTMENT FACTORS FOR ESTIMATING AVERAGE ANNUAL VOLUMES BY CLASSIFICATION:

GENERAL FACTORS:

CLASS SPECIFIC FACTORS (PROVIDE BY CLASS OF CLASS GROUPS):

COMMENTS:

NAME OF PREPARER: <i>Zoltan Zeisky</i>	PHONE: <i>(609)-530-2992</i>
DATE PREPARED: <i>May 13, 2003</i>	

SHEET 12 LTPP TRAFFIC DATA CLASSIFICATION DATA TRANSMITTAL FORM	*STATE ASSIGNED ID	[NJ-295]
	*STATE CODE	[3 4]
	*SHRP SECTION ID	[4 0 4 2]

HIGHWAY RT. NO. (THIS COUNT) : *I-295*

MILEPOST NO. OR LOCATION (THIS COUNT): *MP 39.6, Mount Laurel Township, 2 miles South of Route NJ-38.*

BEGINNING DATE: *05-01-2003*

BEGINNING TIME: *00:00*

ENDING DATE: *05-31-2003*

ENDING TIME: *24:00*

COUNT DURATION: *1* [] HOURS [] DAYS [X] MONTHS

VEHICLE CLASSIFICATION METHOD: FHWA *X* OTHER

NAME OF AGENCY CLASSIFICATION SCHEME: *N/A* NO. OF BINS: *N/A*

NOTE: IF NOT PREVIOUSLY PROVIDED TO SHRP/LTPP, PLEASE ATTACH SHEET 6 DESCRIBING THE VEHICLE CLASSIFICATION CATEGORIES AND ALSO ATTACH SHEET 7 DESCRIBING HOW THE AGENCY WOULD CONVERT ITS CLASSIFICATION SCHEME TO THE FHWA 13 BIN SYSTEM.

TYPE OF AVC EQUIPMENT: PORTABLE PERMANENT *X*

EQUIPMENT MAKE/MODEL#: *International Road Dynamics' Piezo WIM System.*

SENSOR TYPE: *Each lane has a single upstream loop and two (2) class I piezoelectric WIM sensors.*

ADJUSTMENT FACTORS FOR ESTIMATING AVERAGE ANNUAL VOLUMES BY CLASSIFICATION:

GENERAL FACTORS:

CLASS SPECIFIC FACTORS (PROVIDE BY CLASS OF CLASS GROUPS):

COMMENTS:

NAME OF PREPARER: <i>Zoltan Zeisky</i>	PHONE: <i>(609)-530-2992</i>
DATE PREPARED: <i>June 13, 2003</i>	

SHEET 12 LTTP TRAFFIC DATA CLASSIFICATION DATA TRANSMITTAL FORM	*STATE ASSIGNED ID	[NJ-295]
	*STATE CODE	[3 4]
	*SHRP SECTION ID	[4 0 4 2]

HIGHWAY RT. NO. (THIS COUNT) : ***I-295***

MILEPOST NO. OR LOCATION (THIS COUNT): ***MP 39.6, Mount Laurel Township, 2 miles South of Route NJ-38.***

BEGINNING DATE: ***06-01-2003***

BEGINNING TIME: ***00:00***

ENDING DATE: ***06-30-2003***

ENDING TIME: ***24:00***

COUNT DURATION: ***1*** [] HOURS [] DAYS [X] MONTHS

VEHICLE CLASSIFICATION METHOD: FHWA ***X*** OTHER

NAME OF AGENCY CLASSIFICATION SCHEME: ***N/A*** NO. OF BINS: ***N/A***

NOTE: IF NOT PREVIOUSLY PROVIDED TO SHRP/LTPP, PLEASE ATTACH SHEET 6 DESCRIBING THE VEHICLE CLASSIFICATION CATEGORIES AND ALSO ATTACH SHEET 7 DESCRIBING HOW THE AGENCY WOULD CONVERT ITS CLASSIFICATION SCHEME TO THE FHWA 13 BIN SYSTEM.

TYPE OF AVC EQUIPMENT: PORTABLE PERMANENT ***X***

EQUIPMENT MAKE/MODEL#: ***International Road Dynamics' Piezo WIM System.***

SENSOR TYPE: ***Each lane has a single upstream loop and two (2) class I piezoelectric WIM sensors.***

ADJUSTMENT FACTORS FOR ESTIMATING AVERAGE ANNUAL VOLUMES BY CLASSIFICATION:

GENERAL FACTORS:

CLASS SPECIFIC FACTORS (PROVIDE BY CLASS OF CLASS GROUPS):

COMMENTS:

NAME OF PREPARER: <i>Zoltan Zeisky</i>	PHONE: <i>(609)-530-2992</i>
DATE PREPARED: <i>July 22, 2003</i>	

SHEET 12 LTTP TRAFFIC DATA CLASSIFICATION DATA TRANSMITTAL FORM	*STATE ASSIGNED ID	[NJ-295]
	*STATE CODE	[3 4]
	*SHRP SECTION ID	[4 0 4 2]

HIGHWAY RT. NO. (THIS COUNT) : ***I-295***

MILEPOST NO. OR LOCATION (THIS COUNT): ***MP 39.6, Mount Laurel Township, 2 miles South of Route NJ-38.***

BEGINNING DATE: ***07-01-2003***

BEGINNING TIME: ***00:00***

ENDING DATE: ***07-31-2003***

ENDING TIME: ***24:00***

COUNT DURATION: ***1*** [] HOURS [] DAYS [X] MONTHS

VEHICLE CLASSIFICATION METHOD: FHWA ***X*** OTHER

NAME OF AGENCY CLASSIFICATION SCHEME: ***N/A*** NO. OF BINS: ***N/A***

NOTE: IF NOT PREVIOUSLY PROVIDED TO SHRP/LTPP, PLEASE ATTACH SHEET 6 DESCRIBING THE VEHICLE CLASSIFICATION CATEGORIES AND ALSO ATTACH SHEET 7 DESCRIBING HOW THE AGENCY WOULD CONVERT ITS CLASSIFICATION SCHEME TO THE FHWA 13 BIN SYSTEM.

TYPE OF AVC EQUIPMENT: PORTABLE PERMANENT ***X***

EQUIPMENT MAKE/MODEL#: ***International Road Dynamics' Piezo WIM System.***

SENSOR TYPE: ***Each lane has a single upstream loop and two (2) class I piezoelectric WIM sensors.***

ADJUSTMENT FACTORS FOR ESTIMATING AVERAGE ANNUAL VOLUMES BY CLASSIFICATION:

GENERAL FACTORS:

CLASS SPECIFIC FACTORS (PROVIDE BY CLASS OF CLASS GROUPS):

COMMENTS: ***System Down Due To Construction***

NAME OF PREPARER: <i>Zoltan Zeisky</i>	PHONE: <i>(609)-530-2992</i>
DATE PREPARED: <i>September 2, 2003</i>	

SHEET 12 LTTP TRAFFIC DATA CLASSIFICATION DATA TRANSMITTAL FORM	*STATE ASSIGNED ID	[NJ-295]
	*STATE CODE	[3 4]
	*SHRP SECTION ID	[4 0 4 2]

HIGHWAY RT. NO. (THIS COUNT) : *I-295*

MILEPOST NO. OR LOCATION (THIS COUNT): *MP 39.6, Mount Laurel Township, 2 miles South of Route NJ-38.*

BEGINNING DATE: *07-01-2003*

BEGINNING TIME: *00:00*

ENDING DATE: *07-31-2003*

ENDING TIME: *24:00*

COUNT DURATION: *1* [] HOURS [] DAYS [X] MONTHS

VEHICLE CLASSIFICATION METHOD: FHWA *X* OTHER

NAME OF AGENCY CLASSIFICATION SCHEME: *N/A* NO. OF BINS: *N/A*

NOTE: IF NOT PREVIOUSLY PROVIDED TO SHRP/LTPP, PLEASE ATTACH SHEET 6 DESCRIBING THE VEHICLE CLASSIFICATION CATEGORIES AND ALSO ATTACH SHEET 7 DESCRIBING HOW THE AGENCY WOULD CONVERT ITS CLASSIFICATION SCHEME TO THE FHWA 13 BIN SYSTEM.

TYPE OF AVC EQUIPMENT: PORTABLE PERMANENT *X*

EQUIPMENT MAKE/MODEL#: *International Road Dynamics' Piezo WIM System.*

SENSOR TYPE: *Each lane has a single upstream loop and two (2) class I piezoelectric WIM sensors.*

ADJUSTMENT FACTORS FOR ESTIMATING AVERAGE ANNUAL VOLUMES BY CLASSIFICATION:

GENERAL FACTORS:

CLASS SPECIFIC FACTORS (PROVIDE BY CLASS OF CLASS GROUPS):

COMMENTS: *System Down Due To Construction*

NAME OF PREPARER: <i>Zoltan Zeisky</i>	PHONE: <i>(609)-530-2992</i>
DATE PREPARED: <i>November 4, 2003</i>	

SHEET 12 LTTP TRAFFIC DATA CLASSIFICATION DATA TRANSMITTAL FORM	*STATE ASSIGNED ID	[NJ-295]
	*STATE CODE	[3 4]
	*SHRP SECTION ID	[4 0 4 2]

HIGHWAY RT. NO. (THIS COUNT) : ***I-295***

MILEPOST NO. OR LOCATION (THIS COUNT): ***MP 39.6, Mount Laurel Township, 2 miles South of Route NJ-38.***

BEGINNING DATE: ***09-01-2003***

BEGINNING TIME: ***00:00***

ENDING DATE: ***09-30-2003***

ENDING TIME: ***24:00***

COUNT DURATION: ***1*** [] HOURS [] DAYS [X] MONTHS

VEHICLE CLASSIFICATION METHOD: FHWA ***X*** OTHER

NAME OF AGENCY CLASSIFICATION SCHEME: ***N/A*** NO. OF BINS: ***N/A***

NOTE: IF NOT PREVIOUSLY PROVIDED TO SHRP/LTPP, PLEASE ATTACH SHEET 6 DESCRIBING THE VEHICLE CLASSIFICATION CATEGORIES AND ALSO ATTACH SHEET 7 DESCRIBING HOW THE AGENCY WOULD CONVERT ITS CLASSIFICATION SCHEME TO THE FHWA 13 BIN SYSTEM.

TYPE OF AVC EQUIPMENT: PORTABLE PERMANENT ***X***

EQUIPMENT MAKE/MODEL#: ***International Road Dynamics' Piezo WIM System.***

SENSOR TYPE: ***Each lane has a single upstream loop and two (2) class I piezoelectric WIM sensors.***

ADJUSTMENT FACTORS FOR ESTIMATING AVERAGE ANNUAL VOLUMES BY CLASSIFICATION:

GENERAL FACTORS:

CLASS SPECIFIC FACTORS (PROVIDE BY CLASS OF CLASS GROUPS):

COMMENTS: ***System Down Due To Construction***

NAME OF PREPARER: <i>Zoltan Zeisky</i>	PHONE: <i>(609)-530-2992</i>
DATE PREPARED: <i>October 3, 2003</i>	

SHEET 12 LTPP TRAFFIC DATA CLASSIFICATION DATA TRANSMITTAL FORM	*STATE ASSIGNED ID	[NJ-295]
	*STATE CODE	[3 4]
	*SHRP SECTION ID	[4 0 4 2]

HIGHWAY RT. NO. (THIS COUNT) : ***I-295***

MILEPOST NO. OR LOCATION (THIS COUNT): ***MP 39.6, Mount Laurel Township, 2 miles South of Route NJ-38.***

BEGINNING DATE: ***10-01-2003***

BEGINNING TIME: ***00:00***

ENDING DATE: ***10-31-2003***

ENDING TIME: ***24:00***

COUNT DURATION: ***1*** [] HOURS [] DAYS [X] MONTHS

VEHICLE CLASSIFICATION METHOD: FHWA ***X*** OTHER

NAME OF AGENCY CLASSIFICATION SCHEME: ***N/A*** NO. OF BINS: ***N/A***

NOTE: IF NOT PREVIOUSLY PROVIDED TO SHRP/LTPP, PLEASE ATTACH SHEET 6 DESCRIBING THE VEHICLE CLASSIFICATION CATEGORIES AND ALSO ATTACH SHEET 7 DESCRIBING HOW THE AGENCY WOULD CONVERT ITS CLASSIFICATION SCHEME TO THE FHWA 13 BIN SYSTEM.

TYPE OF AVC EQUIPMENT: PORTABLE PERMANENT ***X***

EQUIPMENT MAKE/MODEL#: ***International Road Dynamics' Piezo WIM System.***

SENSOR TYPE: ***Each lane has a single upstream loop and two (2) class I piezoelectric WIM sensors.***

ADJUSTMENT FACTORS FOR ESTIMATING AVERAGE ANNUAL VOLUMES BY CLASSIFICATION:

GENERAL FACTORS:

CLASS SPECIFIC FACTORS (PROVIDE BY CLASS OF CLASS GROUPS):

COMMENTS: ***System Down Due To Construction***

NAME OF PREPARER: <i>Zoltan Zeisky</i>	PHONE: <i>(609)-530-2992</i>
DATE PREPARED: <i>November 12, 2003</i>	

SHEET 12 LTPP TRAFFIC DATA CLASSIFICATION DATA TRANSMITTAL FORM	*STATE ASSIGNED ID	[NJ-295]
	*STATE CODE	[3 4]
	*SHRP SECTION ID	[4 0 4 2]

HIGHWAY RT. NO. (THIS COUNT) : ***I-295***

MILEPOST NO. OR LOCATION (THIS COUNT): ***MP 39.6, Mount Laurel Township, 2 miles South of Route NJ-38.***

BEGINNING DATE: ***11-01-2003***

BEGINNING TIME: ***00:00***

ENDING DATE: ***11-30-2003***

ENDING TIME: ***24:00***

COUNT DURATION: ***1*** [] HOURS [] DAYS [X] MONTHS

VEHICLE CLASSIFICATION METHOD: FHWA ***X*** OTHER

NAME OF AGENCY CLASSIFICATION SCHEME: ***N/A*** NO. OF BINS: ***N/A***

NOTE: IF NOT PREVIOUSLY PROVIDED TO SHRP/LTPP, PLEASE ATTACH SHEET 6 DESCRIBING THE VEHICLE CLASSIFICATION CATEGORIES AND ALSO ATTACH SHEET 7 DESCRIBING HOW THE AGENCY WOULD CONVERT ITS CLASSIFICATION SCHEME TO THE FHWA 13 BIN SYSTEM.

TYPE OF AVC EQUIPMENT: PORTABLE PERMANENT ***X***

EQUIPMENT MAKE/MODEL#: ***International Road Dynamics' Piezo WIM System.***

SENSOR TYPE: ***Each lane has a single upstream loop and two (2) class I piezoelectric WIM sensors.***

ADJUSTMENT FACTORS FOR ESTIMATING AVERAGE ANNUAL VOLUMES BY CLASSIFICATION:

GENERAL FACTORS:

CLASS SPECIFIC FACTORS (PROVIDE BY CLASS OF CLASS GROUPS):

COMMENTS: ***System Down Due To Construction***

NAME OF PREPARER: <i>Zoltan Zeisky</i>	PHONE: <i>(609)-530-2992</i>
DATE PREPARED: <i>December 9, 2003</i>	

SHEET 12 LTTP TRAFFIC DATA CLASSIFICATION DATA TRANSMITTAL FORM	*STATE ASSIGNED ID	[NJ-295]
	*STATE CODE	[3 4]
	*SHRP SECTION ID	[4 0 4 2]

HIGHWAY RT. NO. (THIS COUNT) : *I-295*

MILEPOST NO. OR LOCATION (THIS COUNT): *MP 39.6, Mount Laurel Township, 2 miles South of Route NJ-38.*

BEGINNING DATE: *12-01-2003*

BEGINNING TIME: *00:00*

ENDING DATE: *12-31-2003*

ENDING TIME: *24:00*

COUNT DURATION: *1* [] HOURS [] DAYS [X] MONTHS

VEHICLE CLASSIFICATION METHOD: FHWA *X* OTHER

NAME OF AGENCY CLASSIFICATION SCHEME: *N/A* NO. OF BINS: *N/A*

NOTE: IF NOT PREVIOUSLY PROVIDED TO SHRP/LTPP, PLEASE ATTACH SHEET 6 DESCRIBING THE VEHICLE CLASSIFICATION CATEGORIES AND ALSO ATTACH SHEET 7 DESCRIBING HOW THE AGENCY WOULD CONVERT ITS CLASSIFICATION SCHEME TO THE FHWA 13 BIN SYSTEM.

TYPE OF AVC EQUIPMENT: PORTABLE PERMANENT *X*

EQUIPMENT MAKE/MODEL#: *International Road Dynamics' Piezo WIM System.*

SENSOR TYPE: *Each lane has a single upstream loop and two (2) class I piezoelectric WIM sensors.*

ADJUSTMENT FACTORS FOR ESTIMATING AVERAGE ANNUAL VOLUMES BY CLASSIFICATION:

GENERAL FACTORS:

CLASS SPECIFIC FACTORS (PROVIDE BY CLASS OF CLASS GROUPS):

COMMENTS: *System Down Due To Construction*

NAME OF PREPARER: <i>Zoltan Zeisky</i>	PHONE: <i>(609)-530-2992</i>
DATE PREPARED: <i>January 16, 2004</i>	

SHEET 13 LTPP TRAFFIC DATA VEHICLE WEIGHT DATA TRANSMITTAL FORM	*STATE ASSIGNED ID	[NJ-295]
	*STATE CODE	[3 4]
	*SHRP SECTION ID	[4 0 4 2]

HIGHWAY RT. NO. (THIS SESSION) **I-295**

MILEPOST NO. OR LOCATION (THIS SESSION) **MP 39.6, Mount Laurel Township, 2 miles South of Route NJ-38.**

FILENAME: V344042.C1D
C344042. C1D
W344402. C1D

DISK ID:

BEGINNING DATE: **01-01-2003**

BEGINNING TIME: **00:00**

ENDING DATE: **01-31-2003**

ENDING TIME: **24:00**

COUNT DURATION: 1 ☐ HOURS ☐ DAYS ☒ MONTHS

WEIGHT SCALE TYPE: PORT. WIM PERM. WIM ☒ OTHER

EQUIPMENT MAKE/MODEL# **International Road Dynamics Piezo WIM System**

SENSOR TYPE: **Each lane has a single upstream loop and two (2) class I piezoelectric WIM sensors.**

VEHICLE CLASSIFICATION METHOD:

7-card FHWA 13 bin in cols. 18-19

7-card FHWA 13 bin in cols. 22-23

7-card 6 digit Truck Weight study

W-card ☒

OTHER

NAME OF AGENCY CLASSIFICATION SCHEME:

NO. OF BINS

NOTE: IF NOT PREVIOUSLY PROVIDED TO SHRP/LTPP, PLEASE ATTACH SHEET 6 DESCRIBING THE VEHICLE CLASSIFICATION CATEGORIES AND ALSO ATTACH SHEET 7 DESCRIBING HOW THE AGENCY WOULD CONVERT ITS CLASSIFICATION SCHEME TO THE FHWA 13 CLASS SYSTEM.

METHOD OF CALIBRATION AND FREQUENCY: **Calibration is field validated on each site once a year using one 3S2 vehicle loaded and statically weighed at about 70,000 to 80,000 pounds. A minimum of 20 passes is made per lane at highway speeds or until a consistent calibration tolerance of ± 5 percent of the gross test vehicle weight is achieved. The initial run consists of about 10 or more passes of the calibration vehicles and the weights recorded are averaged using only the consistently measured GVW. Another 10 or more passes are then made after inputting the new changes to confirm the calibration tolerances. The process is repeated until the required tolerance is satisfied.**

COMMENTS: Missing data on 1/08,21,28 and 30 due to the system failure.

NAME OF PREPARER: Christopher Zajac	PHONE: (609)-530-4548
DATE PREPARED: April 1, 2003	

SHEET 13 LTPP TRAFFIC DATA VEHICLE WEIGHT DATA TRANSMITTAL FORM	*STATE ASSIGNED ID	[NJ-295]
	*STATE CODE	[3 4]
	*SHRP SECTION ID	[4 0 4 2]

HIGHWAY RT. NO. (THIS SESSION) **I-295**

MILEPOST NO. OR LOCATION (THIS SESSION) **MP 39.6, Mount Laurel Township, 2 miles South of Route NJ-38.**

FILENAME: V344042.D1D
C344042. D1D
W344402. D1D

DISK ID:

BEGINNING DATE: **02-01-2003**

BEGINNING TIME: **00:00**

ENDING DATE: **02-28-2003**

ENDING TIME: **24:00**

COUNT DURATION: 1 [] HOURS [] DAYS [X] MONTHS

WEIGHT SCALE TYPE: PORT. WIM PERM. WIM **X** OTHER

EQUIPMENT MAKE/MODEL# **International Road Dynamics Piezo WIM System**

SENSOR TYPE: **Each lane has a single upstream loop and two (2) class I piezoelectric WIM sensors.**

VEHICLE CLASSIFICATION METHOD:

7-card FHWA 13 bin in cols. 18-19

7-card FHWA 13 bin in cols. 22-23

7-card 6 digit Truck Weight study

W-card **X**

OTHER

NAME OF AGENCY CLASSIFICATION SCHEME:

NO. OF BINS

NOTE: IF NOT PREVIOUSLY PROVIDED TO SHRP/LTPP, PLEASE ATTACH SHEET 6 DESCRIBING THE VEHICLE CLASSIFICATION CATEGORIES AND ALSO ATTACH SHEET 7 DESCRIBING HOW THE AGENCY WOULD CONVERT ITS CLASSIFICATION SCHEME TO THE FHWA 13 CLASS SYSTEM.

METHOD OF CALIBRATION AND FREQUENCY: *Calibration is field validated on each site once a year using one 3S2 vehicle loaded and statically weighed at about 70,000 to 80,000 pounds. A minimum of 20 passes is made per lane at highway speeds or until a consistent calibration tolerance of ± 5 percent of the gross test vehicle weight is achieved. The initial run consists of about 10 or more passes of the calibration vehicles and the weights recorded are averaged using only the consistently measured GVW. Another 10 or more passes are then made after inputting the new changes to confirm the calibration tolerances. The process is repeated until the required tolerance is satisfied.*

COMMENTS: Missing data on 1/7,17,18 and 24 due to the system failure.

NAME OF PREPARER: Zoltan Zeisky	PHONE: (609)-530-2992
DATE PREPARED: April 14, 2003	

SHEET 13 LTPP TRAFFIC DATA VEHICLE WEIGHT DATA TRANSMITTAL FORM	*STATE ASSIGNED ID	[NJ-295]
	*STATE CODE	[3 4]
	*SHRP SECTION ID	[4 0 4 2]

HIGHWAY RT. NO. (THIS SESSION) **I-295**

MILEPOST NO. OR LOCATION (THIS SESSION) **MP 39.6, Mount Laurel Township, 2 miles South of Route NJ-38.**

FILENAME: V344042.E1D
C344042. E1D
W344402. E1D

DISK ID:

BEGINNING DATE: **03-01-2003**

BEGINNING TIME: **00:00**

ENDING DATE: **03-31-2003**

ENDING TIME: **24:00**

COUNT DURATION: 1 [] HOURS [] DAYS [X] MONTHS

WEIGHT SCALE TYPE: PORT. WIM PERM. WIM **X** OTHER

EQUIPMENT MAKE/MODEL# **International Road Dynamics Piezo WIM System**

SENSOR TYPE: **Each lane has a single upstream loop and two (2) class I piezoelectric WIM sensors.**

VEHICLE CLASSIFICATION METHOD:

7-card FHWA 13 bin in cols. 18-19

7-card FHWA 13 bin in cols. 22-23

7-card 6 digit Truck Weight study

W-card **X**

OTHER

NAME OF AGENCY CLASSIFICATION SCHEME:

NO. OF BINS

NOTE: IF NOT PREVIOUSLY PROVIDED TO SHRP/LTPP, PLEASE ATTACH SHEET 6 DESCRIBING THE VEHICLE CLASSIFICATION CATEGORIES AND ALSO ATTACH SHEET 7 DESCRIBING HOW THE AGENCY WOULD CONVERT ITS CLASSIFICATION SCHEME TO THE FHWA 13 CLASS SYSTEM.

METHOD OF CALIBRATION AND FREQUENCY: **Calibration is field validated on each site once a year using one 3S2 vehicle loaded and statically weighed at about 70,000 to 80,000 pounds. A minimum of 20 passes is made per lane at highway speeds or until a consistent calibration tolerance of ± 5 percent of the gross test vehicle weight is achieved. The initial run consists of about 10 or more passes of the calibration vehicles and the weights recorded are averaged using only the consistently measured GVW. Another 10 or more passes are then made after inputting the new changes to confirm the calibration tolerances. The process is repeated until the required tolerance is satisfied.**

COMMENTS:

NAME OF PREPARER: Zoltan Zeisky	PHONE: (609)-530-2992
DATE PREPARED: April 16, 2003	

SHEET 13 LTPP TRAFFIC DATA VEHICLE WEIGHT DATA TRANSMITTAL FORM	*STATE ASSIGNED ID	[NJ-295]
	*STATE CODE	[3 4]
	*SHRP SECTION ID	[4 0 4 2]

HIGHWAY RT. NO. (THIS SESSION) **I-295**

MILEPOST NO. OR LOCATION (THIS SESSION) **MP 39.6, Mount Laurel Township, 2 miles South of Route NJ-38.**

FILENAME: V344042.F1D
C344042. F1D
W344402. F1D

DISK ID:

BEGINNING DATE: **04-01-2003**

BEGINNING TIME: **00:00**

ENDING DATE: **04-13-2003**

ENDING TIME: **24:00**

COUNT DURATION: 1 [] HOURS [] DAYS [X] MONTHS

WEIGHT SCALE TYPE: PORT. WIM PERM. WIM **X** OTHER

EQUIPMENT MAKE/MODEL# **International Road Dynamics Piezo WIM System**

SENSOR TYPE: **Each lane has a single upstream loop and two (2) class I piezoelectric WIM sensors.**

VEHICLE CLASSIFICATION METHOD:

7-card FHWA 13 bin in cols. 18-19
7-card 6 digit Truck Weight study

7-card FHWA 13 bin in cols. 22-23
W-card **X** OTHER

NAME OF AGENCY CLASSIFICATION SCHEME:

NO. OF BINS

NOTE: IF NOT PREVIOUSLY PROVIDED TO SHRP/LTPP, PLEASE ATTACH SHEET 6 DESCRIBING THE VEHICLE CLASSIFICATION CATEGORIES AND ALSO ATTACH SHEET 7 DESCRIBING HOW THE AGENCY WOULD CONVERT ITS CLASSIFICATION SCHEME TO THE FHWA 13 CLASS SYSTEM.

METHOD OF CALIBRATION AND FREQUENCY: **Calibration is field validated on each site once a year using one 3S2 vehicle loaded and statically weighed at about 70,000 to 80,000 pounds. A minimum of 20 passes is made per lane at highway speeds or until a consistent calibration tolerance of ± 5 percent of the gross test vehicle weight is achieved. The initial run consists of about 10 or more passes of the calibration vehicles and the weights recorded are averaged using only the consistently measured GVW. Another 10 or more passes are then made after inputting the new changes to confirm the calibration tolerances. The process is repeated until the required tolerance is satisfied.**

COMMENTS: No data between 4/14 thru 4/30 due to system problem.

NAME OF PREPARER: Zoltan Zeisky	PHONE: (609)-530-2992
DATE PREPARED: May 15, 2003	

SHEET 13 LTPP TRAFFIC DATA VEHICLE WEIGHT DATA TRANSMITTAL FORM	*STATE ASSIGNED ID	[NJ-295]
	*STATE CODE	[3 4]
	*SHRP SECTION ID	[4 0 4 2]

HIGHWAY RT. NO. (THIS SESSION) **I-295**

MILEPOST NO. OR LOCATION (THIS SESSION) **MP 39.6, Mount Laurel Township, 2 miles South of Route NJ-38.**

FILENAME: V344042.G6D
C344042.G6D
W344042.G6D

DISK ID:

BEGINNING DATE: **05-01-2003**

BEGINNING TIME: **00:00**

ENDING DATE: **05-31-2003**

ENDING TIME: **24:00**

COUNT DURATION: 1 [] HOURS [] DAYS [X] MONTHS

WEIGHT SCALE TYPE: PORT. WIM PERM. WIM **X** OTHER

EQUIPMENT MAKE/MODEL# **International Road Dynamics Piezo WIM System**

SENSOR TYPE: **Each lane has a single upstream loop and two (2) class I piezoelectric WIM sensors.**

VEHICLE CLASSIFICATION METHOD:

7-card FHWA 13 bin in cols. 18-19
7-card 6 digit Truck Weight study

7-card FHWA 13 bin in cols. 22-23
W-card **X** OTHER

NAME OF AGENCY CLASSIFICATION SCHEME:

NO. OF BINS

NOTE: IF NOT PREVIOUSLY PROVIDED TO SHRP/LTPP, PLEASE ATTACH SHEET 6 DESCRIBING THE VEHICLE CLASSIFICATION CATEGORIES AND ALSO ATTACH SHEET 7 DESCRIBING HOW THE AGENCY WOULD CONVERT ITS CLASSIFICATION SCHEME TO THE FHWA 13 CLASS SYSTEM.

METHOD OF CALIBRATION AND FREQUENCY: Calibration is field validated on each site once a year using one 3S2 vehicle loaded and statically weighed at about 70,000 to 80,000 pounds. A minimum of 20 passes is made per lane at highway speeds or until a consistent calibration tolerance of ± 5 percent of the gross test vehicle weight is achieved. The initial run consists of about 10 or more passes of the calibration vehicles and the weights recorded are averaged using only the consistently measured GVW. Another 10 or more passes are then made after inputting the new changes to confirm the calibration tolerances. The process is repeated until the required tolerance is satisfied.

COMMENTS: No data between May 1 thru 6, 11 and 12, and 27 due to system problems and construction.

NAME OF PREPARER: **Zoltan Zeisky**
DATE PREPARED: **June 23, 2003**

PHONE: **(609)-530-2992**

SHEET 13 LTPP TRAFFIC DATA VEHICLE WEIGHT DATA TRANSMITTAL FORM	*STATE ASSIGNED ID	[NJ-295]
	*STATE CODE	[3 4]
	*SHRP SECTION ID	[4 0 4 2]

HIGHWAY RT. NO. (THIS SESSION) **I-295**

MILEPOST NO. OR LOCATION (THIS SESSION) **MP 39.6, Mount Laurel Township, 2 miles South of Route NJ-38.**

FILENAME: V344042.H1D
C344042.H1D
W344042.H1D

DISK ID:

BEGINNING DATE: **06-01-2003**

BEGINNING TIME: **00:00**

ENDING DATE: **06-30-2003**

ENDING TIME: **24:00**

COUNT DURATION: 1 [] HOURS [] DAYS [X] MONTHS

WEIGHT SCALE TYPE: PORT. WIM PERM. WIM **X** OTHER

EQUIPMENT MAKE/MODEL# **International Road Dynamics Piezo WIM System**

SENSOR TYPE: **Each lane has a single upstream loop and two (2) class I piezoelectric WIM sensors.**

VEHICLE CLASSIFICATION METHOD:

7-card FHWA 13 bin in cols. 18-19

7-card FHWA 13 bin in cols. 22-23

7-card 6 digit Truck Weight study

W-card **X**

OTHER

NAME OF AGENCY CLASSIFICATION SCHEME:

NO. OF BINS

NOTE: IF NOT PREVIOUSLY PROVIDED TO SHRP/LTPP, PLEASE ATTACH SHEET 6 DESCRIBING THE VEHICLE CLASSIFICATION CATEGORIES AND ALSO ATTACH SHEET 7 DESCRIBING HOW THE AGENCY WOULD CONVERT ITS CLASSIFICATION SCHEME TO THE FHWA 13 CLASS SYSTEM.

METHOD OF CALIBRATION AND FREQUENCY: **Calibration is field validated on each site once a year using one 3S2 vehicle loaded and statically weighed at about 70,000 to 80,000 pounds. A minimum of 20 passes is made per lane at highway speeds or until a consistent calibration tolerance of ± 5 percent of the gross test vehicle weight is achieved. The initial run consists of about 10 or more passes of the calibration vehicles and the weights recorded are averaged using only the consistently measured GVW. Another 10 or more passes are then made after inputting the new changes to confirm the calibration tolerances. The process is repeated until the required tolerance is satisfied.**

COMMENTS: No data on June 2, 11 and 12, 14 thru 30 due to system problems and construction.

NAME OF PREPARER: Zoltan Zeisky	PHONE: (609)-530-2992
DATE PREPARED: September 2, 2003	

SHEET 13 LTPP TRAFFIC DATA VEHICLE WEIGHT DATA TRANSMITTAL FORM	*STATE ASSIGNED ID	[NJ-295]
	*STATE CODE	[3 4]
	*SHRP SECTION ID	[4 0 4 2]

HIGHWAY RT. NO. (THIS SESSION) **I-295**

MILEPOST NO. OR LOCATION (THIS SESSION) **MP 39.6, Mount Laurel Township, 2 miles South of Route NJ-38.**

FILENAME: NONE
NONE
NONE

DISK ID:

BEGINNING DATE: **07-01-2003**

BEGINNING TIME: **00:00**

ENDING DATE: **07-31-2003**

ENDING TIME: **24:00**

COUNT DURATION: 1 [] HOURS [] DAYS [X] MONTHS

WEIGHT SCALE TYPE: PORT. WIM PERM. WIM **X** OTHER

EQUIPMENT MAKE/MODEL# **International Road Dynamics Piezo WIM System**

SENSOR TYPE: **Each lane has a single upstream loop and two (2) class I piezoelectric WIM sensors.**

VEHICLE CLASSIFICATION METHOD:

7-card FHWA 13 bin in cols. 18-19

7-card FHWA 13 bin in cols. 22-23

7-card 6 digit Truck Weight study

W-card **X**

OTHER

NAME OF AGENCY CLASSIFICATION SCHEME:

NO. OF BINS

NOTE: IF NOT PREVIOUSLY PROVIDED TO SHRP/LTPP, PLEASE ATTACH SHEET 6 DESCRIBING THE VEHICLE CLASSIFICATION CATEGORIES AND ALSO ATTACH SHEET 7 DESCRIBING HOW THE AGENCY WOULD CONVERT ITS CLASSIFICATION SCHEME TO THE FHWA 13 CLASS SYSTEM.

METHOD OF CALIBRATION AND FREQUENCY: **Calibration is field validated on each site once a year using one 3S2 vehicle loaded and statically weighed at about 70,000 to 80,000 pounds. A minimum of 20 passes is made per lane at highway speeds or until a consistent calibration tolerance of ± 5 percent of the gross test vehicle weight is achieved. The initial run consists of about 10 or more passes of the calibration vehicles and the weights recorded are averaged using only the consistently measured GVW. Another 10 or more passes are then made after inputting the new changes to confirm the calibration tolerances. The process is repeated until the required tolerance is satisfied.**

COMMENTS: No data for the month of July due to construction.

NAME OF PREPARER: Zoltan Zeisky	PHONE: (609)-530-2992
DATE PREPARED: November 4, 2003	

SHEET 13 LTPP TRAFFIC DATA VEHICLE WEIGHT DATA TRANSMITTAL FORM	*STATE ASSIGNED ID	[NJ-295]
	*STATE CODE	[3 4]
	*SHRP SECTION ID	[4 0 4 2]

HIGHWAY RT. NO. (THIS SESSION) **I-295**

MILEPOST NO. OR LOCATION (THIS SESSION) **MP 39.6, Mount Laurel Township, 2 miles South of Route NJ-38.**

FILENAME: NONE
NONE
NONE

DISK ID:

BEGINNING DATE: **07-01-2003**

BEGINNING TIME: **00:00**

ENDING DATE: **07-31-2003**

ENDING TIME: **24:00**

COUNT DURATION: 1 [] HOURS [] DAYS [X] MONTHS

WEIGHT SCALE TYPE: PORT. WIM PERM. WIM **X** OTHER

EQUIPMENT MAKE/MODEL# **International Road Dynamics Piezo WIM System**

SENSOR TYPE: **Each lane has a single upstream loop and two (2) class I piezoelectric WIM sensors.**

VEHICLE CLASSIFICATION METHOD:

7-card FHWA 13 bin in cols. 18-19

7-card FHWA 13 bin in cols. 22-23

7-card 6 digit Truck Weight study

W-card **X**

OTHER

NAME OF AGENCY CLASSIFICATION SCHEME:

NO. OF BINS

NOTE: IF NOT PREVIOUSLY PROVIDED TO SHRP/LTPP, PLEASE ATTACH SHEET 6 DESCRIBING THE VEHICLE CLASSIFICATION CATEGORIES AND ALSO ATTACH SHEET 7 DESCRIBING HOW THE AGENCY WOULD CONVERT ITS CLASSIFICATION SCHEME TO THE FHWA 13 CLASS SYSTEM.

METHOD OF CALIBRATION AND FREQUENCY: **Calibration is field validated on each site once a year using one 3S2 vehicle loaded and statically weighed at about 70,000 to 80,000 pounds. A minimum of 20 passes is made per lane at highway speeds or until a consistent calibration tolerance of ± 5 percent of the gross test vehicle weight is achieved. The initial run consists of about 10 or more passes of the calibration vehicles and the weights recorded are averaged using only the consistently measured GVW. Another 10 or more passes are then made after inputting the new changes to confirm the calibration tolerances. The process is repeated until the required tolerance is satisfied.**

COMMENTS: No data for the month of July due to construction.

NAME OF PREPARER: Zoltan Zeisky	PHONE: (609)-530-2992
DATE PREPARED: September 2, 2003	

SHEET 13 LTPP TRAFFIC DATA VEHICLE WEIGHT DATA TRANSMITTAL FORM	*STATE ASSIGNED ID	[NJ-295]
	*STATE CODE	[3 4]
	*SHRP SECTION ID	[4 0 4 2]

HIGHWAY RT. NO. (THIS SESSION) **I-295**

MILEPOST NO. OR LOCATION (THIS SESSION) **MP 39.6, Mount Laurel Township, 2 miles South of Route NJ-38.**

FILENAME: NONE
 NONE
 NONE

DISK ID:

BEGINNING DATE: **09-01-2003**

BEGINNING TIME: **00:00**

ENDING DATE: **09-30-2003**

ENDING TIME: **24:00**

COUNT DURATION: 1 [] HOURS [] DAYS [X] MONTHS

WEIGHT SCALE TYPE: PORT. WIM PERM. WIM **X** OTHER

EQUIPMENT MAKE/MODEL# **International Road Dynamics Piezo WIM System**

SENSOR TYPE: **Each lane has a single upstream loop and two (2) class I piezoelectric WIM sensors.**

VEHICLE CLASSIFICATION METHOD:

7-card FHWA 13 bin in cols. 18-19

7-card FHWA 13 bin in cols. 22-23

7-card 6 digit Truck Weight study

W-card **X**

OTHER

NAME OF AGENCY CLASSIFICATION SCHEME:

NO. OF BINS

NOTE: IF NOT PREVIOUSLY PROVIDED TO SHRP/LTPP, PLEASE ATTACH SHEET 6 DESCRIBING THE VEHICLE CLASSIFICATION CATEGORIES AND ALSO ATTACH SHEET 7 DESCRIBING HOW THE AGENCY WOULD CONVERT ITS CLASSIFICATION SCHEME TO THE FHWA 13 CLASS SYSTEM.

METHOD OF CALIBRATION AND FREQUENCY: **Calibration is field validated on each site once a year using one 3S2 vehicle loaded and statically weighed at about 70,000 to 80,000 pounds. A minimum of 20 passes is made per lane at highway speeds or until a consistent calibration tolerance of ± 5 percent of the gross test vehicle weight is achieved. The initial run consists of about 10 or more passes of the calibration vehicles and the weights recorded are averaged using only the consistently measured GVW. Another 10 or more passes are then made after inputting the new changes to confirm the calibration tolerances. The process is repeated until the required tolerance is satisfied.**

COMMENTS: No data for the month of September due to construction.

NAME OF PREPARER: Zoltan Zeisky	PHONE: (609)-530-2992
DATE PREPARED: October 3, 2003	

SHEET 13 LTTP TRAFFIC DATA VEHICLE WEIGHT DATA TRANSMITTAL FORM	*STATE ASSIGNED ID	[NJ-295]
	*STATE CODE	[3 4]
	*SHRP SECTION ID	[4 0 4 2]

HIGHWAY RT. NO. (THIS SESSION) **I-295**

MILEPOST NO. OR LOCATION (THIS SESSION) **MP 39.6, Mount Laurel Township, 2 miles South of Route NJ-38.**

FILENAME: NONE
NONE
NONE

DISK ID:

BEGINNING DATE: **10-01-2003**

BEGINNING TIME: **00:00**

ENDING DATE: **10-31-2003**

ENDING TIME: **24:00**

COUNT DURATION: 1 [] HOURS [] DAYS [X] MONTHS

WEIGHT SCALE TYPE: PORT. WIM PERM. WIM **X** OTHER

EQUIPMENT MAKE/MODEL# **International Road Dynamics Piezo WIM System**

SENSOR TYPE: **Each lane has a single upstream loop and two (2) class I piezoelectric WIM sensors.**

VEHICLE CLASSIFICATION METHOD:

7-card FHWA 13 bin in cols. 18-19

7-card FHWA 13 bin in cols. 22-23

7-card 6 digit Truck Weight study

W-card **X**

OTHER

NAME OF AGENCY CLASSIFICATION SCHEME:

NO. OF BINS

NOTE: IF NOT PREVIOUSLY PROVIDED TO SHRP/LTPP, PLEASE ATTACH SHEET 6 DESCRIBING THE VEHICLE CLASSIFICATION CATEGORIES AND ALSO ATTACH SHEET 7 DESCRIBING HOW THE AGENCY WOULD CONVERT ITS CLASSIFICATION SCHEME TO THE FHWA 13 CLASS SYSTEM.

METHOD OF CALIBRATION AND FREQUENCY: **Calibration is field validated on each site once a year using one 3S2 vehicle loaded and statically weighed at about 70,000 to 80,000 pounds. A minimum of 20 passes is made per lane at highway speeds or until a consistent calibration tolerance of ± 5 percent of the gross test vehicle weight is achieved. The initial run consists of about 10 or more passes of the calibration vehicles and the weights recorded are averaged using only the consistently measured GVW. Another 10 or more passes are then made after inputting the new changes to confirm the calibration tolerances. The process is repeated until the required tolerance is satisfied.**

COMMENTS: No data for the month of October due to construction.

NAME OF PREPARER: Zoltan Zeisky	PHONE: (609)-530-2992
DATE PREPARED: November 12, 2003	

SHEET 13 LTPP TRAFFIC DATA VEHICLE WEIGHT DATA TRANSMITTAL FORM	*STATE ASSIGNED ID	[NJ-295]
	*STATE CODE	[3 4]
	*SHRP SECTION ID	[4 0 4 2]

HIGHWAY RT. NO. (THIS SESSION) **I-295**

MILEPOST NO. OR LOCATION (THIS SESSION) **MP 39.6, Mount Laurel Township, 2 miles South of Route NJ-38.**

FILENAME: NONE
NONE
NONE

DISK ID:

BEGINNING DATE: **11-01-2003**

BEGINNING TIME: **00:00**

ENDING DATE: **11-30-2003**

ENDING TIME: **24:00**

COUNT DURATION: 1 [] HOURS [] DAYS [X] MONTHS

WEIGHT SCALE TYPE: PORT. WIM PERM. WIM **X** OTHER

EQUIPMENT MAKE/MODEL# **International Road Dynamics Piezo WIM System**

SENSOR TYPE: **Each lane has a single upstream loop and two (2) class I piezoelectric WIM sensors.**

VEHICLE CLASSIFICATION METHOD:

7-card FHWA 13 bin in cols. 18-19

7-card FHWA 13 bin in cols. 22-23

7-card 6 digit Truck Weight study

W-card **X**

OTHER

NAME OF AGENCY CLASSIFICATION SCHEME:

NO. OF BINS

NOTE: IF NOT PREVIOUSLY PROVIDED TO SHRP/LTPP, PLEASE ATTACH SHEET 6 DESCRIBING THE VEHICLE CLASSIFICATION CATEGORIES AND ALSO ATTACH SHEET 7 DESCRIBING HOW THE AGENCY WOULD CONVERT ITS CLASSIFICATION SCHEME TO THE FHWA 13 CLASS SYSTEM.

METHOD OF CALIBRATION AND FREQUENCY: **Calibration is field validated on each site once a year using one 3S2 vehicle loaded and statically weighed at about 70,000 to 80,000 pounds. A minimum of 20 passes is made per lane at highway speeds or until a consistent calibration tolerance of ± 5 percent of the gross test vehicle weight is achieved. The initial run consists of about 10 or more passes of the calibration vehicles and the weights recorded are averaged using only the consistently measured GVW. Another 10 or more passes are then made after inputting the new changes to confirm the calibration tolerances. The process is repeated until the required tolerance is satisfied.**

COMMENTS: **No data for the month of November due to construction.**

NAME OF PREPARER: Zoltan Zeisky	PHONE: (609)-530-2992
DATE PREPARED: December 9, 2003	

SHEET 13 LTPP TRAFFIC DATA VEHICLE WEIGHT DATA TRANSMITTAL FORM	*STATE ASSIGNED ID	[NJ-295]
	*STATE CODE	[3 4]
	*SHRP SECTION ID	[4 0 4 2]

HIGHWAY RT. NO. (THIS SESSION) *I-295*

MILEPOST NO. OR LOCATION (THIS SESSION) *MP 39.6, Mount Laurel Township, 2 miles South of Route NJ-38.*

FILENAME: NONE DISK ID:
 NONE
 NONE

BEGINNING DATE: *12-01-2003* BEGINNING TIME: *00:00*

ENDING DATE: *12-31-2003* ENDING TIME: *24:00*

COUNT DURATION: 1 [] HOURS [] DAYS [X] MONTHS

WEIGHT SCALE TYPE: PORT. WIM PERM. WIM *X* OTHER

EQUIPMENT MAKE/MODEL# *International Road Dynamics Piezo WIM System*

SENSOR TYPE: *Each lane has a single upstream loop and two (2) class I piezoelectric WIM sensors.*

VEHICLE CLASSIFICATION METHOD:
 7-card FHWA 13 bin in cols. 18-19 7-card FHWA 13 bin in cols. 22-23
 7-card 6 digit Truck Weight study W-card *X* OTHER

NAME OF AGENCY CLASSIFICATION SCHEME: NO. OF BINS

NOTE: IF NOT PREVIOUSLY PROVIDED TO SHRP/LTPP, PLEASE ATTACH SHEET 6 DESCRIBING THE VEHICLE CLASSIFICATION CATEGORIES AND ALSO ATTACH SHEET 7 DESCRIBING HOW THE AGENCY WOULD CONVERT ITS CLASSIFICATION SCHEME TO THE FHWA 13 CLASS SYSTEM.

METHOD OF CALIBRATION AND FREQUENCY: *Calibration is field validated on each site once a year using one 3S2 vehicle loaded and statically weighed at about 70,000 to 80,000 pounds. A minimum of 20 passes is made per lane at highway speeds or until a consistent calibration tolerance of ± 5 percent of the gross test vehicle weight is achieved. The initial run consists of about 10 or more passes of the calibration vehicles and the weights recorded are averaged using only the consistently measured GVW. Another 10 or more passes are then made after inputting the new changes to confirm the calibration tolerances. The process is repeated until the required tolerance is satisfied.*

COMMENTS: *No data for the month of December due to construction.*

NAME OF PREPARER: <i>Zoltan Zeisky</i>	PHONE: <i>(609)-530-2992</i>
DATE PREPARED: <i>January 16, 2004</i>	