

<b>SHEET 1</b> <b>LTPP TRAFFIC DATA</b> <b>SUMMARY TRANSMITTAL FORM</b>	*STATE ASSIGNED ID [ <u>1910</u> ]
	*STATE CODE [ <u>37</u> ]
	*SHRP SECTION ID [ <u>1006</u> ]

*Urban interstate - Use 1987 book for 1982-85*

STATE OR PROVINCE NORTH CAROLINA COUNTY WAKE

HIGHWAY ROUTE NO. I-40 MILEPOST# 291.30

NEAREST CITY/TOWN .25 mi. EAST of CARY NEAREST INTERSECTION .75 mi. EAST of NC 54

FUNCTIONAL CLASS 11 NO. LANES EACH DIRECTION 2 TOTAL NO. LANES 4

DIRECTION OF TRAVEL GPS LANE E DATE OPENED TO TRAF. 07-01-82

FIPS COUNTY CODE 183 FHWA STATION IDENTIFICATION NO. -

HPMS SAMPLE NO. - HPMS SUBDIVISION NO. -

TYPE OF PAVEMENT: AC ☒ PCC ☐ OTHER ☐

CONTROL OF ACCESS: YES ☒ NO ☐ MEDIAN: YES ☒ NO ☐

CURRENT SURROUNDING DEVELOPMENT:  
 URBAN ☐ SUBURBAN ☒ RURAL ☐

HAS INTENSITY OF ROADSIDE DEVELOPMENT INCREASED OVER PAST 10 YEARS?  
 YES ☐ NO ☒  
 IF YES, DESCRIBE CHANGES \_\_\_\_\_  
 \_\_\_\_\_  
 \_\_\_\_\_

**NOTE: ATTACH ALL RELATED FORMS AND COUNT DATA AND SUBMIT TO THE SHRP REGIONAL OFFICE. ATTACH MAP INDICATING THE LOCATION OF EACH TRAFFIC COUNT, VEHICLE CLASSIFICATION COUNT, OR WEIGHT STATION RELATIVE TO THIS GPS TEST SECTION.**

NAME OF PREPARER <u>Jerry Blackwelder</u>	PHONE # <u>(919) 250-4094</u>
DATE PREPARED <u>3-5-92</u>	

<p><b>SHEET 2</b></p> <p><b>LTPP TRAFFIC DATA</b></p> <p><b>TRAFFIC VOLUMES AND LOAD ESTIMATES</b></p>	<p>*STATE ASSIGNED ID [1910]</p> <p>*STATE CODE [37]</p> <p>*SHRP SECTION ID [1006]</p>
--	---

YEAR	1. ESTIMATED TOTAL VEHICLES AADT (TWO-WAY)	2. ESTIMATED TOTAL TRUCK AADT (TWO-WAY)	3. ESTIMATED TOTAL VEHICLES AADT GPS LANE	4. ESTIMATED TOTAL TRUCKS AADT GPS LANE	5. ESTIMATED ESAL'S / YR GPS LANE (1000's)
16.8 1989	40,800	6850	16320	2740	673
15.9 1988	34000	5410	13600	2160	531
15.0 1987	28300	4250	11320	1700	398
15.0 1986	23500	3530	9400	1410	330
15.0 1985	19,600	2940	7840	1180	276
15.0 1984	19,100	2870	7640	1150	269
15.2 1983	16500	2480	6600	990	232
1982					
1981					
1980					
1979					
1978					
1977					
1976					
1975					
1974					
1973					
1972					
1971					
1970					
1969					
1968					
1967					
1966					
1965					

NAME OF PREPARER _____	PHONE # _____
DATE PREPARED _____	

<b>SHEET 2</b>  <b>LTPP TRAFFIC DATA</b>  <b>TRAFFIC VOLUMES AND LOAD ESTIMATES</b>	*STATE ASSIGNED ID [ _ _ _ _ ] *STATE CODE [ 37 ] *SHRP SECTION ID [ 1006 ]
---	---

ENTERED FEB 20 1999

YEAR	1. ESTIMATED TOTAL VEHICLES AADT (TWO-WAY)	2. ESTIMATED TOTAL TRUCK AADT (TWO-WAY)	3. ESTIMATED TOTAL VEHICLES AADT GPS LANE	4. ESTIMATED TOTAL TRUCKS AADT GPS LANE	5. ESTIMATED ESAL'S / YR GPS LANE (1000's)
1989					
1988					
1987					
1986					
1985					
1984					
1983					
1982	14260	2143	5704	856	200
1981					
1980					
1979					
1978					
1977					
1976					
1975					
1974					
1973					
1972					
1971					
1970					
1969					
1968					
1967					
1966					
1965					

NAME OF PREPARER <u>S. MacDonald</u>	PHONE # <u>716-632-0804</u>
DATE PREPARED <u>24 FEB 1999</u>	

## SHEET 3

LTPP TRAFFIC DATA  
PROCEDURES FOR ESTIMATING  
ANNUAL AVERAGE VOLUMES AND  
TOTAL ANNUAL ESALS

\*STATE ASSIGNED ID [ \_ \_ \_ \_ ]

\*STATE CODE [ 32 ]

\*SHRP SECTION ID [ 1006 ]

1. Year Applicable 83

## 2. METHOD FOR ESTIMATING AADT

- ☐ Factored a single count taken this year at the GPS site.
- ☐ Averaged multiple counts taken this year at the GPS site.
- ☐ Averaged and factored multiple counts taken this year at the GPS site.
- ☐ Growth factored last year's estimate.
- ☐ Estimated based on volume counts at nearby locations.
- ☐ Used flow maps.
- ☐ Used computerized network analyses.
- ☒ Other: FACTORED BACKWARD FROM 1984

3. METHOD FOR ESTIMATING TRUCK  
VOLUMES OR PERCENTAGES

- ☐ Used a single count taken this year at the GPS site.
- ☐ Factored a single count taken this year at the GPS site.
- ☐ Averaged multiple counts taken this year at the GPS site.
- ☐ Used system averages from counts taken this year.
- ☐ Used count data from nearby sites.
- ☐ Used count data taken in earlier years at the GPS site.
- ☐ Used system averages taken in earlier years at the GPS site.
- ☐ Used computerized network analyses.
- ☒ Other: 1982 SYSTEM AVERAGE

4. METHOD FOR ESTIMATING AADT  
BY GPS LANE

- ☐ Based on actual lane count data.
- ☐ System distribution factors.
- ☒ Other: ASSUMED 50/50 DIRECTION SPLIT AND 0.8 LANE FACTOR

5. METHOD FOR ESTIMATING TRUCK AADT  
IN GPS LANES

- ☐ Based on actual lane count data.
- ☐ System distribution factors.
- ☒ Other: ASSUMED 50/50 DIRECTION SPLIT AND 0.8 LANE FACTOR

## 6. METHOD FOR ESTIMATING ESAL/VEHICLE

- ☐ ESAL/Truck.
- ☒ ESAL/Vehicle class. (no. of classes) 10
- ☐ Other: \_\_\_\_\_

## 7. ESAL ESTIMATES

## (A) Source of Data

- ☐ Weight data collected at GPS site this year.
- ☐ Weight data collected at GPS site prior years.
- ☐ Weight data from system averages this year.
- ☐ Weight data from system averages prior years.
- ☐ Weight data from historic W-4 Tables used.
- ☒ Other: 1982 SYSTEM AVERAGE

## (B) Weight Scale Type

- ☒ WIM scale.
- ☐ Static scale used for enforcement.
- ☐ Static scale not used for enforcement.
- ☐ Other: \_\_\_\_\_

NAME OF PREPARER \_\_\_\_\_ PHONE # \_\_\_\_\_

DATE PREPARED \_\_\_\_\_

**SHEET 3**

**LTPP TRAFFIC DATA  
PROCEDURES FOR ESTIMATING  
ANNUAL AVERAGE VOLUMES AND  
TOTAL ANNUAL ESALS**

\*STATE ASSIGNED ID [ \_ \_ \_ \_ ]  
 \*STATE CODE [ 37 ]  
 \*SHRP SECTION ID [ 1006 ]

1. Year Applicable 84-86

**2. METHOD FOR ESTIMATING AADT**

- ☐ Factored a single count taken this year at the GPS site.
- ☐ Averaged multiple counts taken this year at the GPS site.
- ☐ Averaged and factored multiple counts taken this year at the GPS site.
- ☐ Growth factored last year's estimate.
- ☐ Estimated based on volume counts at nearby locations.
- ☒ Used flow maps.
- ☐ Used computerized network analyses.
- ☐ Other: \_\_\_\_\_

**3. METHOD FOR ESTIMATING TRUCK  
VOLUMES OR PERCENTAGES**

- ☐ Used a single count taken this year at the GPS site.
- ☐ Factored a single count taken this year at the GPS site.
- ☐ Averaged multiple counts taken this year at the GPS site.
- ☐ Used system averages from counts taken this year.
- ☐ Used count data from nearby sites.
- ☐ Used count data taken in earlier years at the GPS site.
- ☐ Used system averages taken in earlier years at the GPS site.
- ☐ Used computerized network analyses.
- ☒ Other: 1987 SYSTEM AVERAGES

**4. METHOD FOR ESTIMATING AADT  
BY GPS LANE**

- ☐ Based on actual lane count data.
- ☐ System distribution factors.
- ☒ Other: ASSUMED 50/50 DIRECTION  
SPLIT AND 0.8 LANE FACTOR

**5. METHOD FOR ESTIMATING TRUCK AADT  
IN GPS LANES**

- ☐ Based on actual lane count data.
- ☐ System distribution factors.
- ☒ Other: ASSUMED 50/50 DIRECTION  
SPLIT AND 0.8 LANE FACTOR

**6. METHOD FOR ESTIMATING ESAL/VEHICLE**

- ☐ ESAL/Truck.
- ☒ ESAL/Vehicle class. (no. of classes) 10
- ☐ Other: \_\_\_\_\_

**7. ESAL ESTIMATES**

**(A) Source of Data**

- ☐ Weight data collected at GPS site this year.
- ☐ Weight data collected at GPS site prior years.
- ☐ Weight data from system averages this year.
- ☐ Weight data from system averages prior years.
- ☐ Weight data from historic W-4 Tables used.
- ☒ Other: 1987 SYSTEM AVERAGES

**(B) Weight Scale Type**

- ☒ WIM scale.
- ☐ Static scale used for enforcement.
- ☐ Static scale not used for enforcement.
- ☐ Other: \_\_\_\_\_

NAME OF PREPARER \_\_\_\_\_

PHONE # \_\_\_\_\_

DATE PREPARED \_\_\_\_\_

**SHEET 3**

**LTPP TRAFFIC DATA  
PROCEDURES FOR ESTIMATING  
ANNUAL AVERAGE VOLUMES AND  
TOTAL ANNUAL ESALS**

\*STATE ASSIGNED ID [ \_ \_ \_ \_ ]  
 \*STATE CODE (32)  
 \*SHRP SECTION ID (1006)

1. Year Applicable 87

**2. METHOD FOR ESTIMATING AADT**

- ☐ Factored a single count taken this year at the GPS site.
- ☐ Averaged multiple counts taken this year at the GPS site.
- ☐ Averaged and factored multiple counts taken this year at the GPS site.
- ☐ Growth factored last year's estimate.
- ☐ Estimated based on volume counts at nearby locations.
- ☒ Used flow maps.
- ☐ Used computerized network analyses.
- ☐ Other: \_\_\_\_\_

**3. METHOD FOR ESTIMATING TRUCK VOLUMES OR PERCENTAGES**

- ☐ Used a single count taken this year at the GPS site.
- ☐ Factored a single count taken this year at the GPS site.
- ☐ Averaged multiple counts taken this year at the GPS site.
- ☒ Used system averages from counts taken this year.
- ☐ Used count data from nearby sites.
- ☐ Used count data taken in earlier years at the GPS site.
- ☐ Used system averages taken in earlier years at the GPS site.
- ☐ Used computerized network analyses.
- ☐ Other: \_\_\_\_\_

**4. METHOD FOR ESTIMATING AADT BY GPS LANE**

- ☐ Based on actual lane count data.
- ☐ System distribution factors.
- ☒ Other: ASSUMED 50/50 DIRECTION SPLIT AND 0.8 LANE FACTOR

**5. METHOD FOR ESTIMATING TRUCK AADT IN GPS LANES**

- ☐ Based on actual lane count data.
- ☐ System distribution factors.
- ☒ Other: ASSUMED 50/50 DIRECTION SPLIT AND 0.8 LANE FACTOR

**6. METHOD FOR ESTIMATING ESAL/VEHICLE**

- ☐ ESAL/Truck.
- ☒ ESAL/Vehicle class. (no. of classes) 10
- ☐ Other: \_\_\_\_\_

**7. ESAL ESTIMATES**

**(A) Source of Data**

- ☐ Weight data collected at GPS site this year.
- ☐ Weight data collected at GPS site prior years.
- ☒ Weight data from system averages this year.
- ☐ Weight data from system averages prior years.
- ☐ Weight data from historic W-4 Tables used.
- ☐ Other: \_\_\_\_\_

**(B) Weight Scale Type**

- ☒ WIM scale.
- ☐ Static scale used for enforcement.
- ☐ Static scale not used for enforcement.
- ☐ Other: \_\_\_\_\_

NAME OF PREPARER \_\_\_\_\_

PHONE # \_\_\_\_\_

DATE PREPARED \_\_\_\_\_

## SHEET 3

# LTPP TRAFFIC DATA PROCEDURES FOR ESTIMATING ANNUAL AVERAGE VOLUMES AND TOTAL ANNUAL ESALS

\*STATE ASSIGNED ID [ \_ \_ \_ \_ ]

\*STATE CODE [ 32 ]

\*SHRP SECTION ID [ 1006 ]

1. Year Applicable 88, 89

## 2. METHOD FOR ESTIMATING AADT

- ☐ Factored a single count taken this year at the GPS site.  
☐ Averaged multiple counts taken this year at the GPS site.  
☐ Averaged and factored multiple counts taken this year at the GPS site.  
☐ Growth factored last year's estimate.  
☐ Estimated based on volume counts at nearby locations.  
☒ Used flow maps.  
☐ Used computerized network analyses.  
☐ Other: \_\_\_\_\_

## 3. METHOD FOR ESTIMATING TRUCK VOLUMES OR PERCENTAGES

- ☐ Used a single count taken this year at the GPS site.  
☐ Factored a single count taken this year at the GPS site.  
☐ Averaged multiple counts taken this year at the GPS site.  
☒ Used system averages from counts taken this year.  
☐ Used count data from nearby sites.  
☐ Used count data taken in earlier years at the GPS site.  
☐ Used system averages taken in earlier years at the GPS site.  
☐ Used computerized network analyses.  
☐ Other: \_\_\_\_\_

## 4. METHOD FOR ESTIMATING AADT BY GPS LANE

- ☐ Based on actual lane count data.  
☐ System distribution factors.  
☒ Other: ASSUMED 50/50 DIRECTION  
SPLIT AND 0.8 LANE FACTOR

## 5. METHOD FOR ESTIMATING TRUCK AADT IN GPS LANES

- ☐ Based on actual lane count data.  
☐ System distribution factors.  
☒ Other: ASSUMED 50/50 DIRECTION  
SPLIT AND 0.8 LANE FACTOR

## 6. METHOD FOR ESTIMATING ESAL/VEHICLE

- ☐ ESAL/Truck.  
☒ ESAL/Vehicle class. (no. of classes) 5  
☐ Other: \_\_\_\_\_

## 7. ESAL ESTIMATES

## (A) Source of Data

- ☐ Weight data collected at GPS site this year.  
☐ Weight data collected at GPS site prior years.  
☒ Weight data from system averages this year.  
☐ Weight data from system averages prior years.  
☐ Weight data from historic W-4 Tables used.  
☐ Other: \_\_\_\_\_

## (B) Weight Scale Type

- ☒ WIM scale.  
☐ Static scale used for enforcement.  
☐ Static scale not used for enforcement.  
☐ Other: \_\_\_\_\_

NAME OF PREPARER \_\_\_\_\_

PHONE # \_\_\_\_\_

DATE PREPARED \_\_\_\_\_