

SHEET 1 LTPP TRAFFIC DATA SUMMARY TRANSMITTAL FORM	*STATE ASSIGNED ID [<u>3 2 2 0</u>]
	*STATE CODE [<u>3 7</u>]
	*SHRP SECTION ID [<u>3 0 0 8</u>]

Other principal arterial - Urban

STATE OR PROVINCE NORTH CAROLINA COUNTY CLEVELAND
 HIGHWAY ROUTE NO. US 74 MILEPOST# 22.93
 NEAREST CITY/TOWN KINGS MOUNTAIN NEAREST INTERSECTION 0.5 mi. W. of NC 216
 FUNCTIONAL CLASS 12 NO. LANES EACH DIRECTION 2 TOTAL NO. LANES 4
 DIRECTION OF TRAVEL GPS LANE E DATE OPENED TO TRAF. 06-01-84
 FIPS COUNTY CODE 045 FHWA STATION IDENTIFICATION NO. —
 HPMS SAMPLE NO. — HPMS SUBDIVISION NO. —
 TYPE OF PAVEMENT: AC — PCC ✓ OTHER —
 CONTROL OF ACCESS: YES ✓ NO — MEDIAN: YES ✓ NO —
 CURRENT SURROUNDING DEVELOPMENT:
 URBAN ✓ SUBURBAN — RURAL —
 HAS INTENSITY OF ROADSIDE DEVELOPMENT INCREASED OVER PAST 10 YEARS?
 YES — NO ✓
 IF YES, DESCRIBE CHANGES —
—
—

NOTE: ATTACH ALL RELATED FORMS AND COUNT DATA AND SUBMIT TO THE
SHRP REGIONAL OFFICE. ATTACH MAP INDICATING THE LOCATION OF
EACH TRAFFIC COUNT, VEHICLE CLASSIFICATION COUNT, OR WEIGHT
STATION RELATIVE TO THIS GPS TEST SECTION.

NAME OF PREPARER <u>Jerry Blackwelder</u>	PHONE # <u>(919) 250-4094</u>
DATE PREPARED <u>3-5-92</u>	

SHEET 2 LTPP TRAFFIC DATA TRAFFIC VOLUMES AND LOAD ESTIMATES	*STATE ASSIGNED ID [_ _ _ _] *STATE CODE [<u>37</u>] *SHRP SECTION ID [<u>3008</u>]
---	---

ENTERED FEB 28 1999

YEAR	1. ESTIMATED TOTAL VEHICLES AADT (TWO-WAY)	2. ESTIMATED TOTAL TRUCK AADT (TWO-WAY)	3. ESTIMATED TOTAL VEHICLES AADT GPS LANE	4. ESTIMATED TOTAL TRUCKS AADT GPS LANE	5. ESTIMATED ESAL'S / YR GPS LANE (1000's)
1989					
1988					
1987					
1986					
1985					
1984	<u>8500</u>	<u>210</u>	<u>3420</u>	<u>87</u>	<u>26</u>
1983					
1982					
1981					
1980					
1979					
1978					
1977					
1976					
1975					
1974					
1973					
1972					
1971					
1970					
1969					
1968					
1967					
1966					
1965					

NAME OF PREPARER <u>S. MacDonald</u>	PHONE # <u>716-632-0804</u>
DATE PREPARED <u>24 FEB 1999</u>	

<p align="center">SHEET 2</p> <p align="center">LTPP TRAFFIC DATA</p> <p align="center">TRAFFIC VOLUMES AND LOAD ESTIMATES</p>	*STATE ASSIGNED ID [3220]
	*STATE CODE [37]
	*SHRP SECTION ID [3008]

YEAR	1. ESTIMATED TOTAL VEHICLES AADT (TWO-WAY)	2. ESTIMATED TOTAL TRUCK AADT (TWO-WAY)	3. ESTIMATED TOTAL VEHICLES AADT GPS LANE	4. ESTIMATED TOTAL TRUCKS AADT GPS LANE	5. ESTIMATED ESAL'S / YR GPS LANE (1000's)
9.9 1989	11700	1100	4680	440	133
11.7 1988	10670	1250	4270	499	127
9.9 1987	11647	1150	4660	461	140
3.3 1986	9900	330	3960	131	40
2.9 1985	9200	270	3680	107	33
1984					
1983					
1982					
1981					
1980					
1979					
1978					
1977					
1976					
1975					
1974					
1973					
1972					
1971					
1970					
1969					
1968					
1967					
1966					
1965					

NAME OF PREPARER _____	PHONE # _____
DATE PREPARED _____	

SHEET 3

LTPP TRAFFIC DATA PROCEDURES FOR ESTIMATING ANNUAL AVERAGE VOLUMES AND TOTAL ANNUAL ESALS

*STATE ASSIGNED ID (_ _ _ _)

*STATE CODE 1371

*SIMP SECTION ID (3008)

1. Year Applicable 85, 86

2. METHOD FOR ESTIMATING AADT

- ☐ Factored a single count taken this year at the GPS site.
☐ Averaged multiple counts taken this year at the GPS site.
☐ Averaged and factored multiple counts taken this year at the GPS site.
☐ Growth factored last year's estimate.
☐ Estimated based on volume counts at nearby locations.
☐ Used flow maps.
☐ Used computerized network analyses.
☒ Other: EXTRAPOLATED 87-91 ESTIMATES

3. METHOD FOR ESTIMATING TRUCK VOLUMES OR PERCENTAGES

- ☐ Used a single count taken this year at the GPS site.
☐ Factored a single count taken this year at the GPS site.
☐ Averaged multiple counts taken this year at the GPS site.
☒ Used system averages from counts taken this year.
☐ Used count data from nearby sites.
☐ Used count data taken in earlier years at the GPS site.
☐ Used system averages taken in earlier years at the GPS site.
☐ Used computerized network analyses.
☐ Other: _____

4. METHOD FOR ESTIMATING AADT BY GPS LANE

- ☐ Based on actual lane count data.
☐ System distribution factors.
☒ Other: ASSUMED 50/50 DIRECTION SPLIT AND 0.8 LANE FACTOR

5. METHOD FOR ESTIMATING TRUCK AADT IN GPS LANES

- ☐ Based on actual lane count data.
☐ System distribution factors.
☒ Other: ASSUMED 50/50 DIRECTION SPLIT AND 0.8 LANE FACTOR

6. METHOD FOR ESTIMATING ESAL/VEHICLE

- ☐ ESAL/Truck.
☒ ESAL/Vehicle class. (no. of classes) 10
☐ Other: _____

7. ESAL ESTIMATES

(A) Source of Data

- ☐ Weight data collected at GPS site this year.
☐ Weight data collected at GPS site prior years.
☐ Weight data from system averages this year.
☐ Weight data from system averages prior years.
☐ Weight data from historic W-4 Tables used.
☒ Other: 1987 SYSTEM AVERAGES

(B) Weight Scale Type

- ☒ WIM scale.
☐ Static scale used for enforcement.
☐ Static scale not used for enforcement.
☐ Other: _____

NAME OF PREPARER _____

PHONE # _____

DATE PREPARED _____

SHEET 3

**LTPP TRAFFIC DATA
PROCEDURES FOR ESTIMATING
ANNUAL AVERAGE VOLUMES AND
TOTAL ANNUAL ESALS**

*STATE ASSIGNED ID (_ _ _ _)

*STATE CODE 1371

*SHIP SECTION ID 130081

1. Year Applicable 87

2. METHOD FOR ESTIMATING AADT

- ☐ Factored a single count taken this year at the GPS site.
- ☐ Averaged multiple counts taken this year at the GPS site.
- ☐ Averaged and factored multiple counts taken this year at the GPS site.
- ☐ Growth factored last year's estimate.
- ☐ Estimated based on volume counts at nearby locations.
- ☒ Used flow maps.
- ☐ Used computerized network analyses.
- ☐ Other: _____

**3. METHOD FOR ESTIMATING TRUCK
VOLUMES OR PERCENTAGES**

- ☐ Used a single count taken this year at the GPS site.
- ☐ Factored a single count taken this year at the GPS site.
- ☐ Averaged multiple counts taken this year at the GPS site.
- ☒ Used system averages from counts taken this year.
- ☐ Used count data from nearby sites.
- ☐ Used count data taken in earlier years at the GPS site.
- ☐ Used system averages taken in earlier years at the GPS site.
- ☐ Used computerized network analyses.
- ☐ Other: _____

**4. METHOD FOR ESTIMATING AADT
BY GPS LANE**

- ☐ Based on actual lane count data.
- ☐ System distribution factors.
- ☒ Other: ASSUMED 50/50 DIRECTION
SPLIT AND 0.8 LANE FACTOR

**5. METHOD FOR ESTIMATING TRUCK AADT
IN GPS LANES**

- ☐ Based on actual lane count data.
- ☐ System distribution factors.
- ☒ Other: ASSUMED 50/50 DIRECTION
SPLIT AND 0.8 LANE FACTOR

6. METHOD FOR ESTIMATING ESAL/VEHICLE

- ☐ ESAL/Truck.
- ☒ ESAL/Vehicle class. (no. of classes) 10
- ☐ Other: _____

7. ESAL ESTIMATES

(A) Source of Data

- ☐ Weight data collected at GPS site this year.
- ☐ Weight data collected at GPS site prior years.
- ☒ Weight data from system averages this year.
- ☐ Weight data from system averages prior years.
- ☐ Weight data from historic W-4 Tables used.
- ☐ Other: _____

(B) Weight Scale Type

- ☒ WIM scale.
- ☐ Static scale used for enforcement.
- ☐ Static scale not used for enforcement.
- ☐ Other: _____

NAME OF PREPARER _____

PHONE # _____

DATE PREPARED _____

SHEET 3

**LTPP TRAFFIC DATA
PROCEDURES FOR ESTIMATING
ANNUAL AVERAGE VOLUMES AND
TOTAL ANNUAL ESALS**

*STATE ASSIGNED ID (_ _ _ _)
*STATE CODE 1371
*SHIP SECTION ID 130081

1. Year Applicable 88

2. METHOD FOR ESTIMATING AADT

- ☐ Factored a single count taken this year at the GPS site.
- ☐ Averaged multiple counts taken this year at the GPS site.
- ☐ Averaged and factored multiple counts taken this year at the GPS site.
- ☐ Growth factored last year's estimate.
- ☐ Estimated based on volume counts at nearby locations.
- ☒ Used flow maps.
- ☐ Used computerized network analyses.
- ☐ Other: _____

3. METHOD FOR ESTIMATING TRUCK VOLUMES OR PERCENTAGES

- ☐ Used a single count taken this year at the GPS site.
- ☐ Factored a single count taken this year at the GPS site.
- ☐ Averaged multiple counts taken this year at the GPS site.
- ☒ Used system averages from counts taken this year.
- ☐ Used count data from nearby sites.
- ☐ Used count data taken in earlier years at the GPS site.
- ☐ Used system averages taken in earlier years at the GPS site.
- ☐ Used computerized network analyses.
- ☐ Other: _____

4. METHOD FOR ESTIMATING AADT BY GPS LANE

- ☐ Based on actual lane count data.
- ☐ System distribution factors.
- ☒ Other: ASSUMED 50/50 DIRECTION SPLIT AND 0.8 LANE FACTOR

5. METHOD FOR ESTIMATING TRUCK AADT IN GPS LANES

- ☐ Based on actual lane count data.
- ☐ System distribution factors.
- ☒ Other: ASSUMED 50/50 DIRECTION SPLIT AND 0.8 LANE FACTOR

6. METHOD FOR ESTIMATING ESAL/VEHICLE

- ☐ ESAL/Truck.
- ☒ ESAL/Vehicle class. (no. of classes) 5
- ☐ Other: _____

7. ESAL ESTIMATES

(A) Source of Data

- ☐ Weight data collected at GPS site this year.
- ☐ Weight data collected at GPS site prior years.
- ☒ Weight data from system averages this year.
- ☐ Weight data from system averages prior years.
- ☐ Weight data from historic W-4 Tables used.
- ☐ Other: _____

(B) Weight Scale Type

- ☒ WIM scale.
- ☐ Static scale used for enforcement.
- ☐ Static scale not used for enforcement.
- ☐ Other: _____

NAME OF PREPARER _____

PHONE # _____

DATE PREPARED _____

SHEET 3

**LTPP TRAFFIC DATA
PROCEDURES FOR ESTIMATING
ANNUAL AVERAGE VOLUMES AND
TOTAL ANNUAL ESALS**

*STATE ASSIGNED ID (_ _ _ _)
*STATE CODE 1371
*SHIP SECTION ID 130081

1. Year Applicable 89

2. METHOD FOR ESTIMATING AADT

- ☐ Factored a single count taken this year at the GPS site.
- ☐ Averaged multiple counts taken this year at the GPS site.
- ☐ Averaged and factored multiple counts taken this year at the GPS site.
- ☒ Growth factored last year's estimate.
- ☐ Estimated based on volume counts at nearby locations.
- ☐ Used flow maps.
- ☐ Used computerized network analyses.
- ☐ Other: _____

**3. METHOD FOR ESTIMATING TRUCK
VOLUMES OR PERCENTAGES**

- ☐ Used a single count taken this year at the GPS site.
- ☐ Factored a single count taken this year at the GPS site.
- ☐ Averaged multiple counts taken this year at the GPS site.
- ☒ Used system averages from counts taken this year.
- ☐ Used count data from nearby sites.
- ☐ Used count data taken in earlier years at the GPS site.
- ☐ Used system averages taken in earlier years at the GPS site.
- ☐ Used computerized network analyses.
- ☐ Other: _____

**4. METHOD FOR ESTIMATING AADT
BY GPS LANE**

- ☐ Based on actual lane count data.
- ☐ System distribution factors.
- ☒ Other: ASSUMED 50/50 DIRECTION
SPLIT AND 0.8 LANE FACTOR

**5. METHOD FOR ESTIMATING TRUCK AADT
IN GPS LANES**

- ☐ Based on actual lane count data.
- ☐ System distribution factors.
- ☒ Other: ASSUMED 50/50 DIRECTION
SPLIT AND 0.8 LANE FACTOR

6. METHOD FOR ESTIMATING ESAL/VEHICLE

- ☐ ESAL/Truck.
- ☒ ESAL/Vehicle class. (no. of classes) 5
- ☐ Other: _____

7. ESAL ESTIMATES

(A) Source of Data

- ☐ Weight data collected at GPS site this year.
- ☐ Weight data collected at GPS site prior years.
- ☒ Weight data from system averages this year.
- ☐ Weight data from system averages prior years.
- ☐ Weight data from historic W-4 Tables used.
- ☐ Other: _____

(B) Weight Scale Type

- ☒ WIM scale.
- ☐ Static scale used for enforcement.
- ☐ Static scale not used for enforcement.
- ☐ Other: _____

NAME OF PREPARER _____

PHONE # _____

DATE PREPARED _____