

<b>SHEET 1</b> <b>LTPP TRAFFIC DATA</b> <b>SUMMARY TRANSMITTAL FORM</b>	*STATE ASSIGNED ID [5100]
	*STATE CODE [37]
	*SHRP SECTION ID [5037]

Urban Intersect - use 1987 % for 73-87 - STA 982

STATE OR PROVINCE NORTH CAROLINA COUNTY Buncombe

HIGHWAY ROUTE NO. I-40 MILEPOST# 54.52

NEAREST CITY/TOWN Oteen NEAREST INTERSECTION 0.75 mi. W. of SR 2838

FUNCTIONAL CLASS 11 NO. LANES EACH DIRECTION 2 TOTAL NO. LANES 4

DIRECTION OF TRAVEL GPS LANE W DATE OPENED TO TRAF. 10-01-72

FIPS COUNTY CODE 021 FHWA STATION IDENTIFICATION NO. -

HPMS SAMPLE NO. 000000101540 HPMS SUBDIVISION NO. -

TYPE OF PAVEMENT: AC        PCC ✓ OTHER       

CONTROL OF ACCESS: YES ✓ NO        MEDIAN: YES ✓ NO       

CURRENT SURROUNDING DEVELOPMENT:  
 URBAN ✓ SUBURBAN        RURAL       

HAS INTENSITY OF ROADSIDE DEVELOPMENT INCREASED OVER PAST 10 YEARS?  
 YES        NO ✓  
 IF YES, DESCRIBE CHANGES         
        
      

**NOTE: ATTACH ALL RELATED FORMS AND COUNT DATA AND SUBMIT TO THE SHRP REGIONAL OFFICE. ATTACH MAP INDICATING THE LOCATION OF EACH TRAFFIC COUNT, VEHICLE CLASSIFICATION COUNT, OR WEIGHT STATION RELATIVE TO THIS GPS TEST SECTION.**

NAME OF PREPARER <u>Jerry Blackwelder</u>	PHONE # <u>(919) 250-4094</u>
DATE PREPARED <u>3-5-92</u>	

<b>SHEET 2</b> <b>LTPP TRAFFIC DATA</b> <b>TRAFFIC VOLUMES</b> <b>AND LOAD ESTIMATES</b>	*STATE ASSIGNED ID [5100] *STATE CODE [37] *SHRP SECTION ID [5037]
---	--

YEAR	1. ESTIMATED TOTAL VEHICLES AADT (TWO-WAY)	2. ESTIMATED TOTAL TRUCK AADT (TWO-WAY)	3. ESTIMATED TOTAL VEHICLES AADT GPS LANE	4. ESTIMATED TOTAL TRUCKS AADT GPS LANE	5. ESTIMATED ESAL'S / YR GPS LANE (1000's)
1989	28,500	4790	11400	1920	620
1988	29700	4720	11880	1890	585
1987	30,900	4420	12360	1770	532
1986	27800	4260	11920	1710	514
1985	28,800	4120	11520	1650	496
1984	26800	3830	10720	1530	460
1983	24,940	3570	9980	1430	430
1982	22,000	3150	8800	1260	378
1981	20,311	2900	8120	1160	348
1980	16,995	2430	6800	972	292
1979	16,500	2360	6600	944	284
1978	15,500	2220	6200	887	266
1977	13,000	1860	5200	744	223
1976	13,000	1860	5200	744	223
1975	12000	1720	4800	686	206
1974	11300	1620	4520	646	194
1973	10900	1560	4360	623	187
1972					
1971					
1970					
1969					
1968					
1967					
1966					
1965					

NAME OF PREPARER _____	PHONE # _____
DATE PREPARED _____	

ENTERED JUL 17 2000

SHEET 2  
LTPP TRAFFIC DATATRAFFIC VOLUMES  
AND LOAD ESTIMATES

\*STATE ASSIGNED ID [\_\_\_\_\_]

\*STATE CODE [37]

\*SHRP SECTION ID [5037]

Corrected Numbers.

ENTERED SEP 08 2000

*YEAR	1. ESTIMATED TOTAL VEHICLES AADT (TWO-WAY)	2. ESTIMATED TOTAL TRUCK AADT (TWO-WAY)	3. ESTIMATED TOTAL VEHICLES AADT LTPP LANE	*4. ESTIMATED TOTAL TRUCKS AADT LTPP LANE	*5. ESTIMATED ESALS/YEAR LTPP LANE (100'S)
1989					
1988					
1987					
1986	29 800	4260	11920	1710	514
1985	12606 <sup>30016</sup>	4289	12006 <del>515</del>	1713	30016 <sup>615</sup>
1984	26800	3830	10730	1530	460
1983					
1982					
1981					
1980					
1979					
1978					
1977					
1976					
1975					
1974					
1973					
1972					
1971					
1970					
1969					
1968					
1967					
1966					
1965					

NAME OF PREPARER Michael Ashbrook  
DATE PREPARED 7/7/00PHONE # 919-733-4796

Rev. November 8, 1999

Basel Blankholder  
9/8/00

Columns were switched.

**SHEET 3**

**LTPP TRAFFIC DATA  
PROCEDURES FOR ESTIMATING  
ANNUAL AVERAGE VOLUMES AND  
TOTAL ANNUAL ESALS**

\*STATE ASSIGNED ID [ ]

\*STATE CODE 131

\*BUMP SECTION ID 150321

1. Year Applicable 73-75

**2. METHOD FOR ESTIMATING AADT**

- ☐ Factored a single count taken this year at the GPS site.
- ☐ Averaged multiple counts taken this year at the GPS site.
- ☐ Averaged and factored multiple counts taken this year at the GPS site.
- ☐ Growth factored last year's estimate.
- ☐ Estimated based on volume counts at nearby locations.
- ☐ Used flow maps.
- ☐ Used computerized network analyses.
- ☒ Other: EXTRAPOLATED FROM 1976-1991 FIGURES

**3. METHOD FOR ESTIMATING TRUCK VOLUMES OR PERCENTAGES**

- ☐ Used a single count taken this year at the GPS site.
- ☐ Factored a single count taken this year at the GPS site.
- ☐ Averaged multiple counts taken this year at the GPS site.
- ☒ Used system averages from counts taken this year.
- ☐ Used count data from nearby sites.
- ☐ Used count data taken in earlier years at the GPS site.
- ☐ Used system averages taken in earlier years at the GPS site.
- ☐ Used computerized network analyses.
- ☒ Other: 1982 COUNTS AT GPS

**4. METHOD FOR ESTIMATING AADT BY GPS LANE**

- ☐ Based on actual lane count data.
- ☐ System distribution factors.
- ☒ Other: ASSUMED 50/50 DIRECTION SPLIT AND 0.8 LANE FACTOR

**5. METHOD FOR ESTIMATING TRUCK AADT IN GPS LANES**

- ☐ Based on actual lane count data.
- ☐ System distribution factors.
- ☒ Other: ASSUMED 50/50 DIRECTION SPLIT AND 0.8 LANE FACTOR

**6. METHOD FOR ESTIMATING ESAL/VEHICLE**

- ☐ ESAL/Truck.
- ☒ ESAL/Vehicle class. (no. of classes) 10
- ☐ Other: \_\_\_\_\_

**7. ESAL ESTIMATES**

**(A) Source of Data**

- ☐ Weight data collected at GPS site this year.
- ☐ Weight data collected at GPS site prior years.
- ☐ Weight data from system averages this year.
- ☐ Weight data from system averages prior years.
- ☐ Weight data from historic W-4 Tables used.
- ☒ Other: 1987 SYSTEM AVERAGES

**(B) Weight Scale Type**

- ☒ WIM scale.
- ☐ Static scale used for enforcement.
- ☐ Static scale not used for enforcement.
- ☐ Other: \_\_\_\_\_

NAME OF PREPARED \_\_\_\_\_

PHONE # \_\_\_\_\_

DATE PREPARED \_\_\_\_\_

**SHEET 3**

**LTPP TRAFFIC DATA  
PROCEDURES FOR ESTIMATING  
ANNUAL AVERAGE VOLUMES AND  
TOTAL ANNUAL ESALS**

\*STATE ASSIGNED ID ( \_ \_ \_ \_ )

\*STATE CODE 1371

\*BUMP SECTION ID 150321

1. Year Applicable 76-86

**2. METHOD FOR ESTIMATING AADT**

- ☐ Factored a single count taken this year at the GPS site.
- ☐ Averaged multiple counts taken this year at the GPS site.
- ☐ Averaged and factored multiple counts taken this year at the GPS site.
- ☐ Growth factored last year's estimate.
- ☐ Estimated based on volume counts at nearby locations.
- ☒ Used flow maps.
- ☐ Used computerized network analyses.
- ☐ Other: \_\_\_\_\_

**3. METHOD FOR ESTIMATING TRUCK  
VOLUMES OR PERCENTAGES**

- ☐ Used a single count taken this year at the GPS site.
- ☐ Factored a single count taken this year at the GPS site.
- ☐ Averaged multiple counts taken this year at the GPS site.
- ☒ Used system averages from counts taken this year.
- ☐ Used count data from nearby sites.
- ☐ Used count data taken in earlier years at the GPS site.
- ☐ Used system averages taken in earlier years at the GPS site.
- ☐ Used computerized network analyses.
- ☒ Other: 1987 COUNTS AT GPS

**4. METHOD FOR ESTIMATING AADT  
BY GPS LANE**

- ☐ Based on actual lane count data.
- ☐ System distribution factors.
- ☒ Other: ASSUMED 50/50 DIRECTION  
SPLIT AND 0.8 LANE FACTOR

**5. METHOD FOR ESTIMATING TRUCK AADT  
IN GPS LANES**

- ☐ Based on actual lane count data.
- ☐ System distribution factors.
- ☒ Other: ASSUMED 50/50 DIRECTION  
SPLIT AND 0.8 LANE FACTOR

**6. METHOD FOR ESTIMATING ESAL/VEHICLE**

- ☐ ESAL/Truck.
- ☒ ESAL/Vehicle class. (no. of classes) 10
- ☐ Other: \_\_\_\_\_

**7. ESAL ESTIMATES**

**(A) Source of Data**

- ☐ Weight data collected at GPS site this year.
- ☐ Weight data collected at GPS site prior years.
- ☐ Weight data from system averages this year.
- ☐ Weight data from system averages prior years.
- ☐ Weight data from historic W-4 Tables used.
- ☒ Other: 1987 SYSTEM AVERAGES

**(B) Weight Scale Type**

- ☒ WIM scale.
- ☐ Static scale used for enforcement.
- ☐ Static scale not used for enforcement.
- ☐ Other: \_\_\_\_\_

NAME OF PREPARER \_\_\_\_\_

PHONE # \_\_\_\_\_

DATE PREPARED \_\_\_\_\_

## SHEET 3

# LTPP TRAFFIC DATA PROCEDURES FOR ESTIMATING ANNUAL AVERAGE VOLUMES AND TOTAL ANNUAL ESALS

\*STATE ASSIGNED ID ( \_ \_ \_ \_ )

\*STATE CODE 1311

\*BUMP SECTION ID 150221

1. Year Applicable 82

## 2. METHOD FOR ESTIMATING AADT

- ☐ Factored a single count taken this year at the GPS site.  
☐ Averaged multiple counts taken this year at the GPS site.  
☐ Averaged and factored multiple counts taken this year at the GPS site.  
☐ Growth factored last year's estimate.  
☐ Estimated based on volume counts at nearby locations.  
☒ Used flow maps.  
☐ Used computerized network analyses.  
☐ Other: \_\_\_\_\_

## 3. METHOD FOR ESTIMATING TRUCK VOLUMES OR PERCENTAGES

- ☐ Used a single count taken this year at the GPS site.  
☐ Factored a single count taken this year at the GPS site.  
☒ Averaged multiple counts taken this year at the GPS site.  
☒ Used system averages from counts taken this year.  
☐ Used count data from nearby sites.  
☐ Used count data taken in earlier years at the GPS site.  
☐ Used system averages taken in earlier years at the GPS site.  
☐ Used computerized network analyses.  
☐ Other: \_\_\_\_\_

## 4. METHOD FOR ESTIMATING AADT BY GPS LANE

- ☐ Based on actual lane count data.  
☐ System distribution factors.  
☒ Other: ASSUMED 50/50 DIRECTION SPLIT AND 0.8 LANE FACTOR

## 5. METHOD FOR ESTIMATING TRUCK AADT IN GPS LANES

- ☐ Based on actual lane count data.  
☐ System distribution factors.  
☒ Other: ASSUMED 50/50 DIRECTION SPLIT AND 0.8 LANE FACTOR

## 6. METHOD FOR ESTIMATING ESAL/VEHICLE

- ☐ ESAL/Truck.  
☒ ESAL/Vehicle class. (no. of classes) 10  
☐ Other: \_\_\_\_\_

## 7. ESAL ESTIMATES

## (A) Source of Data

- ☐ Weight data collected at GPS site this year.  
☐ Weight data collected at GPS site prior years.  
☒ Weight data from system averages this year.  
☐ Weight data from system averages prior years.  
☐ Weight data from historic W-4 Tables used.  
☐ Other: \_\_\_\_\_

## (B) Weight Scale Type

- ☒ WIM scale.  
☐ Static scale used for enforcement.  
☐ Static scale not used for enforcement.  
☐ Other: \_\_\_\_\_

NAME OF PREPARER \_\_\_\_\_

PHONE # \_\_\_\_\_

DATE PREPARED \_\_\_\_\_

**SHEET 3**

**LTPP TRAFFIC DATA  
PROCEDURES FOR ESTIMATING  
ANNUAL AVERAGE VOLUMES AND  
TOTAL ANNUAL ESALS**

\*STATE ASSIGNED ID ( \_ \_ \_ \_ )  
\*STATE CODE 1371  
\*SHIP SECTION ID 150371

1. Year Applicable 88, 89

**2. METHOD FOR ESTIMATING AADT**

- ☐ Factored a single count taken this year at the GPS site.
- ☐ Averaged multiple counts taken this year at the GPS site.
- ☐ Averaged and factored multiple counts taken this year at the GPS site.
- ☐ Growth factored last year's estimate.
- ☐ Estimated based on volume counts at nearby locations.
- ☒ Used flow maps.
- ☐ Used computerized network analyses.
- ☐ Other: \_\_\_\_\_

**3. METHOD FOR ESTIMATING TRUCK VOLUMES OR PERCENTAGES**

- ☐ Used a single count taken this year at the GPS site.
- ☐ Factored a single count taken this year at the GPS site.
- ☐ Averaged multiple counts taken this year at the GPS site.
- ☒ Used system averages from counts taken this year.
- ☐ Used count data from nearby sites.
- ☐ Used count data taken in earlier years at the GPS site.
- ☐ Used system averages taken in earlier years at the GPS site.
- ☐ Used computerized network analyses.
- ☐ Other: \_\_\_\_\_

**4. METHOD FOR ESTIMATING AADT BY GPS LANE**

- ☐ Based on actual lane count data.
- ☐ System distribution factors.
- ☒ Other: ASSUMED 50/50 DIRECTION SPLIT AND 0.8 LANE FACTOR

**5. METHOD FOR ESTIMATING TRUCK AADT IN GPS LANES**

- ☐ Based on actual lane count data.
- ☐ System distribution factors.
- ☒ Other: ASSUMED 50/50 DIRECTION SPLIT AND 0.8 LANE FACTOR

**6. METHOD FOR ESTIMATING ESAL/VEHICLE**

- ☐ ESAL/Truck.
- ☒ ESAL/Vehicle class. (no. of classes) 5
- ☐ Other: \_\_\_\_\_

**7. ESAL ESTIMATES**

**(A) Source of Data**

- ☐ Weight data collected at GPS site this year.
- ☐ Weight data collected at GPS site prior years.
- ☒ Weight data from system averages this year.
- ☐ Weight data from system averages prior years.
- ☐ Weight data from historic W-4 Tables used.
- ☐ Other: \_\_\_\_\_

**(B) Weight Scale Type**

- ☒ WIM scale.
- ☐ Static scale used for enforcement.
- ☐ Static scale not used for enforcement.
- ☐ Other: \_\_\_\_\_

NAME OF PREPARED \_\_\_\_\_ PHONE # \_\_\_\_\_  
DATE PREPARED \_\_\_\_\_