

<b>SHEET 1</b> <b>LTPP TRAFFIC DATA</b> <b>SUMMARY TRANSMITTAL FORM</b>	*STATE ASSIGNED ID <u>[5850]</u> *STATE CODE <u>[37]</u> *SHRP SECTION ID <u>[5826]</u>
-------------------------------------------------------------------------------	-----------------------------------------------------------------------------------------------

STATE OR PROVINCE NORTH CAROLINA COUNTY SURRY  
 HIGHWAY ROUTE NO. I-77 MILEPOST# 98.22  
 NEAREST CITY/TOWN 5 miles North of Dobson NEAREST INTERSECTION 0.5 mi. N. of SR 1345  
 FUNCTIONAL CLASS 01 NO. LANES EACH DIRECTION 2 TOTAL NO. LANES 4  
 DIRECTION OF TRAVEL GPS LANE N DATE OPENED TO TRAF. 06-01-77  
 FIPS COUNTY CODE 171 FHWA STATION IDENTIFICATION NO. -  
 HPMS SAMPLE NO. 000000119730 HPMS SUBDIVISION NO. -  
 TYPE OF PAVEMENT: AC - PCC ✓ OTHER -  
 CONTROL OF ACCESS: YES ✓ NO - MEDIAN: YES ✓ NO -  
 CURRENT SURROUNDING DEVELOPMENT:  
 URBAN - SUBURBAN - RURAL ✓  
 HAS INTENSITY OF ROADSIDE DEVELOPMENT INCREASED OVER PAST 10 YEARS?  
 YES - NO ✓  
 IF YES, DESCRIBE CHANGES -  
-  
-

**NOTE:** ATTACH ALL RELATED FORMS AND COUNT DATA AND SUBMIT TO THE  
 SHRP REGIONAL OFFICE. ATTACH MAP INDICATING THE LOCATION OF  
 EACH TRAFFIC COUNT, VEHICLE CLASSIFICATION COUNT, OR WEIGHT  
 STATION RELATIVE TO THIS GPS TEST SECTION.

NAME OF PREPARER <u>Jerry Blackwelder</u> DATE PREPARED <u>3-5-92</u>	PHONE # <u>(919) 250-4094</u>
--------------------------------------------------------------------------	-------------------------------

<b>SHEET 2</b> <b>LTPP TRAFFIC DATA</b> <b>TRAFFIC VOLUMES</b> <b>AND LOAD ESTIMATES</b>	*STATE ASSIGNED ID [ <u>5850</u> ] *STATE CODE [ <u>32</u> ] *SHRP SECTION ID [ <u>5826</u> ]
---------------------------------------------------------------------------------------------------	-----------------------------------------------------------------------------------------------------

YEAR	1. ESTIMATED TOTAL VEHICLES AADT (TWO-WAY)	2. ESTIMATED TOTAL TRUCK AADT (TWO-WAY)	3. ESTIMATED TOTAL VEHICLES AADT GPS LANE	4. ESTIMATED TOTAL TRUCKS AADT GPS LANE	5. ESTIMATED ESAL'S / YR GPS LANE (1000's)
22.6 1989	21,100	4770	8440	1910	947
23.7 1988	19500	4620	7800	1850	911
21.7 1987	18,092	3930	7240	1570	763
21.9 1986	10,800	2370	4320	950	515
20.8 1985	10,700	2230	4280	890	501
21.6 1984	10800	2330	4320	930	531
20.4 1983	10,990	2260	4400	910	511
20.6 1982	8,600	1770	3440	710	377
21.9 1981	8,600	1880	3440	750	427
19.1 1980	8300	1590	3320	630	343
21.2 1979	7975	1690	3190	680	361
21.7 1978	5,764	1250	2310	500	269
20.6 1977	3,181	660	1270	260	137
1976					
1975					
1974					
1973					
1972					
1971					
1970					
1969					
1968					
1967					
1966					
1965					

NAME OF PREPARER _____	PHONE # _____
DATE PREPARED _____	

## SHEET 3

# LTPP TRAFFIC DATA PROCEDURES FOR ESTIMATING ANNUAL AVERAGE VOLUMES AND TOTAL ANNUAL ESALS

\*STATE ASSIGNED ID ( \_ \_ \_ \_ )

\*STATE CODE 1371

\*SHRP SECTION ID 58261

1. Year Applicable 80

## 2. METHOD FOR ESTIMATING AADT

- ☐ Factored a single count taken this year at the GPS site.  
☐ Averaged multiple counts taken this year at the GPS site.  
☐ Averaged and factored multiple counts taken this year at the GPS site.  
☒ Growth factored last year's estimate.  
☐ Estimated based on volume counts at nearby locations.  
☐ Used flow maps.  
☐ Used computerized network analyses.  
☐ Other:

## 3. METHOD FOR ESTIMATING TRUCK VOLUMES OR PERCENTAGES

- ☐ Used a single count taken this year at the GPS site.  
☐ Factored a single count taken this year at the GPS site.  
☐ Averaged multiple counts taken this year at the GPS site.  
☒ Used system averages from counts taken this year.  
☐ Used count data from nearby sites.  
☐ Used count data taken in earlier years at the GPS site.  
☐ Used system averages taken in earlier years at the GPS site.  
☐ Used computerized network analyses.  
☐ Other:

## 4. METHOD FOR ESTIMATING AADT BY GPS LANE

- ☐ Based on actual lane count data.  
☐ System distribution factors.  
☒ Other: ASSUMED 50/50 DIRECTION SPLIT AND 0.8 LANE FACTOR

## 5. METHOD FOR ESTIMATING TRUCK AADT IN GPS LANES

- ☐ Based on actual lane count data.  
☐ System distribution factors.  
☒ Other: ASSUMED 50/50 DIRECTION SPLIT AND 0.8 LANE FACTOR

## 6. METHOD FOR ESTIMATING ESAL/VEHICLE

- ☐ ESAL/Truck.  
☒ ESAL/Vehicle class. (no. of classes) 10  
☐ Other:

## 7. ESAL ESTIMATES

## (A) Source of Data

- ☐ Weight data collected at GPS site this year.  
☐ Weight data collected at GPS site prior years.  
☐ Weight data from system averages this year.  
☐ Weight data from system averages prior years.  
☐ Weight data from historic W-4 Tables used.  
☒ Other: 1987 SYSTEM AVERAGES

## (B) Weight Scale Type

- ☒ WIM scale.  
☐ Static scale used for enforcement.  
☐ Static scale not used for enforcement.  
☐ Other:

NAME OF PREPARER

PHONE #

DATE PREPARED

## SHEET 3

# LTPP TRAFFIC DATA PROCEDURES FOR ESTIMATING ANNUAL AVERAGE VOLUMES AND TOTAL ANNUAL ESALS

\*STATE ASSIGNED ID ( \_ \_ \_ \_ )

\*STATE CODE 1371

\*SHRP SECTION ID (5826)

1. Year Applicable 77-79, 81, 82

## 2. METHOD FOR ESTIMATING AADT

- ☐ Factored a single count taken this year at the GPS site.  
☐ Averaged multiple counts taken this year at the GPS site.  
☐ Averaged and factored multiple counts taken this year at the GPS site.  
☐ Growth factored last year's estimate.  
☐ Estimated based on volume counts at nearby locations.  
☒ Used flow maps.  
☐ Used computerized network analyses.  
☐ Other: \_\_\_\_\_

## 3. METHOD FOR ESTIMATING TRUCK VOLUMES OR PERCENTAGES

- ☐ Used a single count taken this year at the GPS site.  
☐ Factored a single count taken this year at the GPS site.  
☐ Averaged multiple counts taken this year at the GPS site.  
☒ Used system averages from counts taken this year.  
☐ Used count data from nearby sites.  
☐ Used count data taken in earlier years at the GPS site.  
☐ Used system averages taken in earlier years at the GPS site.  
☐ Used computerized network analyses.  
☐ Other: \_\_\_\_\_

## 4. METHOD FOR ESTIMATING AADT BY GPS LANE

- ☐ Based on actual lane count data.  
☐ System distribution factors.  
☒ Other: ASSUMED 50/50 DIRECTION SPLIT AND 0.8 LANE FACTOR

## 5. METHOD FOR ESTIMATING TRUCK AADT IN GPS LANES

- ☐ Based on actual lane count data.  
☐ System distribution factors.  
☒ Other: ASSUMED 50/50 DIRECTION SPLIT AND 0.8 LANE FACTOR

## 6. METHOD FOR ESTIMATING ESAL/VEHICLE

- ☐ ESAL/Truck.  
☒ ESAL/Vehicle class. (no. of classes) 10  
☐ Other: \_\_\_\_\_

## 7. ESAL ESTIMATES

## (A) Source of Data

- ☐ Weight data collected at GPS site this year.  
☐ Weight data collected at GPS site prior years.  
☐ Weight data from system averages this year.  
☐ Weight data from system averages prior years.  
☐ Weight data from historic W-4 Tables used.  
☒ Other: 1987 SYSTEM AVERAGES

## (B) Weight Scale Type

- ☒ WIM scale.  
☐ Static scale used for enforcement.  
☐ Static scale not used for enforcement.  
☐ Other: \_\_\_\_\_

NAME OF PREPARER \_\_\_\_\_

PHONE # \_\_\_\_\_

DATE PREPARED \_\_\_\_\_

## SHEET 3

# LTPP TRAFFIC DATA PROCEDURES FOR ESTIMATING ANNUAL AVERAGE VOLUMES AND TOTAL ANNUAL ESALS

\*STATE ASSIGNED ID ( \_ \_ \_ \_ )

\*STATE CODE 1371

\*SHIP SECTION ID 158261

1. Year Applicable 83

## 2. METHOD FOR ESTIMATING AADT

- ☐ Factored a single count taken this year at the GPS site.  
☐ Averaged multiple counts taken this year at the GPS site.  
☐ Averaged and factored multiple counts taken this year at the GPS site.  
☐ Growth factored last year's estimate.  
☐ Estimated based on volume counts at nearby locations.  
☒ Used flow maps.  
☐ Used computerized network analyses.  
☐ Other: \_\_\_\_\_

## 3. METHOD FOR ESTIMATING TRUCK VOLUMES OR PERCENTAGES

- ☐ Used a single count taken this year at the GPS site.  
☐ Factored a single count taken this year at the GPS site.  
☐ Averaged multiple counts taken this year at the GPS site.  
☐ Used system averages from counts taken this year.  
☐ Used count data from nearby sites.  
☐ Used count data taken in earlier years at the GPS site.  
☐ Used system averages taken in earlier years at the GPS site.  
☐ Used computerized network analyses.  
☒ Other: 1982 SYSTEM AVERAGES

## 4. METHOD FOR ESTIMATING AADT BY GPS LANE

- ☐ Based on actual lane count data.  
☐ System distribution factors.  
☒ Other: ASSUMED 50/50 DIRECTION SPLIT AND 0.8 LANE FACTOR

## 5. METHOD FOR ESTIMATING TRUCK AADT IN GPS LANES

- ☐ Based on actual lane count data.  
☐ System distribution factors.  
☒ Other: ASSUMED 50/50 DIRECTION SPLIT AND 0.8 LANE FACTOR

## 6. METHOD FOR ESTIMATING ESAL/VEHICLE

- ☐ ESAL/Truck.  
☒ ESAL/Vehicle class. (no. of classes) 10  
☐ Other: \_\_\_\_\_

## 7. ESAL ESTIMATES

## (A) Source of Data

- ☐ Weight data collected at GPS site this year.  
☐ Weight data collected at GPS site prior years.  
☐ Weight data from system averages this year.  
☐ Weight data from system averages prior years.  
☐ Weight data from historic W-4 Tables used.  
☒ Other: 1987 SYSTEM AVERAGES

## (B) Weight Scale Type

- ☒ WIM scale.  
☐ Static scale used for enforcement.  
☐ Static scale not used for enforcement.  
☐ Other: \_\_\_\_\_

NAME OF PREPARER \_\_\_\_\_

PHONE # \_\_\_\_\_

DATE PREPARED \_\_\_\_\_

**SHEET 3**

**LTPP TRAFFIC DATA  
PROCEDURES FOR ESTIMATING  
ANNUAL AVERAGE VOLUMES AND  
TOTAL ANNUAL ESALS**

\*STATE ASSIGNED ID ( \_ \_ \_ \_ )

\*STATE CODE 1371

\*SHIP SECTION ID 58261

1. Year Applicable 84

**2. METHOD FOR ESTIMATING AADT**

- ☐ Factored a single count taken this year at the GPS site.
- ☐ Averaged multiple counts taken this year at the GPS site.
- ☐ Averaged and factored multiple counts taken this year at the GPS site.
- ☒ Growth factored last year's estimate.
- ☐ Estimated based on volume counts at nearby locations.
- ☐ Used flow maps.
- ☐ Used computerized network analyses.
- ☐ Other: \_\_\_\_\_

**5. METHOD FOR ESTIMATING TRUCK AADT IN GPS LANES**

- ☐ Based on actual lane count data.
- ☐ System distribution factors.
- ☒ Other: ASSUMED 50/50 DIRECTION SPLIT AND 0.8 LANE FACTOR

**6. METHOD FOR ESTIMATING ESAL/VEHICLE**

- ☐ ESAL/Truck.
- ☒ ESAL/Vehicle class. (no. of classes) 10
- ☐ Other: \_\_\_\_\_

**3. METHOD FOR ESTIMATING TRUCK VOLUMES OR PERCENTAGES**

- ☐ Used a single count taken this year at the GPS site.
- ☐ Factored a single count taken this year at the GPS site.
- ☐ Averaged multiple counts taken this year at the GPS site.
- ☒ Used system averages from counts taken this year.
- ☐ Used count data from nearby sites.
- ☐ Used count data taken in earlier years at the GPS site.
- ☐ Used system averages taken in earlier years at the GPS site.
- ☐ Used computerized network analyses.
- ☐ Other: \_\_\_\_\_

**7. ESAL ESTIMATES**

**(A) Source of Data**

- ☐ Weight data collected at GPS site this year.
- ☐ Weight data collected at GPS site prior years.
- ☐ Weight data from system averages this year.
- ☐ Weight data from system averages prior years.
- ☐ Weight data from historic W-4 Tables used.
- ☒ Other: 1987 SYSTEM AVERAGES

**(B) Weight Scale Type**

- ☒ WIM scale.
- ☐ Static scale used for enforcement.
- ☐ Static scale not used for enforcement.
- ☐ Other: \_\_\_\_\_

**4. METHOD FOR ESTIMATING AADT BY GPS LANE**

- ☐ Based on actual lane count data.
- ☐ System distribution factors.
- ☒ Other: ASSUMED 50/50 DIRECTION SPLIT AND 0.8 LANE FACTOR

NAME OF PREPARER \_\_\_\_\_

PHONE # \_\_\_\_\_

DATE PREPARED \_\_\_\_\_

## SHEET 3

# LTPP TRAFFIC DATA PROCEDURES FOR ESTIMATING ANNUAL AVERAGE VOLUMES AND TOTAL ANNUAL ESALS

\*STATE ASSIGNED ID ( \_ \_ \_ \_ )

\*STATE CODE 1371

\*SHIP SECTION ID 58261

1. Year Applicable 85, 86

## 2. METHOD FOR ESTIMATING AADT

- ☐ Factored a single count taken this year at the GPS site.  
☐ Averaged multiple counts taken this year at the GPS site.  
☐ Averaged and factored multiple counts taken this year at the GPS site.  
☐ Growth factored last year's estimate.  
☐ Estimated based on volume counts at nearby locations.  
☒ Used flow maps.  
☐ Used computerized network analyses.  
☐ Other: \_\_\_\_\_

## 5. METHOD FOR ESTIMATING TRUCK AADT IN GPS LANES

- ☐ Based on actual lane count data.  
☐ System distribution factors.  
☒ Other: ASSUMED 50/50 DIRECTION SPLIT AND 0.8 LANE FACTOR

## 6. METHOD FOR ESTIMATING ESAL/VEHICLE

- ☐ ESAL/Truck.  
☒ ESAL/Vehicle class. (no. of classes) 10  
☐ Other: \_\_\_\_\_

## 3. METHOD FOR ESTIMATING TRUCK VOLUMES OR PERCENTAGES

- ☐ Used a single count taken this year at the GPS site.  
☐ Factored a single count taken this year at the GPS site.  
☐ Averaged multiple counts taken this year at the GPS site.  
☒ Used system averages from counts taken this year.  
☐ Used count data from nearby sites.  
☐ Used count data taken in earlier years at the GPS site.  
☐ Used system averages taken in earlier years at the GPS site.  
☐ Used computerized network analyses.  
☐ Other: \_\_\_\_\_

## 7. ESAL ESTIMATES

## (A) Source of Data

- ☐ Weight data collected at GPS site this year.  
☐ Weight data collected at GPS site prior years.  
☐ Weight data from system averages this year.  
☐ Weight data from system averages prior years.  
☐ Weight data from historic W-4 Tables used.  
☒ Other: 1987 SYSTEM AVERAGES

## (B) Weight Scale Type

- ☒ WIM scale.  
☐ Static scale used for enforcement.  
☐ Static scale not used for enforcement.  
☐ Other: \_\_\_\_\_

## 4. METHOD FOR ESTIMATING AADT BY GPS LANE

- ☐ Based on actual lane count data.  
☐ System distribution factors.  
☒ Other: ASSUMED 50/50 DIRECTION SPLIT AND 0.8 LANE FACTOR

NAME OF PREPARER \_\_\_\_\_ PHONE # \_\_\_\_\_

DATE PREPARED \_\_\_\_\_

**SHEET 3**

**LTPP TRAFFIC DATA  
PROCEDURES FOR ESTIMATING  
ANNUAL AVERAGE VOLUMES AND  
TOTAL ANNUAL ESALS**

\*STATE ASSIGNED ID ( \_ \_ \_ \_ )

\*STATE CODE 1371

\*SHIP SECTION ID 15826

1. Year Applicable 87

**2. METHOD FOR ESTIMATING AADT**

- ☐ Factored a single count taken this year at the GPS site.
- ☐ Averaged multiple counts taken this year at the GPS site.
- ☐ Averaged and factored multiple counts taken this year at the GPS site.
- ☐ Growth factored last year's estimate.
- ☐ Estimated based on volume counts at nearby locations.
- ☒ Used flow maps.
- ☐ Used computerized network analyses.
- ☐ Other: \_\_\_\_\_

**5. METHOD FOR ESTIMATING TRUCK AADT IN GPS LANES**

- ☐ Based on actual lane count data.
- ☐ System distribution factors.
- ☒ Other: ASSUMED 50/50 DIRECTION SPLIT AND 0.8 LANE FACTOR

**6. METHOD FOR ESTIMATING ESAL/VEHICLE**

- ☐ ESAL/Truck.
- ☒ ESAL/Vehicle class. (no. of classes) 10
- ☐ Other: \_\_\_\_\_

**3. METHOD FOR ESTIMATING TRUCK VOLUMES OR PERCENTAGES**

- ☐ Used a single count taken this year at the GPS site.
- ☐ Factored a single count taken this year at the GPS site.
- ☐ Averaged multiple counts taken this year at the GPS site.
- ☒ Used system averages from counts taken this year.
- ☐ Used count data from nearby sites.
- ☐ Used count data taken in earlier years at the GPS site.
- ☐ Used system averages taken in earlier years at the GPS site.
- ☐ Used computerized network analyses.
- ☐ Other: \_\_\_\_\_

**7. ESAL ESTIMATES**

**(A) Source of Data**

- ☐ Weight data collected at GPS site this year.
- ☐ Weight data collected at GPS site prior years.
- ☒ Weight data from system averages this year.
- ☐ Weight data from system averages prior years.
- ☐ Weight data from historic W-4 Tables used.
- ☐ Other: \_\_\_\_\_

**(B) Weight Scale Type**

- ☒ WIM scale.
- ☐ Static scale used for enforcement.
- ☐ Static scale not used for enforcement.
- ☐ Other: \_\_\_\_\_

**4. METHOD FOR ESTIMATING AADT BY GPS LANE**

- ☐ Based on actual lane count data.
- ☐ System distribution factors.
- ☒ Other: ASSUMED 50/50 DIRECTION SPLIT AND 0.8 LANE FACTOR

NAME OF PREPARER \_\_\_\_\_ PHONE # \_\_\_\_\_

DATE PREPARED \_\_\_\_\_



## SHEET 3

# LTPP TRAFFIC DATA PROCEDURES FOR ESTIMATING ANNUAL AVERAGE VOLUMES AND TOTAL ANNUAL ESALS

\*STATE ASSIGNED ID ( \_ \_ \_ \_ )

\*STATE CODE 1371

\*SHRP SECTION ID (5826)

1. Year Applicable 88

## 2. METHOD FOR ESTIMATING AADT

- ☐ Factored a single count taken this year at the GPS site.  
☐ Averaged multiple counts taken this year at the GPS site.  
☐ Averaged and factored multiple counts taken this year at the GPS site.  
☒ Growth factored last year's estimate.  
☐ Estimated based on volume counts at nearby locations.  
☐ Used flow maps.  
☐ Used computerized network analyses.  
☐ Other: \_\_\_\_\_

## 5. METHOD FOR ESTIMATING TRUCK AADT IN GPS LANES

- ☐ Based on actual lane count data.  
☐ System distribution factors.  
☒ Other: ASSUMED 50/50 DIRECTION SPLIT AND 0.8 LANE FACTOR

## 6. METHOD FOR ESTIMATING ESAL/VEHICLE

- ☐ ESAL/Truck.  
☒ ESAL/Vehicle class. (no. of classes) 5  
☐ Other: \_\_\_\_\_

## 3. METHOD FOR ESTIMATING TRUCK VOLUMES OR PERCENTAGES

- ☐ Used a single count taken this year at the GPS site.  
☐ Factored a single count taken this year at the GPS site.  
☐ Averaged multiple counts taken this year at the GPS site.  
☒ Used system averages from counts taken this year.  
☐ Used count data from nearby sites.  
☐ Used count data taken in earlier years at the GPS site.  
☐ Used system averages taken in earlier years at the GPS site.  
☐ Used computerized network analyses.  
☐ Other: \_\_\_\_\_

## 7. ESAL ESTIMATES

## (A) Source of Data

- ☐ Weight data collected at GPS site this year.  
☐ Weight data collected at GPS site prior years.  
☒ Weight data from system averages this year.  
☐ Weight data from system averages prior years.  
☐ Weight data from historic W-4 Tables used.  
☐ Other: \_\_\_\_\_

## (B) Weight Scale Type

- ☒ WIM scale.  
☐ Static scale used for enforcement.  
☐ Static scale not used for enforcement.  
☐ Other: \_\_\_\_\_

## 4. METHOD FOR ESTIMATING AADT BY GPS LANE

- ☐ Based on actual lane count data.  
☐ System distribution factors.  
☒ Other: ASSUMED 50/50 DIRECTION SPLIT AND 0.8 LANE FACTOR

NAME OF PREPARER \_\_\_\_\_

PHONE # \_\_\_\_\_

DATE PREPARED \_\_\_\_\_

**SHEET 3**

**LTPP TRAFFIC DATA  
PROCEDURES FOR ESTIMATING  
ANNUAL AVERAGE VOLUMES AND  
TOTAL ANNUAL ESALS**

\*STATE ASSIGNED ID ( \_ \_ \_ \_ )  
\*STATE CODE 1271  
\*SHRP SECTION ID 15826

1. Year Applicable 89

**2. METHOD FOR ESTIMATING AADT**

- ☐ Factored a single count taken this year at the GPS site.
- ☐ Averaged multiple counts taken this year at the GPS site.
- ☐ Averaged and factored multiple counts taken this year at the GPS site.
- ☐ Growth factored last year's estimate.
- ☐ Estimated based on volume counts at nearby locations.
- ☒ Used flow maps.
- ☐ Used computerized network analyses.
- ☐ Other: \_\_\_\_\_

**5. METHOD FOR ESTIMATING TRUCK AADT IN GPS LANES**

- ☐ Based on actual lane count data.
- ☐ System distribution factors.
- ☒ Other: ASSUMED 50/50 DIRECTION SPLIT AND 0.8 LANE FACTOR

**6. METHOD FOR ESTIMATING ESAL/VEHICLE**

- ☐ ESAL/Truck.
- ☒ ESAL/Vehicle class. (no. of classes) 5
- ☐ Other: \_\_\_\_\_

**3. METHOD FOR ESTIMATING TRUCK VOLUMES OR PERCENTAGES**

- ☐ Used a single count taken this year at the GPS site.
- ☐ Factored a single count taken this year at the GPS site.
- ☐ Averaged multiple counts taken this year at the GPS site.
- ☒ Used system averages from counts taken this year.
- ☐ Used count data from nearby sites.
- ☐ Used count data taken in earlier years at the GPS site.
- ☐ Used system averages taken in earlier years at the GPS site.
- ☐ Used computerized network analyses.
- ☐ Other: \_\_\_\_\_

**7. ESAL ESTIMATES**

**(A) Source of Data**

- ☐ Weight data collected at GPS site this year.
- ☐ Weight data collected at GPS site prior years.
- ☒ Weight data from system averages this year.
- ☐ Weight data from system averages prior years.
- ☐ Weight data from historic W-4 Tables used.
- ☐ Other: \_\_\_\_\_

**(B) Weight Scale Type**

- ☒ WIM scale.
- ☐ Static scale used for enforcement.
- ☐ Static scale not used for enforcement.
- ☐ Other: \_\_\_\_\_

**4. METHOD FOR ESTIMATING AADT BY GPS LANE**

- ☐ Based on actual lane count data.
- ☐ System distribution factors.
- ☒ Other: ASSUMED 50/50 DIRECTION SPLIT AND 0.8 LANE FACTOR

NAME OF PREPARER \_\_\_\_\_ PHONE # \_\_\_\_\_  
DATE PREPARED \_\_\_\_\_