

SHEET 1 LTPP TRAFFIC DATA SUMMARY TRANSMITTAL FORM	*STATE ASSIGNED ID <u>[5780]</u> *STATE CODE <u>[37]</u> *SHRP SECTION ID <u>[5827]</u>
---	---

STATE OR PROVINCE NORTH CAROLINA COUNTY Rockingham
 HIGHWAY ROUTE NO. US 29 MILEPOST# 10.12
 NEAREST CITY/TOWN 2.5 miles N.E. of Reidsville NEAREST INTERSECTION 2.0 mi. N. of US 158
 FUNCTIONAL CLASS 02 NO. LANES EACH DIRECTION 2 TOTAL NO. LANES 4
 DIRECTION OF TRAVEL GPS LANE S DATE OPENED TO TRAF. 03-01-73
 FIPS COUNTY CODE 157 FHWA STATION IDENTIFICATION NO. —
 HPMS SAMPLE NO. 000000117931 HPMS SUBDIVISION NO. —
 TYPE OF PAVEMENT: AC — PCC ✓ OTHER —
 CONTROL OF ACCESS: YES ✓ NO — MEDIAN: YES ✓ NO —
 CURRENT SURROUNDING DEVELOPMENT:
 URBAN — SUBURBAN — RURAL ✓
 HAS INTENSITY OF ROADSIDE DEVELOPMENT INCREASED OVER PAST 10 YEARS?
 YES — NO ✓
 IF YES, DESCRIBE CHANGES —
—
—

NOTE: ATTACH ALL RELATED FORMS AND COUNT DATA AND SUBMIT TO THE
SHRP REGIONAL OFFICE. ATTACH MAP INDICATING THE LOCATION OF
EACH TRAFFIC COUNT, VEHICLE CLASSIFICATION COUNT, OR WEIGHT
STATION RELATIVE TO THIS GPS TEST SECTION.

NAME OF PREPARER <u>Jerry Blackwelder</u> DATE PREPARED <u>3-5-92</u>	PHONE # <u>(919) 250-4094</u>
--	-------------------------------

SHEET 2 LTPP TRAFFIC DATA TRAFFIC VOLUMES AND LOAD ESTIMATES	*STATE ASSIGNED ID <u>[5780]</u> *STATE CODE <u>[37]</u> *SHRP SECTION ID <u>[5827]</u>
---	---

YEAR	1. ESTIMATED TOTAL VEHICLES AADT (TWO-WAY)	2. ESTIMATED TOTAL TRUCK AADT (TWO-WAY)	3. ESTIMATED TOTAL VEHICLES AADT GPS LANE	4. ESTIMATED TOTAL TRUCKS AADT GPS LANE	5. ESTIMATED ESAL'S / YR GPS LANE (1000's)
13.6 1989	7126	970	8380 2850	388	142
14.0 1988	7000	1010	8540 2800	403	146
14.2 1987	6350	910	8850 2540	363	142
14.5 1986	5770	550	2800 2310	219	71
14.7 1985	8572	1000	8540 3430	401	145
14.8 1984	5423	670	8310 2170	267	94
15.4 1983	6037	800	8430 2920	319	107
15.7 1982	5685	750	2120 2270	300	101
16.0 1981	5962	720	2390	286	97
16.2 1980	5990	790	2400	316	101
16.4 1979	5596	750	2240	300	101
16.6 1978	5200	650	2080	258	84
16.8 1977	5100	640	2040	257	82
16.9 1976	5000	640	2000	256	84
17.0 1975	4900	590	1960	235	77
17.1 1974	4900	540	1960	216	67
1973					
1972					
1971					
1970					
1969					
1968					
1967					
1966					
1965					

SCANNED

FEB 03 2013

NAME OF PREPARER _____	PHONE # _____
DATE PREPARED _____	

SHEET 2 LTPP TRAFFIC DATA TRAFFIC VOLUMES AND LOAD ESTIMATES	*STATE ASSIGNED ID [_ _ _ _] *STATE CODE [37] *SHRP SECTION ID [5827]
---	---

ENTERED FEB 26 1999

YEAR	1. ESTIMATED TOTAL VEHICLES AADT (TWO-WAY)	2. ESTIMATED TOTAL TRUCK AADT (TWO-WAY)	3. ESTIMATED TOTAL VEHICLES AADT GPS LANE	4. ESTIMATED TOTAL TRUCKS AADT GPS LANE	5. ESTIMATED ESAL'S / YR GPS LANE (1000's)
1989					
1988					
1987					
1986					
1985					
1984					
1983					
1982					
1981					
1980					
1979					
1978					
1977					
1976					
1975					
1974					
1973	4800	490	1920	199	58
1972					
1971					
1970					
1969					
1968					
1967					
1966					
1965					

SCANNED

FEB 29 1999

24

NAME OF PREPARER <u>S. MacDonald</u>	PHONE # <u>716-632-0804</u>
DATE PREPARED <u>24 FEB 1999</u>	

SHEET 3

LTPP TRAFFIC DATA PROCEDURES FOR ESTIMATING ANNUAL AVERAGE VOLUMES AND TOTAL ANNUAL ESALS

*STATE ASSIGNED ID [_ _ _ _]

*STATE CODE 1371

*SHRP SECTION ID 5827

1. Year Applicable 77-82

2. METHOD FOR ESTIMATING AADT

- ☐ Factored a single count taken this year at the GPS site.
☐ Averaged multiple counts taken this year at the GPS site.
☐ Averaged and factored multiple counts taken this year at the GPS site.
☐ Growth factored last year's estimate.
☐ Estimated based on volume counts at nearby locations.
☒ Used flow maps.
☐ Used computerized network analyses.
☐ Other: _____

3. METHOD FOR ESTIMATING TRUCK VOLUMES OR PERCENTAGES

- ☐ Used a single count taken this year at the GPS site.
☐ Factored a single count taken this year at the GPS site.
☐ Averaged multiple counts taken this year at the GPS site.
☒ Used system averages from counts taken this year.
☐ Used count data from nearby sites.
☐ Used count data taken in earlier years at the GPS site.
☐ Used system averages taken in earlier years at the GPS site.
☐ Used computerized network analyses.
☐ Other: _____

4. METHOD FOR ESTIMATING AADT BY GPS LANE

- ☐ Based on actual lane count data.
☐ System distribution factors.
☒ Other: ASSUMED 50/50 DIRECTION SPLIT AND 0.8 LANE FACTOR

5. METHOD FOR ESTIMATING TRUCK AADT IN GPS LANES

- ☐ Based on actual lane count data.
☐ System distribution factors.
☒ Other: ASSUMED 50/50 DIRECTION SPLIT AND 0.8 LANE FACTOR

6. METHOD FOR ESTIMATING ESAL/VEHICLE

- ☐ ESAL/Truck.
☒ ESAL/Vehicle class. (no. of classes) 10
☐ Other: _____

7. ESAL ESTIMATES

(A) Source of Data

- ☐ Weight data collected at GPS site this year.
☐ Weight data collected at GPS site prior years.
☐ Weight data from system averages this year.
☐ Weight data from system averages prior years.
☐ Weight data from historic W-4 Tables used.
☒ Other: 1987 SYSTEM AVERAGES

(B) Weight Scale Type

- ☒ WIM scale.
☐ Static scale used for enforcement.
☐ Static scale not used for enforcement.
☐ Other: _____

NAME OF PREPARER _____

PHONE # _____

DATE PREPARED _____

SHEET 3

LTPP TRAFFIC DATA PROCEDURES FOR ESTIMATING ANNUAL AVERAGE VOLUMES AND TOTAL ANNUAL ESALS

*STATE ASSIGNED ID [_ _ _ _]
 *STATE CODE 1371
 *SHRP SECTION ID 15227

1. Year Applicable 83

2. METHOD FOR ESTIMATING AADT

- ☐ Factored a single count taken this year at the GPS site.
☐ Averaged multiple counts taken this year at the GPS site.
☐ Averaged and factored multiple counts taken this year at the GPS site.
☐ Growth factored last year's estimate.
☐ Estimated based on volume counts at nearby locations.
☒ Used flow maps.
☐ Used computerized network analyses.
☐ Other: _____

3. METHOD FOR ESTIMATING TRUCK VOLUMES OR PERCENTAGES

- ☐ Used a single count taken this year at the GPS site.
☐ Factored a single count taken this year at the GPS site.
☐ Averaged multiple counts taken this year at the GPS site.
☐ Used system averages from counts taken this year.
☐ Used count data from nearby sites.
☐ Used count data taken in earlier years at the GPS site.
☐ Used system averages taken in earlier years at the GPS site.
☐ Used computerized network analyses.
☒ Other: 1982 SYSTEM AVERAGES

4. METHOD FOR ESTIMATING AADT BY GPS LANE

- ☐ Based on actual lane count data.
☐ System distribution factors.
☒ Other: ASSUMED 50/50 DIRECTION SPLIT AND 0.8 LANE FACTOR

5. METHOD FOR ESTIMATING TRUCK AADT IN GPS LANES

- ☐ Based on actual lane count data.
☐ System distribution factors.
☒ Other: ASSUMED 50/50 DIRECTION SPLIT AND 0.8 LANE FACTOR

6. METHOD FOR ESTIMATING ESAL/VEHICLE

- ☐ ESAL/Truck.
☒ ESAL/Vehicle class. (no. of classes) 16
☐ Other: _____

7. ESAL ESTIMATES

(A) Source of Data

- ☐ Weight data collected at GPS site this year.
☐ Weight data collected at GPS site prior years.
☐ Weight data from system averages this year.
☐ Weight data from system averages prior years.
☐ Weight data from historic W-4 Tables used.
☒ Other: 1987 SYSTEM AVERAGES

(B) Weight Scale Type

- ☒ WIM scale.
☐ Static scale used for enforcement.
☐ Static scale not used for enforcement.
☐ Other: _____

SCANNED

FEB 03 2009

NAME OF PREPARER _____ PHONE # _____

DATE PREPARED _____

SHEET 3

LTPP TRAFFIC DATA PROCEDURES FOR ESTIMATING ANNUAL AVERAGE VOLUMES AND TOTAL ANNUAL ESALS

*STATE ASSIGNED ID [_ _ _ _]

*STATE CODE 1371

*SHRP SECTION ID 158271

1. Year Applicable 84-86

2. METHOD FOR ESTIMATING AADT

- ☐ Factored a single count taken this year at the GPS site.
☐ Averaged multiple counts taken this year at the GPS site.
☐ Averaged and factored multiple counts taken this year at the GPS site.
☐ Growth factored last year's estimate.
☐ Estimated based on volume counts at nearby locations.
☒ Used flow maps.
☐ Used computerized network analyses.
☐ Other: _____

3. METHOD FOR ESTIMATING TRUCK VOLUMES OR PERCENTAGES

- ☐ Used a single count taken this year at the GPS site.
☐ Factored a single count taken this year at the GPS site.
☐ Averaged multiple counts taken this year at the GPS site.
☒ Used system averages from counts taken this year.
☐ Used count data from nearby sites.
☐ Used count data taken in earlier years at the GPS site.
☐ Used system averages taken in earlier years at the GPS site.
☐ Used computerized network analyses.
☐ Other: _____

4. METHOD FOR ESTIMATING AADT BY GPS LANE

- ☐ Based on actual lane count data.
☐ System distribution factors.
☒ Other: ASSUMED 50/50 DIRECTION SPLIT AND 0.8 LANE FACTOR

5. METHOD FOR ESTIMATING TRUCK AADT IN GPS LANES

- ☐ Based on actual lane count data.
☐ System distribution factors.
☒ Other: ASSUMED 50/50 DIRECTION SPLIT AND 0.8 LANE FACTOR

6. METHOD FOR ESTIMATING ESAL/VEHICLE

- ☐ ESAL/Truck.
☒ ESAL/Vehicle class. (no. of classes) 10
☐ Other: _____

7. ESAL ESTIMATES

(A) Source of Data

- ☐ Weight data collected at GPS site this year.
☐ Weight data collected at GPS site prior years.
☐ Weight data from system averages this year.
☐ Weight data from system averages prior years.
☐ Weight data from historic W-4 Tables used.
☒ Other: 1982 SYSTEM AVERAGES

(B) Weight Scale Type

- ☒ WIM scale.
☐ Static scale used for enforcement.
☐ Static scale not used for enforcement.
☐ Other: _____

NAME OF PREPARER _____

PHONE # _____

DATE PREPARED _____

SCANNED

FEB 07 2005

SHEET 3

LTPP TRAFFIC DATA PROCEDURES FOR ESTIMATING ANNUAL AVERAGE VOLUMES AND TOTAL ANNUAL ESALS

*STATE ASSIGNED ID [_ _ _ _]

*STATE CODE 1371

*SHRP SECTION ID 15827

1. Year Applicable 87

2. METHOD FOR ESTIMATING AADT

- ☐ Factored a single count taken this year at the GPS site.
☐ Averaged multiple counts taken this year at the GPS site.
☐ Averaged and factored multiple counts taken this year at the GPS site.
☒ Growth factored last year's estimate.
☐ Estimated based on volume counts at nearby locations.
☐ Used flow maps.
☐ Used computerized network analyses.
☐ Other: _____

3. METHOD FOR ESTIMATING TRUCK VOLUMES OR PERCENTAGES

- ☐ Used a single count taken this year at the GPS site.
☐ Factored a single count taken this year at the GPS site.
☐ Averaged multiple counts taken this year at the GPS site.
☒ Used system averages from counts taken this year.
☐ Used count data from nearby sites.
☐ Used count data taken in earlier years at the GPS site.
☐ Used system averages taken in earlier years at the GPS site.
☐ Used computerized network analyses.
☐ Other: _____

4. METHOD FOR ESTIMATING AADT BY GPS LANE

- ☐ Based on actual lane count data.
☐ System distribution factors.
☒ Other: ASSUMED 50/50 DIRECTION SPLIT AND 0.8 LANE FACTOR

5. METHOD FOR ESTIMATING TRUCK AADT IN GPS LANES

- ☐ Based on actual lane count data.
☐ System distribution factors.
☒ Other: ASSUMED 50/50 DIRECTION SPLIT AND 0.8 LANE FACTOR

6. METHOD FOR ESTIMATING ESAL/VEHICLE

- ☐ ESAL/Truck.
☒ ESAL/Vehicle class. (no. of classes) 5
☐ Other: _____

7. ESAL ESTIMATES

(A) Source of Data

- ☐ Weight data collected at GPS site this year.
☐ Weight data collected at GPS site prior years.
☒ Weight data from system averages this year.
☐ Weight data from system averages prior years.
☐ Weight data from historic W-4 Tables used.
☐ Other: _____

(B) Weight Scale Type

- ☒ WIM scale.
☐ Static scale used for enforcement.
☐ Static scale not used for enforcement.
☐ Other: _____

SCANNED

FEB 19 2000

NAME OF PREPARER _____

PHONE # _____

DATE PREPARED _____

SHEET 3

LTPP TRAFFIC DATA PROCEDURES FOR ESTIMATING ANNUAL AVERAGE VOLUMES AND TOTAL ANNUAL ESALS

*STATE ASSIGNED ID []

*STATE CODE 1371

*SHP SECTION ID 53271

1. Year Applicable 88, 89

2. METHOD FOR ESTIMATING AADT

- ☐ Factored a single count taken this year at the GPS site.
☐ Averaged multiple counts taken this year at the GPS site.
☐ Averaged and factored multiple counts taken this year at the GPS site.
☐ Growth factored last year's estimate.
☐ Estimated based on volume counts at nearby locations.
☒ Used flow maps.
☐ Used computerized network analyses.
☐ Other: _____

3. METHOD FOR ESTIMATING TRUCK VOLUMES OR PERCENTAGES

- ☐ Used a single count taken this year at the GPS site.
☐ Factored a single count taken this year at the GPS site.
☐ Averaged multiple counts taken this year at the GPS site.
☒ Used system averages from counts taken this year.
☐ Used count data from nearby sites.
☐ Used count data taken in earlier years at the GPS site.
☐ Used system averages taken in earlier years at the GPS site.
☐ Used computerized network analyses.
☐ Other: _____

4. METHOD FOR ESTIMATING AADT BY GPS LANE

- ☐ Based on actual lane count data.
☐ System distribution factors.
☒ Other: ASSUMED 50/50 DIRECTION SPLIT AND 0.8 LANE FACTOR

5. METHOD FOR ESTIMATING TRUCK AADT IN GPS LANES

- ☐ Based on actual lane count data.
☐ System distribution factors.
☒ Other: ASSUMED 50/50 DIRECTION SPLIT AND 0.8 LANE FACTOR

6. METHOD FOR ESTIMATING ESAL/VEHICLE

- ☐ ESAL/Truck.
☒ ESAL/Vehicle class. (no. of classes) 5
☐ Other: _____

7. ESAL ESTIMATES

(A) Source of Data

- ☐ Weight data collected at GPS site this year.
☐ Weight data collected at GPS site prior years.
☒ Weight data from system averages this year.
☐ Weight data from system averages prior years.
☐ Weight data from historic W-4 Tables used.
☐ Other: _____

(B) Weight Scale Type

- ☒ WIM scale.
☐ Static scale used for enforcement.
☐ Static scale not used for enforcement.
☐ Other: _____

SCANNED

FEB 28 1989

NAME OF PREPARER _____

PHONE # _____

DATE PREPARED _____