

SHEET 1 LTPP TRAFFIC DATA SUMMARY TRANSMITTAL FORM	*STATE ASSIGNED ID [_____]
	*STATE CODE [42]
	*SHRP SECTION ID [1598]

STATE OR PROVINCE PENNSYLVANIA COUNTY CUMBERLAND
 HIGHWAY ROUTE NO. SR 81 MILEPOST# SEG. 580
 NEAREST CITY/TOWN 2 MI. N WERTZVILLE
 NEAREST INTERSECTION 1 MI. N. EXIT 19 (PA 114)
 FUNCTIONAL CLASS 1 NO.LANES EACH DIRECTION 2 TOTAL NO.LANE 4
 DIRECTION OF TRAVEL GPS LANE N DATE OPENED TO TRAF. - -69
 FIPS COUNTY CODE 041 FHWA STATION IDENTIFICATION NO. _____
 HPMS SAMPLE NO. 210081032174 HPMS SUBDIVISION NO. 0
 TYPE OF PAVEMENT: AC _____ PCC X OTHER _____
 CONTROL OF ACCESS: YES X NO _____ MEDIAN: YES X NO _____
 CURRENT SURROUNDING DEVELOPMENT:
 URBAN _____ SUBURBAN _____ RURAL X
 HAS INTENSITY OF ROADSIDE DEVELOPMENT INCREASED OVER PAST 10 YEARS?
 YES _____ NO X
 IF YES, DESCRIBE CHANGES _____

NAME OF PREPARER <u>EDWIN R. MARSHALL, JR.</u>	PHONE # <u>(717) 787-3082</u>
DATE PREPARED <u>9/27/90</u>	

SHEET 2 LTPP TRAFFIC DATA TRAFFIC VOLUMES AND LOAD ESTIMATES	*STATE ASSIGNED ID [_____]
	*STATE CODE [42]
	*SHRP SECTION ID [1598]

YEAR	1. ESTIMATED TOTAL VEHICLES AADT (TWO-WAY)	2 ESTIMATED TOTAL TRUCK AADT (TWO-WAY)	3 ESTIMATED TOTAL VEHICLES AADT GPS LANE	4 ESTIMATED TOTAL TRUCK AADT GPS LANE	5 ESTIMATED ESAL'S/YR GPS LANE (1000's)
1989	29609	6133	11844	2454	1130
1988	28199	6486	11280	2594	1195
1987	27646	6359	11058	2544	1172
1986	26840	6173	10736	2470	1137
1985	26074	6425	10430	2570	1183
1984	23299	5838	9320	2334	1075
1983	22842	5254	9136	2102	968
1982	21980	5055	8792	2022	931
1981	21181	4872	8472	1948	897
1980	20803	4786	8320	1914	881
1979	21181	4872	8472	1948	897
1978	21573	4962	8630	1984	914
1977	20990	4828	8396	1930	889
1976	20260	4660	8104	1864	858
1975	19255	4429	7702	1772	816
1974	18804	4325	7522	1730	797
1973	18363	4223	7344	1690	778
1972	17933	4124	7174	1650	760
1971	17512	4028	7004	1612	742
1970	17169	3948	6868	1580	728
1969	17002	3910	6800	1564	720
1968					
1967					
1966					
1965					

NAME OF PREPARER	PALMER E. WERT, JR	PHONE #	(717) 787-4574
DATE PREPARED	9/27/90		

SHEET 3

LTPP TRAFFIC DATA PROCEDURES FOR ESTIMATING ANNUAL AVERAGE VOLUMES AND TOTAL ANNUAL ESALS

*STATE ASSIGNED ID [_ _ _ _]

*STATE CODE [42]

*SHRP SECTION ID [1598]

1. Year Applicable 1969-74

2. METHOD FOR ESTIMATING AADT

- ☐ Factored a single count taken this year at the GPS site.
☐ Averaged multiple counts taken this year at the GPS site.
☐ Averaged and factored multiple counts taken this year at the GPS site.
☐ Growth factored last year's estimate.
☐ Estimated based on volume counts at nearby locations.
☐ Used flow maps.
☐ Used computerized network analyses.
☒ Other: FACTORED FROM 1975 COUNT

3. METHOD FOR ESTIMATING TRUCK VOLUMES OR PERCENTAGES

- ☐ Used a single count taken this year at the GPS site.
☐ Factored a single count taken this year at the GPS site.
☐ Averaged multiple counts taken this year at the GPS site.
☐ Used system averages from counts taken this year.
☐ Used count data from nearby sites.
☐ Used count data taken in earlier years at the GPS site.
☐ Used system averages taken in earlier years at the GPS site.
☐ Used computerized network analyses.
☒ Other: FACTORED FROM 1975

4. METHOD FOR ESTIMATING AADT BY GPS LANE

- ☐ Based on actual lane count data.
☐ System distribution factors.
☒ Other: FACTORED FROM 1975
ASSUMED .5 AND .8 DIRECTIONAL AND LANE
FACTORS

5. METHOD FOR ESTIMATING TRUCK AADT IN GPS LANES

- ☐ Based on actual lane count data.
☐ System distribution factors.
☒ Other: FACTORED FROM 1975 ASSUMED
.5 AND .8 DIRECTIONAL AND LANE FACTORS.

6. METHOD FOR ESTIMATING ESAL/VEHICLE

- ☐ ESAL/Truck.
☒ ESAL/Vehicle class. (no. of classes) 11
☐ Other: _____

7. ESAL ESTIMATES

(A) Source of Data

- ☐ Weight data collected at GPS site this year.
☐ Weight data collected at GPS site prior years.
☐ Weight data from system averages this year.
☐ Weight data from system averages prior years.
☐ Weight data from historic W-4 Tables used.
☒ Other: FACTORED FROM 1975
SYSTEM AVERAGES FROM 1975.

(B) Weight Scale Type

- ☐ WIM scale.
☐ Static scale used for enforcement.
☐ Static scale not used for enforcement.
☐ Other: _____

NAME OF PREPARER PALMER E. WERT, JR PHONE # (717) 781 4574
DATE PREPARED 9/27/90

SHEET 3

LTPP TRAFFIC DATA PROCEDURES FOR ESTIMATING ANNUAL AVERAGE VOLUMES AND TOTAL ANNUAL ESALS

*STATE ASSIGNED ID [_ _ _ _]

*STATE CODE [42]

*SHRP SECTION ID [1598]

1. Year Applicable 1975

2. METHOD FOR ESTIMATING AADT

- ☒ Factored a single count taken this year at the GPS site.
- ☐ Averaged multiple counts taken this year at the GPS site.
- ☐ Averaged and factored multiple counts taken this year at the GPS site.
- ☐ Growth factored last year's estimate.
- ☐ Estimated based on volume counts at nearby locations.
- ☐ Used flow maps.
- ☐ Used computerized network analyses.
- ☐ Other: _____

3. METHOD FOR ESTIMATING TRUCK VOLUMES OR PERCENTAGES

- ☒ Used a single count taken this year at the GPS site.
- ☐ Factored a single count taken this year at the GPS site.
- ☐ Averaged multiple counts taken this year at the GPS site.
- ☐ Used system averages from counts taken this year.
- ☐ Used count data from nearby sites.
- ☐ Used count data taken in earlier years at the GPS site.
- ☐ Used system averages taken in earlier years at the GPS site.
- ☐ Used computerized network analyses.
- ☐ Other: _____

4. METHOD FOR ESTIMATING AADT BY GPS LANE

- ☒ Based on actual lane count data.
- ☐ System distribution factors.
- ☒ Other: ASSUMED .5 AND .8 DIRECTIONAL AND LANE FACTORS.

5. METHOD FOR ESTIMATING TRUCK AADT IN GPS LANES

- ☒ Based on actual lane count data.
- ☐ System distribution factors.
- ☒ Other: ASSUMED .5 AND .8 DIRECTIONAL AND LANE FACTORS

6. METHOD FOR ESTIMATING ESAL/VEHICLE

- ☐ ESAL/Truck.
- ☒ ESAL/Vehicle class. (no. of classes) 11
- ☐ Other: _____

7. ESAL ESTIMATES

(A) Source of Data

- ☐ Weight data collected at GPS site this year.
- ☐ Weight data collected at GPS site prior years.
- ☒ Weight data from system averages this year.
- ☐ Weight data from system averages prior years.
- ☐ Weight data from historic W-4 Tables used.
- ☐ Other: _____

(B) Weight Scale Type

- ☐ WIM scale.
- ☐ Static scale used for enforcement.
- ☐ Static scale not used for enforcement.
- ☐ Other: _____

NOTE: SHEETS 4 AND 5 ARE provided because RAW data is no longer available.

NAME OF PREPARER PALMER E. WERT, JR PHONE # (717) 787-4574

DATE PREPARED 9/27/90

SHEET 3

LTPP TRAFFIC DATA PROCEDURES FOR ESTIMATING ANNUAL AVERAGE VOLUMES AND TOTAL ANNUAL ESALS

*STATE ASSIGNED ID [_ _ _ _]

*STATE CODE [42]

*SHRP SECTION ID [1598]

1. Year Applicable 1976-83

2. METHOD FOR ESTIMATING AADT

- ☐ Factored a single count taken this year at the GPS site.
☐ Averaged multiple counts taken this year at the GPS site.
☐ Averaged and factored multiple counts taken this year at the GPS site.
☐ Growth factored last year's estimate.
☐ Estimated based on volume counts at nearby locations.
☐ Used flow maps.
☐ Used computerized network analyses.
☒ Other: FACTORED FROM 1984 COUNT

3. METHOD FOR ESTIMATING TRUCK VOLUMES OR PERCENTAGES

- ☐ Used a single count taken this year at the GPS site.
☐ Factored a single count taken this year at the GPS site.
☐ Averaged multiple counts taken this year at the GPS site.
☐ Used system averages from counts taken this year.
☐ Used count data from nearby sites.
☐ Used count data taken in earlier years at the GPS site.
☐ Used system averages taken in earlier years at the GPS site.
☐ Used computerized network analyses.
☒ Other: FACTORED FROM 1984

4. METHOD FOR ESTIMATING AADT BY GPS LANE

- ☐ Based on actual lane count data.
☐ System distribution factors.
☒ Other: FACTORED FROM 1984
ASSUMED .5 AND .8 LANE AND DIRECTIONAL
AND LANE FACTORS

5. METHOD FOR ESTIMATING TRUCK AADT IN GPS LANES

- ☐ Based on actual lane count data.
☐ System distribution factors.
☒ Other: FACTORED FROM 1984 ASSUMED
.5 AND .8 DIRECTIONAL AND LANE FACTORS

6. METHOD FOR ESTIMATING ESAL/VEHICLE

- ☐ ESAL/Truck.
☒ ESAL/Vehicle class. (no. of classes) 11
☐ Other: _____

7. ESAL ESTIMATES

(A) Source of Data

- ☐ Weight data collected at GPS site this year.
☐ Weight data collected at GPS site prior years.
☒ Weight data from system averages this year.
☐ Weight data from system averages prior years.
☐ Weight data from historic W-4 Tables used.
☐ Other: _____

(B) Weight Scale Type

- ☐ WIM scale.
☐ Static scale used for enforcement.
☐ Static scale not used for enforcement.
☐ Other: _____

NAME OF PREPARER PALMER E WERT, JR PHONE (717) 787-4574
DATE PREPARED 9/27/90

SHEET 3

LTPP TRAFFIC DATA PROCEDURES FOR ESTIMATING ANNUAL AVERAGE VOLUMES AND TOTAL ANNUAL ESALS

*STATE ASSIGNED ID [_ _ _ _]

*STATE CODE [42]

*SHRP SECTION ID [1598]

1. Year Applicable 1984

2. METHOD FOR ESTIMATING AADT

- ☒ Factored a single count taken this year at the GPS site.
- ☐ Averaged multiple counts taken this year at the GPS site.
- ☐ Averaged and factored multiple counts taken this year at the GPS site.
- ☐ Growth factored last year's estimate.
- ☐ Estimated based on volume counts at nearby locations.
- ☐ Used flow maps.
- ☐ Used computerized network analyses.
- ☐ Other: _____

3. METHOD FOR ESTIMATING TRUCK VOLUMES OR PERCENTAGES

- ☒ Used a single count taken this year at the GPS site.
- ☐ Factored a single count taken this year at the GPS site.
- ☐ Averaged multiple counts taken this year at the GPS site.
- ☐ Used system averages from counts taken this year.
- ☐ Used count data from nearby sites.
- ☐ Used count data taken in earlier years at the GPS site.
- ☐ Used system averages taken in earlier years at the GPS site.
- ☐ Used computerized network analyses.
- ☐ Other: _____

4. METHOD FOR ESTIMATING AADT BY GPS LANE

- ☒ Based on actual lane count data.
- ☐ System distribution factors.
- ☒ Other: ASSUMED .5 AND .8 DIRECTIONAL AND LANE FACTORS

5. METHOD FOR ESTIMATING TRUCK AADT IN GPS LANES

- ☒ Based on actual lane count data.
- ☐ System distribution factors.
- ☒ Other: ASSUMED .5 AND .8 DIRECTIONAL AND LANE FACTORS

6. METHOD FOR ESTIMATING ESAL/VEHICLE

- ☐ ESAL/Truck.
- ☒ ESAL/Vehicle class. (no. of classes) 11
- ☐ Other: _____

7. ESAL ESTIMATES

(A) Source of Data

- ☐ Weight data collected at GPS site this year.
- ☐ Weight data collected at GPS site prior years.
- ☒ Weight data from system averages this year.
- ☐ Weight data from system averages prior years.
- ☐ Weight data from historic W-4 Tables used.
- ☐ Other: _____

(B) Weight Scale Type

- ☐ WIM scale.
- ☐ Static scale used for enforcement.
- ☐ Static scale not used for enforcement.
- ☐ Other: _____

NAME OF PREPARER PALMER E. WERT, JR PHONE (717) 787-4574

DATE PREPARED 9/27/90

SHEET 3

LTPP TRAFFIC DATA PROCEDURES FOR ESTIMATING ANNUAL AVERAGE VOLUMES AND TOTAL ANNUAL ESALS

*STATE ASSIGNED ID [_ _ _ _]

*STATE CODE (42)

*SHRP SECTION ID (1598)

1. Year Applicable 1985

2. METHOD FOR ESTIMATING AADT

- ☒ Factored a single count taken this year at the GPS site.
- ☐ Averaged multiple counts taken this year at the GPS site.
- ☐ Averaged and factored multiple counts taken this year at the GPS site.
- ☐ Growth factored last year's estimate.
- ☐ Estimated based on volume counts at nearby locations.
- ☐ Used flow maps.
- ☐ Used computerized network analyses.
- ☐ Other: _____

3. METHOD FOR ESTIMATING TRUCK VOLUMES OR PERCENTAGES

- ☒ Used a single count taken this year at the GPS site.
- ☐ Factored a single count taken this year at the GPS site.
- ☐ Averaged multiple counts taken this year at the GPS site.
- ☐ Used system averages from counts taken this year.
- ☐ Used count data from nearby sites.
- ☐ Used count data taken in earlier years at the GPS site.
- ☐ Used system averages taken in earlier years at the GPS site.
- ☐ Used computerized network analyses.
- ☐ Other: _____

4. METHOD FOR ESTIMATING AADT BY GPS LANE

- ☒ Based on actual lane count data.
- ☐ System distribution factors.
- ☒ Other: ASSUMED .5 AND .8 DIRECTIONAL AND LANE FACTORS

5. METHOD FOR ESTIMATING TRUCK AADT IN GPS LANES

- ☒ Based on actual lane count data.
- ☐ System distribution factors.
- ☒ Other: ASSUMED .5 AND .8 DIRECTIONAL AND LANE FACTORS

6. METHOD FOR ESTIMATING ESAL/VEHICLE

- ☐ ESAL/Truck.
- ☒ ESAL/Vehicle class. (no. of classes) 11
- ☐ Other: _____

7. ESAL ESTIMATES

(A) Source of Data

- ☐ Weight data collected at GPS site this year.
- ☐ Weight data collected at GPS site prior years.
- ☒ Weight data from system averages this year.
- ☐ Weight data from system averages prior years.
- ☐ Weight data from historic W-4 Tables used.
- ☐ Other: _____

(B) Weight Scale Type

- ☐ WIM scale.
- ☐ Static scale used for enforcement.
- ☐ Static scale not used for enforcement.
- ☐ Other: _____

NAME OF PREPARER PALMER E. WERT, JR PHONE (717) 787-4574

DATE PREPARED 9/27/90

SHEET 3

LTPP TRAFFIC DATA PROCEDURES FOR ESTIMATING ANNUAL AVERAGE VOLUMES AND TOTAL ANNUAL ESALS

*STATE ASSIGNED ID [_ _ _ _]

*STATE CODE (42)

*SHRP SECTION ID (1598)

1. Year Applicable 1986-88

2. METHOD FOR ESTIMATING AADT

- ☐ Factored a single count taken this year at the GPS site.
☐ Averaged multiple counts taken this year at the GPS site.
☐ Averaged and factored multiple counts taken this year at the GPS site.
☐ Growth factored last year's estimate.
☐ Estimated based on volume counts at nearby locations.
☐ Used flow maps.
☐ Used computerized network analyses.
☒ Other: FACTORED FROM 1989 COUNT

3. METHOD FOR ESTIMATING TRUCK VOLUMES OR PERCENTAGES

- ☐ Used a single count taken this year at the GPS site.
☐ Factored a single count taken this year at the GPS site.
☐ Averaged multiple counts taken this year at the GPS site.
☐ Used system averages from counts taken this year.
☐ Used count data from nearby sites.
☐ Used count data taken in earlier years at the GPS site.
☐ Used system averages taken in earlier years at the GPS site.
☐ Used computerized network analyses.
☒ Other: FACTORED FROM 1989

4. METHOD FOR ESTIMATING AADT BY GPS LANE

- ☐ Based on actual lane count data.
☐ System distribution factors.
☒ Other: FACTORED FROM 1989 ASSUMED .5 AND .8 DIRECTIONAL AND LANE FACTORS

5. METHOD FOR ESTIMATING TRUCK AADT IN GPS LANES

- ☐ Based on actual lane count data.
☐ System distribution factors.
☒ Other: FACTORED FROM 1989 ASSUMED .5 AND .8 DIRECTIONAL AND LANE FACTORS

6. METHOD FOR ESTIMATING ESAL/VEHICLE

- ☐ ESAL/Truck.
☒ ESAL/Vehicle class. (no. of classes) 11
☐ Other: _____

7. ESAL ESTIMATES

(A) Source of Data

- ☐ Weight data collected at GPS site this year.
☐ Weight data collected at GPS site prior years.
☐ Weight data from system averages this year.
☒ Weight data from system averages prior years.
☐ Weight data from historic W-4 Tables used.
☐ Other: _____

(B) Weight Scale Type

- ☐ WIM scale.
☐ Static scale used for enforcement.
☐ Static scale not used for enforcement.
☐ Other: _____

NAME OF PREPARER PALMER E. WERT, JR PHONE (717) 787-4574
 DATE PREPARED 9/27/90

SHEET 3

LTPP TRAFFIC DATA PROCEDURES FOR ESTIMATING ANNUAL AVERAGE VOLUMES AND TOTAL ANNUAL ESALS

*STATE ASSIGNED ID [_ _ _ _]

*STATE CODE (42)

*SHRP SECTION ID 1598

1. Year Applicable 1989

2. METHOD FOR ESTIMATING AADT

- ☒ Factored a single count taken this year at the GPS site.
- ☐ Averaged multiple counts taken this year at the GPS site.
- ☐ Averaged and factored multiple counts taken this year at the GPS site.
- ☐ Growth factored last year's estimate.
- ☐ Estimated based on volume counts at nearby locations.
- ☐ Used flow maps.
- ☐ Used computerized network analyses.
- ☐ Other: _____

3. METHOD FOR ESTIMATING TRUCK VOLUMES OR PERCENTAGES

- ☒ Used a single count taken this year at the GPS site.
- ☐ Factored a single count taken this year at the GPS site.
- ☐ Averaged multiple counts taken this year at the GPS site.
- ☐ Used system averages from counts taken this year.
- ☐ Used count data from nearby sites.
- ☐ Used count data taken in earlier years at the GPS site.
- ☐ Used system averages taken in earlier years at the GPS site.
- ☐ Used computerized network analyses.
- ☐ Other: _____

4. METHOD FOR ESTIMATING AADT BY GPS LANE

- ☒ Based on actual lane count data.
- ☐ System distribution factors.
- ☒ Other: ASSUMED .5 AND .8 DIRECTIONAL AND LANE FACTORS

5. METHOD FOR ESTIMATING TRUCK AADT IN GPS LANES

- ☒ Based on actual lane count data.
- ☐ System distribution factors.
- ☒ Other: ASSUMED .5 AND .8 DIRECTIONAL AND LANE FACTORS

6. METHOD FOR ESTIMATING ESAL/VEHICLE

- ☐ ESAL/Truck.
- ☒ ESAL/Vehicle class. (no. of classes) 11
- ☐ Other: _____

7. ESAL ESTIMATES

(A) Source of Data

- ☐ Weight data collected at GPS site this year.
- ☐ Weight data collected at GPS site prior years.
- ☒ Weight data from system averages this year.
- ☐ Weight data from system averages prior years.
- ☐ Weight data from historic W-4 Tables used.
- ☐ Other: _____

(B) Weight Scale Type

- ☐ WIM scale.
- ☐ Static scale used for enforcement.
- ☐ Static scale not used for enforcement.
- ☐ Other: _____

NAME OF PREPARER PALMER E. WERT, JR PHONE # (717) 787-4574

DATE PREPARED 9/27/90

SHEET 4 LTPP TRAFFIC DATA TRAFFIC VOLUME COUNTS	•STATE ASSIGNED ID [_____]
	•STATE CODE [42]
	•SHRP SECTION ID [1598]

HIGHWAY ROUTE NO. (THIS COUNT) 81
 MILEPOST# OR LOCATION (THIS COUNT) 580
 BEGINNING DATE 9/06/89 ENDING DATE 9/06/89
 BEGINNING TIME 01 ENDING TIME 2400
 COUNT DURATION 24 (X) HOURS () DAYS () MONTHS
 TYPE OF COUNTER STREETER NAME/MODEL# 241
 TYPE OF COUNT: TWO-WAY X ONEWAY GPS TEST LANE ONLY

<u>ITEM</u>	<u>ACTUAL COUNTS</u>	<u>UNITS</u>
1. TOTAL NO. OF VEHICLES(RAW COUNT)	32359	
2. ADJUSTMENT FACTORS(AS APPLICABLE):		
A. ADJUSTMENT TO 24-HOUR COUNT	N/A	
B. AXLE CORRECTION FACTOR	N/A	
C. DAY OF THE WEEK	N/A	
D. MONTH FACTOR	N/A	
E. OTHER FACTOR(<u>24 HRS TO ADT</u>)	.915	
3. ANNUAL AVERAGE DAILY TRAFFIC(AADT) (TWO-WAY)	29609	
4. DIRECTIONAL DISTRIBUTION FACTOR	.50	
5. GPS LANE DISTRIBUTION FACTOR	.80 .80	
6. AADT GPS LANE	11844	

NAME OF PREPARER <u>PALMER E. WERT, JR</u>	PHONE # <u>(717) 787-4574</u>
DATE PREPARED <u>9/27/90</u>	