

SHEET 1 LTPP TRAFFIC DATA SUMMARY TRANSMITTAL FORM	•STATE ASSIGNED ID [_____]
	•STATE CODE [42]
	•SHRP SECTION ID [5020]

STATE OR PROVINCE PENNSYLVANIA COUNTY MONTGOMERY
 HIGHWAY ROUTE NO. 476 MILEPOST# NOT ASSIGNED
 NEAREST CITY/TOWN N. WEST CONSHOHOCKEN
 NEAREST INTERSECTION N I-76; S. RIDGE PIKE
 FUNCTIONAL CLASS 11 NO.LANES EA DIRECTION 3 TOTAL NO.LANE 6
 DIRECTION OF TRAVEL GPS LANE W S DATE OPENED TO TRAF. - 79
 FIPS COUNTY CODE 091 FHWA STATION IDENTIFICATION NO. _____
 HPMS SAMPLE NO. _____ HPMS SUBDIVISION NO. _____
 TYPE OF PAVEMENT: AC _____ PCC X OTHER _____
 CONTROL OF ACCESS: YES X NO _____ MEDIAN: YES X NO _____
 CURRENT SURROUNDING DEVELOPMENT:
 URBAN _____ SUBURBAN X RURAL _____
 HAS INTENSITY OF ROADSIDE DEVELOPMENT INCREASED OVER PAST 10 YEARS?
 YES _____ NO X
 IF YES, DESCRIBE CHANGES _____

NOTE: This site is located on a route which is presently
 under construction.

NAME OF PREPARER <u>EDWIN R. MARSHALL, JR.</u>	PHONE # <u>(717) 787-3082</u>
DATE PREPARED <u>9/21/90</u>	

SHEET 2 LTPP TRAFFIC DATA TRAFFIC VOLUMES AND LOAD ESTIMATES	*STATE ASSIGNED ID [_ _ _ _] *STATE CODE [42] *SHRP SECTION ID [5020]
---	---

YEAR	1. ESTIMATED TOTAL VEHICLES AADT (TWO-WAY)	2. ESTIMATED TOTAL TRUCK AADT (TWO-WAY)	3. ESTIMATED TOTAL VEHICLES AADT GPS LANE	4. ESTIMATED TOTAL TRUCKS AADT GPS LANE	5. ESTIMATED ESAL'S / YR GPS LANE (1000's)
			60%	80%	
1989	35500	4110	10500	1700	622
1988	33900	3930	10000	1630	594
1987	32900	3750	9560	1560	567
1986	31000	3590	9140	1490	543
1985	30600	3430	8730	1420	518
1984	28700	3280	8350	1360	496
1983	27100	3140	7990	1300	475
1982	25900	3000	7640	1240	454
1981	24800	2820	7320	1190	434
1980	23700	2740	6990	1140	415
1979	22800	2640	6730	1100	399
1978					
1977					
1976					
1975					
1974					
1973					
1972					
1971					
1970					
1969					
1968					
1967					
1966					
1965					

NAME OF PREPARER _____	PHONE # _____
DATE PREPARED _____	

SHEET 3 LTPP TRAFFIC DATA PROCEDURES FOR ESTIMATING ANNUAL AVERAGE VOLUMES AND TOTAL ANNUAL ESALS	*STATE ASSIGNED ID [_ _ _ _] *STATE CODE [_ _] *SHRP SECTION ID [_ _ _ _]
--	---

1. Year Applicable 89

2. METHOD FOR ESTIMATING AADT

- ☒ Factored a single count taken this year at the GPS site.
- ☐ Averaged multiple counts taken this year at the GPS site.
- ☐ Averaged and factored multiple counts taken this year at the GPS site.
- ☐ Growth factored last year's estimate.
- ☐ Estimated based on volume counts at nearby locations.
- ☐ Used flow maps.
- ☐ Used computerized network analyses.
- ☐ Other: _____

3. METHOD FOR ESTIMATING TRUCK VOLUMES OR PERCENTAGES

- ☐ Used a single count taken this year at the GPS site.
- ☒ Factored a single count taken this year at the GPS site.
- ☐ Averaged multiple counts taken this year at the GPS site.
- ☐ Used system averages from counts taken this year.
- ☐ Used count data from nearby sites.
- ☐ Used count data taken in earlier years at the GPS site.
- ☐ Used system averages taken in earlier years at the GPS site.
- ☐ Used computerized network analyses.
- ☐ Other: _____

4. METHOD FOR ESTIMATING AADT BY GPS LANE

- ☐ Based on actual lane count data.
- ☐ System distribution factors.
- ☒ Other: ASSUMED 60% IN GPS LANE.
DIRECTIONAL FACTORS TOTALS
FROM 89 COUNT

5. METHOD FOR ESTIMATING TRUCK AADT IN GPS LANES

- ☐ Based on actual lane count data.
- ☐ System distribution factors.
- ☒ Other: ASSUMED 80% IN GPS LANE.
DIRECTIONAL TOTALS FROM 89 COUNT

6. METHOD FOR ESTIMATING ESAL/VEHICLE

- ☒ ESAL/Truck.
- ☐ ESAL/Vehicle class. (no. of classes) _____
- ☐ Other: _____

7. ESAL ESTIMATES

(A) Source of Data

- ☐ Weight data collected at GPS site this year.
- ☐ Weight data collected at GPS site prior years.
- ☐ Weight data from system averages this year.
- ☐ Weight data from system averages prior years.
- ☐ Weight data from historic W-4 Tables used.
- ☒ Other: ASSUMED 1 ESAL/TRUCK

(B) Weight Scale Type

- ☐ WIM scale.
- ☐ Static scale used for enforcement.
- ☐ Static scale not used for enforcement.
- ☐ Other: _____

NAME OF PREPARER _____	PHONE # _____
DATE PREPARED _____	

SHEET 3

**LTPP TRAFFIC DATA
PROCEDURES FOR ESTIMATING
ANNUAL AVERAGE VOLUMES AND
TOTAL ANNUAL ESALS**

*STATE ASSIGNED ID [_ _ _ _]

*STATE CODE [_ _]

*SHRP SECTION ID [_ _ _ _]

1. Year Applicable 83-88

2. METHOD FOR ESTIMATING AADT

- ☐ Factored a single count taken this year at the GPS site.
- ☐ Averaged multiple counts taken this year at the GPS site.
- ☐ Averaged and factored multiple counts taken this year at the GPS site.
- ☒ Growth factored last year's estimate.
- ☐ Estimated based on volume counts at nearby locations.
- ☐ Used flow maps.
- ☐ Used computerized network analyses.
- ☐ Other: _____

3. METHOD FOR ESTIMATING TRUCK VOLUMES OR PERCENTAGES

- ☐ Used a single count taken this year at the GPS site.
- ☐ Factored a single count taken this year at the GPS site.
- ☐ Averaged multiple counts taken this year at the GPS site.
- ☐ Used system averages from counts taken this year.
- ☐ Used count data from nearby sites.
- ☐ Used count data taken in earlier years at the GPS site.
- ☐ Used system averages taken in earlier years at the GPS site.
- ☐ Used computerized network analyses.
- ☒ Other: 1989 COUNT DATA

4. METHOD FOR ESTIMATING AADT BY GPS LANE

- ☐ Based on actual lane count data.
- ☐ System distribution factors.
- ☒ Other: ASSUMED 60% LANE FACTOR
DIRECTIONAL FACTORS FROM 89 COUNT

5. METHOD FOR ESTIMATING TRUCK AADT IN GPS LANES

- ☐ Based on actual lane count data.
- ☐ System distribution factors.
- ☒ Other: ASSUMED 80% LANE FACTOR
DIRECTIONAL FACTORS FROM 89 COUNT

6. METHOD FOR ESTIMATING ESAL/VEHICLE

- ☒ ESAL/Truck.
- ☐ ESAL/Vehicle class. (no. of classes) _____
- ☐ Other: ASSUMED

7. ESAL ESTIMATES

(A) Source of Data

- ☐ Weight data collected at GPS site this year.
- ☐ Weight data collected at GPS site prior years.
- ☐ Weight data from system averages this year.
- ☐ Weight data from system averages prior years.
- ☐ Weight data from historic W-4 Tables used.
- ☒ Other: ASSUMED 1 ESAL/TRUCK

(B) Weight Scale Type

- ☐ WIM scale.
- ☐ Static scale used for enforcement.
- ☐ Static scale not used for enforcement.
- ☐ Other: _____

NAME OF PREPARER _____ PHONE # _____

DATE PREPARED _____

SHEET 3**LTPP TRAFFIC DATA
PROCEDURES FOR ESTIMATING
ANNUAL AVERAGE VOLUMES AND
TOTAL ANNUAL ESALS**

*STATE ASSIGNED ID [_ _ _ _]

*STATE CODE [_ _]

*SHRP SECTION ID [_ _ _ _]

1. Year Applicable 82**2. METHOD FOR ESTIMATING AADT**

- ☐ Factored a single count taken this year at the GPS site.
- ☐ Averaged multiple counts taken this year at the GPS site.
- ☐ Averaged and factored multiple counts taken this year at the GPS site.
- ☐ Growth factored last year's estimate.
- ☒ Estimated based on volume counts at nearby locations.
- ☐ Used flow maps.
- ☐ Used computerized network analyses.
- ☐ Other: _____

**3. METHOD FOR ESTIMATING TRUCK
VOLUMES OR PERCENTAGES**

- ☐ Used a single count taken this year at the GPS site.
- ☐ Factored a single count taken this year at the GPS site.
- ☐ Averaged multiple counts taken this year at the GPS site.
- ☐ Used system averages from counts taken this year.
- ☐ Used count data from nearby sites.
- ☐ Used count data taken in earlier years at the GPS site.
- ☐ Used system averages taken in earlier years at the GPS site.
- ☐ Used computerized network analyses.
- ☒ Other: 89 COUNT DATA

**4. METHOD FOR ESTIMATING AADT
BY GPS LANE**

- ☐ Based on actual lane count data.
- ☐ System distribution factors.
- ☒ Other: ASSUMED 60% LANE FACTOR
DIRECTIONAL FACTOR FROM 89 COUNT

**5. METHOD FOR ESTIMATING TRUCK AADT
IN GPS LANES**

- ☐ Based on actual lane count data.
- ☐ System distribution factors.
- ☒ Other: ASSUMED 80% LANE FACTOR.
DIRECTIONAL FACTORS FROM 89 COUNT

6. METHOD FOR ESTIMATING ESAL/VEHICLE

- ☒ ESAL/Truck.
- ☐ ESAL/Vehicle class. (no. of classes) _____
- ☐ Other: _____

7. ESAL ESTIMATES**(A) Source of Data**

- ☐ Weight data collected at GPS site this year.
- ☐ Weight data collected at GPS site prior years.
- ☐ Weight data from system averages this year.
- ☐ Weight data from system averages prior years.
- ☐ Weight data from historic W-4 Tables used.
- ☒ Other: ASSUMED 1 ESAL/TRUCK

(B) Weight Scale Type

- ☐ WIM scale.
- ☐ Static scale used for enforcement.
- ☐ Static scale not used for enforcement.
- ☐ Other: _____

NAME OF PREPARER _____ PHONE # _____

DATE PREPARED _____

SHEET 3

LTPP TRAFFIC DATA PROCEDURES FOR ESTIMATING ANNUAL AVERAGE VOLUMES AND TOTAL ANNUAL ESALS

*STATE ASSIGNED ID [_ _ _ _]

*STATE CODE [_ _]

*SHRP SECTION ID [_ _ _ _]

1. Year Applicable 79-81

2. METHOD FOR ESTIMATING AADT

- ☐ Factored a single count taken this year at the GPS site.
- ☐ Averaged multiple counts taken this year at the GPS site.
- ☐ Averaged and factored multiple counts taken this year at the GPS site.
- ☐ Growth factored last year's estimate.
- ☐ Estimated based on volume counts at nearby locations.
- ☐ Used flow maps.
- ☐ Used computerized network analyses.
- ☒ Other: EXTRAPOLATED FROM 82 COUNT

3. METHOD FOR ESTIMATING TRUCK VOLUMES OR PERCENTAGES

- ☐ Used a single count taken this year at the GPS site.
- ☐ Factored a single count taken this year at the GPS site.
- ☐ Averaged multiple counts taken this year at the GPS site.
- ☐ Used system averages from counts taken this year.
- ☐ Used count data from nearby sites.
- ☐ Used count data taken in earlier years at the GPS site.
- ☐ Used system averages taken in earlier years at the GPS site.
- ☐ Used computerized network analyses.
- ☒ Other: 89 COUNT DATA

4. METHOD FOR ESTIMATING AADT BY GPS LANE

- ☐ Based on actual lane count data.
- ☐ System distribution factors.
- ☒ Other: ASSUMED 60% LANE FACTOR, DIRECTIONAL FACTOR FROM 89 COUNT.

5. METHOD FOR ESTIMATING TRUCK AADT IN GPS LANES

- ☐ Based on actual lane count data.
- ☐ System distribution factors.
- ☒ Other: ASSUMED 80% LANE FACTOR, DIRECTIONAL FACTORS FROM 89 COUNT.

6. METHOD FOR ESTIMATING ESAL/VEHICLE

- ☒ ESAL/Truck.
- ☐ ESAL/Vehicle class. (no. of classes) _____
- ☐ Other: _____

7. ESAL ESTIMATES

(A) Source of Data

- ☐ Weight data collected at GPS site this year.
- ☐ Weight data collected at GPS site prior years.
- ☐ Weight data from system averages this year.
- ☐ Weight data from system averages prior years.
- ☐ Weight data from historic W-4 Tables used.
- ☒ Other: ASSUMED 1 ESAL/TRUCK

(B) Weight Scale Type

- ☐ WIM scale.
- ☐ Static scale used for enforcement.
- ☐ Static scale not used for enforcement.
- ☐ Other: _____

NAME OF PREPARER _____ PHONE # _____
DATE PREPARED _____

SHEET 4 LTPP TRAFFIC DATA TRAFFIC VOLUME COUNTS	*STATE ASSIGNED ID [_ _ _ _] *STATE CODE [_ _] *SHRP SECTION ID [_ _ _ _]
--	---

HIGHWAY ROUTE NO. (THIS COUNT) SR 476

MILEPOST# OR LOCATION (THIS COUNT) MONTGOMERY COUNTY SEGMENT 175

BEGINNING DATE 04/05/89 ENDING DATE 04/05/89

BEGINNING TIME _____ ENDING TIME _____

COUNT DURATION 6 [X] HOURS [] DAYS [] MONTHS

TYPE OF COUNTER MANUAL NAME/MODEL # _____

TYPE OF COUNT: TWO-WAY X ONE DIRECTION ONLY _____ GPS TEST LANE ONLY _____

<u>ITEM</u>	<u>ACTUAL COUNTS</u>	<u>UNITS</u>
1. TOTAL NO. OF VEHICLES (RAW COUNT)	_____	_____
2. ADJUSTMENT FACTORS (FILL IN AS APPLICABLE):		
A. ADJUSTMENT TO 24-HOUR COUNT	_____	_____
B. AXLE CORRECTION FACTOR	_____	_____
C. DAY OF WEEK FACTOR	_____	_____
D. MONTH FACTOR	_____	_____
E. OTHER FACTOR (_____)	_____	_____
3. ANNUAL AVERAGE DAILY TRAFFIC (AADT) (TWO-WAY)	<u>35500</u>	_____
4. DIRECTIONAL DISTRIBUTION FACTOR	<u>.49</u>	_____
5. GPS LANE DISTRIBUTION FACTOR	<u>.60</u>	_____
6. AADT GPS LANE	<u>10950</u>	_____

NOTE: COMPLETE ONE SHEET FOR EACH COUNTING SESSION.

NAME OF PREPARER _____	PHONE # _____
DATE PREPARED _____	