

SHEET 10 LTPP TRAFFIC DATA TRAFFIC VOLUME AND LOAD ESTIMATE UPDATE-NO SITE COUNT	*STATE ASSIGNED ID	
	*STATE CODE	[47]
	*SHRP SECTION ID	[0600]

1. ANNUAL TRAFFIC ESTIMATES

* YEAR	ESTIMATED TOTAL VEHICLES AADT (TWO-WAY)	ESTIMATED TOTAL TRUCK AADT (TWO-WAY)	ESTIMATED TOTAL VEHICLES AADT LTPP LANE	*ESTIMATED TOTAL TRUCK AADT LTPP LANE	*ESTIMATED ESAL'S/YR LTPP LANE (1000'S)
<u>2002</u>				<u>5,269</u>	<u>1,894</u>

2. METHOD FOR ESTIMATING TOTAL VEHICLE AADT (TWO-WAY)

- ☐ Growth factored last year's estimate. (6)
☐ Estimated based on volume counts at nearby locations (3)
☐ Used computerized network analyses.(4)
☐ Factored a single count taken this year at the LTPP site. (1)
☐ Average multiple counts taken this year at the LTPP site. (2)
☐ Average and factored multiple count taken this year at the LTPP site. (5)
☐ Used flow maps. (7)
☐ Other: (8) _____

3. METHOD FOR ESTIMATING TOTAL TRUCK AADT (TWO-WAY)

- ☐ Used system average from counts taken this year. (6)
☐ Used count data from nearby sites. (3)
☐ Used count data from previous years at the LTPP site. (7)
☐ Used system averages from previous years. (9)
☐ Used computerized network analyses. (4)
☐ Used a single count taken this year at the LTPP site. (5)
☐ Factored a single count taken this year at the LTPP site. (4)
☐ Averaged multiple counts taken this year at the LTPP site. (2)
☐ Other: (10) _____

4. METHOD FOR ESTIMATEING TOTAL VEHICLES LTPP LANE AADT

- ☐ System distribution factors. (2)
☐ Based on actual lane count data. (1)
☐ Other: (3) _____

*5. METHOD FOR ESTIMATING TOTAL TRUCKS, LTPP LANE AADT

- ☐ System distribution factors. (2)
☐ Based on actual lane count data. (1)
☒ Other: (3) Projected from available data

*6. METHOD FOR ESTIMAING ESAL/YEAR IN LTPP LANE

- ☐ ESAL/Truck factor (1)
☐ ESAL/Vehicle class. (2) (No. of classes) _____
☐ ESAL/Axle(3) Sing.____ Tand.____ Tri.____
☒ Other: (3) Projected from available data

7. ESAL ESTIMATES - SOURCE OF DATA

- ☐ Weight data collected at LTPP site prior years. (2)
☐ Weight data from system averages this year. (3)
☐ Weight data from systemaverages prior years. (4)
☐ Weight data from historic W-4 Tables used. (5)
☐ Other: (6) _____

8. WEIGHT SCALE TYPE

- ☐ WIM scale. (1)
☐ Static scale used for enforcement. (2)
☐ Static scale not used for enforcement. (3)
☐ Other: (4) _____

ENTERED SEP 30 2008 C G G

NAME OF PREPARER	<u>Dan YE</u>	PHONE #	<u>512-977-1845</u>
DATE PREPARED	<u>7/25/2008</u>	REV.	February 21, 2000

SHEET 16
MONITORED TRAFFIC DATA
LTPP PROGRAM

*STATE ASSIGNED ID []
*STATE CODE [47]
*SHRP SECTION ID [0600]

SITE CALIBRATION INFORMATION

RECEIVED SEP 27 2002

1. * DATE OF CALIBRATION (MONTH/DAY/YEAR) [09/22/2002]
2. * TYPE OF EQUIPMENT CALIBRATED ___ WIM ___ CLASSIFIER ☒ BOTH
3. * REASON FOR CALIBRATION
☒ REGULARLY SCHEDULED SITE VISIT
___ EQUIPMENT REPLACEMENT
___ DATA TRIGGERED SYSTEM REVIEW
___ OTHER (SPECIFY) _____
___ RESEARCH
___ TRAINING
___ NEW EQUIPMENT INSTALLATION
4. * SENSORS INSTALLED IN LTPP LANE AT THIS SITE (CHECK ALL THAT APPLY):
___ BARE ROUND PIEZO ___ BARE FLAT PIEZO ___ BENDING PLATES
___ CHANNELIZED ROUND PIEZO ___ LOAD CELLS ___ QUARTZ PIEZO
___ CHANNELIZED FLAT PIEZO ☒ INDUCTANCE LOOPS ___ CAPACITANCE PADS
___ OTHER (SPECIFY) BL Piezo
5. EQUIPMENT MANUFACTURER Measurement Specialties

WIM SYSTEM CALIBRATION SPECIFICS**

- 6.** CALIBRATION TECHNIQUE USED:
___ TRAFFIC STREAM - ___ STATIC SCALE (Y/N) ☒ TEST TRUCKS
___ NUMBER OF TRUCKS COMPARED 001 NUMBER OF TEST TRUCKS USED
011 PASSES PER TRUCK
TRUCK TYPE SUSPENSION
TYPE PER FHWA 13 BIN SYSTEM 1 10 1
SUSPENSION: 1 - AIR 2 - LEAF SPRING 2 _____
3 - OTHER (DESCRIBE) 3 _____

7. SUMMARY CALIBRATION RESULTS (EXPRESSED AS A PERCENT)
MEAN DIFFERENCE BETWEEN ---
DYNAMIC VS. STATIC GVW _____ STANDARD DEVIATION _____
DYNAMIC VS. STATIC SINGLE AXLES _____ STANDARD DEVIATION _____
DYNAMIC VS. STATIC DOUBLE AXLES _____ STANDARD DEVIATION _____
8. 01 NUMBER OF SPEEDS AT WHICH CALIBRATION WAS PERFORMED
9. DEFINE THE SPEED RANGES USED (MPH) 60 - 70
10. CALIBRATION FACTOR (AT EXPECTED FREE FLOW SPEED) _____
- 11.** IS AUTO-CALIBRATION USED AT THIS SITE? (Y/N) Y
IF YES, IDENTIFY AND DEFINE AUTO-CALIBRATION VALUE: _____

CLASSIFIER TEST SPECIFICS***

- 12.*** METHOD FOR COLLECTING INDEPENDENT VOLUME MEASUREMENT BY VEHICLE CLASS:
___ VIDEO (1) ☒ MANUAL (2) ___ PARALLEL CLASSIFIERS (3)
13. METHOD TO DETERMINE LENGTH OF COUNT 15min TIME ___ NUMBER OF TRUCKS
14. MEAN DIFFERENCE IN VOLUMES BY VEHICLES CLASSIFICATION:
*** FHWA CLASS 9 _____ FHWA CLASS _____
*** FHWA CLASS 8 _____ FHWA CLASS _____
FHWA CLASS _____
FHWA CLASS _____
*** PERCENT "UNCLASSIFIED" VEHICLES: _____

PERSON LEADING CALIBRATION EFFORT: _____
CONTACT INFORMATION: _____

rev. November 9, 1999

ENTERED MAY 21 2003
LOADED JUL 8 2003 RG

SHEET 16 LTPP MONITORED TRAFFIC DATA SITE CALIBRATION SUMMARY	*STATE ASSIGNED ID	[]
	*STATE CODE	[47]
	*SHRP SECTION ID	[0600]

SITE CALIBRATION INFORMATION

1. * DATE OF CALIBRATION (MONTH/DAY/YEAR) [05/14/2002]
2. * TYPE OF EQUIPMENT CALIBRATED ☐ WIM ☐ CLASSIFIER ☒ BOTH
3. * REASON FOR CALIBRATION
☒ REGULARLY SCHEDULED SITE VISIT ☐ RESEARCH
☐ EQUIPMENT REPLACEMENT ☐ TRAINING
☐ DATA TRIGGERED SYSTEM REVISION ☐ NEW EQUIPMENT INSTALLATION
☐ OTHER (SPECIFY) _____
4. * SENSORS INSTALLED IN LTPP LANE AT THIS SITE (CHECK ALL THAT APPLY):
☐ BARE ROUND PIEZO CERAMIC ☐ BARE FLAT PIEZO ☐ BENDING PLATES
☐ CHANNELIZED ROUND PIEZO ☐ LOAD CELLS ☐ QUARTZ PIEZO
☐ CHANNELIZED FLAT PIEZO ☒ INDUCTANCE LOOPS ☐ CAPACITANCE PADS
☐ OTHER (SPECIFY) BL Piezo
5. EQUIPMENT MANUFACTURER Measurement Specialties

WIM SYSTEM CALIBRATION SPECIFICS**

- 6.** CALIBRATION TECHNIQUE USED:
☐ TRAFFIC STREAM -- ☐ STATIC SCALE (Y/N) ☒ TEST TRUCKS
☐ NUMBER OF TRUCKS COMPARED 001 NUMBER OF TEST TRUCKS USED

		011 PASSES PER TRUCK	
		TRUCK	TYPE
TYPE PER FHWA 13 BIN SYSTEM	1	<u>0610</u>	<u>1</u>
SUSPENSION: 1 - AIR; 2 - LEAF SPRING	2		
3 - OTHER (DESCRIBE)	3		

7. SUMMARY CALIBRATION RESULTS (EXPRESSED AS A PERCENT)
 MEAN DIFFERENCE BETWEEN ---
 DYNAMIC AND STATIC GVW _____ STANDARD DEVIATION _____
 DYNAMIC AND STATIC SINGLE AXLES _____ STANDARD DEVIATION _____
 DYNAMIC AND STATIC DOUBLE AXLES _____ STANDARD DEVIATION _____
8. 01 NUMBER OF SPEEDS AT WHICH CALIBRATION WAS PERFORMED
9. DEFINE THE SPEED RANGES USED (MPH) 62 - 66
10. CALIBRATION FACTOR (AT EXPECTED FREE FLOW SPEED) _____
- 11.** IS AUTO-CALIBRATION USED AT THIS SITE? (Y/N) Y
 IF YES, LIST AND DEFINE AUTO-CALIBRATION VALUE: _____

CLASSIFIER TEST SPECIFICS***

- 12.*** METHOD FOR COLLECTING INDEPENDENT VOLUME MEASUREMENT BY VEHICLE CLASS:
☐ VIDEO ☒ MANUAL ☐ PARALLEL CLASSIFIERS
13. METHOD TO DETERMINE LENGTH OF COUNT 15min TIME ☐ NUMBER OF TRUCKS
14. MEAN DIFFERENCE IN VOLUMES BY VEHICLES CLASSIFICATION:
 *** FHWA CLASS 9 _____ FHWA CLASS _____
 *** FHWA CLASS 8 _____ FHWA CLASS _____
 _____ FHWA CLASS _____
 _____ FHWA CLASS _____
 *** PERCENT "UNCLASSIFIED" VEHICLES: _____

PERSON LEADING CALIBRATION EFFORT:
 CONTACT INFORMATION:

rev. November 9, 1999

ENTERED AUG 01 2003 RG