

SHEET 10 <b>LTPP TRAFFIC DATA</b>  <b>TRAFFIC VOLUME AND LOAD</b> <b>ESTIMATE UPDATE - NO SITE COUNT</b>	STATE ASSIGNED ID <u>[3803] R611</u> STATE CODE <u>[84]</u> SHRP SECTION ID <u>[3803]</u>
--	---

1. ANNUAL TRAFFIC ESTIMATES

ENTERED JAN 29 1999

YEAR	ESTIMATED TOTAL VEHICLES AADT (TWO-WAY)	ESTIMATED TOTAL TRUCK AADT (TWO-WAY)	ESTIMATED TOTAL VEHICLES AADT GPS LANE	ESTIMATED TOTAL TRUCKS AADT GPS LANE	ESTIMATED ESAL'S / YR GPS LANE (1000's)
1996	<u>5010</u>	<u>570</u> <u>601</u>	<u>2572</u>	<u>293</u> <u>309</u>	<u>289</u> <u>304</u>

2. METHOD FOR ESTIMATING TOTAL VEHICLE AADT (TWO-WAY)

- ☐ Growth factored last year's estimate.  
☐ Estimated based on volume counts at nearby locations.  
☐ Used computerized network analysis.  
☒ Other USED ADJACENT COUNTER  
& AVC

5. METHOD FOR ESTIMATING TOTAL TRUCKS, GPS LANE, AADT

- ☒ System distribution factors.  
☐ Other \_\_\_\_\_

3. METHOD FOR ESTIMATING TOTAL TRUCK AADT (TWO-WAY)

- ☐ Used system average from counts taken this year.  
☐ Used count data from nearby sites.  
☐ Used count data from previous years at GPS site.  
☐ Used system averages from previous year counts.  
☐ Used computerized network analysis.  
☒ Other USED ADJACENT COUNTER  
& AVC

6. METHOD FOR ESTIMATING ESAL/YEAR IN GPS LANE

- ☐ ESAL/Truck factor.  
☐ ESAL/vehicle class factors -  
 Number of classes  
☒ Other NBDOT ESAL FORECASTER  
PROGRAM ~ TRUCK FACTORS, FLEET  
DISTRIBUTIONS WHICH ARE SITE  
SENSITIVE.

4. METHOD FOR ESTIMATING TOTAL VEHICLES GPS LANE AADT

- ☐ System distribution factors.  
☒ Other ADJACENT 4 LANE  
COUNTER & AVC

7. ESAL ESTIMATES - SOURCE OF DATA

- ☐ Prior years data collected at GPS site.  
☐ Current year system average.  
☐ Prior year system average.  
☐ Historical W-4 tables.  
☒ Other USED PROGRAM WITH CURRENT  
YEAR COUNTS & DISTRIBUTIONS

8. WEIGHT SCALE TYPE

- ☒ WIM Scale.  
☐ Static scale used for enforcement.  
☐ Static scale not used for enforcement.  
☐ Other PORTABLE WIM - IRD USED TO  
DEFINE TRUCK-FLEET DISTRIBUTIONS  
FROM MORE RECENT YEARS & APPLY TO  
PAST 4-BN CLASSIFICATION SYSTEM USED.

ENTERED JUN 05 2000

NAME OF PREPARER <u>M. JACKART</u>	PHONE # <u>(506) 453-7955</u>
DATE PREPARED <u>NOV 25, 1998.</u>	

SCANNED

2000

NBDO

SHEET 11  
LTPP TRAFFIC DATA  
VOLUME DATA  
TRANSMITTAL FORM

STATE ASSIGNED ID [ \_ \_ \_ \_ ]

STATE CODE [ 84 ]

SHRP SECTION ID [ 3803 ]

HIGHWAY RT. NO. (THIS COUNT) 11 MILEPOST NO. (THIS COUNT) \_\_\_\_\_

LOCATION (THIS COUNT) 27 miles North of Shediac

FILENAME V843803.C16 DISKTAPE ID Traf 97 NBDOT

BEGINNING DATE Jan 1/96 BEGINNING TIME \_\_\_\_\_

ENDING DATE Jan 2/96 ENDING TIME \_\_\_\_\_

TYPE OF COUNT: TWO-WAY ☒ ONE-WAY \_\_\_\_\_ GPS LANE \_\_\_\_\_

COUNT DURATION 2 [ ] HOURS [ ☒ ] DAYS [ ] MONTHS

TYPE OF SENSOR \_\_\_\_\_ ROAD TUBES \_\_\_\_\_ PIEZO CABLE

\_\_\_\_\_ PIEZO FILM ☒ LOOPS \_\_\_\_\_ OTHER \_\_\_\_\_

EQUIPMENT MANUFACTURER / MODEL # Golden River M600

AXLE CORRECTION FACTOR \_\_\_\_\_ STANDARD DEV. OF FACTOR \_\_\_\_\_

MONTHLY/SEASONAL FACTOR \_\_\_\_\_ STANDARD DEV. OF FACTOR \_\_\_\_\_

DAY-OF-WEEK FACTOR \_\_\_\_\_ STANDARD DEV. OF FACTOR SCANNED

OTHER FACTOR \_\_\_\_\_ STANDARD DEV. OF FACTOR APR 5 2009  
SPECIFY \_\_\_\_\_

DISTRIBUTION FACTOR FOR GPS LANE \_\_\_\_\_  
(WHEN NOT AVAILABLE FROM ACTUAL COUNT DATA.)

SOURCE OF GPS LANE DISTRIBUTION FACTOR ESTIMATE \_\_\_\_\_

COMMENTS: One counter is used to collect data for both 84-3803 and 84-1802. The counter is actually located between both sites. Thus identical traffic data is provided for both sites.

FILL OUT ONE TRANSMITTAL SHEET FOR EACH DATA FILE SUBMITTED.

NAME OF PREPARER M. Alice Steeves PHONE # 506-453-2418

DATE PREPARED February 2, 1997

SHEET 11  
LTPP TRAFFIC DATA  
VOLUME DATA  
TRANSMITTAL FORM

STATE ASSIGNED ID [ \_ \_ \_ \_ ]  
STATE CODE [84]  
SHRP SECTION ID [3803]

HIGHWAY RT. NO. (THIS COUNT) 11 MILEPOST NO. (THIS COUNT) \_\_\_\_\_

LOCATION (THIS COUNT) 27 miles North of Shediac

FILENAME V843803.C15 DISK/TAPE ID Traf 96 NBDOT

BEGINNING DATE Jan 1, 1996 BEGINNING TIME \_\_\_\_\_

ENDING DATE April 9, 1996 ENDING TIME \_\_\_\_\_

TYPE OF COUNT: TWO-WAY ☒ ONE-WAY \_\_\_\_\_ GPS LANE \_\_\_\_\_

COUNT DURATION \_\_\_\_\_ [ ] HOURS [ ] DAYS [☒] MONTHS

TYPE OF SENSOR \_\_\_\_\_ ROAD TUBES \_\_\_\_\_ PIEZO CABLE

\_\_\_\_\_ PIEZO FILM ☒ LOOPS \_\_\_\_\_ OTHER \_\_\_\_\_

EQUIPMENT MANUFACTURER / MODEL # Golden River M660

AXLE CORRECTION FACTOR \_\_\_\_\_ STANDARD DEV. OF FACTOR \_\_\_\_\_

MONTHLY/SEASONAL FACTOR \_\_\_\_\_ STANDARD DEV. OF FACTOR \_\_\_\_\_

DAY-OF-WEEK FACTOR \_\_\_\_\_ STANDARD DEV. OF FACTOR \_\_\_\_\_

OTHER FACTOR \_\_\_\_\_ STANDARD DEV. OF FACTOR \_\_\_\_\_  
SPECIFY \_\_\_\_\_

DISTRIBUTION FACTOR FOR GPS LANE \_\_\_\_\_  
(WHEN NOT AVAILABLE FROM ACTUAL COUNT DATA.)

SOURCE OF GPS LANE DISTRIBUTION FACTOR ESTIMATE \_\_\_\_\_

COMMENTS: Line counter is used to collect data for both 84-3803 and 84-1802. The counter is actually located between both sites. Thus identical traffic data is provided for both sites.

FILL OUT ONE TRANSMITTAL SHEET FOR EACH DATA FILE SUBMITTED.

NAME OF PREPARER M. Alice Steeves PHONE # 506-453-2418  
DATE PREPARED July 19, 1996

SHEET 11  
LTPP TRAFFIC DATA  
VOLUME DATA  
TRANSMITTAL FORM

STATE ASSIGNED ID [ \_ \_ \_ \_ ]  
STATE CODE [ 84 ]  
SHRP SECTION ID [ 3803 ]

HIGHWAY RT. NO. (THIS COUNT) 11 MILEPOST NO. (THIS COUNT) \_\_\_\_\_

LOCATION (THIS COUNT) 27 miles North of Shediac

FILENAME V843803.C46 DISKTAPE ID Trot 97 NBDCT

BEGINNING DATE Jan 4/96 BEGINNING TIME \_\_\_\_\_

ENDING DATE Mar 5/96 ENDING TIME \_\_\_\_\_

TYPE OF COUNT: TWO-WAY ☒ ONE-WAY \_\_\_\_\_ GPS LANE \_\_\_\_\_

COUNT DURATION 62 [ ] HOURS [ ☒ ] DAYS [ ] MONTHS

TYPE OF SENSOR \_\_\_\_\_ ROAD TUBES \_\_\_\_\_ PIEZO CABLE

\_\_\_\_\_ PIEZO FILM ☒ LOOPS \_\_\_\_\_ OTHER \_\_\_\_\_

EQUIPMENT MANUFACTURER / MODEL # Golden River M600

AXLE CORRECTION FACTOR \_\_\_\_\_ STANDARD DEV. OF FACTOR \_\_\_\_\_

MONTHLY/SEASONAL FACTOR \_\_\_\_\_ STANDARD DEV. OF FACTOR \_\_\_\_\_

DAY-OF-WEEK FACTOR \_\_\_\_\_ STANDARD DEV. OF FACTOR \_\_\_\_\_

OTHER FACTOR \_\_\_\_\_ STANDARD DEV. OF FACTOR \_\_\_\_\_  
SPECIFY \_\_\_\_\_

DISTRIBUTION FACTOR FOR GPS LANE \_\_\_\_\_  
(WHEN NOT AVAILABLE FROM ACTUAL COUNT DATA.)

SOURCE OF GPS LANE DISTRIBUTION FACTOR ESTIMATE \_\_\_\_\_

COMMENTS: One counter is used to collect data for both 84-3803 and 84-1802. The counter is actually located between both sites. Thus identical traffic data is provided for both sites.

FILL OUT ONE TRANSMITTAL SHEET FOR EACH DATA FILE SUBMITTED.

NAME OF PREPARER M. Alice Steeves PHONE # 506-453-2418  
DATE PREPARED February 2, 1997

SHEET 11  
LTPP TRAFFIC DATA  
VOLUME DATA  
TRANSMITTAL FORM

STATE ASSIGNED ID [ \_ \_ \_ \_ ]  
STATE CODE [84]  
SHRP SECTION ID [3803]

HIGHWAY RT. NO. (THIS COUNT) 11 MILEPOST NO. (THIS COUNT) \_\_\_\_\_

LOCATION (THIS COUNT) 27 miles North of Shediac

FILENAME V84 3803. E76 DISKTAPE ID Traf 97 NB DOT

BEGINNING DATE Mar 7/96 BEGINNING TIME \_\_\_\_\_

ENDING DATE April 9/96 ENDING TIME \_\_\_\_\_

TYPE OF COUNT: TWO-WAY ☒ ONE-WAY \_\_\_\_\_ GPS LANE \_\_\_\_\_

COUNT DURATION 34 [ ] HOURS [ ☒ ] DAYS [ ] MONTHS

TYPE OF SENSOR \_\_\_\_\_ ROAD TUBES \_\_\_\_\_ PIEZO CABLE

\_\_\_\_\_ PIEZO FILM ☒ LOOPS \_\_\_\_\_ OTHER \_\_\_\_\_

EQUIPMENT MANUFACTURER / MODEL # Golden River M600

AXLE CORRECTION FACTOR \_\_\_\_\_ STANDARD DEV. OF FACTOR \_\_\_\_\_

MONTHLY/SEASONAL FACTOR \_\_\_\_\_ STANDARD DEV. OF FACTOR SCANNED

DAY-OF-WEEK FACTOR \_\_\_\_\_ STANDARD DEV. OF FACTOR APR 5 7000

OTHER FACTOR \_\_\_\_\_ STANDARD DEV. OF FACTOR MS  
SPECIFY \_\_\_\_\_

DISTRIBUTION FACTOR FOR GPS LANE \_\_\_\_\_  
(WHEN NOT AVAILABLE FROM ACTUAL COUNT DATA.)

SOURCE OF GPS LANE DISTRIBUTION FACTOR ESTIMATE \_\_\_\_\_

COMMENTS: One counter is used to collect data for both 84-3803 and 84-1802. The counter is actually located between both sites. Thus identical traffic data is provided for both sites.

FILL OUT ONE TRANSMITTAL SHEET FOR EACH DATA FILE SUBMITTED.

NAME OF PREPARER M. Alice Steeves PHONE # 506-453-2418  
DATE PREPARED February 2, 1997

SHEET 11  
LTPP TRAFFIC DATA  
VOLUME DATA  
TRANSMITTAL FORM

STATE ASSIGNED ID [ \_ \_ \_ \_ ]  
STATE CODE [84]  
SHRP SECTION ID [3803]

HIGHWAY RT. NO. (THIS COUNT) 11 MILEPOST NO. (THIS COUNT) \_\_\_\_\_

LOCATION (THIS COUNT) 27 miles North of Shediac

FILENAME V84 3803. FM6 DISKTAPE ID Traf 97 NBDCT

BEGINNING DATE April 23/96 BEGINNING TIME \_\_\_\_\_

ENDING DATE May 30/96 ENDING TIME \_\_\_\_\_

TYPE OF COUNT: TWO-WAY ☒ ONE-WAY \_\_\_\_\_ GPS LANE \_\_\_\_\_

COUNT DURATION 38 [ ] HOURS [☒] DAYS [ ] MONTHS

TYPE OF SENSOR \_\_\_\_\_ ROAD TUBES \_\_\_\_\_ PIEZO CABLE

\_\_\_\_\_ PIEZO FILM ☒ LOOPS \_\_\_\_\_ OTHER \_\_\_\_\_

EQUIPMENT MANUFACTURER / MODEL # Golden River M 600

AXLE CORRECTION FACTOR \_\_\_\_\_ STANDARD DEV. OF FACTOR \_\_\_\_\_

MONTHLY/SEASONAL FACTOR \_\_\_\_\_ STANDARD DEV. OF FACTOR \_\_\_\_\_

DAY-OF-WEEK FACTOR \_\_\_\_\_ STANDARD DEV. OF FACTOR \_\_\_\_\_

OTHER FACTOR \_\_\_\_\_ STANDARD DEV. OF FACTOR \_\_\_\_\_

SPECIFY \_\_\_\_\_

DISTRIBUTION FACTOR FOR GPS LANE \_\_\_\_\_  
(WHEN NOT AVAILABLE FROM ACTUAL COUNT DATA.)

SOURCE OF GPS LANE DISTRIBUTION FACTOR ESTIMATE \_\_\_\_\_

COMMENTS: One counter is used to collect data for both

84-3803 and 84-1802. The counter is actually located

between both sites. Thus identical traffic data is

provided for both sites.

FILL OUT ONE TRANSMITTAL SHEET FOR EACH DATA FILE SUBMITTED.

NAME OF PREPARER M. Alice Steeves PHONE # 506-453-2418  
DATE PREPARED February 2, 1997

SHEET 11  
LTPP TRAFFIC DATA  
VOLUME DATA  
TRANSMITTAL FORM

STATE ASSIGNED ID [ \_ \_ \_ \_ ]

STATE CODE [84]

SHRP SECTION ID [3803]

HIGHWAY RT. NO. (THIS COUNT) 11 MILEPOST NO. (THIS COUNT) \_\_\_\_\_

LOCATION (THIS COUNT) 27 miles North of Shediac

FILENAME V84-3803-FL5 DISK/TAPE ID Traf 96 NBDOT

BEGINNING DATE April 22, 1996 BEGINNING TIME \_\_\_\_\_

ENDING DATE June 5, 1996 ENDING TIME \_\_\_\_\_

TYPE OF COUNT: TWO-WAY ☒ ONE-WAY \_\_\_\_\_ GPS LANE \_\_\_\_\_

COUNT DURATION \_\_\_\_\_ [ ] HOURS [ ] DAYS [☒] MONTHS

TYPE OF SENSOR \_\_\_\_\_ ROAD TUBES \_\_\_\_\_ PIEZO CABLE

\_\_\_\_\_ PIEZO FILM ☒ LOOPS \_\_\_\_\_ OTHER \_\_\_\_\_

EQUIPMENT MANUFACTURER / MODEL # Golden River M660

AXLE CORRECTION FACTOR \_\_\_\_\_ STANDARD DEV. OF FACTOR \_\_\_\_\_

MONTHLY/SEASONAL FACTOR \_\_\_\_\_ STANDARD DEV. OF FACTOR \_\_\_\_\_

DAY-OF-WEEK FACTOR \_\_\_\_\_ STANDARD DEV. OF FACTOR \_\_\_\_\_

OTHER FACTOR \_\_\_\_\_ STANDARD DEV. OF FACTOR \_\_\_\_\_  
SPECIFY \_\_\_\_\_

DISTRIBUTION FACTOR FOR GPS LANE \_\_\_\_\_  
(WHEN NOT AVAILABLE FROM ACTUAL COUNT DATA.)

SOURCE OF GPS LANE DISTRIBUTION FACTOR ESTIMATE \_\_\_\_\_

COMMENTS: One counter is used to collect data for both 84-3803 and 84-1802. The counter is actually located between both sites. Thus identical traffic data is provided for both sites.

FILL OUT ONE TRANSMITTAL SHEET FOR EACH DATA FILE SUBMITTED.

NAME OF PREPARER M. Alice Steeves PHONE # 506-453-2418

DATE PREPARED July 19, 1996

SHEET 11  
LTPP TRAFFIC DATA  
VOLUME DATA  
TRANSMITTAL FORM

STATE ASSIGNED ID [ \_ \_ \_ \_ ]  
STATE CODE [ 84 ]  
SHRP SECTION ID [ 3803 ]

HIGHWAY RT. NO. (THIS COUNT) 11 MILEPOST NO. (THIS COUNT) \_\_\_\_\_

LOCATION (THIS COUNT) 27 miles North of Shediac

FILENAME V84 3803 H16 DISKTAPE ID Traf 97 NB DCT

BEGINNING DATE June 1/96 BEGINNING TIME \_\_\_\_\_

ENDING DATE June 14/96 ENDING TIME \_\_\_\_\_

TYPE OF COUNT: TWO-WAY ☒ ONE-WAY \_\_\_\_\_ GPS LANE \_\_\_\_\_

COUNT DURATION 14 [ ] HOURS [☒] DAYS [ ] MONTHS

TYPE OF SENSOR \_\_\_\_\_ ROAD TUBES \_\_\_\_\_ PIEZO CABLE

\_\_\_\_\_ PIEZO FILM ☒ LOOPS \_\_\_\_\_ OTHER \_\_\_\_\_

EQUIPMENT MANUFACTURER / MODEL # Golden River M600

AXLE CORRECTION FACTOR \_\_\_\_\_ STANDARD DEV. OF FACTOR \_\_\_\_\_

MONTHLY/SEASONAL FACTOR \_\_\_\_\_ STANDARD DEV. OF FACTOR \_\_\_\_\_

DAY-OF-WEEK FACTOR \_\_\_\_\_ STANDARD DEV. OF FACTOR \_\_\_\_\_

OTHER FACTOR \_\_\_\_\_ STANDARD DEV. OF FACTOR \_\_\_\_\_  
SPECIFY \_\_\_\_\_

DISTRIBUTION FACTOR FOR GPS LANE \_\_\_\_\_  
(WHEN NOT AVAILABLE FROM ACTUAL COUNT DATA.)

SOURCE OF GPS LANE DISTRIBUTION FACTOR ESTIMATE \_\_\_\_\_

COMMENTS: Line counter is used to collect data for both  
84-3803 and 84-1802. The counter is actually located  
between both sites. Thus identical traffic data is  
provided for both sites.

FILL OUT ONE TRANSMITTAL SHEET FOR EACH DATA FILE SUBMITTED.

NAME OF PREPARER M. Alice Steeves PHONE # 506-453-8418  
DATE PREPARED February 2, 1997



SHEET 11  
LTPP TRAFFIC DATA  
VOLUME DATA  
TRANSMITTAL FORM

STATE ASSIGNED ID [ \_ \_ \_ \_ ]

STATE CODE [ 84 ]

SHRP SECTION ID [ 3803 ]

HIGHWAY RT. NO. (THIS COUNT) 11 MILEPOST NO. (THIS COUNT) \_\_\_\_\_

LOCATION (THIS COUNT) 27 miles North of Shediac

FILENAME V84 3803. I 36 DISKTAPE ID Traf 97 NB DOT

BEGINNING DATE July 3/96 BEGINNING TIME \_\_\_\_\_

ENDING DATE July 10/96 ENDING TIME \_\_\_\_\_

TYPE OF COUNT: TWO-WAY ☒ ONE-WAY \_\_\_\_\_ GPS LANE \_\_\_\_\_

COUNT DURATION 8 [ ] HOURS [ ☒ ] DAYS [ ] MONTHS

TYPE OF SENSOR \_\_\_\_\_ ROAD TUBES \_\_\_\_\_ PIEZO CABLE

\_\_\_\_\_ PIEZO FILM ☒ LOOPS \_\_\_\_\_ OTHER \_\_\_\_\_

EQUIPMENT MANUFACTURER / MODEL # Golden River M 600

AXLE CORRECTION FACTOR \_\_\_\_\_ STANDARD DEV. OF FACTOR \_\_\_\_\_

MONTHLY/SEASONAL FACTOR \_\_\_\_\_ STANDARD DEV. OF FACTOR \_\_\_\_\_

DAY-OF-WEEK FACTOR \_\_\_\_\_ STANDARD DEV. OF FACTOR \_\_\_\_\_

OTHER FACTOR \_\_\_\_\_ STANDARD DEV. OF FACTOR \_\_\_\_\_  
SPECIFY \_\_\_\_\_

DISTRIBUTION FACTOR FOR GPS LANE \_\_\_\_\_  
(WHEN NOT AVAILABLE FROM ACTUAL COUNT DATA.)

SOURCE OF GPS LANE DISTRIBUTION FACTOR ESTIMATE \_\_\_\_\_

COMMENTS: One counter is used to collect data for both 84-3803 and 84-1802. The counter is actually located between both sites. Thus identical traffic data is provided for both sites.

FILL OUT ONE TRANSMITTAL SHEET FOR EACH DATA FILE SUBMITTED.

NAME OF PREPARER M. Alice Steeves PHONE # 506-453-2418

DATE PREPARED February 2, 1997

SHEET 11  
LTPP TRAFFIC DATA  
VOLUME DATA  
TRANSMITTAL FORM

STATE ASSIGNED ID [ \_ \_ \_ \_ ]  
STATE CODE [ 84 ]  
SHRP SECTION ID [ 3803 ]

HIGHWAY RT. NO. (THIS COUNT) 11 MILEPOST NO. (THIS COUNT) \_\_\_\_\_

LOCATION (THIS COUNT) 27 miles North of Mediac

FILENAME V843803. IC6 DISKTAPE ID Trot 97 NBDCT

BEGINNING DATE July 13/96 BEGINNING TIME \_\_\_\_\_

ENDING DATE Nov 5/96 ENDING TIME \_\_\_\_\_

TYPE OF COUNT: TWO-WAY ☒ ONE-WAY \_\_\_\_\_ GPS LANE \_\_\_\_\_

COUNT DURATION 116 [ ] HOURS ☒ DAYS [ ] MONTHS

TYPE OF SENSOR \_\_\_\_\_ ROAD TUBES \_\_\_\_\_ PIEZO CABLE

\_\_\_\_\_ PIEZO FILM ☒ LOOPS \_\_\_\_\_ OTHER \_\_\_\_\_

EQUIPMENT MANUFACTURER / MODEL # Golden River M600

AXLE CORRECTION FACTOR \_\_\_\_\_ STANDARD DEV. OF FACTOR \_\_\_\_\_

MONTHLY/SEASONAL FACTOR \_\_\_\_\_ STANDARD DEV. OF FACTOR \_\_\_\_\_

DAY-OF-WEEK FACTOR \_\_\_\_\_ STANDARD DEV. OF FACTOR \_\_\_\_\_

OTHER FACTOR \_\_\_\_\_ STANDARD DEV. OF FACTOR \_\_\_\_\_  
SPECIFY \_\_\_\_\_

DISTRIBUTION FACTOR FOR GPS LANE \_\_\_\_\_  
(WHEN NOT AVAILABLE FROM ACTUAL COUNT DATA.)

SOURCE OF GPS LANE DISTRIBUTION FACTOR ESTIMATE \_\_\_\_\_

COMMENTS: Line counter is used to collect data for both 84-3803 and 84-1802. The counter is actually located between both sites. Thus identical traffic data is provided for both sites.

FILL OUT ONE TRANSMITTAL SHEET FOR EACH DATA FILE SUBMITTED.

NAME OF PREPARER M. Alice Steeves PHONE # 506-453-2418  
DATE PREPARED February 2, 1997

SHEET 11  
LTPP TRAFFIC DATA  
VOLUME DATA  
TRANSMITTAL FORM

STATE ASSIGNED ID [ \_ \_ \_ \_ ]

STATE CODE [84]

SHRP SECTION ID [3803]

HIGHWAY RT. NO. (THIS COUNT) 11 MILEPOST NO. (THIS COUNT) \_\_\_\_\_

LOCATION (THIS COUNT) 27 miles North of Shediac

FILENAME V843803.M86 DISKTAPE ID Traf 97 NB.DOT

BEGINNING DATE Nov 8/96 BEGINNING TIME \_\_\_\_\_

ENDING DATE Nov 13/96 ENDING TIME \_\_\_\_\_

TYPE OF COUNT: TWO-WAY ☒ ONE-WAY \_\_\_\_\_ GPS LANE \_\_\_\_\_

COUNT DURATION 6 [ ] HOURS [ ☒ ] DAYS [ ] MONTHS

TYPE OF SENSOR \_\_\_\_\_ ROAD TUBES \_\_\_\_\_ PIEZO CABLE

\_\_\_\_\_ PIEZO FILM ☒ LOOPS \_\_\_\_\_ OTHER \_\_\_\_\_

EQUIPMENT MANUFACTURER / MODEL # Golden River M 600

AXLE CORRECTION FACTOR \_\_\_\_\_ STANDARD DEV. OF FACTOR \_\_\_\_\_

MONTHLY/SEASONAL FACTOR \_\_\_\_\_ STANDARD DEV. OF FACTOR \_\_\_\_\_

DAY-OF-WEEK FACTOR \_\_\_\_\_ STANDARD DEV. OF FACTOR \_\_\_\_\_

OTHER FACTOR \_\_\_\_\_ STANDARD DEV. OF FACTOR \_\_\_\_\_  
SPECIFY \_\_\_\_\_

DISTRIBUTION FACTOR FOR GPS LANE \_\_\_\_\_  
(WHEN NOT AVAILABLE FROM ACTUAL COUNT DATA.)

SOURCE OF GPS LANE DISTRIBUTION FACTOR ESTIMATE \_\_\_\_\_

COMMENTS: Line counter is used to collect data for both 84-3803 and 84-1802. The counter is actually located between both sites. Thus identical traffic data is provided for both sites.

FILL OUT ONE TRANSMITTAL SHEET FOR EACH DATA FILE SUBMITTED.

NAME OF PREPARER M. Alice Steeves PHONE # 506-453-2418  
DATE PREPARED February 2, 1997

SHEET 11  
LTPP TRAFFIC DATA  
VOLUME DATA  
TRANSMITTAL FORM

STATE ASSIGNED ID [ \_ \_ \_ \_ ]  
STATE CODE [ 84 ]  
SHRP SECTION ID [ 3803 ]

HIGHWAY RT. NO. (THIS COUNT) 11 MILEPOST NO. (THIS COUNT) \_\_\_\_\_

LOCATION (THIS COUNT) 27 miles North of Shediac

FILENAME 1843803.MF6 DISKTAPE ID Trot 97 NBDOT

BEGINNING DATE Nov 16/96 BEGINNING TIME \_\_\_\_\_

ENDING DATE Jan 1/97 ENDING TIME \_\_\_\_\_

TYPE OF COUNT: TWO-WAY ☒ ONE-WAY \_\_\_\_\_ GPS LANE \_\_\_\_\_

COUNT DURATION 47 [ ] HOURS [ ☒ ] DAYS [ ] MONTHS

TYPE OF SENSOR \_\_\_\_\_ ROAD TUBES \_\_\_\_\_ PIEZO CABLE

\_\_\_\_\_ PIEZO FILM ☒ LOOPS \_\_\_\_\_ OTHER \_\_\_\_\_

EQUIPMENT MANUFACTURER / MODEL # Golden River M660

AXLE CORRECTION FACTOR \_\_\_\_\_ STANDARD DEV. OF FACTOR \_\_\_\_\_

MONTHLY/SEASONAL FACTOR \_\_\_\_\_ STANDARD DEV. OF FACTOR \_\_\_\_\_

DAY-OF-WEEK FACTOR \_\_\_\_\_ STANDARD DEV. OF FACTOR \_\_\_\_\_

OTHER FACTOR \_\_\_\_\_ STANDARD DEV. OF FACTOR \_\_\_\_\_  
SPECIFY \_\_\_\_\_

DISTRIBUTION FACTOR FOR GPS LANE \_\_\_\_\_  
(WHEN NOT AVAILABLE FROM ACTUAL COUNT DATA.)

SOURCE OF GPS LANE DISTRIBUTION FACTOR ESTIMATE \_\_\_\_\_

COMMENTS: Line counter is used to collect data for both 84-3803 and 84-1802. The counter is actually located between both sites. Thus identical traffic data is provided for both sites.

FILL OUT ONE TRANSMITTAL SHEET FOR EACH DATA FILE SUBMITTED.

NAME OF PREPARER M. Alice Steeves PHONE # 506-453-2418  
DATE PREPARED February 2, 1997

SHEET 11  
LTPP TRAFFIC DATA  
VOLUME DATA  
TRANSMITTAL FORM

STATE ASSIGNED ID [ \_ \_ \_ \_ ]

STATE CODE [ 84 ]

SHRP SECTION ID [ 3803 ] \* discontinued

HIGHWAY RT. NO. (THIS COUNT) 11 MILEPOST NO. (THIS COUNT) \_\_\_\_\_

LOCATION (THIS COUNT) 27 miles North of Shediac

FILENAME V843803.N46 DISKTAPE ID Traf NB DOT

BEGINNING DATE Dec 31/96 BEGINNING TIME \_\_\_\_\_

ENDING DATE Jan 15/97 ENDING TIME \_\_\_\_\_

TYPE OF COUNT: TWO-WAY ☒ ONE-WAY \_\_\_\_\_ GPS LANE \_\_\_\_\_

COUNT DURATION 16 [ ] HOURS ☒ DAYS [ ] MONTHS

TYPE OF SENSOR \_\_\_\_\_ ROAD TUBES \_\_\_\_\_ PIEZO CABLE

\_\_\_\_\_ PIEZO FILM ☒ LOOPS \_\_\_\_\_ OTHER \_\_\_\_\_

EQUIPMENT MANUFACTURER / MODEL # Golden River M600

AXLE CORRECTION FACTOR \_\_\_\_\_ STANDARD DEV. OF FACTOR \_\_\_\_\_

MONTHLY/SEASONAL FACTOR \_\_\_\_\_ STANDARD DEV. OF FACTOR \_\_\_\_\_

DAY-OF-WEEK FACTOR \_\_\_\_\_ STANDARD DEV. OF FACTOR \_\_\_\_\_

OTHER FACTOR \_\_\_\_\_ STANDARD DEV. OF FACTOR \_\_\_\_\_  
SPECIFY \_\_\_\_\_

DISTRIBUTION FACTOR FOR GPS LANE \_\_\_\_\_  
(WHEN NOT AVAILABLE FROM ACTUAL COUNT DATA.)

SOURCE OF GPS LANE DISTRIBUTION FACTOR ESTIMATE \_\_\_\_\_

COMMENTS: One counter is used to collect data for both 84-3803 and 84-1802. The counter is actually located between both sites. Thus identical traffic data is provided for both sites.

FILL OUT ONE TRANSMITTAL SHEET FOR EACH DATA FILE SUBMITTED.

NAME OF PREPARER M. Alice Steeves PHONE # 506-453-2418

DATE PREPARED May 22/97