

<b>SHEET 1</b> <b>LTPP TRAFFIC DATA</b> <b>SUMMARY TRANSMITTAL FORM</b>	*STATE ASSIGNED ID [ _ _ _ _ ] *STATE CODE [ 89 ] *SHRP SECTION ID [ 1121 ]
---	---

STATE OR PROVINCE QUEBEC COUNTY \_\_\_\_\_  
 HIGHWAY ROUTE NO. 73 MILEPOST# \_\_\_\_\_  
 NEAREST CITY/TOWN 8.5 M S. of SCOTT NEAREST INTERSECTION .6 M East of exit 95 (Ste Marie)  
 FUNCTIONAL CLASS 02 NO. LANES EACH DIRECTION 2 TOTAL NO. LANES 4  
 DIRECTION OF TRAVEL GPS LANE EAST DATE OPENED TO TRAF.     -     - 77  
 FIPS COUNTY CODE \_\_\_\_\_ FHWA STATION IDENTIFICATION NO. \_\_\_\_\_  
 HPMS SAMPLE NO. \_\_\_\_\_ HPMS SUBDIVISION NO. \_\_\_\_\_  
 TYPE OF PAVEMENT: AC ✓ PCC \_\_\_\_\_ OTHER \_\_\_\_\_  
 CONTROL OF ACCESS: YES \_\_\_\_\_ NO ✓ MEDIAN: YES ✓ NO \_\_\_\_\_  
 CURRENT SURROUNDING DEVELOPMENT:  
 URBAN \_\_\_\_\_ SUBURBAN \_\_\_\_\_ RURAL ✓  
 HAS INTENSITY OF ROADSIDE DEVELOPMENT INCREASED OVER PAST 10 YEARS?  
 YES \_\_\_\_\_ NO ✓  
 IF YES, DESCRIBE CHANGES \_\_\_\_\_  
 \_\_\_\_\_  
 \_\_\_\_\_

**NOTE:** ATTACH ALL RELATED FORMS AND COUNT DATA AND SUBMIT TO THE  
 SHRP REGIONAL OFFICE. ATTACH MAP INDICATING THE LOCATION OF  
 EACH TRAFFIC COUNT, VEHICLE CLASSIFICATION COUNT, OR WEIGHT  
 STATION RELATIVE TO THIS GPS TEST SECTION.

NAME OF PREPARER <u>Jean Laplante</u> DATE PREPARED <u>February 4 91</u>	PHONE # <u>413 646 9451</u>
---	-----------------------------

<b>SHEET 1</b> <b>LTPP TRAFFIC DATA</b> <b>SUMMARY TRANSMITTAL FORM</b>	*STATE ASSIGNED ID [ _ _ _ _ ] *STATE CODE [ 89 ] *SHRP SECTION ID [ 1121 ]
---	---

STATE OR PROVINCE QUEBEC COUNTY \_\_\_\_\_  
 HIGHWAY ROUTE NO. 73 MILEPOST# \_\_\_\_\_  
 NEAREST CITY/TOWN SCOTT NEAREST INTERSECTION 1 km east of exit 95 (Ste Mar)  
 FUNCTIONAL CLASS 02 NO. LANES EACH DIRECTION 2 TOTAL NO. LANES 4  
 DIRECTION OF TRAVEL GPS LANE EAST DATE OPENED TO TRAF. - - - 79  
 FIPS COUNTY CODE \_\_\_\_\_ FHWA STATION IDENTIFICATION NO. \_\_\_\_\_  
 HPMS SAMPLE NO. \_\_\_\_\_ HPMS SUBDIVISION NO. \_\_\_\_\_  
 TYPE OF PAVEMENT: AC ☒ PCC \_\_\_\_\_ OTHER \_\_\_\_\_  
 CONTROL OF ACCESS: YES \_\_\_\_\_ NO ☒ MEDIAN: YES ☒ NO \_\_\_\_\_  
 CURRENT SURROUNDING DEVELOPMENT:  
 URBAN \_\_\_\_\_ SUBURBAN \_\_\_\_\_ RURAL ☒  
 HAS INTENSITY OF ROADSIDE DEVELOPMENT INCREASED OVER PAST 10 YEARS?  
 YES \_\_\_\_\_ NO \_\_\_\_\_  
 IF YES, DESCRIBE CHANGES \_\_\_\_\_  
 \_\_\_\_\_  
 \_\_\_\_\_

NOTE: ATTACH ALL RELATED FORMS AND COUNT DATA AND SUBMIT TO THE  
 SHRP REGIONAL OFFICE. ATTACH MAP INDICATING THE LOCATION OF  
 EACH TRAFFIC COUNT, VEHICLE CLASSIFICATION COUNT, OR WEIGHT  
 STATION RELATIVE TO THIS GPS TEST SECTION.

NAME OF PREPARER <u>Jean Lefebvre</u> DATE PREPARED <u>February 91</u>	PHONE # <u>413 646 9451</u>
---	-----------------------------

<p><b>SHEET 2</b></p> <p><b>LTPP TRAFFIC DATA</b></p> <p><b>TRAFFIC VOLUMES AND LOAD ESTIMATES</b></p>	<p>*STATE ASSIGNED ID [ _ _ _ _ ]</p> <p>*STATE CODE [ 89 ]</p> <p>*SHRP SECTION ID [ 1127 ]</p>
--	--

YEAR	1. ESTIMATED TOTAL VEHICLES AADT (TWO-WAY)	2. ESTIMATED TOTAL TRUCK AADT (TWO-WAY)	3. ESTIMATED TOTAL VEHICLES AADT GPS LANE	4. ESTIMATED TOTAL TRUCKS AADT GPS LANE	5. ESTIMATED ESAL'S / YR GPS LANE (1000's)
1990	10743	1547	4701	719	34
1989					
1988	9850		4433		
1987	8600		3870		
1986	7700		3465		
1985	7000		3150		
1984	6700		3015		
1983	6500		2925		
1982	6200		2790		
1981	6000		2700		
1980	5910		2660		
1979	5820		2619		
1978					
1977					
1976					
1975					
1974					
1973					
1972					
1971					
1970					
1969					
1968					
1967					
1966					
1965					

NAME OF PREPARER _____	PHONE # _____
DATE PREPARED _____	

<b>SHEET 2</b>  <b>LTPP TRAFFIC DATA</b>  <b>TRAFFIC VOLUMES AND LOAD ESTIMATES</b>	*STATE ASSIGNED ID [ _ _ _ _ ]  *STATE CODE [ 89 ]  *SHRP SECTION ID [ 1127 ]
---	---

YEAR	1. ESTIMATED TOTAL VEHICLES AADT (TWO-WAY)	2. ESTIMATED TOTAL TRUCK AADT (TWO-WAY)	3. ESTIMATED TOTAL VEHICLES AADT GPS LANE	4. ESTIMATED TOTAL TRUCKS AADT GPS LANE	5. ESTIMATED ESAL'S / YR GPS LANE (1000's)
1990	10743	1547	4701	719	34
1989	10296	1483	4567	699	33
1988	9850	1413	4433	678	32
1987	8600	1239	3870	596	28
1986	7700	1109	3465	530	25
1985	7600	1008	3150	431	23
1984	6700	965	3015	461	22
1983	6500	936	2925	447	21
1982	6200	893	2790	427	20
1981	6000	864	2700	413	20
1980	5910	851	2660	407	19
1979	5820	832	2619	401	19
1978					
1977					
1976					
1975					
1974					
1973					
1972					
1971					
1970					
1969					
1968					
1967					
1966					
1965					

NAME OF PREPARER _____	PHONE # _____
DATE PREPARED _____	

## SHEET 3

LTPP TRAFFIC DATA  
PROCEDURES FOR ESTIMATING  
ANNUAL AVERAGE VOLUMES AND  
TOTAL ANNUAL ESALS

\*STATE ASSIGNED ID [ \_ \_ \_ \_ ]

\*STATE CODE [ 89 ]

\*SHRP SECTION ID [ 1122 ]

1. Year Applicable 1979

## 2. METHOD FOR ESTIMATING AADT

- ☒ Factored a single count taken this year at the GPS site.
- ☐ Averaged multiple counts taken this year at the GPS site.
- ☐ Averaged and factored multiple counts taken this year at the GPS site.
- ☐ Growth factored last year's estimate.
- ☐ Estimated based on volume counts at nearby locations.
- ☐ Used flow maps.
- ☐ Used computerized network analyses.
- ☐ Other: \_\_\_\_\_

3. METHOD FOR ESTIMATING TRUCK  
VOLUMES OR PERCENTAGES

- ☐ Used a single count taken this year at the GPS site.
- ☐ Factored a single count taken this year at the GPS site.
- ☐ Averaged multiple counts taken this year at the GPS site.
- ☐ Used system averages from counts taken this year.
- ☐ Used count data from nearby sites.
- ☐ Used count data taken in earlier years at the GPS site.
- ☐ Used system averages taken in earlier years at the GPS site.
- ☐ Used computerized network analyses.
- ☐ Other: \_\_\_\_\_

4. METHOD FOR ESTIMATING AADT  
BY GPS LANE

- ☐ Based on actual lane count data.
- ☒ System distribution factors.
- ☐ Other: \_\_\_\_\_

5. METHOD FOR ESTIMATING TRUCK AADT  
IN GPS LANES

- ☐ Based on actual lane count data.
- ☐ System distribution factors.
- ☐ Other: \_\_\_\_\_

## 6. METHOD FOR ESTIMATING ESAL/VEHICLE

- ☐ ESAL/Truck.
- ☐ ESAL/Vehicle class. (no. of classes) \_\_\_\_\_
- ☐ Other: \_\_\_\_\_

## 7. ESAL ESTIMATES

## (A) Source of Data

- ☐ Weight data collected at GPS site this year.
- ☐ Weight data collected at GPS site prior years.
- ☐ Weight data from system averages this year.
- ☐ Weight data from system averages prior years.
- ☐ Weight data from historic W-4 Tables used.
- ☐ Other: \_\_\_\_\_

## (B) Weight Scale Type

- ☐ WIM scale.
- ☐ Static scale used for enforcement.
- ☐ Static scale not used for enforcement.
- ☐ Other: \_\_\_\_\_

NAME OF PREPARER \_\_\_\_\_

PHONE # \_\_\_\_\_

DATE PREPARED \_\_\_\_\_

## SHEET 3

# LTPP TRAFFIC DATA PROCEDURES FOR ESTIMATING ANNUAL AVERAGE VOLUMES AND TOTAL ANNUAL ESALS

\*STATE ASSIGNED ID [ \_ \_ \_ \_ ]

\*STATE CODE [ 89 ]

\*SHRP SECTION ID [ 1127 ]

1. Year Applicable 1979

## 2. METHOD FOR ESTIMATING AADT

- ☒ Factored a single count taken this year at the GPS site.
- ☐ Averaged multiple counts taken this year at the GPS site.
- ☐ Averaged and factored multiple counts taken this year at the GPS site.
- ☐ Growth factored last year's estimate.
- ☐ Estimated based on volume counts at nearby locations.
- ☐ Used flow maps.
- ☐ Used computerized network analyses.
- ☐ Other: \_\_\_\_\_

## 3. METHOD FOR ESTIMATING TRUCK VOLUMES OR PERCENTAGES

- ☐ Used a single count taken this year at the GPS site.
- ☐ Factored a single count taken this year at the GPS site.
- ☐ Averaged multiple counts taken this year at the GPS site.
- ☐ Used system averages from counts taken this year.
- ☐ Used count data from nearby sites.
- ☐ Used count data taken in earlier years at the GPS site.
- ☐ Used system averages taken in earlier years at the GPS site.
- ☐ Used computerized network analyses.
- ☒ Other: Used count data from 1991

## 4. METHOD FOR ESTIMATING AADT BY GPS LANE

- ☐ Based on actual lane count data.
- ☒ System distribution factors.
- ☐ Other: \_\_\_\_\_

## 5. METHOD FOR ESTIMATING TRUCK AADT IN GPS LANES

- ☐ Based on actual lane count data.
- ☒ System distribution factors.
- ☐ Other: \_\_\_\_\_

## 6. METHOD FOR ESTIMATING ESAL/VEHICLE

- ☒ ESAL/Truck.
- ☐ ESAL/Vehicle class. (no. of classes) \_\_\_\_\_
- ☐ Other: \_\_\_\_\_

## 7. ESAL ESTIMATES

## (A) Source of Data

- ☐ Weight data collected at GPS site this year.
- ☐ Weight data collected at GPS site prior years.
- ☐ Weight data from system averages this year.
- ☐ Weight data from system averages prior years.
- ☐ Weight data from historic W-4 Tables used.
- ☐ Other: Weight data from 1990

## (B) Weight Scale Type

- ☐ WIM scale.
- ☐ Static scale used for enforcement.
- ☐ Static scale not used for enforcement.
- ☐ Other: \_\_\_\_\_

NAME OF PREPARER \_\_\_\_\_

PHONE # \_\_\_\_\_

DATE PREPARED \_\_\_\_\_

## SHEET 3

LTPP TRAFFIC DATA  
PROCEDURES FOR ESTIMATING  
ANNUAL AVERAGE VOLUMES AND  
TOTAL ANNUAL ESALS

\*STATE ASSIGNED ID [ \_ \_ \_ \_ ]

\*STATE CODE [ 89 ]

\*SHRP SECTION ID [ 1122 ]

1. Year Applicable 1980

## 2. METHOD FOR ESTIMATING AADT

- ☐ Factored a single count taken this year at the GPS site.
- ☐ Averaged multiple counts taken this year at the GPS site.
- ☐ Averaged and factored multiple counts taken this year at the GPS site.
- ☒ Growth factored last year's estimate.
- ☐ Estimated based on volume counts at nearby locations.
- ☐ Used flow maps.
- ☐ Used computerized network analyses.
- ☐ Other: \_\_\_\_\_

3. METHOD FOR ESTIMATING TRUCK  
VOLUMES OR PERCENTAGES

- ☐ Used a single count taken this year at the GPS site.
- ☐ Factored a single count taken this year at the GPS site.
- ☐ Averaged multiple counts taken this year at the GPS site.
- ☐ Used system averages from counts taken this year.
- ☐ Used count data from nearby sites.
- ☐ Used count data taken in earlier years at the GPS site.
- ☐ Used system averages taken in earlier years at the GPS site.
- ☐ Used computerized network analyses.
- ☐ Other: \_\_\_\_\_

4. METHOD FOR ESTIMATING AADT  
BY GPS LANE

- ☐ Based on actual lane count data.
- ☒ System distribution factors.
- ☐ Other: \_\_\_\_\_

5. METHOD FOR ESTIMATING TRUCK AADT  
IN GPS LANES

- ☐ Based on actual lane count data.
- ☐ System distribution factors.
- ☐ Other: \_\_\_\_\_

## 6. METHOD FOR ESTIMATING ESAL/VEHICLE

- ☐ ESAL/Truck.
- ☐ ESAL/Vehicle class. (no. of classes) \_\_\_\_\_
- ☐ Other: \_\_\_\_\_

## 7. ESAL ESTIMATES

## (A) Source of Data

- ☐ Weight data collected at GPS site this year.
- ☐ Weight data collected at GPS site prior years.
- ☐ Weight data from system averages this year.
- ☐ Weight data from system averages prior years.
- ☐ Weight data from historic W-4 Tables used.
- ☐ Other: \_\_\_\_\_

## (B) Weight Scale Type

- ☐ WIM scale.
- ☐ Static scale used for enforcement.
- ☐ Static scale not used for enforcement.
- ☐ Other: \_\_\_\_\_

NAME OF PREPARER \_\_\_\_\_

PHONE # \_\_\_\_\_

DATE PREPARED \_\_\_\_\_

## SHEET 3

LTPP TRAFFIC DATA  
PROCEDURES FOR ESTIMATING  
ANNUAL AVERAGE VOLUMES AND  
TOTAL ANNUAL ESALS

\*STATE ASSIGNED ID [ \_ \_ \_ \_ ]

\*STATE CODE [ 89 ]

\*SHRP SECTION ID [ 1127 ]

1. Year Applicable 1981

## 2. METHOD FOR ESTIMATING AADT

- ☐ Factored a single count taken this year at the GPS site.
- ☐ Averaged multiple counts taken this year at the GPS site.
- ☐ Averaged and factored multiple counts taken this year at the GPS site.
- ☒ Growth factored last year's estimate.
- ☐ Estimated based on volume counts at nearby locations.
- ☐ Used flow maps.
- ☐ Used computerized network analyses.
- ☐ Other: \_\_\_\_\_

3. METHOD FOR ESTIMATING TRUCK  
VOLUMES OR PERCENTAGES

- ☐ Used a single count taken this year at the GPS site.
- ☐ Factored a single count taken this year at the GPS site.
- ☐ Averaged multiple counts taken this year at the GPS site.
- ☐ Used system averages from counts taken this year.
- ☐ Used count data from nearby sites.
- ☐ Used count data taken in earlier years at the GPS site.
- ☐ Used system averages taken in earlier years at the GPS site.
- ☐ Used computerized network analyses.
- ☐ Other: \_\_\_\_\_

4. METHOD FOR ESTIMATING AADT  
BY GPS LANE

- ☐ Based on actual lane count data.
- ☒ System distribution factors.
- ☐ Other: \_\_\_\_\_

5. METHOD FOR ESTIMATING TRUCK AADT  
IN GPS LANES

- ☐ Based on actual lane count data.
- ☐ System distribution factors.
- ☐ Other: \_\_\_\_\_

## 6. METHOD FOR ESTIMATING ESAL/VEHICLE

- ☐ ESAL/Truck.
- ☐ ESAL/Vehicle class. (no. of classes) \_\_\_\_\_
- ☐ Other: \_\_\_\_\_

## 7. ESAL ESTIMATES

## (A) Source of Data

- ☐ Weight data collected at GPS site this year.
- ☐ Weight data collected at GPS site prior years.
- ☐ Weight data from system averages this year.
- ☐ Weight data from system averages prior years.
- ☐ Weight data from historic W-4 Tables used.
- ☐ Other: \_\_\_\_\_

## (B) Weight Scale Type

- ☐ WIM scale.
- ☐ Static scale used for enforcement.
- ☐ Static scale not used for enforcement.
- ☐ Other: \_\_\_\_\_

NAME OF PREPARER \_\_\_\_\_

PHONE # \_\_\_\_\_

DATE PREPARED \_\_\_\_\_



<b>SHEET 3</b> <b>LTPP TRAFFIC DATA</b> <b>PROCEDURES FOR ESTIMATING</b> <b>ANNUAL AVERAGE VOLUMES AND</b> <b>TOTAL ANNUAL ESALS</b>	*STATE ASSIGNED ID [ _ _ _ _ ] *STATE CODE [ 89 ] *SHRP SECTION ID [ 1122 ]
--	---

1. Year Applicable 1980.81

**2. METHOD FOR ESTIMATING AADT**

- ☐ Factored a single count taken this year at the GPS site.
- ☐ Averaged multiple counts taken this year at the GPS site.
- ☐ Averaged and factored multiple counts taken this year at the GPS site.
- ☒ Growth factored last year's estimate.
- ☐ Estimated based on volume counts at nearby locations.
- ☐ Used flow maps.
- ☐ Used computerized network analyses.
- ☐ Other: \_\_\_\_\_

**3. METHOD FOR ESTIMATING TRUCK VOLUMES OR PERCENTAGES**

- ☐ Used a single count taken this year at the GPS site.
- ☐ Factored a single count taken this year at the GPS site.
- ☐ Averaged multiple counts taken this year at the GPS site.
- ☐ Used system averages from counts taken this year.
- ☐ Used count data from nearby sites.
- ☐ Used count data taken in earlier years at the GPS site.
- ☐ Used system averages taken in earlier years at the GPS site.
- ☐ Used computerized network analyses.
- ☐ Other: Used count data taken in 1991

**4. METHOD FOR ESTIMATING AADT BY GPS LANE**

- ☐ Based on actual lane count data.
- ☒ System distribution factors.
- ☐ Other: \_\_\_\_\_

**5. METHOD FOR ESTIMATING TRUCK AADT IN GPS LANES**

- ☐ Based on actual lane count data.
- ☒ System distribution factors.
- ☐ Other: \_\_\_\_\_

**6. METHOD FOR ESTIMATING ESAL/VEHICLE**

- ☒ ESAL/Truck.
- ☐ ESAL/Vehicle class. (no. of classes) \_\_\_\_\_
- ☐ Other: \_\_\_\_\_

**7. ESAL ESTIMATES**

**(A) Source of Data**

- ☐ Weight data collected at GPS site this year.
- ☐ Weight data collected at GPS site prior years.
- ☐ Weight data from system averages this year.
- ☐ Weight data from system averages prior years.
- ☐ Weight data from historic W-4 Tables used.
- ☒ Other: Weight data from 1990

**(B) Weight Scale Type**

- ☐ WIM scale.
- ☐ Static scale used for enforcement.
- ☐ Static scale not used for enforcement.
- ☐ Other: \_\_\_\_\_

NAME OF PREPARER _____	PHONE # _____
DATE PREPARED _____	

## SHEET 3

LTPP TRAFFIC DATA  
PROCEDURES FOR ESTIMATING  
ANNUAL AVERAGE VOLUMES AND  
TOTAL ANNUAL ESALS

\*STATE ASSIGNED ID [ \_ \_ \_ \_ ]

\*STATE CODE [ 89 ]

\*SHRP SECTION ID [ 1127 ]

1. Year Applicable 1982

## 2. METHOD FOR ESTIMATING AADT

- ☐ Factored a single count taken this year at the GPS site.
- ☐ Averaged multiple counts taken this year at the GPS site.
- ☒ Averaged and factored multiple counts taken this year at the GPS site.
- ☐ Growth factored last year's estimate.
- ☐ Estimated based on volume counts at nearby locations.
- ☐ Used flow maps.
- ☐ Used computerized network analyses.
- ☐ Other: \_\_\_\_\_

3. METHOD FOR ESTIMATING TRUCK  
VOLUMES OR PERCENTAGES

- ☐ Used a single count taken this year at the GPS site.
- ☐ Factored a single count taken this year at the GPS site.
- ☐ Averaged multiple counts taken this year at the GPS site.
- ☐ Used system averages from counts taken this year.
- ☐ Used count data from nearby sites.
- ☐ Used count data taken in earlier years at the GPS site.
- ☐ Used system averages taken in earlier years at the GPS site.
- ☐ Used computerized network analyses.
- ☐ Other: \_\_\_\_\_

4. METHOD FOR ESTIMATING AADT  
BY GPS LANE

- ☐ Based on actual lane count data.
- ☒ System distribution factors.
- ☐ Other: \_\_\_\_\_

5. METHOD FOR ESTIMATING TRUCK AADT  
IN GPS LANES

- ☐ Based on actual lane count data.
- ☐ System distribution factors.
- ☐ Other: \_\_\_\_\_

## 6. METHOD FOR ESTIMATING ESAL/VEHICLE

- ☐ ESAL/Truck.
- ☐ ESAL/Vehicle class. (no. of classes) \_\_\_\_\_
- ☐ Other: \_\_\_\_\_

## 7. ESAL ESTIMATES

## (A) Source of Data

- ☐ Weight data collected at GPS site this year.
- ☐ Weight data collected at GPS site prior years.
- ☐ Weight data from system averages this year.
- ☐ Weight data from system averages prior years.
- ☐ Weight data from historic W-4 Tables used.
- ☐ Other: \_\_\_\_\_

## (B) Weight Scale Type

- ☐ WIM scale.
- ☐ Static scale used for enforcement.
- ☐ Static scale not used for enforcement.
- ☐ Other: \_\_\_\_\_

NAME OF PREPARER \_\_\_\_\_

PHONE # \_\_\_\_\_

DATE PREPARED \_\_\_\_\_

## SHEET 3

# LTPP TRAFFIC DATA PROCEDURES FOR ESTIMATING ANNUAL AVERAGE VOLUMES AND TOTAL ANNUAL ESALS

\*STATE ASSIGNED ID [ \_ \_ \_ \_ ]

\*STATE CODE [ 89 ]

\*SHRP SECTION ID [ 1127 ]

1. Year Applicable 1982

## 2. METHOD FOR ESTIMATING AADT

- ☐ Factored a single count taken this year at the GPS site.  
☐ Averaged multiple counts taken this year at the GPS site.  
☒ Averaged and factored multiple counts taken this year at the GPS site.  
☐ Growth factored last year's estimate.  
☐ Estimated based on volume counts at nearby locations.  
☐ Used flow maps.  
☐ Used computerized network analyses.  
☐ Other: \_\_\_\_\_

## 3. METHOD FOR ESTIMATING TRUCK VOLUMES OR PERCENTAGES

- ☐ Used a single count taken this year at the GPS site.  
☐ Factored a single count taken this year at the GPS site.  
☐ Averaged multiple counts taken this year at the GPS site.  
☐ Used system averages from counts taken this year.  
☐ Used count data from nearby sites.  
☐ Used count data taken in earlier years at the GPS site.  
☐ Used system averages taken in earlier years at the GPS site.  
☐ Used computerized network analyses.  
☒ Other: Used count data taken in 1991

## 4. METHOD FOR ESTIMATING AADT BY GPS LANE

- ☐ Based on actual lane count data.  
☒ System distribution factors.  
☐ Other: \_\_\_\_\_

## 5. METHOD FOR ESTIMATING TRUCK AADT IN GPS LANES

- ☐ Based on actual lane count data.  
☒ System distribution factors.  
☐ Other: \_\_\_\_\_

## 6. METHOD FOR ESTIMATING ESAL/VEHICLE

- ☒ ESAL/Truck.  
☐ ESAL/Vehicle class. (no. of classes) \_\_\_\_\_  
☐ Other: \_\_\_\_\_

## 7. ESAL ESTIMATES

## (A) Source of Data

- ☐ Weight data collected at GPS site this year.  
☐ Weight data collected at GPS site prior years.  
☐ Weight data from system averages this year.  
☐ Weight data from system averages prior years.  
☐ Weight data from historic W-4 Tables used.  
☒ Other: Weight data from system averages prior to 1990

## (B) Weight Scale Type

- ☐ WIM scale.  
☐ Static scale used for enforcement.  
☐ Static scale not used for enforcement.  
☐ Other: \_\_\_\_\_

NAME OF PREPARER \_\_\_\_\_

PHONE # \_\_\_\_\_

DATE PREPARED \_\_\_\_\_

## SHEET 3

LTPP TRAFFIC DATA  
PROCEDURES FOR ESTIMATING  
ANNUAL AVERAGE VOLUMES AND  
TOTAL ANNUAL ESALS

\*STATE ASSIGNED ID [ \_ \_ \_ \_ ]

\*STATE CODE [ 88 ]

\*SHRP SECTION ID [ 1127 ]

1. Year Applicable 1983

## 2. METHOD FOR ESTIMATING AADT

- ☐ Factored a single count taken this year at the GPS site.
- ☐ Averaged multiple counts taken this year at the GPS site.
- ☐ Averaged and factored multiple counts taken this year at the GPS site.
- ☒ Growth factored last year's estimate.
- ☐ Estimated based on volume counts at nearby locations.
- ☐ Used flow maps.
- ☐ Used computerized network analyses.
- ☐ Other: \_\_\_\_\_

3. METHOD FOR ESTIMATING TRUCK  
VOLUMES OR PERCENTAGES

- ☐ Used a single count taken this year at the GPS site.
- ☐ Factored a single count taken this year at the GPS site.
- ☐ Averaged multiple counts taken this year at the GPS site.
- ☐ Used system averages from counts taken this year.
- ☐ Used count data from nearby sites.
- ☐ Used count data taken in earlier years at the GPS site.
- ☐ Used system averages taken in earlier years at the GPS site.
- ☐ Used computerized network analyses.
- ☐ Other: \_\_\_\_\_

4. METHOD FOR ESTIMATING AADT  
BY GPS LANE

- ☐ Based on actual lane count data.
- ☒ System distribution factors.
- ☐ Other: \_\_\_\_\_

5. METHOD FOR ESTIMATING TRUCK AADT  
IN GPS LANES

- ☐ Based on actual lane count data.
- ☐ System distribution factors.
- ☐ Other: \_\_\_\_\_

## 6. METHOD FOR ESTIMATING ESAL/VEHICLE

- ☐ ESAL/Truck.
- ☐ ESAL/Vehicle class. (no. of classes) \_\_\_\_\_
- ☐ Other: \_\_\_\_\_

## 7. ESAL ESTIMATES

## (A) Source of Data

- ☐ Weight data collected at GPS site this year.
- ☐ Weight data collected at GPS site prior years.
- ☐ Weight data from system averages this year.
- ☐ Weight data from system averages prior years.
- ☐ Weight data from historic W-4 Tables used.
- ☐ Other: \_\_\_\_\_

## (B) Weight Scale Type

- ☐ WIM scale.
- ☐ Static scale used for enforcement.
- ☐ Static scale not used for enforcement.
- ☐ Other: \_\_\_\_\_

NAME OF PREPARER \_\_\_\_\_

PHONE # \_\_\_\_\_

DATE PREPARED \_\_\_\_\_

# **LTPP TRAFFIC DATA PROCEDURES FOR ESTIMATING ANNUAL AVERAGE VOLUMES AND TOTAL ANNUAL ESALS**

\*STATE ASSIGNED ID [ \_ \_ \_ \_ ]

\*STATE CODE [ 89 ]

\*SHRP SECTION ID [ 1127 ]

1. Year Applicable 1984

## 2. METHOD FOR ESTIMATING AADT

- ☐ Factored a single count taken this year at the GPS site.
- ☐ Averaged multiple counts taken this year at the GPS site.
- ☐ Averaged and factored multiple counts taken this year at the GPS site.
- ☒ Growth factored last year's estimate.
- ☐ Estimated based on volume counts at nearby locations.
- ☐ Used flow maps.
- ☐ Used computerized network analyses.
- ☐ Other: \_\_\_\_\_

## 3. METHOD FOR ESTIMATING TRUCK VOLUMES OR PERCENTAGES

- ☐ Used a single count taken this year at the GPS site.
- ☐ Factored a single count taken this year at the GPS site.
- ☐ Averaged multiple counts taken this year at the GPS site.
- ☐ Used system averages from counts taken this year.
- ☐ Used count data from nearby sites.
- ☐ Used count data taken in earlier years at the GPS site.
- ☐ Used system averages taken in earlier years at the GPS site.
- ☐ Used computerized network analyses.
- ☐ Other: \_\_\_\_\_

## 4. METHOD FOR ESTIMATING AADT BY GPS LANE

- ☐ Based on actual lane count data.
- ☒ System distribution factors.
- ☐ Other: \_\_\_\_\_

## 5. METHOD FOR ESTIMATING TRUCK AADT IN GPS LANES

- ☐ Based on actual lane count data.
- ☐ System distribution factors.
- ☐ Other: \_\_\_\_\_

## 6. METHOD FOR ESTIMATING ESAL/VEHICLE

- ☐ ESAL/Truck.
- ☐ ESAL/Vehicle class. (no. of classes) \_\_\_\_\_
- ☐ Other: \_\_\_\_\_

## 7. ESAL ESTIMATES

## (A) Source of Data

- ☐ Weight data collected at GPS site this year.
- ☐ Weight data collected at GPS site prior years.
- ☐ Weight data from system averages this year.
- ☐ Weight data from system averages prior years.
- ☐ Weight data from historic W-4 Tables used.
- ☐ Other: \_\_\_\_\_

## (B) Weight Scale Type

- ☐ WIM scale.
- ☐ Static scale used for enforcement.
- ☐ Static scale not used for enforcement.
- ☐ Other: \_\_\_\_\_

NAME OF PREPARER \_\_\_\_\_

PHONE # \_\_\_\_\_

DATE PREPARED \_\_\_\_\_

## SHEET 3

# LTPP TRAFFIC DATA PROCEDURES FOR ESTIMATING ANNUAL AVERAGE VOLUMES AND TOTAL ANNUAL ESALS

\*STATE ASSIGNED ID [ \_ \_ \_ \_ ]

\*STATE CODE [ 89 ]

\*SHRP SECTION ID [ 1127 ]

1. Year Applicable 1983-84

## 2. METHOD FOR ESTIMATING AADT

- ☐ Factored a single count taken this year at the GPS site.  
☐ Averaged multiple counts taken this year at the GPS site.  
☐ Averaged and factored multiple counts taken this year at the GPS site.  
☒ Growth factored last year's estimate.  
☐ Estimated based on volume counts at nearby locations.  
☐ Used flow maps.  
☐ Used computerized network analyses.  
☐ Other: \_\_\_\_\_

## 3. METHOD FOR ESTIMATING TRUCK VOLUMES OR PERCENTAGES

- ☐ Used a single count taken this year at the GPS site.  
☐ Factored a single count taken this year at the GPS site.  
☐ Averaged multiple counts taken this year at the GPS site.  
☐ Used system averages from counts taken this year.  
☐ Used count data from nearby sites.  
☐ Used count data taken in earlier years at the GPS site.  
☐ Used system averages taken in earlier years at the GPS site.  
☐ Used computerized network analyses.  
☒ Other: Used count data taken in 1991

## 4. METHOD FOR ESTIMATING AADT BY GPS LANE

- ☐ Based on actual lane count data.  
☒ System distribution factors.  
☐ Other: \_\_\_\_\_

## 5. METHOD FOR ESTIMATING TRUCK AADT IN GPS LANES

- ☐ Based on actual lane count data.  
☒ System distribution factors.  
☐ Other: \_\_\_\_\_

## 6. METHOD FOR ESTIMATING ESAL/VEHICLE

- ☒ ESAL/Truck.  
☐ ESAL/Vehicle class. (no. of classes) \_\_\_\_\_  
☐ Other: \_\_\_\_\_

## 7. ESAL ESTIMATES

## (A) Source of Data

- ☐ Weight data collected at GPS site this year.  
☐ Weight data collected at GPS site prior years.  
☐ Weight data from system averages this year.  
☐ Weight data from system averages prior years.  
☐ Weight data from historic W-4 Tables used.  
☒ Other: Weight data from 1990

## (B) Weight Scale Type

- ☐ WIM scale.  
☐ Static scale used for enforcement.  
☐ Static scale not used for enforcement.  
☐ Other: \_\_\_\_\_

NAME OF PREPARER \_\_\_\_\_

PHONE # \_\_\_\_\_

DATE PREPARED \_\_\_\_\_

## SHEET 3

LTPP TRAFFIC DATA  
PROCEDURES FOR ESTIMATING  
ANNUAL AVERAGE VOLUMES AND  
TOTAL ANNUAL ESALS

\*STATE ASSIGNED ID [ \_ \_ \_ \_ ]

\*STATE CODE [ 89 ]

\*SHRP SECTION ID [ 1127 ]

1. Year Applicable 1985

## 2. METHOD FOR ESTIMATING AADT

- ☒ Factored a single count taken this year at the GPS site.
- ☐ Averaged multiple counts taken this year at the GPS site.
- ☐ Averaged and factored multiple counts taken this year at the GPS site.
- ☐ Growth factored last year's estimate.
- ☐ Estimated based on volume counts at nearby locations.
- ☐ Used flow maps.
- ☐ Used computerized network analyses.
- ☐ Other: \_\_\_\_\_

3. METHOD FOR ESTIMATING TRUCK  
VOLUMES OR PERCENTAGES

- ☐ Used a single count taken this year at the GPS site.
- ☐ Factored a single count taken this year at the GPS site.
- ☐ Averaged multiple counts taken this year at the GPS site.
- ☐ Used system averages from counts taken this year.
- ☐ Used count data from nearby sites.
- ☐ Used count data taken in earlier years at the GPS site.
- ☐ Used system averages taken in earlier years at the GPS site.
- ☐ Used computerized network analyses.
- ☐ Other: \_\_\_\_\_

4. METHOD FOR ESTIMATING AADT  
BY GPS LANE

- ☐ Based on actual lane count data.
- ☒ System distribution factors.
- ☐ Other: \_\_\_\_\_

5. METHOD FOR ESTIMATING TRUCK AADT  
IN GPS LANES

- ☐ Based on actual lane count data.
- ☐ System distribution factors.
- ☐ Other: \_\_\_\_\_

## 6. METHOD FOR ESTIMATING ESAL/VEHICLE

- ☐ ESAL/Truck.
- ☐ ESAL/Vehicle class. (no. of classes) \_\_\_\_\_
- ☐ Other: \_\_\_\_\_

## 7. ESAL ESTIMATES

## (A) Source of Data

- ☐ Weight data collected at GPS site this year.
- ☐ Weight data collected at GPS site prior years.
- ☐ Weight data from system averages this year.
- ☐ Weight data from system averages prior years.
- ☐ Weight data from historic W-4 Tables used.
- ☐ Other: \_\_\_\_\_

## (B) Weight Scale Type

- ☐ WIM scale.
- ☐ Static scale used for enforcement.
- ☐ Static scale not used for enforcement.
- ☐ Other: \_\_\_\_\_

NAME OF PREPARER \_\_\_\_\_

PHONE # \_\_\_\_\_

DATE PREPARED \_\_\_\_\_

## SHEET 3

# LTPP TRAFFIC DATA PROCEDURES FOR ESTIMATING ANNUAL AVERAGE VOLUMES AND TOTAL ANNUAL ESALS

\*STATE ASSIGNED ID [ \_ \_ \_ \_ ]

\*STATE CODE [ 89 ]

\*SHRP SECTION ID [ 1127 ]

1. Year Applicable 1985

## 2. METHOD FOR ESTIMATING AADT

- ☒ Factored a single count taken this year at the GPS site.
- ☐ Averaged multiple counts taken this year at the GPS site.
- ☐ Averaged and factored multiple counts taken this year at the GPS site.
- ☐ Growth factored last year's estimate.
- ☐ Estimated based on volume counts at nearby locations.
- ☐ Used flow maps.
- ☐ Used computerized network analyses.
- ☐ Other: \_\_\_\_\_

## 3. METHOD FOR ESTIMATING TRUCK VOLUMES OR PERCENTAGES

- ☐ Used a single count taken this year at the GPS site.
- ☐ Factored a single count taken this year at the GPS site.
- ☐ Averaged multiple counts taken this year at the GPS site.
- ☐ Used system averages from counts taken this year.
- ☐ Used count data from nearby sites.
- ☐ Used count data taken in earlier years at the GPS site.
- ☐ Used system averages taken in earlier years at the GPS site.
- ☐ Used computerized network analyses.
- ☒ Other: User count data taken in 1991

## 4. METHOD FOR ESTIMATING AADT BY GPS LANE

- ☐ Based on actual lane count data.
- ☒ System distribution factors.
- ☐ Other: \_\_\_\_\_

## 5. METHOD FOR ESTIMATING TRUCK AADT IN GPS LANES

- ☐ Based on actual lane count data.
- ☒ System distribution factors.
- ☐ Other: \_\_\_\_\_

## 6. METHOD FOR ESTIMATING ESAL/VEHICLE

- ☒ ESAL/Truck.
- ☐ ESAL/Vehicle class. (no. of classes) \_\_\_\_\_
- ☐ Other: \_\_\_\_\_

## 7. ESAL ESTIMATES

## (A) Source of Data

- ☐ Weight data collected at GPS site this year.
- ☐ Weight data collected at GPS site prior years.
- ☐ Weight data from system averages this year.
- ☐ Weight data from system averages prior years.
- ☐ Weight data from historic W-4 Tables used.
- ☒ Other: Weight data from system averages 1990

## (B) Weight Scale Type

- ☐ WIM scale.
- ☐ Static scale used for enforcement.
- ☐ Static scale not used for enforcement.
- ☐ Other: \_\_\_\_\_

NAME OF PREPARER \_\_\_\_\_

PHONE # \_\_\_\_\_

DATE PREPARED \_\_\_\_\_



## SHEET 3

# LTPP TRAFFIC DATA PROCEDURES FOR ESTIMATING ANNUAL AVERAGE VOLUMES AND TOTAL ANNUAL ESALS

\*STATE ASSIGNED ID [ \_ \_ \_ \_ ]

\*STATE CODE [ 82 ]

\*SHRP SECTION ID [ 2222 ]

1. Year Applicable 1986

## 2. METHOD FOR ESTIMATING AADT

- ☐ Factored a single count taken this year at the GPS site.  
☐ Averaged multiple counts taken this year at the GPS site.  
☐ Averaged and factored multiple counts taken this year at the GPS site.  
☒ Growth factored last year's estimate.  
☐ Estimated based on volume counts at nearby locations.  
☐ Used flow maps.  
☐ Used computerized network analyses.  
☐ Other: \_\_\_\_\_

## 3. METHOD FOR ESTIMATING TRUCK VOLUMES OR PERCENTAGES

- ☐ Used a single count taken this year at the GPS site.  
☐ Factored a single count taken this year at the GPS site.  
☐ Averaged multiple counts taken this year at the GPS site.  
☐ Used system averages from counts taken this year.  
☐ Used count data from nearby sites.  
☐ Used count data taken in earlier years at the GPS site.  
☐ Used system averages taken in earlier years at the GPS site.  
☐ Used computerized network analyses.  
☐ Other: \_\_\_\_\_

## 4. METHOD FOR ESTIMATING AADT BY GPS LANE

- ☐ Based on actual lane count data.  
☒ System distribution factors.  
☐ Other: \_\_\_\_\_

## 5. METHOD FOR ESTIMATING TRUCK AADT IN GPS LANES

- ☐ Based on actual lane count data.  
☐ System distribution factors.  
☐ Other: \_\_\_\_\_

## 6. METHOD FOR ESTIMATING ESAL/VEHICLE

- ☐ ESAL/Truck.  
☐ ESAL/Vehicle class. (no. of classes) \_\_\_\_\_  
☐ Other: \_\_\_\_\_

## 7. ESAL ESTIMATES

## (A) Source of Data

- ☐ Weight data collected at GPS site this year.  
☐ Weight data collected at GPS site prior years.  
☐ Weight data from system averages this year.  
☐ Weight data from system averages prior years.  
☐ Weight data from historic W-4 Tables used.  
☐ Other: \_\_\_\_\_

## (B) Weight Scale Type

- ☐ WIM scale.  
☐ Static scale used for enforcement.  
☐ Static scale not used for enforcement.  
☐ Other: \_\_\_\_\_

NAME OF PREPARER \_\_\_\_\_

PHONE # \_\_\_\_\_

DATE PREPARED \_\_\_\_\_

## SHEET 3

LTPP TRAFFIC DATA  
PROCEDURES FOR ESTIMATING  
ANNUAL AVERAGE VOLUMES AND  
TOTAL ANNUAL ESALS

\*STATE ASSIGNED ID [ \_ \_ \_ \_ ]

\*STATE CODE [ 89 ]

\*SHRP SECTION ID [ 222 ]

1. Year Applicable 1987

## 2. METHOD FOR ESTIMATING AADT

- ☐ Factored a single count taken this year at the GPS site.
- ☐ Averaged multiple counts taken this year at the GPS site.
- ☐ Averaged and factored multiple counts taken this year at the GPS site.
- ☒ Growth factored last year's estimate.
- ☐ Estimated based on volume counts at nearby locations.
- ☐ Used flow maps.
- ☐ Used computerized network analyses.
- ☐ Other: \_\_\_\_\_

3. METHOD FOR ESTIMATING TRUCK  
VOLUMES OR PERCENTAGES

- ☐ Used a single count taken this year at the GPS site.
- ☐ Factored a single count taken this year at the GPS site.
- ☐ Averaged multiple counts taken this year at the GPS site.
- ☐ Used system averages from counts taken this year.
- ☐ Used count data from nearby sites.
- ☐ Used count data taken in earlier years at the GPS site.
- ☐ Used system averages taken in earlier years at the GPS site.
- ☐ Used computerized network analyses.
- ☐ Other: \_\_\_\_\_

4. METHOD FOR ESTIMATING AADT  
BY GPS LANE

- ☐ Based on actual lane count data.
- ☒ System distribution factors.
- ☐ Other: \_\_\_\_\_

5. METHOD FOR ESTIMATING TRUCK AADT  
IN GPS LANES

- ☐ Based on actual lane count data.
- ☐ System distribution factors.
- ☐ Other: \_\_\_\_\_

## 6. METHOD FOR ESTIMATING ESAL/VEHICLE

- ☐ ESAL/Truck.
- ☐ ESAL/Vehicle class. (no. of classes) \_\_\_\_\_
- ☐ Other: \_\_\_\_\_

## 7. ESAL ESTIMATES

## (A) Source of Data

- ☐ Weight data collected at GPS site this year.
- ☐ Weight data collected at GPS site prior years.
- ☐ Weight data from system averages this year.
- ☐ Weight data from system averages prior years.
- ☐ Weight data from historic W-4 Tables used.
- ☐ Other: \_\_\_\_\_

## (B) Weight Scale Type

- ☐ WIM scale.
- ☐ Static scale used for enforcement.
- ☐ Static scale not used for enforcement.
- ☐ Other: \_\_\_\_\_

NAME OF PREPARER \_\_\_\_\_

PHONE # \_\_\_\_\_

DATE PREPARED \_\_\_\_\_

## SHEET 3

# LTPP TRAFFIC DATA PROCEDURES FOR ESTIMATING ANNUAL AVERAGE VOLUMES AND TOTAL ANNUAL ESALS

\*STATE ASSIGNED ID [ \_ \_ \_ \_ ]

\*STATE CODE [ 89 ]

\*SHRP SECTION ID [ 1122 ]

1. Year Applicable 1986-87

## 2. METHOD FOR ESTIMATING AADT

- ☐ Factored a single count taken this year at the GPS site.
- ☐ Averaged multiple counts taken this year at the GPS site.
- ☐ Averaged and factored multiple counts taken this year at the GPS site.
- ☒ Growth factored last year's estimate.
- ☐ Estimated based on volume counts at nearby locations.
- ☐ Used flow maps.
- ☐ Used computerized network analyses.
- ☐ Other: \_\_\_\_\_

## 3. METHOD FOR ESTIMATING TRUCK VOLUMES OR PERCENTAGES

- ☐ Used a single count taken this year at the GPS site.
- ☐ Factored a single count taken this year at the GPS site.
- ☐ Averaged multiple counts taken this year at the GPS site.
- ☐ Used system averages from counts taken this year.
- ☐ Used count data from nearby sites.
- ☐ Used count data taken in earlier years at the GPS site.
- ☐ Used system averages taken in earlier years at the GPS site.
- ☐ Used computerized network analyses.
- ☒ Other: Used count data taken in 1991

## 4. METHOD FOR ESTIMATING AADT BY GPS LANE

- ☐ Based on actual lane count data.
- ☒ System distribution factors.
- ☐ Other: \_\_\_\_\_

## 5. METHOD FOR ESTIMATING TRUCK AADT IN GPS LANES

- ☐ Based on actual lane count data.
- ☒ System distribution factors.
- ☐ Other: \_\_\_\_\_

## 6. METHOD FOR ESTIMATING ESAL/VEHICLE

- ☒ ESAL/Truck.
- ☐ ESAL/Vehicle class. (no. of classes) \_\_\_\_\_
- ☐ Other: \_\_\_\_\_

## 7. ESAL ESTIMATES

## (A) Source of Data

- ☐ Weight data collected at GPS site this year.
- ☐ Weight data collected at GPS site prior years.
- ☐ Weight data from system averages this year.
- ☐ Weight data from system averages prior years.
- ☐ Weight data from historic W-4 Tables used.
- ☒ Other: Weight data from system averages in 1990

## (B) Weight Scale Type

- ☐ WIM scale.
- ☐ Static scale used for enforcement.
- ☐ Static scale not used for enforcement.
- ☐ Other: \_\_\_\_\_

NAME OF PREPARER \_\_\_\_\_

PHONE # \_\_\_\_\_

DATE PREPARED \_\_\_\_\_

## SHEET 3

LTPP TRAFFIC DATA  
PROCEDURES FOR ESTIMATING  
ANNUAL AVERAGE VOLUMES AND  
TOTAL ANNUAL ESALS

\*STATE ASSIGNED ID [ \_ \_ \_ \_ ]

\*STATE CODE [ 89 ]

\*SHRP SECTION ID [ 222 ]

1. Year Applicable 1988

## 2. METHOD FOR ESTIMATING AADT

- ☒ Factored a single count taken this year at the GPS site.
- ☐ Averaged multiple counts taken this year at the GPS site.
- ☐ Averaged and factored multiple counts taken this year at the GPS site.
- ☐ Growth factored last year's estimate.
- ☐ Estimated based on volume counts at nearby locations.
- ☐ Used flow maps.
- ☐ Used computerized network analyses.
- ☐ Other: \_\_\_\_\_

3. METHOD FOR ESTIMATING TRUCK  
VOLUMES OR PERCENTAGES

- ☐ Used a single count taken this year at the GPS site.
- ☐ Factored a single count taken this year at the GPS site.
- ☐ Averaged multiple counts taken this year at the GPS site.
- ☐ Used system averages from counts taken this year.
- ☐ Used count data from nearby sites.
- ☐ Used count data taken in earlier years at the GPS site.
- ☐ Used system averages taken in earlier years at the GPS site.
- ☐ Used computerized network analyses.
- ☐ Other: \_\_\_\_\_

4. METHOD FOR ESTIMATING AADT  
BY GPS LANE

- ☐ Based on actual lane count data.
- ☒ System distribution factors.
- ☐ Other: \_\_\_\_\_

5. METHOD FOR ESTIMATING TRUCK AADT  
IN GPS LANES

- ☐ Based on actual lane count data.
- ☐ System distribution factors.
- ☐ Other: \_\_\_\_\_

## 6. METHOD FOR ESTIMATING ESAL/VEHICLE

- ☐ ESAL/Truck.
- ☐ ESAL/Vehicle class. (no. of classes) \_\_\_\_\_
- ☐ Other: \_\_\_\_\_

## 7. ESAL ESTIMATES

## (A) Source of Data

- ☐ Weight data collected at GPS site this year.
- ☐ Weight data collected at GPS site prior years.
- ☐ Weight data from system averages this year.
- ☐ Weight data from system averages prior years.
- ☐ Weight data from historic W-4 Tables used.
- ☐ Other: \_\_\_\_\_

## (B) Weight Scale Type

- ☐ WIM scale.
- ☐ Static scale used for enforcement.
- ☐ Static scale not used for enforcement.
- ☐ Other: \_\_\_\_\_

NAME OF PREPARER \_\_\_\_\_

PHONE # \_\_\_\_\_

DATE PREPARED \_\_\_\_\_

## SHEET 3

# LTPP TRAFFIC DATA PROCEDURES FOR ESTIMATING ANNUAL AVERAGE VOLUMES AND TOTAL ANNUAL ESALS

\*STATE ASSIGNED ID [ \_ \_ \_ \_ ]

\*STATE CODE [ 89 ]

\*SHRP SECTION ID [ 22 22 ]

1. Year Applicable 1988

## 2. METHOD FOR ESTIMATING AADT

- ☒ Factored a single count taken this year at the GPS site.
- ☐ Averaged multiple counts taken this year at the GPS site.
- ☐ Averaged and factored multiple counts taken this year at the GPS site.
- ☐ Growth factored last year's estimate.
- ☐ Estimated based on volume counts at nearby locations.
- ☐ Used flow maps.
- ☐ Used computerized network analyses.
- ☐ Other: \_\_\_\_\_

## 3. METHOD FOR ESTIMATING TRUCK VOLUMES OR PERCENTAGES

- ☐ Used a single count taken this year at the GPS site.
- ☐ Factored a single count taken this year at the GPS site.
- ☐ Averaged multiple counts taken this year at the GPS site.
- ☐ Used system averages from counts taken this year.
- ☐ Used count data from nearby sites.
- ☐ Used count data taken in earlier years at the GPS site.
- ☐ Used system averages taken in earlier years at the GPS site.
- ☐ Used computerized network analyses.
- ☒ Other: Used count data from 1991

## 4. METHOD FOR ESTIMATING AADT BY GPS LANE

- ☐ Based on actual lane count data.
- ☒ System distribution factors.
- ☐ Other: \_\_\_\_\_

## 5. METHOD FOR ESTIMATING TRUCK AADT IN GPS LANES

- ☐ Based on actual lane count data.
- ☒ System distribution factors.
- ☐ Other: \_\_\_\_\_

## 6. METHOD FOR ESTIMATING ESAL/VEHICLE

- ☒ ESAL/Truck.
- ☐ ESAL/Vehicle class. (no. of classes) \_\_\_\_\_
- ☐ Other: \_\_\_\_\_

## 7. ESAL ESTIMATES

## (A) Source of Data

- ☐ Weight data collected at GPS site this year.
- ☐ Weight data collected at GPS site prior years.
- ☐ Weight data from system averages this year.
- ☐ Weight data from system averages prior years.
- ☐ Weight data from historic W-4 Tables used.
- ☒ Other: Weight data from 1990 system

## (B) Weight Scale Type

- ☐ WIM scale.
- ☐ Static scale used for enforcement.
- ☐ Static scale not used for enforcement.
- ☐ Other: \_\_\_\_\_

NAME OF PREPARER \_\_\_\_\_

PHONE # \_\_\_\_\_

DATE PREPARED \_\_\_\_\_

## SHEET 3

# LTPP TRAFFIC DATA PROCEDURES FOR ESTIMATING ANNUAL AVERAGE VOLUMES AND TOTAL ANNUAL ESALS

\*STATE ASSIGNED ID [ \_ \_ \_ \_ ]

\*STATE CODE [ 89 ]

\*SHRP SECTION ID [ 222 ]

1. Year Applicable 1989

## 2. METHOD FOR ESTIMATING AADT

- ☐ Factored a single count taken this year at the GPS site.  
☐ Averaged multiple counts taken this year at the GPS site.  
☐ Averaged and factored multiple counts taken this year at the GPS site.  
☒ Growth factored last year's estimate.  
☐ Estimated based on volume counts at nearby locations.  
☐ Used flow maps.  
☐ Used computerized network analyses.  
☐ Other: \_\_\_\_\_

## 3. METHOD FOR ESTIMATING TRUCK VOLUMES OR PERCENTAGES

- ☐ Used a single count taken this year at the GPS site.  
☐ Factored a single count taken this year at the GPS site.  
☐ Averaged multiple counts taken this year at the GPS site.  
☐ Used system averages from counts taken this year.  
☐ Used count data from nearby sites.  
☐ Used count data taken in earlier years at the GPS site.  
☐ Used system averages taken in earlier years at the GPS site.  
☐ Used computerized network analyses.  
☒ Other: Used count data taken in 1991

## 4. METHOD FOR ESTIMATING AADT BY GPS LANE

- ☐ Based on actual lane count data.  
☒ System distribution factors.  
☐ Other: \_\_\_\_\_

## 5. METHOD FOR ESTIMATING TRUCK AADT IN GPS LANES

- ☐ Based on actual lane count data.  
☒ System distribution factors.  
☐ Other: \_\_\_\_\_

## 6. METHOD FOR ESTIMATING ESAL/VEHICLE

- ☒ ESAL/Truck.  
☐ ESAL/Vehicle class. (no. of classes) \_\_\_\_\_  
☐ Other: \_\_\_\_\_

## 7. ESAL ESTIMATES

## (A) Source of Data

- ☐ Weight data collected at GPS site this year.  
☐ Weight data collected at GPS site prior years.  
☐ Weight data from system averages this year.  
☐ Weight data from system averages prior years.  
☐ Weight data from historic W-4 Tables used.  
☒ Other: Weight data from system averages in 1990

## (B) Weight Scale Type

- ☐ WIM scale.  
☐ Static scale used for enforcement.  
☐ Static scale not used for enforcement.  
☐ Other: \_\_\_\_\_

NAME OF PREPARER \_\_\_\_\_

PHONE # \_\_\_\_\_

DATE PREPARED \_\_\_\_\_

## SHEET 3

LTPP TRAFFIC DATA  
PROCEDURES FOR ESTIMATING  
ANNUAL AVERAGE VOLUMES AND  
TOTAL ANNUAL ESALS

\*STATE ASSIGNED ID [ \_ \_ \_ \_ ]

\*STATE CODE [ 89 ]

\*SHRP SECTION ID [ 1122 ]

1. Year Applicable 1990

## 2. METHOD FOR ESTIMATING AADT

- ☐ Factored a single count taken this year at the GPS site.
- ☐ Averaged multiple counts taken this year at the GPS site.
- ☐ Averaged and factored multiple counts taken this year at the GPS site.
- ☒ Growth factored last year's estimate.
- ☐ Estimated based on volume counts at nearby locations.
- ☐ Used flow maps.
- ☐ Used computerized network analyses.
- ☐ Other: \_\_\_\_\_

3. METHOD FOR ESTIMATING TRUCK  
VOLUMES OR PERCENTAGES

- ☒ Used a single count taken this year at the GPS site.
- ☐ Factored a single count taken this year at the GPS site.
- ☐ Averaged multiple counts taken this year at the GPS site.
- ☐ Used system averages from counts taken this year.
- ☐ Used count data from nearby sites.
- ☐ Used count data taken in earlier years at the GPS site.
- ☐ Used system averages taken in earlier years at the GPS site.
- ☐ Used computerized network analyses.
- ☐ Other: \_\_\_\_\_

4. METHOD FOR ESTIMATING AADT  
BY GPS LANE

- ☐ Based on actual lane count data.
- ☒ System distribution factors.
- ☐ Other: \_\_\_\_\_

5. METHOD FOR ESTIMATING TRUCK AADT  
IN GPS LANES

- ☐ Based on actual lane count data.
- ☒ System distribution factors.
- ☐ Other: \_\_\_\_\_

## 6. METHOD FOR ESTIMATING ESAL/VEHICLE

- ☐ ESAL/Truck.
- ☐ ESAL/Vehicle class. (no. of classes) \_\_\_\_\_
- ☐ Other: \_\_\_\_\_

## 7. ESAL ESTIMATES

## (A) Source of Data

- ☐ Weight data collected at GPS site this year.
- ☐ Weight data collected at GPS site prior years.
- ☒ Weight data from system averages this year.
- ☐ Weight data from system averages prior years.
- ☐ Weight data from historic W-4 Tables used.
- ☐ Other: \_\_\_\_\_

## (B) Weight Scale Type

- ☐ WIM scale.
- ☐ Static scale used for enforcement.
- ☐ Static scale not used for enforcement.
- ☐ Other: \_\_\_\_\_

NAME OF PREPARER \_\_\_\_\_

PHONE # \_\_\_\_\_

DATE PREPARED \_\_\_\_\_

## SHEET 3

# LTPP TRAFFIC DATA PROCEDURES FOR ESTIMATING ANNUAL AVERAGE VOLUMES AND TOTAL ANNUAL ESALS

\*STATE ASSIGNED ID [ \_ \_ \_ \_ ]

\*STATE CODE [ 89 ]

\*SHRP SECTION ID [ 1122 ]

1. Year Applicable 1990

## 2. METHOD FOR ESTIMATING AADT

- ☐ Factored a single count taken this year at the GPS site.  
☐ Averaged multiple counts taken this year at the GPS site.  
☐ Averaged and factored multiple counts taken this year at the GPS site.  
☒ Growth factored last year's estimate.  
☐ Estimated based on volume counts at nearby locations.  
☐ Used flow maps.  
☐ Used computerized network analyses.  
☐ Other: \_\_\_\_\_

## 3. METHOD FOR ESTIMATING TRUCK VOLUMES OR PERCENTAGES

- ☒ Used a single count taken this year at the GPS site.  
☐ Factored a single count taken this year at the GPS site.  
☐ Averaged multiple counts taken this year at the GPS site.  
☐ Used system averages from counts taken this year.  
☐ Used count data from nearby sites.  
☐ Used count data taken in earlier years at the GPS site.  
☐ Used system averages taken in earlier years at the GPS site.  
☐ Used computerized network analyses.  
☐ Other: \_\_\_\_\_

## 4. METHOD FOR ESTIMATING AADT BY GPS LANE

- ☐ Based on actual lane count data.  
☒ System distribution factors.  
☐ Other: \_\_\_\_\_

## 5. METHOD FOR ESTIMATING TRUCK AADT IN GPS LANES

- ☐ Based on actual lane count data.  
☒ System distribution factors.  
☐ Other: \_\_\_\_\_

## 6. METHOD FOR ESTIMATING ESAL/VEHICLE

- ☒ ESAL/Truck.  
☐ ESAL/Vehicle class. (no. of classes) \_\_\_\_\_  
☐ Other: \_\_\_\_\_

## 7. ESAL ESTIMATES

## (A) Source of Data

- ☐ Weight data collected at GPS site this year.  
☐ Weight data collected at GPS site prior years.  
☒ Weight data from system averages this year.  
☐ Weight data from system averages prior years.  
☐ Weight data from historic W-4 Tables used.  
☐ Other: \_\_\_\_\_

## (B) Weight Scale Type

- ☐ WIM scale.  
☐ Static scale used for enforcement.  
☐ Static scale not used for enforcement.  
☐ Other: \_\_\_\_\_

NA/ see sheet 10

NAME OF PREPARER \_\_\_\_\_

PHONE # \_\_\_\_\_

DATE PREPARED \_\_\_\_\_



<p align="center"><b>SHEET 4</b></p> <p align="center"><b>LTPP TRAFFIC DATA</b></p> <p align="center"><b>TRAFFIC VOLUME COUNTS</b></p>	*STATE ASSIGNED ID [ _ _ _ _ ]
	*STATE CODE [ 89 ]
	*SHRP SECTION ID [ 1127 ]

HIGHWAY ROUTE NO. (THIS COUNT) 73

MILEPOST# OR LOCATION (THIS COUNT) SCOTT

BEGINNING DATE 06/01/79 ENDING DATE 10/01/79

BEGINNING TIME 0:00 ENDING TIME 0:00

COUNT DURATION 4 [ ] HOURS [ ] DAYS [ ☒ ] MONTHS

TYPE OF COUNTER Tubes NAME/MODEL # STEVENS

TYPE OF COUNT: TWO-WAY ☐ ONE DIRECTION ONLY ☒ GPS TEST LANE ONLY ☐

	<u>ACTUAL COUNTS</u>	<u>UNITS</u>
1. TOTAL NO. OF VEHICLES (RAW COUNT)		<u>415338</u>
2. ADJUSTMENT FACTORS (FILL IN AS APPLICABLE):		
A. ADJUSTMENT TO 24-HOUR COUNT		<u>-.0082</u>
B. AXLE CORRECTION FACTOR		<u>-.----</u>
C. DAY OF WEEK FACTOR		<u>-.----</u>
D. MONTH FACTOR		<u>-.855</u>
E. OTHER FACTOR ( _____ )		<u>-.----</u>
3. ANNUAL AVERAGE DAILY TRAFFIC (AADT) (TWO-WAY)		<u>5820</u>
4. DIRECTIONAL DISTRIBUTION FACTOR		<u>-.5--</u>
5. GPS LANE DISTRIBUTION FACTOR		<u>-.9--</u>
6. AADT GPS LANE		<u>2619</u>

NOTE: COMPLETE ONE SHEET FOR EACH COUNTING SESSION.

NAME OF PREPARER _____	PHONE # _____
DATE PREPARED _____	

<p align="center"><b>SHEET 4</b></p> <p align="center"><b>LTPP TRAFFIC DATA</b></p> <p align="center"><b>TRAFFIC VOLUME COUNTS</b></p>	*STATE ASSIGNED ID [ _ _ _ _ ]
	*STATE CODE [ 89 ]
	*SHRP SECTION ID [ 1122 ]

HIGHWAY ROUTE NO. (THIS COUNT) 73

MILEPOST# OR LOCATION (THIS COUNT) SCOTT

BEGINNING DATE 06/01/79 ENDING DATE 09/30/79

BEGINNING TIME \_\_\_\_\_ ENDING TIME \_\_\_\_\_

COUNT DURATION 4 [ ] HOURS [ ] DAYS [ ☒ ] MONTHS

TYPE OF COUNTER \_\_\_\_\_ NAME/MODEL # STEVENS

TYPE OF COUNT: TWO-WAY \_\_\_\_\_ ONE DIRECTION ONLY ☒ GPS TEST LANE ONLY \_\_\_\_\_

ITEM	ACTUAL COUNTS	UNITS
1. TOTAL NO. OF VEHICLES (RAW COUNT)		<u>415338</u>
2. ADJUSTMENT FACTORS (FILL IN AS APPLICABLE):		
A. ADJUSTMENT TO 24-HOUR COUNT		<u>.0082</u>
B. AXLE CORRECTION FACTOR		<u>.----</u>
C. DAY OF WEEK FACTOR		<u>.----</u>
D. MONTH FACTOR		<u>.855</u>
E. OTHER FACTOR ( _____ )		<u>.----</u>
3. ANNUAL AVERAGE DAILY TRAFFIC (AADT) (TWO-WAY)		<u>5820</u>
4. DIRECTIONAL DISTRIBUTION FACTOR		<u>.----</u>
5. GPS LANE DISTRIBUTION FACTOR		<u>.----</u>
6. AADT GPS LANE		<u>-----</u>

NOTE: COMPLETE ONE SHEET FOR EACH COUNTING SESSION.

NAME OF PREPARER _____	PHONE # _____
DATE PREPARED _____	

<p align="center">SHEET 4</p> <p align="center"><b>LTPP TRAFFIC DATA</b></p> <p align="center"><b>TRAFFIC VOLUME COUNTS</b></p>	*STATE ASSIGNED ID [ _ _ _ _ ]
	*STATE CODE [ 89 ]
	*SHRP SECTION ID [ 1127 ]

HIGHWAY ROUTE NO. (THIS COUNT) 73

MILEPOST# OR LOCATION (THIS COUNT) SCOTT

BEGINNING DATE 08/10/82 ENDING DATE 8/11/82

BEGINNING TIME \_\_\_\_\_ ENDING TIME \_\_\_\_\_

COUNT DURATION 2 [ ] HOURS [ ☒ ] DAYS [ ] MONTHS

TYPE OF COUNTER \_\_\_\_\_ NAME/MODEL # STEVENS

TYPE OF COUNT: TWO-WAY ☒ ONE DIRECTION ONLY \_\_\_\_\_ GPS TEST LANE ONLY \_\_\_\_\_

<u>ITEM</u>	<u>ACTUAL COUNTS</u>	<u>UNITS</u>
1. TOTAL NO. OF VEHICLES (RAW COUNT)	<u>14077</u>	
2. ADJUSTMENT FACTORS (FILL IN AS APPLICABLE):		
A. ADJUSTMENT TO 24-HOUR COUNT	<u>.5</u>	
B. AXLE CORRECTION FACTOR	<u>----</u>	
C. DAY OF WEEK FACTOR	<u>----</u>	
D. MONTH FACTOR	<u>.881</u>	
E. OTHER FACTOR ( _____ )	<u>----</u>	
3. ANNUAL AVERAGE DAILY TRAFFIC (AADT) (TWO-WAY)	<u>6200</u>	
4. DIRECTIONAL DISTRIBUTION FACTOR	<u>.5</u>	
5. GPS LANE DISTRIBUTION FACTOR	<u>.9</u>	
6. AADT GPS LANE	<u>2790</u>	

NOTE: COMPLETE ONE SHEET FOR EACH COUNTING SESSION.

NAME OF PREPARER _____	PHONE # _____
DATE PREPARED _____	

<b>SHEET 4</b>  <b>LTPP TRAFFIC DATA</b>  <b>TRAFFIC VOLUME COUNTS</b>	*STATE ASSIGNED ID [ _ _ _ _ ] *STATE CODE [ 89 ] *SHRP SECTION ID [ 1127 ]
--	---

HIGHWAY ROUTE NO. (THIS COUNT) 73  
 MILEPOST# OR LOCATION (THIS COUNT) SCOTT  
 BEGINNING DATE 08/10/82 ENDING DATE 8/18/82  
 BEGINNING TIME 0:00 ENDING TIME 0:00  
 COUNT DURATION 2 [ ] HOURS [ ☒ ] DAYS [ ] MONTHS  
 TYPE OF COUNTER Tubes NAME/MODEL # STEVENS  
 TYPE OF COUNT: TWO-WAY ☒ ONE DIRECTION ONLY ☐ GPS TEST LANE ONLY ☐

<u>ITEM</u>	<u>ACTUAL COUNTS</u>	<u>UNITS</u>
1. TOTAL NO. OF VEHICLES (RAW COUNT)	14077	
2. ADJUSTMENT FACTORS (FILL IN AS APPLICABLE):		
A. ADJUSTMENT TO 24-HOUR COUNT	.5	
B. AXLE CORRECTION FACTOR	.---	
C. DAY OF WEEK FACTOR	.---	
D. MONTH FACTOR	.881	
E. OTHER FACTOR (_____)	.---	
3. ANNUAL AVERAGE DAILY TRAFFIC (AADT) (TWO-WAY)	6200	
4. DIRECTIONAL DISTRIBUTION FACTOR	.5	
5. GPS LANE DISTRIBUTION FACTOR	.9	
6. AADT GPS LANE	2790	

**NOTE: COMPLETE ONE SHEET FOR EACH COUNTING SESSION.**

NAME OF PREPARER _____	PHONE # _____
DATE PREPARED _____	

<b>SHEET 4</b>  <b>LTPP TRAFFIC DATA</b>  <b>TRAFFIC VOLUME COUNTS</b>	*STATE ASSIGNED ID [ _ _ _ _ ] *STATE CODE [ 89 ] *SHRP SECTION ID [ 1127 ]
--	---

HIGHWAY ROUTE NO. (THIS COUNT) 73  
 MILEPOST# OR LOCATION (THIS COUNT) SCOTT  
 BEGINNING DATE 09/29/82 ENDING DATE 09/30/82  
 BEGINNING TIME \_\_\_\_\_ ENDING TIME \_\_\_\_\_  
 COUNT DURATION 2 [ ☒ ] HOURS [ ] DAYS [ ] MONTHS  
 TYPE OF COUNTER \_\_\_\_\_ NAME/MODEL # STEVENS  
 TYPE OF COUNT: TWO-WAY ☒ ONE DIRECTION ONLY \_\_\_\_\_ GPS TEST LANE ONLY \_\_\_\_\_

ITEM	<u>ACTUAL COUNTS</u>	<u>UNITS</u>
1. TOTAL NO. OF VEHICLES (RAW COUNT)	_13619	
2. ADJUSTMENT FACTORS (FILL IN AS APPLICABLE):		
A. ADJUSTMENT TO 24-HOUR COUNT	_ .5 _	
B. AXLE CORRECTION FACTOR	_ . _ _ _	
C. DAY OF WEEK FACTOR	_ . _ _ _	
D. MONTH FACTOR	_ .910	
E. OTHER FACTOR ( _____ )	_ . _ _ _	
3. ANNUAL AVERAGE DAILY TRAFFIC (AADT) (TWO-WAY)	_6200	
4. DIRECTIONAL DISTRIBUTION FACTOR	_ .5 _	
5. GPS LANE DISTRIBUTION FACTOR	_ .9 _	
6. AADT GPS LANE	_2790	

NOTE: COMPLETE ONE SHEET FOR EACH COUNTING SESSION.

NAME OF PREPARER _____	PHONE # _____
DATE PREPARED _____	

<b>SHEET 4</b> <b>LTPP TRAFFIC DATA</b> <b>TRAFFIC VOLUME COUNTS</b>	*STATE ASSIGNED ID [ _ _ _ _ ] *STATE CODE [ 89 ] *SHRP SECTION ID [ 1127 ]
--	---

HIGHWAY ROUTE NO. (THIS COUNT) 73

MILEPOST# OR LOCATION (THIS COUNT) SCOTT

BEGINNING DATE 09/29/82 ENDING DATE 10/01/82

BEGINNING TIME 0:00 ENDING TIME 2:00

COUNT DURATION 2 [ ☒ ] HOURS [ ] DAYS [ ] MONTHS

TYPE OF COUNTER tube NAME/MODEL # STEVENS

TYPE OF COUNT: TWO-WAY ☒ ONE DIRECTION ONLY ☐ GPS TEST LANE ONLY ☐

ITEM	ACTUAL COUNTS	UNITS
1. TOTAL NO. OF VEHICLES (RAW COUNT)	<u>13619</u>	
2. ADJUSTMENT FACTORS (FILL IN AS APPLICABLE):		
A. ADJUSTMENT TO 24-HOUR COUNT	<u>.5</u>	
B. AXLE CORRECTION FACTOR	<u>.---</u>	
C. DAY OF WEEK FACTOR	<u>.---</u>	
D. MONTH FACTOR	<u>.910</u>	
E. OTHER FACTOR ( )	<u>.---</u>	
3. ANNUAL AVERAGE DAILY TRAFFIC (AADT) (TWO-WAY)	<u>6200</u>	
4. DIRECTIONAL DISTRIBUTION FACTOR	<u>.5</u>	
5. GPS LANE DISTRIBUTION FACTOR	<u>.9</u>	
6. AADT GPS LANE	<u>2790</u>	

NOTE: COMPLETE ONE SHEET FOR EACH COUNTING SESSION.

NAME OF PREPARER _____	PHONE # _____
DATE PREPARED _____	

<b>SHEET 4</b>  <b>LTPP TRAFFIC DATA</b>  <b>TRAFFIC VOLUME COUNTS</b>	*STATE ASSIGNED ID [ _ _ _ _ ] *STATE CODE [ 89 ] *SHRP SECTION ID [ 1122 ]
--	---

HIGHWAY ROUTE NO. (THIS COUNT) 73  
 MILEPOST# OR LOCATION (THIS COUNT) SCOTT  
 BEGINNING DATE 08/13/85 ENDING DATE 08/15/85  
 BEGINNING TIME 0100 ENDING TIME 0100  
 COUNT DURATION 2 [ ] HOURS [ ☒ ] DAYS [ ] MONTHS  
 TYPE OF COUNTER tubes NAME/MODEL # STEVENS  
 TYPE OF COUNT: TWO-WAY ☐ ONE DIRECTION ONLY ☒ GPS TEST LANE ONLY ☐

<u>ITEM</u>	<u>ACTUAL COUNTS</u>	<u>UNITS</u>
1. TOTAL NO. OF VEHICLES (RAW COUNT)	--8314	
2. ADJUSTMENT FACTORS (FILL IN AS APPLICABLE):		
A. ADJUSTMENT TO 24-HOUR COUNT	--.5--	
B. AXLE CORRECTION FACTOR	--.---	
C. DAY OF WEEK FACTOR	--.---	
D. MONTH FACTOR	--.848	
E. OTHER FACTOR ( _____ )	--.---	
3. ANNUAL AVERAGE DAILY TRAFFIC (AADT) (TWO-WAY)	--7000	
4. DIRECTIONAL DISTRIBUTION FACTOR	--.5--	
5. GPS LANE DISTRIBUTION FACTOR	--.9--	
6. AADT GPS LANE	--3150	

NOTE: COMPLETE ONE SHEET FOR EACH COUNTING SESSION.

NAME OF PREPARER _____	PHONE # _____
DATE PREPARED _____	

<p align="center"><b>SHEET 4</b></p> <p align="center"><b>LTPP TRAFFIC DATA</b></p> <p align="center"><b>TRAFFIC VOLUME COUNTS</b></p>	*STATE ASSIGNED ID [ _ _ _ _ ]
	*STATE CODE [ 89 ]
	*SHRP SECTION ID [ 1122 ]

HIGHWAY ROUTE NO. (THIS COUNT) 73

MILEPOST# OR LOCATION (THIS COUNT) SCOTT

BEGINNING DATE 08/13/85 ENDING DATE 08/14/85

BEGINNING TIME \_\_\_\_\_ ENDING TIME \_\_\_\_\_

COUNT DURATION 2 [ ] HOURS [ ☒ ] DAYS [ ] MONTHS

TYPE OF COUNTER \_\_\_\_\_ NAME/MODEL # STEVENS

TYPE OF COUNT: TWO-WAY \_\_\_\_\_ ONE DIRECTION ONLY ☒ GPS TEST LANE ONLY \_\_\_\_\_

<u>ITEM</u>	<u>ACTUAL COUNTS</u>	<u>UNITS</u>
1. TOTAL NO. OF VEHICLES (RAW COUNT)	<u>8314</u>	
2. ADJUSTMENT FACTORS (FILL IN AS APPLICABLE):		
A. ADJUSTMENT TO 24-HOUR COUNT	<u>.5</u>	
B. AXLE CORRECTION FACTOR	<u>1</u>	
C. DAY OF WEEK FACTOR	<u>1</u>	
D. MONTH FACTOR	<u>.842</u>	
E. OTHER FACTOR ( _____ )	<u>1</u>	
3. ANNUAL AVERAGE DAILY TRAFFIC (AADT) (TWO-WAY)	<u>7000</u>	
4. DIRECTIONAL DISTRIBUTION FACTOR	<u>.5</u>	
5. GPS LANE DISTRIBUTION FACTOR	<u>.2</u>	
6. AADT GPS LANE	<u>3150</u>	

**NOTE: COMPLETE ONE SHEET FOR EACH COUNTING SESSION.**

NAME OF PREPARER _____	PHONE # _____
DATE PREPARED _____	



<b>SHEET 4</b> <b>LTPP TRAFFIC DATA</b> <b>TRAFFIC VOLUME COUNTS</b>	*STATE ASSIGNED ID [ _ _ _ _ ]
	*STATE CODE [ 89 ]
	*SHRP SECTION ID [ 1122 ]

HIGHWAY ROUTE NO. (THIS COUNT) 73

MILEPOST# OR LOCATION (THIS COUNT) SCOTT

BEGINNING DATE 10/17/88 ENDING DATE 10/19/88

BEGINNING TIME 0:00 ENDING TIME 0:00

COUNT DURATION 2 [ ] HOURS [ ☒ ] DAYS [ ] MONTHS

TYPE OF COUNTER Timex NAME/MODEL # step 3

TYPE OF COUNT: TWO-WAY ☒ ONE DIRECTION ONLY ☐ GPS TEST LANE ONLY ☐

ITEM	ACTUAL COUNTS	UNITS
1. TOTAL NO. OF VEHICLES (RAW COUNT)		<u>20405</u>
2. ADJUSTMENT FACTORS (FILL IN AS APPLICABLE):		
A. ADJUSTMENT TO 24-HOUR COUNT		<u>.5</u>
B. AXLE CORRECTION FACTOR		<u>.---</u>
C. DAY OF WEEK FACTOR		<u>.---</u>
D. MONTH FACTOR		<u>.965</u>
E. OTHER FACTOR ( )		<u>.---</u>
3. ANNUAL AVERAGE DAILY TRAFFIC (AADT) (TWO-WAY)		<u>2850</u>
4. DIRECTIONAL DISTRIBUTION FACTOR		<u>.5</u>
5. GPS LANE DISTRIBUTION FACTOR		<u>.8</u>
6. AADT GPS LANE		<u>4432</u>

NOTE: COMPLETE ONE SHEET FOR EACH COUNTING SESSION.

NAME OF PREPARER _____	PHONE # _____
DATE PREPARED _____	

<b>SHEET 4</b> <b>LTPP TRAFFIC DATA</b> <b>TRAFFIC VOLUME COUNTS</b>	*STATE ASSIGNED ID [ _ _ _ _ ] *STATE CODE [ 89 ] *SHRP SECTION ID [ 1127 ]
--	---

HIGHWAY ROUTE NO. (THIS COUNT) 73

MILEPOST# OR LOCATION (THIS COUNT) SCOTT

BEGINNING DATE 10/17/88 ENDING DATE 10/18/88

BEGINNING TIME \_\_\_\_\_ ENDING TIME \_\_\_\_\_

COUNT DURATION 2 [ ] HOURS [ ☒ ] DAYS [ ] MONTHS

TYPE OF COUNTER \_\_\_\_\_ NAME/MODEL # \_\_\_\_\_

TYPE OF COUNT: TWO-WAY ☒ ONE DIRECTION ONLY \_\_\_\_\_ GPS TEST LANE ONLY \_\_\_\_\_

ITEM	ACTUAL COUNTS	UNITS
1. TOTAL NO. OF VEHICLES (PAW COUNT)	<u>20405</u>	
2. ADJUSTMENT FACTORS (FILL IN AS APPLICABLE):		
A. ADJUSTMENT TO 24-HOUR COUNT	<u>.5</u>	
B. AXLE CORRECTION FACTOR	<u>. </u>	
C. DAY OF WEEK FACTOR	<u>. </u>	
D. MONTH FACTOR	<u>.965</u>	
E. OTHER FACTOR ( _____ )	<u>. </u>	
3. ANNUAL AVERAGE DAILY TRAFFIC (AADT) (TWO-WAY)	<u>9850</u>	
4. DIRECTIONAL DISTRIBUTION FACTOR	<u>.5</u>	
5. GPS LANE DISTRIBUTION FACTOR	<u>.2</u>	
6. AADT GPS LANE	<u>4432</u>	

NOTE: COMPLETE ONE SHEET FOR EACH COUNTING SESSION.

NAME OF PREPARER _____	PHONE # _____
DATE PREPARED _____	

<b>SHEET 5</b>  <b>LTPP TRAFFIC DATA</b>  <b>VEHICLE CLASSIFICATION DATA</b> <b>FHWA 13-CLASS SYSTEM</b>	*STATE ASSIGNED ID [ _____ ]  *STATE CODE [ <u>89</u> ]  *SHRP SECTION ID [ <u>1121</u> ]
---	---

HIGHWAY RT. NO. (THIS COUNT) 73 MILEPOST# (THIS COUNT) \_\_\_\_\_

LOCATION (THIS COUNT) SCOTT FUNCTIONAL CLASS 2

BEGINNING DATE JANUARY 23 91 ENDING DATE JANUARY 28 91

BEGINNING TIME 12:00 ENDING TIME 12:00 DURATION (HRS) 24

TYPE OF COUNT: MANUAL L AUTOMATED \_\_\_\_\_ NO. OF LANES COUNTED 4

TYPE OF EQUIP.: AVC PERM. \_\_\_\_\_ AVC PORT. \_\_\_\_\_ WIM PERM. \_\_\_\_\_ WIM PORT. \_\_\_\_\_

EQUIPMENT NAME / MODEL # \_\_\_\_\_

TOTAL NO. OF VEHICLES CLASSIFIED 7767 # TRUCKS 1122 % TRUCKS 14.4%

NO. OF TRUCKS IN GPS LANE 521 % OF TRUCKS IN GPS LANE 15.3%

VEHICLE CLASSIFICATION METHOD: FHWA \_\_\_\_\_ OTHER L # BINS 15

NOTE: IF THIS COUNT DOES NOT USE THE FHWA 13-BIN CLASSIFICATION SYSTEM USE SHEET 6. PLEASE DESCRIBE ON AN ATTACHED PAGE THE VEHICLE CLASSIFICATION SYSTEM USED BY THE AGENCY AND COMPLETE SHEET 7 DESCRIBING HOW THE SHA WOULD EXPAND OR COLLAPSE THE USER CLASSIFICATION SYSTEM TO CORRESPOND WITH THE FHWA 13 CLASSES.

VEHICLE CLASSES	TOTAL NUMBER OF VEHICLES TWO-WAY	TOTAL NUMBER OF VEHICLES GPS DIRECTION	TOTAL NUMBER OF VEHICLES GPS LANE
1. FHWA CLASSES 1-3 (Cars, Motorcycles, Vans)	-----	-----	-----
2. FHWA CLASS 4 (Buses)	-----	-----	-----
3. FHWA CLASS 5 (Two Axle, 6-Tire, SU Truck)	-----	-----	-----
4. FHWA CLASS 6 (3 AXLE SU TRUCK)	-----	-----	-----
5. FHWA CLASS 7 (4 or more Axle SU Truck)	-----	-----	-----
6. FHWA CLASS 8 (4 or less axle 1-Trlr.Truck)	-----	-----	-----
7. FHWA CLASS 9 (5 Axle, 1-Trlr.Truck)	-----	-----	-----
8. FHWA CLASS 10 (6 or more Axle, 1-Trlr.Truck)	-----	-----	-----
9. FHWA CLASS 11 (5 or less Axle, Multi-Trlr.Truck)	-----	-----	-----
10. FHWA CLASS 12 (6 Axle, Multi-Trlr.Truck)	-----	-----	-----
11. FHWA CLASS 13 (7 or more Axle, Multi-Trlr.Truck)	-----	-----	-----
12. OTHER VEHICLES	-----	-----	-----
<b>GRAND TOTAL</b>	-----	-----	-----

NAME OF PREPARER _____	PHONE # _____
DATE PREPARED _____	

<b>SHEET 5</b>  <b>LTPP TRAFFIC DATA</b>  <b>VEHICLE CLASSIFICATION DATA</b> <b>FHWA 13-CLASS SYSTEM</b>	*STATE ASSIGNED ID [ _____ ]  *STATE CODE [ <u>09</u> ]  *SHRP SECTION ID [ <u>1127</u> ]
---	---

HIGHWAY RT. NO. (THIS COUNT) 73 MILEPOST# (THIS COUNT) \_\_\_\_\_

LOCATION (THIS COUNT) Scott FUNCTIONAL CLASS 2

BEGINNING DATE January 23 91 ENDING DATE January 24 91

BEGINNING TIME 12:00 ENDING TIME 12:00 DURATION (HRS) 24

TYPE OF COUNT: MANUAL ✓ AUTOMATED \_\_\_\_\_ NO. OF LANES COUNTED 4

TYPE OF EQUIP.: AVC PERM. \_\_\_\_\_ AVC PORT. \_\_\_\_\_ WIM PERM. \_\_\_\_\_ WIM PORT. \_\_\_\_\_

EQUIPMENT NAME / MODEL # \_\_\_\_\_

TOTAL NO. OF VEHICLES CLASSIFIED 7767 # TRUCKS 1122 % TRUCKS 14.4%

NO. OF TRUCKS IN GPS LANE 591 % OF TRUCKS IN GPS LANE 52.7% 46%

VEHICLE CLASSIFICATION METHOD: FHWA \_\_\_\_\_ OTHER X # BINS 15

NOTE: IF THIS COUNT DOES NOT USE THE FHWA 13-BIN CLASSIFICATION SYSTEM USE SHEET 6. PLEASE DESCRIBE ON AN ATTACHED PAGE THE VEHICLE CLASSIFICATION SYSTEM USED BY THE AGENCY AND COMPLETE SHEET 7 DESCRIBING HOW THE SHA WOULD EXPAND OR COLLAPSE THE USER CLASSIFICATION SYSTEM TO CORRESPOND WITH THE FHWA 13 CLASSES.

VEHICLE CLASSES	TOTAL NUMBER OF VEHICLES TWO-WAY	TOTAL NUMBER OF VEHICLES GPS DIRECTION	TOTAL NUMBER OF VEHICLES GPS LANE
1. FHWA CLASSES 1-3 (Cars, Motorcycles, Vans)	-----	-----	-----
2. FHWA CLASS 4 (Buses)	-----	-----	-----
3. FHWA CLASS 5 (Two Axle, 6-Tire, SU Truck)	-----	-----	-----
4. FHWA CLASS 6 (3 AXLE SU TRUCK)	-----	-----	-----
5. FHWA CLASS 7 (4 or more Axle SU Truck)	-----	-----	-----
6. FHWA CLASS 8 (4 or less axle 1-Trlr.Truck)	-----	-----	-----
7. FHWA CLASS 9 (5 Axle, 1-Trlr.Truck)	-----	-----	-----
8. FHWA CLASS 10 (6 or more Axle, 1-Trlr.Truck)	-----	-----	-----
9. FHWA CLASS 11 (5 or less Axle, Multi-Trlr.Truck)	-----	-----	-----
10. FHWA CLASS 12 (6 Axle, Multi-Trlr.Truck)	-----	-----	-----
11. FHWA CLASS 13 (7 or more Axle, Multi-Trlr.Truck)	-----	-----	-----
12. OTHER VEHICLES	-----	-----	-----
<b>GRAND TOTAL</b>	-----	-----	-----

NAME OF PREPARER _____	PHONE # _____
DATE PREPARED _____	

<b>SHEET 6</b> <b>LTPP TRAFFIC DATA</b> <b>VEHICLE CLASSIFICATION DATA</b> <b>AGENCY DEFINED CLASSES</b>	*STATE ASSIGNED ID [ _____ ] *STATE CODE <u>1891</u> *SHRP SECTION ID <u>11121</u>
---	--

FOR 4-BIN OR OTHER CLASSIFICATION SYSTEMS

HIGHWAY ROUTE NO. (THIS COUNT) 500H MILEPOST # (THIS COUNT) \_\_\_\_\_

BEGINNING DATE 01/23/91 ENDING DATE 01/23/91

BEGINNING TIME 12:00 ENDING TIME 12:00 DURATION (HRS) 24

VEHICLE CLASSES (DESCRIBE VEHICLE TYPES IN EACH CLASS OR AXLE SPACING CATEGORY)	TOTAL NUMBER OF VEHICLES TWO-WAY	TOTAL NUMBER OF VEHICLES GPS DIRECTION	TOTAL NUMBER OF VEHICLES GPS LANE
A. Cars, cars, trailer	6645	3198	2878
B. <sup>moto</sup> buses	19	12	11
C. Unit 2 axles	271	164	148
D. " 3 axles	183	82	74
E. " 4 axles	4	2	2
F. 2 units 3 axles	4	0	0
G. " 4 axles	11	4	4
H. " 5 axles	386	211	190
I. " 6+ axles	226	97	87
J. 3 units 5 axles	0	0	0
K. " 6 axles	3	0	0
L. " 7 axles	2	0	0
M. " 8 axles	12	6	5
N. " 9+ axles	1	0	0
O. other vehicles	0	0	0
P.			
Q.			
R.			
S.			
T.			

GRAND TOTAL 7767 3776 3399

NAME OF PREPARER _____	PHONE # _____
DATE PREPARED _____	

<b>SHEET 6</b> <b>LTPP TRAFFIC DATA</b> <b>VEHICLE CLASSIFICATION DATA</b> <b>AGENCY DEFINED CLASSES</b>	*STATE ASSIGNED ID [ _____ ] *STATE CODE <u>1891</u> *SHRP SECTION ID <u>11121</u>
---	--

FOR 4-BIN OR OTHER CLASSIFICATION SYSTEMS

HIGHWAY ROUTE NO. (THIS COUNT) 500H MILEPOST # (THIS COUNT) \_\_\_\_\_

BEGINNING DATE 01/23/91 ENDING DATE 01/23/91

BEGINNING TIME 12:00 ENDING TIME 12:00 DURATION (HRS) 24

VEHICLE CLASSES (DESCRIBE VEHICLE TYPES IN EACH CLASS OR AXLE SPACING CATEGORY)	TOTAL NUMBER OF VEHICLES TWO-WAY	TOTAL NUMBER OF VEHICLES GPS DIRECTION	TOTAL NUMBER OF VEHICLES GPS LANE
A. Cars, cars, Trailer	6645	3198	2878
B. Buses	19	12	11
C. Unit 2 axes	271	164	148
D. " 3 axes	183	82	74
E. " 4 axes	4	2	2
F. 2 units 3 axes	4	0	0
G. " 4 axes	11	4	4
H. " 5 axes	386	211	190
I. " 6+ axes	226	97	87
J. 3 units 5 axes	0	2	0
K. " 6 axes	3	0	0
L. " 7 axes	2	0	0
M. " 8 axes	12	6	5
N. " 9+ axes	1	0	0
O. Other vehicles	0	0	0
P.			
Q.			
R.			
S.			
T.			

GRAND TOTAL 7767 3776 3399

NAME OF PREPARER _____	PHONE # _____
DATE PREPARED _____	

<b>SHEET 7</b> <b>LTPP TRAFFIC DATA</b> <b>VEHICLE CLASSIFICATION</b> <b>CONVERSION CHART</b>	*STATE ASSIGNED ID [ _____ ] *STATE CODE [ <u>89</u> ] *SHRP SECTION ID [ <u>1127</u> ]
--	---

FOR 4-BIN, 6-BIN, OR OTHER NON FHWA CLASSIFICATION SYSTEMS

USE THIS SHEET TO DESCRIBE HOW THE AGENCY'S CLASSIFICATION SYSTEM CAN BE CONVERTED TO THE FHWA 13-CLASSES. ENTER PERCENTAGE OF TOTAL SHA CLASS DISTRIBUTED TO EACH FHWA CLASS. APPLICABLE PERIOD FROM \_\_\_\_\_ TO \_\_\_\_\_

FHWA CLASSES													
SHA CLASS	1-3	4	5	6	7	8	9	10	11	12	13	OTHER	TOTAL
A	100												
B	100												
C	100												
D		100											
E			100										
F				100									
G				100									
H					100								
I						100							
J							100						
K								100					
L									100				
M									100				
N									100				
O										100			
P													
Q													
R													
S													
T													
TOTAL													

NAME OF PREPARER _____	PHONE # _____
DATE PREPARED _____	

<b>SHEET 7</b> <b>LTPP TRAFFIC DATA</b> <b>VEHICLE CLASSIFICATION</b> <b>CONVERSION CHART</b>	*STATE ASSIGNED ID [ _____ ] *STATE CODE [ <u>89</u> ] *SHRP SECTION ID [ <u>1127</u> ]
--	---

FOR 4-BIN, 6-BIN, OR OTHER NON FHWA CLASSIFICATION SYSTEMS

USE THIS SHEET TO DESCRIBE HOW THE AGENCY'S CLASSIFICATION SYSTEM CAN BE CONVERTED TO THE FHWA 13-CLASSES. ENTER PERCENTAGE OF TOTAL SHA CLASS DISTRIBUTED TO EACH FHWA CLASS. APPLICABLE PERIOD FROM \_\_\_\_\_ TO \_\_\_\_\_

FHWA CLASSES													
SHA CLASS	1-3	4	5	6	7	8	9	10	11	12	13	OTHER	TOTAL
A	100												
B	100												
C	100												
D		100											
E			100										
F				100									
G				100									
H					100								
I						100							
J							100						
K								100					
L									100				
M										100			
N											100		
O												100	
P													
Q													
R													
S													
T													
TOTAL													

NAME OF PREPARER _____	PHONE # _____
DATE PREPARED _____	



SHEET 14  
LTPP TRAFFIC DATA

EQUIPMENT INSTALLATION LOG

STATE ASSIGNED ID [ ]

STATE CODE [89]

SHRP SECTION ID [127]

LOCATION SCOTT

DATE OF INSTALLATION

	TYPE	BRAND NAME	SERIAL NUMBER
Control Unit(s) and peripheral equipment			
Control Unit			
Interface	1060 P	IRD	9103-
Modem	14400	BVC	
Loop Amplifiers			
Other			
Sensor(s) / Platform(s)			
GPS Lane Sensor			
Sensor Next Adjacent Lane (1)	2 PIEZOS		
Sensor Next Adjacent Lane (2)			
Sensor Next Adjacent Lane (3)			
Diagonal Sensor			
Offscale Sensor			
Right Platform			
Left Platform			
Other			
Software			
Complete Package	IRD V4 7.3.2		
Axle Spacing Algorithm Only			
Other			
Loops			
Upstream - Lane 1	1 LOOP 6X6		
Downstream - Lane 1			
Upstream - Other Lanes			
Downstream - Other Lanes			