



SuperSpeed+ USB-C 3.1 PCI Express Card

Two external SuperSpeed+ USB 3.1 ports, 1 Type-C and 1 Type-A

Part No.: [151757](#)

EAN-13: 0766623151757 | UPC: 766623151757

Create a computing platform that balances cost, performance and compatibility.

Computers today can take full advantage of SuperSpeed+ USB and PCI Express efficiency with the Manhattan SuperSpeed+ USB 3.1 PCI Express Card. Easily installed, the Manhattan SuperSpeed+ USB 3.1 PCI Express Card provides up to 3000 mA of power and adds two external SuperSpeed+ USB ports to a desktop PC for more USB connections and added convenience. With SuperSpeed+ USB data transfer rates of up to 10 Gbps and hot-swap capability, this SuperSpeed+ USB 3.1 PCI Express Card fits PCI Express x4, x8 and x16 lane buses to ensure that connected SuperSpeed+ USB and other USB peripherals operate at peak performance.

Features:

- Easily adds two SuperSpeed+ USB ports to desktop computers: one type-A and one type-C
- Each port supports USB 3.1 data transfer rates of up to 10 Gbps
- Fits PCI Express x4, x8 and x16 lane buses
- 4-pin power connector for receiving extra power from system
- Compliant with eXtensible Host Control Interface (xHCI), rev. 1.1
- Plug-and-play installation; hot-swappable; Windows compatible
- Supports overcurrent detection
- Backward compatible with USB 3.0, 2.0 and 1.1
- Three-Year Warranty

Specifications:

Standards and Certifications

- USB 3.1
- CE
- FCC

- PCI Express Specification 2.0
- RoHS2
- WEEE

Port Specifications

- 1 USB 3.1 type-A port
 - Up to 900 mA power to attached devices
- 1 USB 3.1 type-C port
 - Up to 3,000 mA power to attached devices
- Data transfer rate: up to 10 Gbps
- ASMedia USB controller

Bus Specifications

- PCI Express x4
- Bus speed: 10 Gbps
- Fully compliant with PCI Express Specification 2.0

Physical

- Dimensions: 12.1 x 2.3 x 10 cm (4.75 x 0.9 x 3.9 in.)
- Weight: 59.5 g (2.1 oz.)

System Requirements

- Windows 7/8/10 32- or 64-bit
- PCI Express-enabled system with an available PCI Express slot

Package Contents

- SuperSpeed+ USB 3.1 PCI Express Card
- Instructions
- CD Driver
- Low-profile bracket



