BYD SEAL



RATING CRITERIA 2023-2025

APPLIES TO BUILT FROM
All variants September 2023

 VEHICLE TYPE
 ON SALE FROM
 RATING EXPIRES

 Medium Car
 October 2023
 December 2029

ENGINE / MOTOR TYPES MODEL SERIES

Battery Electric n/a

DEL SERIES AIRBAGS

Dual frontal, side chest, side head, centre






The BYD SEAL was introduced in Australia and New Zealand in October 2023. This ANCAP safety rating applies to all variants.

Dual frontal, side chest-protecting and side head-protecting airbags are standard. A centre airbag, which provides added protection to front seat occupants in side impact crashes, is also standard.

Autonomous emergency braking (Car-to-Car, Vulnerable Road User, Junction & Crossing, Backover and Head-On) as well as a lane support system with lane keep assist (LKA), lane departure warning (LDW) and emergency lane keeping (ELK), a speed assist system (SAS) and a speed sign recognition system are standard equipment.

ASSESSMENT SCORES









RATING APPLICABILITY*

VARIANT	BODY TYPE	ENGINE / POWERTRAIN	DRIVETRAIN	AUS	NZ
BYD SEAL Dynamic	4 door sedan	Battery Electric Vehicle (BEV)	RWD	\checkmark	\checkmark
BYD SEAL Premium	4 door sedan	Battery Electric Vehicle (BEV)	RWD	\checkmark	\checkmark
BYD SEAL Performance	4 door sedan	Battery Electric Vehicle (BEV)	AWD	\checkmark	\checkmark



^{*} Correct at time of publication. Subject to change. Check with manufacturer.



Adult Occupant Protection

35.78 out of 40

FRONTAL OFFSET (MPDB)#

5.92 points out of 8

OBLIQUE POLE# 6.00 points out of 6 **RESCUE & EXTRICATION** 2.50 points out of 4

FULL WIDTH FRONTAL#

WHIPLASH PROTECTION 7.63 points out of 8 **3.73 points** out of 4

SIDE IMPACT# 6.00 points out of 6

4.00 points out of 4

FAR SIDE IMPACT

*Scaled scores. Total test scored out of 16.00 points.

The passenger compartment remained stable in the frontal offset (MPDB) test. ADEQUATE protection was seen for the chest and lower legs of the driver. Protection for all other critical body regions for the driver and the front passenger was GOOD.

The front structure of the BYD SEAL presented a moderate risk to occupants of an oncoming vehicle in the MPDB test (which evaluates vehicle-to-vehicle compatibility), and a 2.33 point penalty was applied.

In the full width frontal test, protection of the driver dummy was ADEQUATE for the neck and GOOD for all other critical body regions. Protection of the chest of the rear passenger was rated ADEQUATE with GOOD protection of all other critical body areas.

In the side impact test and the oblique pole test, protection offered to all critical body regions was GOOD and the BYD SEAL scored maximum points in these tests.

The BYD SEAL is equipped with a centre airbag to protect against occupant-to-occupant interaction in side impacts and it provided GOOD protection for the head of both front seat occupants. Prevention of excursion (movement towards the other side of the vehicle) in the far side impact tests was assessed as ADEQUATE for both the vehicleto-vehicle impact scenario and the vehicle-to-pole scenario.

A Rescue Sheet, providing information for first responders in the event of a crash is available, and a multi-collision braking system is fitted. It was demonstrated that, if the car entered water, the doors of the BYD SEAL would remain functional for the minimum required time period.

FRONTAL OFFSET (MPDB) TEST - 50km/h



	DRIVER	FRONT PASSENGER
Head / Neck	4.00 pts	4.00 pts
Chest	3.15 pts	4.00 pts
Upper Legs	4.00 pts	4.00 pts
Lower Legs	3.02 pts	4.00 pts
Deductions	Nil	Nil



COMPATIBILITY **Deductions** -2.33 pts

FULL WIDTH FRONTAL TEST - 50km/h



	DRIVER	REAR PASSENGER
Head	4.00 pts	4.00 pts
Neck	3.32 pts	4.00 pts
Chest	4.00 pts	3.20 pts
Upper Legs	4.00 pts	4.00 pts
Deductions	Nil	Nil

SIDE IMPACT TEST - 60km/h

OBLIQUE POLE TEST - 32km/h



	DRIVER
	DICIVEIC
Head	4.00 pts
Chest	4.00 pts
Abdomen	4.00 pts
Pelvis	4.00 pts
Deductions	Nil



	DRIVER
Head	4.00 pts
Chest	4.00 pts
Abdomen	4.00 pts
Pelvis	4.00 pts
Deductions	Nil



35.78 out of 40

FAR SIDE IMPACT TESTS - 60km/h and 32km/h



SIDE IMPACT (60km/h)	DRIVER
Head	4.00 pts
Neck	4.00 pts
Chest & Abdomen	4.00 pts
Pelvis	No penalty



OBLIQUE POLE (32km/h)	DRIVER
Head	4.00 pts
Neck	4.00 pts
Chest & Abdomen	4.00 pts
Pelvis	No penalty



OCCUPANT-TO-OCCUPANT **Head Contact** No penalty

WHIPLASH PROTECTION TESTS





	DRIVER / FRONT PASSENGER	REAR PASSENGER
Rear Impact	2.98 pts	0.75 pts

RESCUE & EXTRICATION



Rescue Sheet		No penalty
Door Opening / Extrication		No penalty
Multi-Collision Braking		1.00 pt
Advanced eCall	×	1.00 pt default
Vehicle Submergence		
- Door opening		0.50 pt
- Window opening	×	Not demonstrated

● FITTED TO TEST CAR AS STANDARD ● NOT FITTED TO TEST CAR BUT AVAILABLE AS AN OPTION X NOT AVAILABLE - N/A



Child Occupant Protection

87% 43.00 out of 49 DYNAMIC TEST (FRONT) **16.00 points** out of 16

RESTRAINT INSTALLATION

12.00 points out of 12

DYNAMIC TEST (SIDE) 8.00 points out of 8

ON-BOARD SAFETY FEATURES 7.00 points out of 13


In the frontal offset and side impact tests, protection of the 10 year and 6 year dummies was GOOD and maximum points were scored in these tests.

The BYD SEAL is fitted with lower ISOFix anchorages on the rear outboard seats and top tether anchorages for all rear seating positions. A direct child presence detection (CPD) system, which provides an alert when a child has been left in the vehicle, is fitted to all passenger seats as standard. However, the system did not meet ANCAP's requirements and was not rewarded with points.

Installation of typical child restraints available in Australia and New Zealand showed that all of the selected child restraints could be accommodated in all rear seating positions and full points were scored for this assessment.

FRONTAL OFFSET (MPDB) TEST - 50km/h

SIDE IMPACT TEST - 60km/h



ON-BOARD SAFETY FEATURES	FRONT PASSENGER	2nd ROW OUTBOARD	2nd ROW CENTRE	3rd ROW OUTBOARD	3rd ROW CENTRE
ISOFIX Anchorages	×		×	-	-
Top Tether Anchorage	×			_	-
Airbag Disabling	×	-	-	_	-
Child Presence Detection 0.00 pts (out of 4.00pts)	•	•	•	-	-

	CHILD DECTE AINT TYPEAR	FRONT ROW	2	nd RO	W	3	rd RO\	Ν
	CHILD RESTRAINT TYPE^*	PASSENGER	L	С	R	L	С	R
	Rearward-facing capsule	×				-	-	-
	Rearward-facing with harness - convertible (Model A)	×				-	-	-
	Rearward-facing with harness - convertible (Model B)	×				-	-	-
BELTE	Forward-facing with harness - convertible (Model A)	×				-	-	-
8	Forward-facing with harness - convertible (Model B)	×				-	-	-
	Booster - 4 to 8 years	×				-	-	-
	Booster - 4 to 10 years	×				-	-	-
	Rearward-facing capsule	×		-		-	-	-
×	Rearward-facing with harness - convertible (Model A)	×		-		-	-	-
SOFIX	Rearward-facing with harness - convertible (Model B)	×		-		-	-	-
5	Forward-facing with harness - convertible (Model A)	×		-		-	-	-
	Forward-facing with harness - convertible (Model B)	×		-		-	-	-

■ INSTALL WITHOUT PROBLEM
■ INSTALL WITH CARE
■ CANNOT BE FITTED SAFELY
X INSTALLATION NOT ALLOWED
- N/A

The child restraints fitted to vehicles tested by Euro NCAP are relevant to the European market. For Australasian consumers, this information should be used as a guide to vehicle only. The Child Restraint Evaluation Program (CREP) provides an independent assessment on the safety of Australasian child restraints - see www.childcasseats.com.au. arious CRS types. ANCAP does not endorse or recomr Installation of each child restraint is assessed separately in each position. Installation of multiple restraints has not been assessed and may not be possible. ne list of child re

ADEQUATE

NOT TESTED

■ FITTED AS STANDARD X NOT AVAILABLE - N/A



82% 51.68 out of 63

HEAD PROTECTION (Adult, Child, Cyclist) **KNEE & TIBIA PROTECTION AEB CYCLIST 9.88 points** out of 18 9.00 points out of 9 8.02 points out of 9 PELVIS PROTECTION **AEB PEDESTRIAN (Forward) AEB MOTORCYCLE** 4.50 points out of 4.5 5.78 points out of 7 6.00 points out of 6 **FEMUR PROTECTION** AEB PEDESTRIAN (Backover) LSS MOTORCYCLE 4.50 points out of 4.5 1.00 points out of 2 3.00 points out of 3

In physical impact tests, protection offered to the head of a pedestrian striking the bonnet, or cyclist striking the windscreen was predominantly ADEQUATE, with MARGINAL and POOR results recorded at the base of the windscreen and on the stiff windscreen pillars. Protection of the pelvis and femurs was GOOD, and protection of the lower legs was also GOOD.

The autonomous emergency braking (AEB) system is capable of detecting and reacting to vulnerable road users such as pedestrians, cyclists and motorcyclists. Testing of this system showed GOOD performance in pedestrian test scenarios including turning scenarios, with collisions avoided or mitigated in most tests. However, MARGINAL performance was seen in reverse (AEB Backover) scenarios.

GOOD performance was seen in cyclist test scenarios with collisions avoided or mitigated at all test speeds including in the turning scenarios, however MARGINAL performance was seen in the cyclist dooring scenarios, where only a warning is provided to alert the driver of a passing cyclist.


GOOD performance was also seen in the AEB motorcycle tests, including in the turning and in overtaking scenarios, earning full points.

PEDESTRIAN & CYCLIST IMPACT TESTS



AUTONOMOUS EMERGENCY BRAKING (Cyclist, Pedestrian & Motorcycle)

System Name	Automatic Emergency Braking
Туре	Autonomous emergency braking with forward collision warning
Operational From	4-150km/h




CYCLIST DOORING




GOOD ADEQUATE MARGINAL WEAK POOR / NO PERFORMANCE PREDICTED NOT TESTED









LANE SUPPORT SYSTEMS (Car-to-Motorcycle)

System Name	Lane Departure Assist and Emergency Lane Keeping Assist		
Operational From	50-1	50 km/h	
	Oncoming motorcycle	Overtaking motorcycle (GVT at 72km/h)	Overtaking motorcycle (GVT at 80km/h)
		UNINTENTIONAL INTENTIONAL	UNINTENTIONAL INTENTIONAL
EMERGENCY LANE KEEPING (ELK) TEST SCENARIOS Car-to-Motorcycle			
DEDECORMANCE			
PERFORMANCE		GOOD	



Safety Assist

75%13.56 out of 18

SEAT BELT REMINDERS

AEB / AES (Car-to-Car)

LANE SUPPORT SYSTEMS

2.75 points out of 3

1.00 points out of 1 **3.74 points** out of 4

DRIVER MONITORING

0.25 points out of 2

AEB / AES (Junction & Crossing)
2.99 points out of 4

SPEED ASSISTANCE SYSTEMS

2.33 points out of 3

AEB / AES (Head-On)
0.50 points out of 1

The BYD SEAL is fitted with an autonomous emergency braking (AEB) system capable of functioning at highway speeds, a lane support system (LSS) with lane keep assist (LKA), lane departure warning (LDW) and blind spot monitoring (BSM).

Tests of the AEB (Car-to-Car) system showed GOOD performance with collisions avoided or mitigated in most test scenarios, with GOOD and ADEQUATE performance in AEB Junction and AEB Crossing scenarios where the test vehicle can autonomously brake to avoid crashes when turning across or into the path of an oncoming vehicle. Assessment of the AEB Head-On system functionality showed MARGINAL performance.

Tests of lane support system functionality showed GOOD performance, including in several of the more critical emergency lane keeping test scenarios.


A speed assistance system (SAS) with speed limit information function (SLIF) is standard, informing the driver of the local speed limit and allowing the driver to accept the change in speed accordingly. Intelligent adaptive cruise control (iACC) is also standard.

A seatbelt reminder system with occupancy detection is fitted to all seating positions.

A driver monitoring system (DMS) detecting driver drowsiness (indirect) is fitted as standard. A direct DMS is not available.

AUTONOMOUS EMERGENCY BRAKING (Car-to-Car)

System Name	Automatic Emergency Brake
Туре	Autonomous emergency braking with forward collision warning
Operational From	4-150 km/h





WEAK




75%13.56 out of 18


AUTONOMOUS EMERGENCY BRAKING (Car-to-Car Junction, Crossing and Head-On)





LANE SUPPORT SYSTEMS (Car-to-Car)







Safety Assist

75%13.56 out of 18

OCCUPANT STATUS

WARNING TYPE	DRIVER	FRONT PASSENGER	REAR PASSENGERS
Occupant Detection	_	•	•
Seat Belt Reminder (Visual)			
Seat Belt Reminder (Audible)			

DRIVER MONITORING

	WARNING	INTERVENTION
Distraction	×	×
Fatigue		×
Unresponsive Driver	-	×

SPEED ASSISTANCE SYSTEMS (SAS)

FEATURE

Speed Limit Information Function (SLIF)	Camera based
Manual Speed Limiter	×
Intelligent Adaptive Cruise Control (iACC)	
Intelligent Speed Limitation (ISL)	×

HUMAN MACHINE INTERFACE (HMI)

FEATURE

AEB: Supplementary Warning	
AEB: Restraint activation / dynamic retractors	×
Lane Departure Warning (LDW)	
Blind Spot Monitoring (BSM): Car-to-Car & Car-to-Motorcycle	

SAFETY FEATURES & TECHNOLOGIES

Seat belt pre-tensioners (front seats)	•	
Seat belt pre-tensioners (rear outboard seats) - 2nd row	•	•
Seat belt pre-tensioners (rear centre seat) - 2nd row	×	×
Seat belt pre-tensioners (rear outboard seats) - 3rd row	-	-
Seat belt pre-tensioners (rear centre seat) - 3rd row	-	-
Intelligent seat belt reminder (driver)		
Intelligent seat belt reminder (front passenger)		
Intelligent seat belt reminder (2nd row seats)		
Intelligent seat belt reminder (3rd row seats)	_	_
Airbag - dual frontal (driver & front passenger)		
Airbags - side, chest protection (front seats)		
Airbags - side, chest protection (2nd row seats)	•	
Airbags - side, chest protection (3rd row seats)	-	-
Airbags - side, head protection (front seats)	•	
Airbags - side, head protection (2nd row seats)	•	
Airbags - side, head protection (3rd row seats)	_	_
Airbag - centre	•	
Airbag - knee (driver)	×	×
Airbag - knee (front passenger)	×	×
Airbag - pedestrian (external)	×	×
Airbag disabling switch - automatic (front passenger)	×	×
Airbag disabling switch - manual (front passenger)	×	×
Autonomous emergency braking (AEB) - Car-to-Car	•	•
Autonomous emergency braking (AEB) - Vulnerable Road User		
- AEB Pedestrian	•	
- AEB Cyclist		
- AEB Motorcycle		
Autonomous emergency braking (AEB) - Backover		
Autonomous emergency braking (AEB) - Junction		
- AEB Junction (Pedestrian)		
- AEB Junction (Cyclist)		
- AEB Junction (Motorcycle)		
Autonomous emergency braking (AEB) - Crossing		
Autonomous emergency call (eCall)	×	×
• • •		
Blind spot monitor (BSM)		
Child presence detection / alert		
Cyclist dooring detection / alert		
Driver monitoring system - Indirect	×	×
Driver monitoring system - Direct	^	
Forward collision warning (FCW)		
Lane departure warning (LDW)	•	
Lane keep assist (LKA)		
- LKA (Car-to-Car)		_
- LKA (Car-to-Motorcycle)		
Secondary / multi-collision brake	•	
Speed assistance - intelligent adaptive cruise control (iACC)		
Speed assistance - auto / intelligent speed limiter	×	×
Speed assistance - manual speed limiter	×	×
Speed assistance - speed sign recognition & warning	•	•
Vehicle-to-infrastructure communication (V2I)	×	×
Vehicle-to-vehicle communication (V2V)	×	×

TESTED MAKE / MODEL BYD SEAL LHD

TESTED VEHICLE ENGINE Battery Electric (BEV)

RATING UPDATED n/a

TESTED BODY TYPE 5 door sedan

RATING PUBLISHED October 2023

^{*} Correct at time of publication. Subject to change. Check with manufacturer.