



Project/Job Name: \_\_\_\_\_

Location: \_\_\_\_\_

Fixture Type: \_\_\_\_\_

Notes: \_\_\_\_\_

**S21231** - 4.5 Watt G25 LED; White; Medium base; 90 CRI; 3000K; 120 Volt

- Rated for Enclosed Fixture



### ELECTRICAL

Technology:	LED
Watts:	4.5W
Volts:	120V
Lumens:	350L
CRI:	90
Rg Value :	57
CCT (Kelvins):	3000K
Temperature:	Soft White
Beam Spread :	320
Hours Rated:	15000
Dimmable:	Yes-Dimmable
Incandescent Equivalent :	40W
Operating Temperature :	-20C (-4F) to +45C (+113F)
Power Factor :	>0.7
Light Source:	LED
Warranty:	3 Year Limited

### PACKAGING

Each UPC:	045923205460
Each Quantity:	1
Each Dimensions:	3.35 x 3.35 x 5.12
Inner UPC:	20045923205464
Inner Quantity:	6
Inner Dimensions:	10.51 x 7.09 x 5.83
Case UPC:	10045923205467
Case Quantity:	24
Case Dimensions:	21.77 x 14.92 x 7.01

### PHYSICAL

ANSI Base:	E26
Base:	Medium
Shape:	G25
Finish:	White
MOD (In.):	3.15
MOL (In.):	4.45
Weight (Lbs.):	0.088
Material:	Glass / Nickel Plated Aluminum

### COMPLIANCE

Safety Listing:	cETLus
Location Rating:	Wet
Indoor/Outdoor:	Indoor
Energy Star Qualified:	Yes
Energy Star Unique ID:	ESID-2398486
Energy Star Lamp Category:	Decorative
NOM Certificate No.:	NOM-030-ENER-2016!INTEC22ENM004774
NOM Expiration Date:	4/25/2024
Enclosure Rating:	Enclosed Rated Lamp
Rated For Enclosed Fixture:	Yes
FCC Compliant:	Yes
NSF Approved:	No
RoHS Compliant:	Yes
SDS Class:	LED_Lamp
Restrictions:	No Restrictions

**DIMMER COMPATIBILITY**

---

Leviton	6672
Leviton	6674
Leviton	66ELV
Lutron	AYCL-153P
Lutron	CTRP-253P
Cooper	DALo6P-C2
Leviton	DDMX1
Leviton	DG6HD
Leviton	DH6HD
Leviton	DL6HD
Leviton	DSEo6-10Z
Leviton	DSL06
Leviton	DSL06-1LZ
Leviton	DSM10
Cooper	DULO6P-C2
Lutron	DVCL-153P
Lutron	DVRP-253P
Leviton	DW6HD
Leviton	DZ6HD
Leviton	IPE04-1L
Leviton	IPL06
Lutron	LECL-153PH
Lutron	MA-PRO
Lutron	MACL-153M
Lutron	MSCL-OP153M
Lutron	NTCL-250

<b>Lutron</b>	NTRP-250
<b>Lutron</b>	PD-10WX
<b>Lutron</b>	PD-6WCL
<b>Lutron</b>	RCL-153PNL
<b>Cooper</b>	RF9640-ND
<b>Legrand</b>	RHCL450PTC
<b>Leviton</b>	RNL06-10Z
<b>Lutron</b>	RRD-6CL
<b>Lutron</b>	RRD-PRO
<b>Satco</b>	S11268
<b>Cooper</b>	SUF7
<b>Cooper</b>	TAL06P-C2
<b>Leviton</b>	TSL06
<b>Leviton</b>	TSM10
<b>Cooper</b>	VSULO6D