



## **GRUVLOK® STAINLESS STEEL FITTINGS & COUPLINGS**

Price Sheet SS.A-5.10 | Effective: May 10, 2010 | Cancels Price Sheet SS "A"-9-2008 of September 29, 2008

**FOR THE MOST CURRENT PRODUCT/PRICING INFORMATION ON ANVIL PRODUCTS,  
PLEASE VISIT OUR WEBSITE AT [WWW.ANVILINTL.COM](http://WWW.ANVILINTL.COM)**

### **FREIGHT ALLOWANCE:**

All prices are F.O.B. point of shipment. On shipments weighing 2,500 pounds or more, rail freight or motor freight at the lowest published rate, is allowed to all continental U.S. rail points or all U.S. highway points listed in published tariffs (Alaska and Hawaii excluded). In no case will more than actual freight be allowed.

### **NOTE:**

All orders are accepted on the basis of prices in effect at the time of shipment.

### **NOTICE:**

To the prices and terms quoted, there will be added any manufacturers or sales tax payable on the transaction under any effective statute.

### **GENERAL**

- UPC numbers and SPIN commodity identification numbers are available upon request.
- To obtain current ISO certifications, listings, and other approvals, visit Anvil's Web site at [www.anvilintl.com](http://www.anvilintl.com).
- Pricing is subject to change without notice. Go to Anvil's Web site for the most current list price information, or contact your local Anvil representative.

### **LOSS OR DAMAGE CLAIMS:**

All goods are shipped at buyer's risk. Shipments should be carefully examined upon delivery and before the carrier's delivery receipt is signed. If any loss or damage is evident, the buyer should make an appropriate notation on the delivery receipt and insist that the carrier's driver initial such exception. The contents of all packages should be carefully examined for concealed damage as soon as possible after delivery, so that the carrier can be requested, within 48 hours after delivery, to arrange for prompt inspection of the damaged goods.

**NORTHERN REGION  
CUSTOMER SERVICE CENTER**  
800-301-2701

**SOUTHERN REGION  
CUSTOMER SERVICE CENTER**  
800-451-4414

[www.anvilintl.com](http://www.anvilintl.com)

## 1. CONTROLLING PROVISIONS:

These terms and conditions shall control with respect to any purchase order or sale of Seller's products. No waiver, alteration or modification of these terms and conditions whether on Buyer's purchase order or otherwise shall be valid unless the waiver, alteration or modification is specifically accepted in writing and signed by an authorized representative of Seller.

## 2. DELIVERY:

Seller will make every effort to complete delivery of products as indicated on Seller's acceptance of an order, but Seller assumes no responsibility or liability, and will accept no backcharge, for loss or damage due to delay or inability to deliver caused by acts of God, war, labor difficulties, accident, delays of carriers, by contractors or suppliers, inability to obtain materials, shortages of fuel and energy, or any other causes of any kind whatever beyond the control of Seller. Seller may terminate any contract of sale of its products without liability of any nature, by written notice to Buyer, in the event that the delay in delivery or performance resulting from any of the aforesaid causes shall continue for a period of sixty (60) days. Under no circumstances shall Seller be liable for any special or consequential damages or for loss, damage, or expense (whether or not based on negligence) directly or indirectly arising from delays or failure to give notice of delay.

## 3. WARRANTY:

Seller warrants for one year from the date of shipment Seller's manufactured products to the extent that Seller will replace those having defects in material or workmanship when used for the purpose and in the manner which Seller recommends. If Seller examination shall disclose to its satisfaction that the products are defective, and an adjustment is required, the amount of such adjustment shall not exceed the net sales price of the defective products only and no allowance will be made for labor or expense of repairing or replacing defective products or workmanship of damage resulting from the same. Seller warrants the products which it sells of other manufacturers to the extent of the warranties of their respective makers. Where engineering design or fabrication work is supplied. Buyer's acceptance of Seller's design or of delivery of work shall relieve Seller of all further obligation, other than expressed in Seller's product warranty. THIS IS SELLER'S SOLE WARRANTY. SELLER MAKES NO OTHER WARRANTY OF ANY KIND, EXPRESSED OR IMPLIED AND ALL IMPLIED WARRANTIES OF MERCHANTABILITY AND FOR A PARTICULAR PURPOSE WHICH EXCEED SELLER'S AFORESTATED OBLIGATION ARE HEREBY DISCLAIMED BY SELLER AND EXCLUDED FROM THIS WARRANTY. Seller neither assumes, nor authorizes any person to assume for it, any other obligation in connection with the sale of its engineering designs or products. This warranty shall not apply to any products or parts of products which (a) have been repaired or altered outside of Seller's factory, in any manner; (b) have been subjected to misuse, negligence or accidents; (c) have been used in a manner contrary to Seller's instructions or recommendations. Seller shall not be responsible for design errors due to inaccurate or incomplete information supplied by Buyer or its representatives.

## 4. SELLER'S LIABILITY:

Seller will not be liable for any loss, damage, cost of repairs, incidental or consequential damages of any kind, whether based upon warranty (except for the obligation accepted by Seller under "Warranty" above), contract or negligence, arising in connection with the design, manufacture, sale, use or repair of the products or of the engineering designs supplied to Buyer.

## 5. RETURNS:

Seller cannot accept return of any products unless its written permission has been first obtained, in which case same will be credited subject to the following (a) All material returned must, on its arrival at Seller's Plant, be found to be in first-class condition; if not, cost of putting in saleable condition will be deducted from credit memoranda; (b) A handling charge deduction of twenty percent (20%) will be made from all credit memoranda issued for material returned; (c) Transportation charges, if not prepaid will be deducted from credit memoranda.

## 6. SHIPMENTS:

All products sent out will be carefully examined, counted and packed. The cost of any special packing or special handling caused by Buyer's requirements or requests shall be added to the amount of the order. No claim for shortages will be allowed unless made in writing within ten (10) days of receipt of a shipment.

Claims for products damaged or lost in transit should be made on the carrier, as Seller's responsibility ceases, and title passes, on delivery to the carrier.

## 7. SPECIAL PRODUCTS:

Orders covering special or nonstandard products are not subject to cancellation except on such terms as Seller may specify on application.

## 8. PRICES AND DESIGNS:

Prices and designs are subject to change without notice. All prices are F.O.B. Point of shipment, unless otherwise stated.

## 9. TAXES:

The amount of any sales, excise or other taxes, if any, applicable to the products covered by this order, shall be paid by Buyer unless Buyer provides Seller with an exemption certificate acceptance to the taxing authorities.

## 10. NUCLEAR PLANTS:

Where the products, engineering design or fabrication is for nuclear plant applications. Buyer agrees (a) to take all necessary steps to add Seller as an insured under the American Nuclear Insurers' (ANI) pool and under the Mutual Atomic Energy Reinsurance Pool (MAERP) for property damage and liability insurance and if necessary steps could have been taken, but are not taken, Buyer shall hold Seller harmless against all such losses which could have been thus covered (b) Buyer agrees to hold Seller harmless with respect to any personal injury (or death), property damage or other loss in a nuclear incident which is caused directly or indirectly by defective design, material, workmanship furnished by Seller (or which could be so covered but with respect to which Buyer has elected to self-insure), and further agrees to waive subrogation by its carriers of such insurance against Seller, and (c) as to nuclear hazards for which Buyer cannot obtain insurance coverage, the liability of Seller for any personal injury (or death), property damage or other loss directly caused by defective design, material, or workmanship furnished by Seller shall not exceed the value at the time of the loss occurrence.

## 11. MINIMUM INVOICE:

Domestic: \$100 plus transportation.  
International: \$500 plus transportation.

## 12. TERMS:

Cash, net 30 days unless otherwise specified.



NOTE: All orders are accepted on the basis of prices in effect at the time of shipment.

NOTICE: The prices and terms quoted, there will be added any manufacturers or sales tax payable on the transaction under any effective statute.

FREIGHT ALLOWANCE: All prices are F.O.B. point of shipment. On shipments weighing 2,500 pounds or more, rail freight or motor freight at the lowest published rate, is allowed to all continental U.S. rail points or all U.S. highway points listed in published tariffs (Alaska and Hawaii excluded). In no case will more than actual freight be allowed. Shipments (weighing less than 2,500 pounds) will be shipped prepaid. The buyer will be invoiced for freight costs at the applicable published class, exception or commodity rate(s) or charge(s). Anvil reserves the right to select the carrier for all shipments.

## Rigidlite™ Stainless Steel

### Figure 7400SS Rigidlite™ Type 316 Stainless Steel Couplings




NOMINAL PIPE SIZE (INCHES)	PIPE OUTSIDE DIAMETER (INCHES)	APPROX. WEIGHT EACH (LBS)	QUANTITY	COUPLING COMPLETE WITH "E" OR "T" GASKET (PRICE EACH)	BOLTS & NUTS	
					QUANTITY	SIZE INCHES
1¼	1.660	1.60	40	\$147.25	2	¾ x 2¼
1½	1.900	1.70	35	\$159.00	2	¾ x 2¼
2	2.375	2.10	28	\$178.50	2	¾ x 2¼
2½	2.875	2.30	25	\$195.50	2	¾ x 2¼
3	3.500	3.10	18	\$219.00	2	1½ x 2¾
4	4.500	4.40	1	\$275.50	2	1½ x 2¾
6	6.625	7.80	6	\$638.00	2	¾ x 3
8	8.625	13.20	-	\$1,331.50	2	¾ x 3

All bolts are hex head design Type 316 Grade B-8M Class 1 stainless steel to ASTM A-193. Type 316 Grade 8M stainless steel heavy hex nuts, conforming to ASTM A-194. Weights are approximate and subject to change.

## Stainless Steel Valves


### Gruvlok® Ball Valves Fig. 7500SS



NOMINAL PIPE SIZE (INCHES)	PIPE OUTSIDE DIAMETER (INCHES)	APPROX. WEIGHT EACH (LBS)	QUANTITY	PRICE EACH
2	2.375	7.20	-	\$721.50
3	3.500	15.40	-	\$1,684.00
4	5.562	45.00	-	\$2,677.00
6	6.500	95.00	-	\$6,430.00

316 Stainless Steel Body and Ball, RFTE Seat/Viton Seal, 2 pos. handle.


### 90 Degree Elbows Fig. 7050-SS04



NOMINAL PIPE SIZE (INCHES)	CENTER TO END (INCHES)	APPROX. WEIGHT EACH (LBS)	QUANTITY	PRICE EACH
1¼	2 <sup>13</sup> / <sub>16</sub>	0.84	48	\$103.75
1½	3	1.01	40	\$104.25
2	3 <sup>11</sup> / <sub>16</sub>	1.32	24	\$117.50
2½	4 <sup>5</sup> / <sub>16</sub>	1.76	15	\$149.50
3	5 <sup>1</sup> / <sub>16</sub>	2.87	8	\$149.50
4	6 <sup>5</sup> / <sub>16</sub>	4.63	-	\$213.50
6	9	11.24	-	\$564.50
8	12	22.71	-	\$981.50
10	15	35.27	-	\$1,938.00
12	18	56.88	-	\$3,038.00

Type 304 Stainless Steel


### 45 Degree Elbows Fig. 7051-SS04



NOMINAL PIPE SIZE (INCHES)	CENTER TO END (INCHES)	APPROX. WEIGHT EACH (LBS)	QUANTITY	PRICE EACH
1¼	1¾	0.42	80	\$93.00
1½	1 <sup>7</sup> / <sub>8</sub>	0.51	70	\$94.50
2	2 <sup>1</sup> / <sub>8</sub>	0.66	45	\$104.25
2½	2 <sup>3</sup> / <sub>8</sub>	0.88	24	\$138.75
3	2 <sup>13</sup> / <sub>16</sub>	1.54	14	\$137.50
4	3 <sup>5</sup> / <sub>16</sub>	2.43	-	\$197.00
6	4½	5.95	-	\$373.00
8	5 <sup>7</sup> / <sub>8</sub>	11.68	-	\$637.00
10	7 <sup>1</sup> / <sub>8</sub>	17.64	-	\$1,492.00
12	8 <sup>5</sup> / <sub>8</sub>	27.56	-	\$2,059.00

Type 304 Stainless Steel


### Stainless Steel Caps Fig. 7074-SS04



NOMINAL PIPE SIZE (INCHES)	CENTER TO END (INCHES)	APPROX. WEIGHT EACH (LBS)	QUANTITY	PRICE EACH
1¼	1¾	0.44	140	\$130.50
1½	1¾	0.44	120	\$136.00
2	2	0.44	80	\$187.00
2½	2 <sup>3</sup> / <sub>16</sub>	0.88	55	\$195.00
3	2 <sup>9</sup> / <sub>16</sub>	1.10	36	\$350.50
4	2 <sup>15</sup> / <sub>16</sub>	1.54	23	\$449.00
6	3 <sup>9</sup> / <sub>16</sub>	3.09	-	\$535.50
8	4	6.61	-	\$1,265.00
10	5	9.92	-	\$1,739.50
12	6	15.21	-	\$2,194.00

Type 304 Stainless Steel

### Tees Fig. 7060-SS04




NOMINAL PIPE SIZE (INCHES)	CENTER TO END (INCHES)	APPROX. WEIGHT EACH (LBS)	QUANTITY	PRICE EACH
1¼	2¾	1.10	36	\$351.00
1½	2 <sup>15</sup> / <sub>16</sub>	1.32	24	\$300.50
2	3 <sup>3</sup> / <sub>16</sub>	3.20	15	\$313.75
2½	3 <sup>11</sup> / <sub>16</sub>	4.39	12	\$383.00
3	4	5.75	8	\$385.00
4	4 <sup>15</sup> / <sub>16</sub>	8.60	-	\$411.50
6	6½	18.47	-	\$802.50
8	8 <sup>1</sup> / <sub>16</sub>	33.36	-	\$1,185.00
10	9½	35.27	-	\$2,318.50
12	11	52.69	-	\$3,494.00

Type 304 Stainless Steel

Custom Dimensioned Fittings Available Upon Request | Contact Your Local Anvil Sales Representative.


### Reducing Tees Fig. 7061-SS04



SIZE (INCHES)	CENTER TO END RUN (INCHES)	CENTER TO END BRANCH (INCHES)	APPROX. WEIGHT EACH (LBS)	QUANTITY	PRICE EACH	
1½	x 1¼	2 <sup>15</sup> / <sub>16</sub>	2¾	1.32	25	\$268.50
2	x 1¼	3 <sup>3</sup> / <sub>16</sub>	2 <sup>15</sup> / <sub>16</sub>	1.76	15	\$318.00
	x 1½	3 <sup>3</sup> / <sub>16</sub>	3 <sup>1</sup> / <sub>16</sub>	1.76	15	\$359.00
2½	x 1½	3 <sup>11</sup> / <sub>16</sub>	3 <sup>5</sup> / <sub>16</sub>	2.65	-	\$407.00
	x 2	3 <sup>11</sup> / <sub>16</sub>	3 <sup>9</sup> / <sub>16</sub>	2.65	8	\$452.25
3	x 1½	4	3 <sup>9</sup> / <sub>16</sub>	3.09	7	\$445.00
	x 2	4	3 <sup>11</sup> / <sub>16</sub>	5.07	-	\$476.00
	x 2½	4	3 <sup>7</sup> / <sub>8</sub>	5.40	8	\$458.50
4	x 2	4 <sup>15</sup> / <sub>16</sub>	4 <sup>5</sup> / <sub>16</sub>	7.98	-	\$539.50
	x 2½	4 <sup>15</sup> / <sub>16</sub>	4 <sup>5</sup> / <sub>8</sub>	5.29	-	POA
	x 3	4 <sup>15</sup> / <sub>16</sub>	4 <sup>3</sup> / <sub>4</sub>	8.60	-	\$633.50
6	x 3	6½	5 <sup>13</sup> / <sub>16</sub>	16.78	-	\$817.00
	x 4	6 <sup>1</sup> / <sub>8</sub>	6	16.78	-	\$1,013.50
8	x 4	8 <sup>1</sup> / <sub>16</sub>	7 <sup>3</sup> / <sub>16</sub>	29.65	-	\$2,388.00
	x 6	8 <sup>1</sup> / <sub>16</sub>	7 <sup>11</sup> / <sub>16</sub>	33.36	-	\$3,131.00
10	x 6	9½	8 <sup>7</sup> / <sub>8</sub>	21.61	-	\$3,820.00
	x 8	9½	9 <sup>1</sup> / <sub>16</sub>	32.19	-	\$3,853.50
12	x 8	11	10 <sup>1</sup> / <sub>16</sub>	47.18	-	\$5,506.00
	x 10	11	10 <sup>9</sup> / <sub>16</sub>	49.16	-	\$6,581.50

Type 304 Stainless Steel


### Concentric Reducers Fig. 7072-SS04



SIZE (INCHES)	END TO END (INCHES)	APPROX. WEIGHT EACH (LBS)	QUANTITY	PRICE EACH	
1½	x 1¼	3¾	0.44	90	\$206.00
2	x 1¼	4 <sup>1</sup> / <sub>8</sub>	0.66	60	\$418.00
	x 1½	4 <sup>1</sup> / <sub>8</sub>	0.66	60	\$210.75
2½	x 1½	4 <sup>7</sup> / <sub>16</sub>	1.10	36	\$404.00
	x 2	4 <sup>7</sup> / <sub>16</sub>	1.10	36	\$263.75
3	x 1½	4¾	1.32	24	\$421.50
	x 2	4¾	1.32	24	\$134.00
	x 2½	4¾	1.32	24	\$109.50
4	x 2	5 <sup>5</sup> / <sub>16</sub>	1.76	-	\$179.00
	x 2½	5 <sup>5</sup> / <sub>16</sub>	1.76	-	\$245.50
	x 3	5 <sup>5</sup> / <sub>16</sub>	1.98	-	\$126.50
6	x 3	6¾	3.75	-	\$411.50
	x 4	6¾	3.97	-	\$313.00
8	x 4	7 <sup>9</sup> / <sub>16</sub>	6.61	-	\$1,503.00
	x 6	7 <sup>9</sup> / <sub>16</sub>	7.28	-	\$788.00
10	x 6	8 <sup>11</sup> / <sub>16</sub>	9.70	-	\$1,861.50
	x 8	8 <sup>11</sup> / <sub>16</sub>	10.58	-	\$2,079.50
12	x 8	9 <sup>7</sup> / <sub>16</sub>	14.99	-	\$2,833.00
	x 10	9 <sup>7</sup> / <sub>16</sub>	15.87	-	\$2,603.50

Type 304 Stainless Steel

### Flange Adapter Fig. 7084-SS04



NOMINAL PIPE SIZE (INCHES)	END TO END (INCHES)	APPROX. WEIGHT EACH (LBS)	QUANTITY	PRICE EACH
2	3 <sup>1</sup> / <sub>8</sub>	5.73	-	\$333.50
2½	3 <sup>3</sup> / <sub>8</sub>	8.60	-	\$444.50
3	3 <sup>3</sup> / <sub>8</sub>	9.70	-	\$533.50
4	3 <sup>9</sup> / <sub>16</sub>	14.55	-	\$767.50
5	3¾	17.50	-	\$915.75
6	3 <sup>15</sup> / <sub>16</sub>	19.40	-	\$1,118.75
8	4½	32.85	-	\$1,720.00
10	4¾	44.97	-	\$2,487.50
12	4¾	70.77	-	\$3,948.25


Type 304 Stainless Steel

Custom Dimensioned Fittings Available Upon Request – Contact Your Local Anvil Sales Representative.

## Gasket Selection

GRADE	TEMPERATURE RANGE	COMPOUND	COLOR CODE	*GENERAL SERVICE APPLICATION
E	-40°F to +230°F	EPDM	Green	Water, dilute acids, alkalis, salts and many chemical services not involving hydrocarbons, oils or, gases. Excellent oxidation resistance. NOT FOR USE WITH HYDROCARBONS.
T	-20°F to +180°F	Nitrile (Buna-N)	Orange	Petroleum products, vegetable oils, mineral oils, and air contaminated with petroleum oils. NOT FOR USE IN HOT WATER SERVICES.

## Special Gaskets

GRADE	TEMPERATURE RANGE	COMPOUND	COLOR CODE	*GENERAL SERVICE APPLICATION
O	-20°F to +300°F	Fluoro Elastomer	Blue	High-temperature resistance to oxidizing acids, petroleum oils, hydraulic fluids, halogenated hydrocarbons, and lubricants.
L	-40°F to +350°F	Silicone	Red Gasket	Dry, hot air and some high-temperature chemical services.
E (type A)	-40°F to +150°F		Violet	Wet and Dry (oil-free air) pipe fire protection sprinkler systems. For dry pipe systems, Gruvlok Xtreme™ Lubricant is required.

\*Contact Anvil for specific service recommendations. **Specify gasket grade when ordering.**  
Use Gruvlok lubricant on gaskets. Check gasket color code to be certain it is recommended for the service intended.  
Additional gasket compounds and configurations are available — contact an Anvil Representative.

LUBRICANTS	
STANDARD LUBRICANT	PRICE
2LB Tub Std Gruvlok Lubricant	\$136.50/tub
5 Gallon Pail	\$1,153.50/pail
QUICK DRY LUBRICANT	
1 Quart Can	\$146.50
1 Gallon Pail	\$248.25
XTREME LUBRICANT (SILICONE)	
10 oz. Tube (1 each)	\$67.75
2.2 lb. Tub (Gruvlok Lubricant)	\$238.25

STANDARD LUBRICANT USAGE GUIDE		
SIZE OF GASKET	NUMBER OF GASKETS	
	PERTUBE	PER QUART
2"	55	400
3"	45	300
4"	25	200
6"	20	130
8"	15	100
10"	10	85
12"	9	60
14"	7	50
16"	6	40
18"	5	35
20"	4	30
24"	3	20

XTREME LUBRICANT USAGE GUIDE	
SIZE OF GASKET	NUMBER OF GASKETS PER QUART
2"	1,200
3"	900
4"	600
6"	390
8"	300
10"	255
12"	180
14"	150
16"	120
18"	105
20"	90
24"	60

- NOTES -



## Corporate Offices

110 Corporate Drive, Suite 10  
P.O. Box 3180  
Portsmouth, NH 03801-3180  
Tel: 603-422-8000  
Fax: 603-422-8033  
E-mail: [webmaster@anvilintl.com](mailto:webmaster@anvilintl.com)

## Anvil International Worldwide Customer Service Center

Tel: 708-885-3000  
Fax: 708-534-5441

## U.S. REGIONAL SERVICE CENTERS

### Northern Region

#### Regional Distribution & Customer Service Center

**SERVICING:** Illinois, Indiana, Iowa, Kentucky, Michigan, Minnesota, Nebraska, North and South Dakota, Ohio, West Pennsylvania, West Virginia, Wisconsin

750 Central Avenue  
University Park, IL 60484  
Tel: 708-885-3000  
Fax: 708-534-5441  
Toll Free: 1-800-301-2701

### Southern Region

#### Regional Distribution & Customer Service Center

**SERVICING:** Alabama, Arkansas, Kansas, Louisiana, Mississippi, Missouri, Oklahoma, Tennessee, Texas

1401 Valley View Lane, Suite 150  
Irving, TX 75061  
Tel: 972-871-1206  
Fax: 972-641-8946  
Toll Free: 1-800-451-4414

### Eastern Region

#### Regional Distribution Center

**SERVICING:** Connecticut, Delaware, Florida, Georgia, Maine, Maryland, Massachusetts, New Hampshire, New Jersey, New York, North and South Carolina, East Pennsylvania, Rhode Island, Vermont, Virginia

800 Malleable Road  
Columbia, PA 17512

### Western Region

#### Regional Distribution Center

**SERVICING:** Alaska, Arizona, California, Colorado, Hawaii, Idaho, Montana, Nevada, New Mexico, Oregon, Utah, Washington, Wyoming

1385 Greg Street  
Sparks, NV 89431

## CANADA SERVICE CENTER

### Anvil International Canada Customer Service Center

390 Second Avenue  
P.O. Box 40  
Simcoe, Ontario N3Y 4K9  
Tel: 519-426-4551  
Fax: 519-426-5509

## INTERNATIONAL SALES

### Europe and Middle East Region

Rick van Meesen, *Sales Director*  
The Netherlands  
[rvanmeesen@anvilintl.com](mailto:rvanmeesen@anvilintl.com)  
Tel: +31-53-5725570  
Fax: +31-53-5725579  
U.S. Customer Service  
Tel: +1-708-885-3000  
Fax: +1-708-534-5441

### Mexico, Puerto Rico and Latin America

Abraham Quijada, *Sales Manager*  
[aquijada@anvilintl.com](mailto:aquijada@anvilintl.com)  
Tel: +1-281-590-4600  
U.S. Customer Service  
Tel: +1-708-885-3000  
Fax: +1-708-534-5441

#750 / Printed in USA / ©2010  
Revision: 1 May 12, 2010

BUILDING CONNECTIONS THAT LAST



[www.anvilintl.com](http://www.anvilintl.com)