

Product data sheet

Specifications

set of 4 step slides with brackets for adjustment of m.plate in PLM 108



NSYDPLM350

Main

category	Mounting accessory
Product or component type	Step slide
Range compatibility	Thalassa Thalassa PLM
Application	Multi-purpose
Nominal dimensions of the housing	-
Mounting location	Sides of enclosure
Device composition	4 sliding rails 4 sliding support fixing elements
Quantity per set	Set of 1
Material	Galvanised steel

Complementary

Fixing mode	By fixing element - enclosure boss location
Adjustment	In depth of the plate or other accessories in steps of 12.5 mm
Depth	Maximum depth adjustment : 306 mm Minimum depth adjustment : 106 mm

Packing Units

Unit Type of Package 1	PCE
Number of Units in Package 1	1
Package 1 Height	6.500 cm
Package 1 Width	9.500 cm
Package 1 Length	32.500 cm
Package 1 Weight	980.000 g
Unit Type of Package 2	PAL
Number of Units in Package 2	5
Package 2 Height	32.500 cm
Package 2 Width	47.500 cm
Package 2 Length	32.500 cm
Package 2 Weight	9.800 kg

Contractual warranty

Warranty

18 months

Environmental Data

Schneider Electric aims to achieve Net Zero status by 2050 through supply chain partnerships, lower impact materials, and circularity via our ongoing “Use Better, Use Longer, Use Again” campaign to extend product lifetimes and recyclability.

[How this information helps you >](#)

Environmental footprint

[Environmental Disclosure](#)

[Product Environmental Profile](#)

Use Better

Materials and Substances

Packaging made with recycled cardboard **No**

Packaging without single use plastic **No**

[EU RoHS Directive](#)

**Pro-active compliance
(Product out of EU RoHS legal scope)**

REACH Regulation

[REACH Declaration](#)

China RoHS Regulation

[China RoHS declaration](#)

Use Again

Repack and remanufacture

Circularity Profile **No need of specific recycling operations**

Take-back **No**

Image of product in real life situation

